

# Golf Injuries:


## Prevention & Management

Independent Study Course 25.2.3

### Common Golf Injuries

Steven Pavlet, PT, DPT, MS, OCS, ATC  
Stanford Health Care  
Stanford, California

Orthopaedic Section, APTA, Inc.  
Downloaded from www.orthopteam.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.  
Copyright © 2015 Orthopaedic Section, APTA, Inc. All rights reserved.



APTA  
American Physical Therapy Association

## REFERENCES

- Lynn SK, Noffal GJ. Frontal plane knee movements in golf: effect of target side foot position at address. *J Sports Sci Med*. 2010;9:275-281.
- Grosheger G, Liem D, Ludwig K, Greshake O, Winkelmann W. Injuries and overuse syndromes in golf. *Am J Sports Med*. 2003;31(3):438-443.
- 2013 Golf Participation Study: the National Golf Foundation. <http://secure.ngf.org/cgi/faq.asp#1>. Accessed June 22, 2014.
- Parziale JR, Mallon WJ. Golf injuries and rehabilitation. *Phys Med Rehabil Clin N Am*. 2006;17:589-607.
- McHardy A, Pollard H, Luo K. One-year follow-up study on golf injuries in Australian amateur golfers. *Am J Sports Med*. 2007;35(8):1354-1360.
- Batt ME. A survey of golf injuries in amateur golfers. *Br J Sports Med*. 1992;26(1):63-65.
- Evans K, Refshauge KM, Adams R, Aliprandi L. Predictors of low back pain in young elite golfers: A preliminary study. *Phys Ther Sport*. 2005;6:122-130.
- McHardy AJ, Pollard HP, Luo K. Golf-related lower back injuries: an epidemiological survey. *J Chiropr Med*. 2007;6:20-26.
- McHardy A, Pollard H, Luo K. Golf injuries: A review of the literature. *Sports Med*. 2006;36(2):171-187.
- Smith MF, Hillman R. A retrospective service audit of a mobile physiotherapy unit on the PGA European golf tour. *Phys Ther Sport*. 2012;13:41-44.
- Marshall RN, McNair PJ. Biomechanical risk factors and mechanisms of knee injury in golfers. *Sports Biomechanics*. 2013;13(3):221-230.
- McCarroll JR. Overuse injuries of the upper extremity in golf. *Clinics in Sports Med*. 2001;20(7):469-479.
- Padgett JK, Hendrix JD. Cutaneous malignancies and their management. *Otolaryngol Clin N Am*. 2001;34:523-553.
- Goldsmith LA, Koh HK, Bewerse BA, et al. Full proceedings from the national conference to develop a national skin cancer agenda. *J Am Acad Dermatol*. 1996;35:748-756.
- Wills M. Skin cancer screening. *Phys Ther*. 2002;82(12):1232-1237.
- Downs NJ, Schouten PW, Parisi AV, Turner J. Measurements of the upper body ultraviolet exposure to golfers: non-melanoma skin cancer risk, and the potential benefits of the exposure to sunlight. *Photodermatol Photoimmunol Photomed*. 2009;25:317-324.
- Downs N, Parisi A, Schouten P. Basal and squamous cell carcinoma risks for golfers: an assessment of the influence of tee time for latitudes in northern and southern hemispheres. *J Photochem Photobiol B*. 2011;105:98-105.
- Wormser GP, Dattwyler RJ, Shapiro ED, et al. The Clinical Assessment, Treatment, and Prevention of Lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Disease Society of America. *Clin Inf Dis*. 2006;43(9):1089-1134.
- Pietrocarlo TA. Foot and ankle considerations in golf. *Clin Sports Med*. 1996;15(1):129-146.
- Mueller MJ, Maluf KS. Tissue adaptation to physical stress: a proposed "Physical Stress Theory" to guide physical therapist education, practice and research. *Phys Ther*. 2002;82:383-403.
- Davenport TE, Kulig K, Matharu Y, Blanco CE. The EdURep model for nonsurgical management of tendinopathy. *Phys Ther*. 2005;85:1093-1103.
- McPoil TG, Martin RL, Cornwall MW, et al. Heel Pain-Plantar Fasciitis: Clinical practice guidelines linked to the International Classification of Function, Disability and Health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2008;38(4):A1-A18.
- McRitchie M, Curran J. A randomized control trial for evaluating over-the-counter golf orthoses in alleviating pain in amateur golfers. *Foot*. 2007;17(2):57-64.
- LaStayo PC, Woolf JM, Lewk MD, et al. Eccentric muscle contractions: their contribution to injury, prevention, rehabilitation, and sport. *J Orthop Sports Phys Ther*. 2003;33:557-571.
- Alfredson H, Pietela T, Lorentzon R. Chronic Achilles tendinitis and calf muscle strength. *Am J Sports Med*. 1996;24(6):829-833
- Barrentine SW, Fleisig GS, Johnson H, Wooley TW. Ground reaction forces and torques of professional and amateur golfers. In: Cochran AJ, Farrally MR, eds. *Science and Golf II: Proceedings of the World Scientific Congress of Golf*. London: E&FN Spon; 1994:33-39.
- Hame SL, Kohler-Ekstrand C, Ghiselli G. Acute bucket-handle tear of the medial meniscus in a golfer. *Arthroscopy*. 2001;17(6):E25 1-3.
- Jackson JD, Smith J, Shah JP, Wisniewski SJ, Dahm D. Golf after total knee arthroplasty: do patients return to walking the course? *Am J Sports Med*. 2009;37:2201-2204.
- Finn C. Rehabilitation of low back pain in golfers: from diagnosis to return to sport. *Sports Health*. 2013;5(4):313-319.
- Torry MR, Schenker ML, Martin HD, et al. Neuromuscular hip biomechanics and pathology in the athlete. *Clin Sports Med*. 2006;25:179-197.



31. Shu B, Safran MR. Hip instability: anatomic and clinical considerations of traumatic and atraumatic instability. *Clin Sports Med*. 2011;30:349-367.
32. Martin RL, Enseki KR, Draovitch P, et al. Acetabular labral tears of the hip: examination and Diagnostic challenges. *J Orthop Sports Phys Ther*. 2006;36(7):503-515.
33. Arbuthnot JA, McNicholas MJ, Dashti H, Hadden WA. Total hip arthroplasty and the golfer: A study of participation and performance before and after surgery for osteoarthritis. *J Arthroscopy*. 2007;22(4):549-552.
34. Gluck GS, Bendo JA, Spivak JM. The lumbar spine and low back pain in golf: a literature review of swing biomechanics and injury prevention. *Spine J*. 2008;8:778-788.
35. Cole MH, Grimshaw PN. The crunch factor's role in golf-related low back pain. *Spine J*. 2014;14(5):799-807.
36. Vad VB, Bhat AL, Basrai D, Gebeh A, Aspergren DD, Andrews JR. Low back pain in professional golfers: the role of associated hip and low back range-of-motion deficits. *Am J Sports Med*. 2004;32(2):494-497.
37. Cole MH, Grimshaw PN. Electromyography of the trunk and abdominal muscles in golfers with and without low back pain. *J Sci Med Sport*. 2008;11:174-181.
38. Cole MH, Grimshaw PN. Trunk muscle onset and cessation in golfers with and without low back pain. *J Biomech*. 2008;41:2829-2833.
39. Horton JF, Lindsay DM, Macintosh BR. Abdominal muscle activation of elite male golfers with chronic low back pain. *Med Sci Sports Exerc*. 2001;33(10):1647-1654.
40. Lindsay D, Horton J. Comparison of spine motion in elite golfers with and without low back pain. *J Sports Sci*. 2002;20:599-605.
41. Panjabi M. The stabilizing system of the spine: Part I. Function, dysfunction, adaptation and enhancement. *J Spinal Disorders*. 1992;4(5):383-389.
42. Delitto A, George SZ, Van Dillen L., et al. Low back pain: Clinical practice guidelines linked to the International Classification of Functioning, Disability and Health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2012;42(4):A1-A57.
43. Fritz JM, Cleland JA, Childs JD. Subgrouping patients with low back pain: evolution of a classification approach to physical therapy. *J Orthop Sports Phys Ther*. 2007;37(6):290-302.
44. Cooke PM, Lutz GE. Internal disc disruption and axial back pain in the athlete. *Phys Med Rehabil Clin N Am*. 2000;11:837-865.
45. McKenzie R, May S. *The Lumbar Spine Mechanical Diagnosis and Therapy*. 2nd ed. Wainakae, New Zealand: Spinal Publications; 2003.
46. Hancock MJ, Maher SG, Latimer J, et al. Systematic review of tests to identify the disc, SIJ or facet joint as the source of low back pain. *Eur Spine J*. 2007;16:1539-1550.
47. Long A, Donelson R, Fung T. Does it matter which exercise? A randomized controlled trial of exercise for low back pain. *Spine*. 2004;29:2593-2602.
48. Long A, May S, Fung T. The comparative prognostic value of directional preference and centralization: a useful tool for front-line clinicians. *J Man Manip Ther*. 2008;16(4):248-254.
49. Alqarni A, Schneiders AG, Hendrick PA. Clinical tests to diagnose lumbar segmental instability: a systematic review. *J Orthop Sports Phys Ther*. 2011;41(3):130-140.
50. Cook CE, Hegedus EJ. *Orthopedic Physical Examination Tests: An Evidence-Based Approach*. Upper Saddle River, NJ: Pearson Education, Inc; 2008.
51. Kasai Y, Morishita K, Kawakita E, Kondo T, Uchida A. A new evaluation method for lumbar spinal instability: passive lumbar extension test. *Phys Ther*. 2006;86:1661-1667.
52. Cleland JA, Fritz JM, Whitman JM, Childs JD, Palmer JA. The use of a lumbar spine manipulation technique by physical therapists who satisfy a clinical prediction rule: a case series. *J Orthop Sports Phys Ther*. 2007;36(4):209-214.
53. Van Dillen LR, Bloom NJ, Gombatto SP, Susco TM. Hip rotation range of motion in people with and without low back pain who participates in rotation-related sports. *Phys Ther Sport*. 2008;9:72-81.
54. Murray E, Birley E, Twycross-Lewis R, Morrissey D. The relationship between hip rotation range of movement and low back pain prevalence in amateur golfers: An observational study. *Phys Ther Sport*. 2009;10:131-135.
55. Lejkowski PM, Poulsen E. Elimination of intermittent chronic low back pain in a recreational golfer following improvement of hip range of motion impairments. *J Bodyw Mov Ther*. 2013;17:448-452.
56. Laslett M. Evidence based diagnosis and treatment of the painful sacroiliac joint. *J Man Manip Ther*. 2013;16(3):142-152.
57. Kennedy DJ, Noh MY. The role of core stabilization in lumbosacral radiculopathy. *Phys Med Rehabil Clin N Am*. 2011;22:91-103.
58. Koumantakis GA, Watson PJ, Oldham JA. Trunk muscle stabilization training plus general exercise versus general exercise only: randomized controlled trial of patients with recurrent low back pain. *Phys Ther*. 2005;85:209-225.
59. Macedo LG, Maher CG, Latimer J, McAuley JH. Motor control exercise for persistent, nonspecific low back pain: a systematic review. *Phys Ther*. 2009;89:9-25.
60. Costa LOP, Maher CG, Latimer J, et al. Motor control exercise for chronic low back pain: a randomized

- placebo-controlled trial. *Phys Ther.* 2009;89:1275-1286.
61. Rabin A, Shashua A, Pizem K, Dickstein R, Dar G. A clinical prediction rule to identify patients with low back pain who are likely to experience short-term success following lumbar stabilization exercises: a randomized controlled validation study. *J Orthop Sports Phys Ther.* 2014;44(1):6-29.
  62. Gatti R, Faccendini S, Tettamanti A, Barbero M, Balistri A, Calori G. Efficacy of trunk balance exercises for individuals with chronic low back pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2011;41(8):542-552.
  63. Chatzitheodorou D, Kabitsis C, Malliou P, Mougios V. A pilot study of the effects of high-intensity aerobic exercise versus passive intervention on pain, disability, psychological strain, and serum cortisol concentrations in people with chronic low back pain. *Phys Ther.* 2007;87:304-312.
  64. Grimshaw PN, Burden AM. Case report: reduction of low back pain in a professional golfer. *Med Sci Sports Exerc.* 2000;32(10):1667-1673.
  65. Reinhardt G. The role of decreased hip IR as a cause of low back pain in a golfer: a case report. *HSS J.* 2013;9(3):278-283.
  66. Sueki DG, Cleland JA, Wainner RS. A regional interdependence model of musculoskeletal dysfunction: research, mechanisms, and clinical implications. *J Man Manip Ther.* 2013;21(2):90-102.
  67. Wainner RS, Whitman JM, Cleland JA, Flynn TW. Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther.* 2007;37(11):658-660.
  68. Bialosky JE, Bishop MD, George SZ. Letters to the Editor-in-Chief: Regional interdependence; a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther.* 2008;38(3):159-160.
  69. Crawford HJ, Jull GA. The influence of thoracic posture and movement on range of arm elevation. *Physiother Theory Pract.* 1993;9:143-148.
  70. Hovis WD, Dean MT, Mallon WJ. Posterior instability of the shoulder with secondary impingement in the elite golfer. *Am J Sports Med.* 2002;30(6):886-890.
  71. Muth S, Barbe MF, Lauer R, McClure P. The effects of thoracic spine manipulation in subjects with signs of rotator cuff tendinopathy. *J Orthop Sports Phys Ther.* 2012;42(12):1005-1016.
  72. Haik MN, Albuquerque-Sendin F, Silva CZ, Siqueira-Junior AL, Ribeiro IL, Camargo PR. Scapular kinematics pre- and post-thoracic thrust manipulation in individuals with and without shoulder impingement symptoms: a randomized controlled study. *J Orthop Sports Phys Ther.* 2014;44(7):475-487.
  73. Cross KM, Kuenze C, Grindstaff T, Hertel J. Thoracic spine thrust manipulation improves pain, range of motion, and self-reported function in patients with mechanical neck pain: a systematic review. *J Orthop Sports Phys Ther.* 2011;41(9):633-642.
  74. Suvarnato T, Puntumetakul R, Kaber D, et al. The effects of thoracic manipulation versus mobilization for chronic neck pain: a randomized controlled trial pilot study. *J Phys Ther Sci.* 2013;25:865-871.
  75. Casanova-Mendez A, Oliva-Pascual-Vaca A, Rodriguez-Blanco C, Heredia-Rizo AM, Gogorza-Aroitaonandia K, Almazan-Campos G. Comparative short-term effects of two thoracic spinal manipulation techniques in subjects with chronic mechanical neck pain: a randomized controlled trial. *Man Ther.* 2014;19:331-337.
  76. Lord M, Ha KI, Song KS. Stress fractures of the ribs in golfers. *Am J Sports Med.* 1996;24(1):118-122.
  77. Kang D, Lee S. Multiple spinous process fractures of the thoracic vertebrae (Clay-Shoveler's Fracture) in a beginning golfer: a case report. *Spine.* 2009;34(15):E534-E537.
  78. Falla D, O'Leary S, Farina D, Jull G. The change in deep cervical flexor activity after training is associated with the degree of pain reduction in patients with chronic neck pain. *Clin J Pain.* 2012;28(7):628-634.
  79. Dusunceli Y, Ozturk C, Atamaz F, Hepgulcer S, Durmaz B. Efficacy of neck stabilization exercises for neck pain: a randomized controlled study. *J Rehabil Med.* 2009;41:626-631.
  80. Beer A, Treleaven J, Jull G. Can a functional postural exercise improve performance in the cranio-cervical flexion test?—a preliminary study. *Man Ther.* 2012;17:219-224.
  81. Maroon JC, Gardner P, Abila AA, El-Kadi H, Bost J. "Golfer's stroke": golf-induced stroke from vertebral artery dissection. *Surg Neurol.* 2007;67:163-168.
  82. Kim DH, Millet PJ, Warner JJP, Jobe FW. Shoulder injuries in golf. *Am J Sports Med.* 2004;32(5):1324-1330.
  83. Pink M, Jobe F, Perry J. Electromyographic analysis of the shoulder during the golf swing. *Am J Sports Med.* 1990;18(2):137-140.
  84. Kao JT, Pink M, Jobe FW, et al. Electromyographic analysis of the scapular muscles during a golf swing. *Am J Sports Med.* 1995;23(1):19-23.
  85. Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. *J Orthop Sports Phys Ther.* 2003;33(4):196-203.
  86. Struyf F, Nijs J, Baeyens JP, et al. Scapular positioning and movement in unimpaired shoulders, shoulder impingement syndrome, and glenohumeral instability. *Scand J Med Sci Sports.* 2011;21:352-358.
  87. Page P. Shoulder muscle imbalance and subacromial impingement syndrome in overhead athletes. *Int J Sports Phys Ther.* 2011;6(1):51-58.
  88. Seitz AL, McClure PW, Finucane S, Boardman ND III, Michener LA. Mechanisms of rotator cuff tendi-

nopathy: intrinsic, extrinsic, or both? *Clin Biomech.* 2011;26:1-12.

89. Bayes MC, Wadsworth LT. Upper extremity injuries in golf. *Phys Sportsmed.* 2009;37(1):92-96.
90. Cullinane FC, Boocock MG, Trevelyn FC. Is eccentric exercise an effective treatment for lateral epicondylitis? A systematic review. *Clin Rehabil.* 2014;28(1):3-19.
91. Krogh TP, Bartels EM, Ellingsen T, et al. Comparative effectiveness of injection therapies in lateral epicondylitis. *Am J Sports Med.* 2013;41(6):1435-1446.
92. Bisset LM, Collins NJ, Offord SS. Immediate effects of 2 types of braces on pain and grip strength in people with lateral epicondylalgia: a randomized controlled trial. *J Orthop Sports Phys Ther.* 2014;44(2):120-128.

93. Blanchette M, Normand MC. Augmented soft tissue mobilization versus natural history in the treatment of lateral epicondylitis: a pilot study. *J Manipulative Physiol Ther.* 2011;34:123-130.
94. Ahmad Z, Brooks R, Sertaz-Niel K, et al. The effect of platelet-rich plasma on clinical outcomes in lateral epicondylitis. *Arthroscopy.* 2013;29(11):1851-1862.
95. Thurston A. Radial tunnel syndrome. *Hand.* 2013;27(6):403-408.
96. Hawkes R, O'Connor P, Campbell D. The prevalence, variety and impact of wrist problems in elite professional golfers on the European tour. *Br J Sports Med.* 2013;47:1075-1079.

---

### SUGGESTED READING LIST

- Ek ET, Suh N, Weiland AJ. Hand and wrist injuries in golf. *J Hand Surg.* 2013;38(10):2029-2033.
- Chauhan A, Jacobs B, Andoga A, Baratz ME. Extensor tendon injuries in athletes. *Sports Med Arthrosc Rev.* 2014;22(1):45-55.
- Cohn MA, Lee SK, Strauss EJ. Upper extremity golf injuries. *Bull Hosp Jt Dis.* 2013;17(1):32-38.
- Kibler WB, Kuhn JE, Wilk K, et al. The disabled throwing shoulder: spectrum of pathology- 10 year update. *Arthroscopy.* 2013;29:141-161, 161.e1-161.e26.
- Weston M, Coleman NJ, Spears IR. The effect of isolated core training on selected measures of golf swing performance. *Med Sci Sports Exerc.* 2013;45(12):2292-2297.
- Smith MF, Hillman R. A retrospective service audit of a mobile physiotherapy unit on the PGA European golf tour. *Phys Ther Sport.* 2012;13:41-44.
- Brandt KB, Dieppe P, Radin, EL. Etiopathogenesis of osteoarthritis. *Rheum Dis Clin N Am.* 2008;34:531-559.
- Meister DW, Ladd AL, Butler EE, et al. Rotational biomechanics of the elite golf swing: benchmarks for amateurs. *J Appl Biomech.* 2011;27:242-251.
- Kebaetse M, McClure P, Pratt NA. Thoracic position effect on shoulder range of motion, strength, and three-dimensional scapular kinematics. *Arch Phys Med Rehabil.* 1999;80:945-950.
- Guten G. Knee injuries in golf. *Clin Sports Med.* 1996;15:111-128.
- Parziale JR. Healthy swing: a golf rehabilitation model. *Am J Phys Med Rehabil.* 2002;81:498-501.
- Tsai YS, Sell TC, Smoliga JM, Myers JB, Learman KE, Lephart SM. A comparison of physical characteristics and swing mechanics between golfers with and without a history of low back pain. *J Orthop Sports Phys Ther.* 2010;40(7):430-438.
- Reed JJ, Wadsworth LT. Lower back pain in golf: a review. *Curr Sports Med Rep.* 2010;9(1):57-59.
- Moazzaz P, Wang JC. Lumbar disc herniation and degenerative disc disease in athletes. *Semin Spine Surg.* 2010;22:206-209.
- Watkins RG IV, Watkins RG III. Lumbar spondylolysis and spondylolisthesis in athletes. *Semin Spine Surg.* 2010;22:210-217.
- Roh EY, Geraci MC, Smuck M. Preseason training for golfers with low back pain. *SpineLine.* 2012;1:17-21.
- Safran MR, Giordano G, Lindsey DP, et al. Strains across the acetabular labrum during hip motion: a cadaveric model. *Am J Sports Med.* 2011;39:92S-102S.
- Factor D, Dale B. Current concepts of rotator cuff tendinopathy. *Int J Sports Phys Ther.* 2014;9(2):274-288.
- Bechler JR, Jobe FW, Pink M, Perry J, Ruwe PA. Electromyographic analysis of the hip and knee during the golf swing. *Clin J Sports Med.* 1995;5(3):162-166.
- Surkitt LD, Ford JJ, Hahne AJ, Pizzari T, McMeeken JM. Efficacy of directional preference management for low back pain: a systematic review. *Phys Ther.* 2012;92:652-665.
- Farquhar SJ, Reisman DS, Snyder-Mackler L. Persistence of altered movement patterns during a sit-to-stand task 1 year following unilateral total knee arthroplasty. *Phys Ther.* 2008;88:567-579.
- Teyhen DS, Flynn TW, Childs JD, Abraham LD. Arthrokinematics in a subgroup of patients likely to benefit from a lumbar stabilization exercise program. *Phys Ther.* 2007;87:313-325.