

Alternative Special Topics:

Innovations in Practice

Independent Study Course 25.3.1



Shoulder Instability:

A Review of Anatomical
and Biomechanical Considerations,
Prevalence, and Diagnosis as well as
Nonoperative and Operative Management

Brittany Lynch, PT, DPT, SCS, OCS
UPMC Centers for Rehab Services
Pittsburgh, Pennsylvania

Tara Ridge-Hankin, MS, PT, SCS
UPMC Centers for Rehab Services
Pittsburgh, Pennsylvania

Dharmesh Vyas, MD, PhD
University of Pittsburgh Medical Center
Pittsburgh, Pennsylvania



REFERENCES

1. Ward JP, Bradley JP. Decision making in the in-season athlete with shoulder instability. *Clin Sports Med.* 2013;32(4):685-696. doi: 10.1016/j.csm.2013.07.005.
2. Murray IR, Ahmed I, White NJ, Robinson CM. Traumatic anterior shoulder instability in the athlete. *Scand J Med Sci Sports.* 2013;23(4):387-405. doi: 10.1111/j.1600-0838.2012.01494.x.
3. Murray IR, Goudie EB, Petrigliano FA, Robinson CM. Functional anatomy and biomechanics of shoulder stability in the athlete. *Clin Sports Med.* 2013;32(4):607-624. doi: 10.1016/j.csm.2013.07.001.
4. Silliman JF, Hawkins RJ. Classification and physical diagnosis of instability of the shoulder. *Clin Orthop Relat Res.* 1993;291:7-19.
5. Hovelius L. Incidence of shoulder dislocation in Sweden. *Clin Orthop Relat Res.* 1982;166:127-131.
6. Owens BD, Duffey ML, Nelson BJ, DeBernardino TM, Taylor DC, Mountcastle SB. The incidence and characteristics of shoulder instability at the United States Military Academy. *Am J Sports Med.* 2007;35(7):1168-1173. doi: 10.1177/0363546506295179.
7. Owens BD, Agel J, Mountcastle SB, Cameron KL, Nelson BJ. Incidence of gleno-

- humeral instability in collegiate athletics. *Am J Sports Med.* 2009;37(9):1750-1754. doi: 10.1177/0363546509334591.
8. Robinson CM, Seah M, Akhtar MA. The epidemiology, risk of recurrence, and functional outcome after an acute traumatic posterior dislocation of the shoulder. *J Bone Joint Surg Am.* 2011;93(17):1605-1613. doi: 10.2106/JBJS.J.00973.
 9. Wilk KE, Andrews JR. *The Athlete's Shoulder*. Philadelphia, PA: Churchill Livingstone; 1994.
 10. Kuhn JE. A new classification system for shoulder instability. *Br J Sports Med.* 2010;44(5):341-346. doi: 10.1136/bjism.2009.071183.
 11. Labriola JE, Lee TQ, Debski RE, McMahon PJ. Stability and instability of the glenohumeral joint: The role of shoulder muscles. *J Shoulder Elbow Surg.* 2005;14(1 Suppl S):32S-38S. doi: 10.1016/j.jse.2004.09.014.
 12. Levine WN, Flatow EL. The pathophysiology of shoulder instability. *Am J Sports Med.* 2000;28(6):910-917.
 13. Harryman DT 2nd, Sidles JA, Harris SL, Matsen FA 3rd. The role of the rotator interval capsule in passive motion and stability of the shoulder. *J Bone Joint Surg Am.* 1992;74(1):53-66.
 14. Wuelker N, Korell M, Thren K. Dynamic glenohumeral joint stability. *J Shoulder Elbow Surg.* 1998;7(1):43-52.
 15. Rodosky MW, Harner CD, Fu FH. The role of the long head of the biceps muscle and superior glenoid labrum in anterior stability of the shoulder. *Am J Sports Med.* 1994;22(1):121-130.
 16. Degen RM, Giles JW, Thompson SR, Litchfield RB, Athwal GS. Biomechanics of complex shoulder instability. *Clin Sports Med.* 2013;32(4):625-636. doi: 10.1016/j.csm.2013.07.002.
 17. McMahon PJ, Jobe FW, Pink MM, Brault JR, Perry J. Comparative electromyographic analysis of shoulder muscles during planar motions: anterior glenohumeral instability versus normal. *J Shoulder Elbow Surg.* 1996;5(2 Pt 1):118-23.
 18. Ogston JB, Ludewig PM. Differences in 3-dimensional shoulder kinematics between persons with multidirectional instability and asymptomatic controls. *Am J Sports Med.* 2007;35(8):1361-1370.
 19. Cameron KL, Mountcastle SB, Nelson BJ, et al. History of shoulder instability and subsequent injury during four years of follow-up: a survival analysis. *J Bone Joint Surg Am.* 2013;95(5):439-445. doi: 10.2106/JBJS.L.00252.
 20. Sachs RA, Lin D, Stone ML, Paxton E, Kuney M. Can the need for future surgery for acute traumatic anterior shoulder dislocation be predicted? *J Bone Joint Surg Am.* 2007;89(8):1665-1674. doi: 10.2106/JBJS.F.00261.
 21. Robinson CM, Dobson RJ. Anterior instability of the shoulder after trauma. *J Bone Joint Surg Br.* 2004;86(4):469-479.
 22. Ren H, Bicknell RT. From the unstable painful shoulder to multidirectional instability in the young athlete. *Clin Sports Med.* 2013;32(4):815-823. doi: 10.1016/j.csm.2013.07.014.
 23. Owens BD, Campbell SE, Cameron KL. Risk factors for posterior shoulder instability in young athletes. *Am J Sports Med.* 2013;41(11):2645-2649. doi: 10.1177/0363546513501508.
 24. Kelly BT, Kadrmaz WR, Speer KP. The manual muscle examination for rotator cuff strength. An electromyographic investigation. *Am J Sports Med.* 1996;24(5):581-588.
 25. Bahk M, Keyurapan E, Tasaki A, Sauers EL, McFarland EG. Laxity testing of the shoulder: a review. *Am J Sports Med.* 2007;35(1):131-144. doi: 10.1177/0363546506294570.
 26. Hegedus EJ, Goode A, Campbell S, et al. Physical examination tests of the shoulder: A systematic review with meta-analysis of individual tests. *Br J Sports Med.* 2008;42(2):80-892; discussion 92. doi: 10.1136/bjism.2007.038406.
 27. Beighton P, Horan F. Orthopaedic aspects of the Ehlers-danlos syndrome. *J Bone Joint Surg Br.* 1969;51(3):444-453.
 28. Owens BD, Dickens JF, Kilcoyne KG, Rue JP. Management of mid-season traumatic anterior shoulder instability in athletes. *J Am Acad Orthop Surg.* 2012;20(8):518-526. doi: 10.5435/JAAOS-20-08-518.
 29. Tzannes A, Murrell GA. Clinical examination of the unstable shoulder. *Sports Med.* 2002;32(7):447-457.
 30. Gagey OJ, Gagey N. The hyperabduction test. *J Bone Joint Surg Br.* 2001;83(1):69-74.
 31. Boublik M, Hawkins RJ. Clinical examination of the shoulder complex. *J Orthop Sports Phys Ther.* 1993;18(1):379-385. doi: 10.2519/jospt.1993.18.1.379.
 32. Kim SH, Park JS, Jeong WK, Shin SK. The Kim test: a novel test for posteroinferior labral lesion of the shoulder--a comparison to the jerk test. *Am J Sports Med.* 2005;33(8):1188-1192. doi: 10.1177/0363546504272687.
 33. Gerber C, Ganz R. Clinical assessment of instability of the shoulder. With special reference to anterior and posterior drawer tests. *J Bone Joint Surg Br.* 1984;66(4):551-556.
 34. Yoldas EA, Faber KJ, Hawkins RJ. Translation of the glenohumeral joint in patients with multidirec-

- tional and posterior instability: awake examination versus examination under anesthesia. *J Shoulder Elbow Surg.* 2001;10(5): 416-420. doi: 10.1067/mse.2001.116650.
35. Itoi E, Lee SB, Berglund LJ, Berge LL, An KN. The effect of a glenoid defect on antero-inferior stability of the shoulder after Bankart repair: a cadaveric study. *J Bone Joint Surg Am.* 2000;82(1):35-46.
36. Pagnani MJ, Deng XH, Warren RF, Torzilli PA, Altchek DW. Effect of lesions of the superior portion of the glenoid labrum on glenohumeral translation. *J Bone Joint Surg Am.* 1995;77(7):1003-1010.
37. Ogawa K, Yoshida A, Ikegami H. Osteoarthritis in shoulders with traumatic anterior instability: pre-operative survey using radiography and computed tomography. *J Shoulder Elbow Surg.* 2006;15(1): 23-29. doi: 10.1016/j.jse.2005.05.011.
38. Sanders TG, Morrison WB, Miller MD. Imaging techniques for the evaluation of glenohumeral instability. *Am J Sports Med.* 2000;28(3):414-434.
39. Sanders TG, Miller MD. A systematic approach to magnetic resonance imaging interpretation of sports medicine injuries of the shoulder. *Am J Sports Med.* 2005;33(7):1088-1105. doi: 10.1177/0363546505278255.
40. Wilk KE, Macrina LC, Reinold MM. Non-operative rehabilitation for traumatic and atraumatic glenohumeral instability. *N Am J Sports Phys Ther.* 2006;1(1):16-31.
41. Hovelius L, Augustini BG, Fredin H, et al. Primary anterior dislocation of the shoulder in young patients. A ten-year prospective study. *J Bone Joint Surg Am.* 1996;78(11):1677-1684.
42. Hovelius L, Eriksson K, Fredin H, et al. Recurrences after initial dislocation of the shoulder. Results of a prospective study of treatment. *J Bone Joint Surg Am.* 1983;65(3):343-349.
43. Itoi E, Sashi R, Minagawa H, et al. Position of immobilization after dislocation of the glenohumeral joint. A study with use of magnetic resonance imaging. *J Bone Joint Surg Am.* 2001;83-A(5):661-667.
44. Aronen JG. Anterior shoulder dislocations in sports. *Sports Med.* 1986;3(3):224-34.
45. Lephart SM, Warner JJ, Borsa PA, Fu FH. Proprioception of the shoulder joint in healthy, unstable, and surgically repaired shoulders. *J Shoulder Elbow Surg.* 1994;3(6):371-380. doi: 10.1016/S1058-2746(09)80022-0.
46. Marans HJ, Angel KR, Schemitsch EH, Wedge JH. The fate of traumatic anterior dislocation of the shoulder in children. *J Bone Joint Surg Am.* 1992; 74(8):1242-1244.
47. Blasler RB, Carpenter JE, Huston LJ. Shoulder proprioception. Effect of joint laxity, joint position, and direction of motion. *Orthop Rev.* 1994;23(1):45-50.
48. Smith RL, Brunolli J. Shoulder kinesthesia after anterior glenohumeral joint dislocation. *Phys Ther.* 1989;69(2):106-112.
49. Zuckerman JD, Gallagher MA, Lehman C, Kraushaar BS, Choueka J. Normal shoulder proprioception and the effect of lidocaine injection. *J Shoulder Elbow Surg.* 1999;8(1):11-16.
50. Burkhead WZ Jr, Rockwood CA Jr. Treatment of instability of the shoulder with an exercise program. *J Bone Joint Surg Am.* 1992;74(6):890-896.
51. Carpenter JE, Blasler RB, Pellizzon GG. The effects of muscle fatigue on shoulder joint position sense. *Am J Sports Med.* 1998;26(2):262-265.
52. Cain PR, Mutschler TA, Fu FH, Lee SK. Anterior stability of the glenohumeral joint. A dynamic model. *Am J Sports Med.* 1987;15(2):144-148.
53. Streubel PN, Krych AJ, Simone JP, et al. Anterior glenohumeral instability: a pathology-based surgical treatment strategy. *J Am Acad Orthop Surg.* 2014;22(5):283-294. doi: 10.5435/JAAOS-22-05-283.
54. Cole BJ, Millett PJ, Romeo AA, et al. Arthroscopic treatment of anterior glenohumeral instability: indications and techniques. *Instr Course Lect.* 2004;53:545-558.
55. Uhorchak JM, Arciero RA, Huggard D, Taylor DC. Recurrent shoulder instability after open reconstruction in athletes involved in collision and contact sports. *Am J Sports Med.* 2000;28(6):794-799.
56. Peruto CM, Ciccotti MG, Cohen SB. Shoulder arthroscopy positioning: lateral decubitus versus beach chair. *Arthroscopy.* 2009;25(8):891-896. doi: 10.1016/j.arthro.2008.10.003.
57. Mologne TS, Provencher MT, Menzel KA, Vachon TA, Dewing CB. Arthroscopic stabilization in patients with an inverted pear glenoid: results in patients with bone loss of the anterior glenoid. *Am J Sports Med.* 2007;35(8):1276-1283. doi: 10.1177/0363546507300262.
58. Provencher MT, Ghodadra N, LeClere L, Solomon DJ, Romeo AA. Anatomic osteochondral glenoid reconstruction for recurrent glenohumeral instability with glenoid deficiency using a distal tibia allograft. *Arthroscopy.* 2009;25(4):446-452. doi: 10.1016/j.arthro.2008.10.017.
59. Balg F, Boileau P. The instability severity index score. A simple pre-operative score to select patients for arthroscopic or open shoulder stabilisation. *J Bone Joint Surg Br.* 2007;89(11):1470-1477.
60. Millett PJ, Clavert P, Hatch GF 3rd, Warner JJ. Recurrent posterior shoulder instability. *J Am Acad Orthop Surg.* 2006;14(8):464-476.

61. Gaskill TR, Taylor DC, Millett PJ. Management of multidirectional instability of the shoulder. *J Am Acad Orthop Surg*. 2011;19(12):758-767.
62. Flanigan DC, Forsythe T, Orwin J, Kaplan L. Volume analysis of arthroscopic capsular shift. *Arthroscopy*. 2006;22(5):528-533. doi: 10.1016/j.arthro.2006.01.010.
63. Sekiya JK, Willobee JA, Miller MD, Hickman AJ, Willobee A. Arthroscopic multi-pleated capsular plication compared with open inferior capsular shift for reduction of shoulder volume in a cadaveric model. *Arthroscopy*. 2007;23(11):1145-1151. doi: 10.1016/j.arthro.2007.05.019.
64. Fronck J, Warren RF, Bowen M. Posterior subluxation of the glenohumeral joint. *J Bone Joint Surg Am*. 1989;71(2):205-216.
65. Hawkins RJ, Koppert G, Johnston G. Recurrent posterior instability (subluxation) of the shoulder. *J Bone Joint Surg Am*. 1984;66(2):169-174.
66. Buss DD, Lynch GP, Meyer CP, Huber SM, Freehill MQ. Nonoperative management for in-season athletes with anterior shoulder instability. *Am J Sports Med*. 2004;32(6):1430-1433. doi: 10.1177/0363546503262069.
67. Wilk KE, Andrews JR, Arrigo CA, Keirns MA, Erber DJ. The strength characteristics of internal and external rotator muscles in professional baseball pitchers. *Am J Sports Med*. 1993;21(1):61-66.
68. Wilk KE, Andrews JR, Arrigo CA. The abductor and adductor strength characteristics of professional baseball pitchers. *Am J Sports Med*. 1995;23(6):778.
69. Davies GJ, Dickoff-Hoffman S. Neuromuscular testing and rehabilitation of the shoulder complex. *J Orthop Sports Phys Ther*. 1993;18(2):449-458. doi: 10.2519/jospt.1993.18.2.449.
70. Ellenbecker T, Manske R, Davies G. Closed kinetic chain testing techniques of the upper extremities. *Orthopaedic Physical Therapy Clinics of North America*. 2000;9(2):219-230.
71. Murray TA, Cook TD, Werner SL, Schlegel TF, Hawkins RJ. The effects of extended play on professional baseball pitchers. *Am J Sports Med*. 2001;29(2):137-142.
72. Voight ML, Hardin JA, Blackburn TA, Tippet S, Canner GC. The effects of muscle fatigue on and the relationship of arm dominance to shoulder proprioception. *J Orthop Sports Phys Ther*. 1996;23(6):348-352. doi: 10.2519/jospt.1996.23.6.348.
73. Chen SK, Simonian PT, Wickiewicz TL, Otis JC, Warren RF. Radiographic evaluation of glenohumeral kinematics: a muscle fatigue model. *J Shoulder Elbow Surg*. 1999;8(1):49-52.
74. Stone GP, Pearsall AW. Return to play after open Bankart repair: A systematic review. *Orthopaedic Journal of Sports Medicine*. 2014;2(2). doi: 10.1177/2325967114522960.
75. Rowe CR, Patel D, Southmayd WW. The Bankart procedure: A long-term end-result study. *J Bone Joint Surg Am*. 1978;60(1):1-16.
76. Tjoumakaris FP, Abboud JA, Hasan SA, Ramsey ML, Williams GR. Arthroscopic and open Bankart repairs provide similar outcomes. *Clin Orthop Relat Res*. 2006;446:227-232. doi: 10.1097/01.blo.0000205883.73705.19.
77. Rouleau DM, Faber K, MacDermid JC. Systematic review of patient-administered shoulder functional scores on instability. *J Shoulder Elbow Surg*. 2010;19(8):1121-1128. doi: 10.1016/j.jse.2010.07.003.
78. Misamore GW, Sallay PI, Didelot W. A longitudinal study of patients with multidirectional instability of the shoulder with seven- to ten-year follow-up. *J Shoulder Elbow Surg*. 2005;14(5):466-470. doi: 10.1016/j.jse.2004.11.006.
79. Gibson K, Growse A, Korda L, Wray E, MacDermid JC. The effectiveness of rehabilitation for nonoperative management of shoulder instability: a systematic review. *J Hand Ther*. 2004;17(2):229-242. doi: 10.1197/j.jht.2004.02.010.
80. Gorman PP, Butler RJ, Plisky PJ, Kiesel KB. Upper Quarter Y Balance Test: reliability and performance comparison between genders in active adults. *J Strength Cond Res*. 2012;26(11):3043-3048.
81. Roush JR, Kitamura J, Waits MC. Reference values for the closed kinetic chain upper extremity stability test (CKCUEST) for collegiate baseball players. *N Am J Sports Phys Ther*. 2007; 2(3):159-163.