


# Outcomes in Orthopaedic Physical Therapy Practice

Independent Study Course 26.1.6

## Measures of Cognition and Affect



Kimiko Yamada, PT, DPT, OCS, ATC, CLT, CSCS  
University of Southern California  
Division of Biokinesiology and Physical Therapy  
Los Angeles, California



---

## REFERENCES

1. Kandel E, Schwartz J, Jessell T, Siegelbaum S, Hudspeth A. *Principles of Neural Science*. 5th ed. McGraw-Hill Education/Medical; 2012.
2. *International Classification of Functioning, Disability, and Health: ICF*. Geneva, Switzerland: World Health Organization; 2001.
3. American Physical Therapy Association. Guide to Physical Therapist Practice. 2nd ed: *Phys Ther*. 2001;81(1):9-746.
4. Wideman TH, Adams H, Sullivan MJ. A prospective sequential analysis of the fear-avoidance model of pain. *Pain*. 2009;145(1-2):45-51. doi: 10.1016/j.pain.2009.04.022. Epub 2009 May 23.
5. Wideman TH, Asmundson GG, Smeets RJ, et al. Rethinking the fear avoidance model: toward a multidimensional framework of pain-related disability. *Pain*. 2013;154(11):2262-2265. doi: 10.1016/j.pain.2013.06.005. Epub 2013 Jun 6.
6. Arnstein P, Caudill M, Mandle CL, Norris A, Beasley R. Self efficacy as a mediator of the relationship between pain intensity, disability and depression in chronic pain patients. *Pain*. 1999;80(3):483-491.
7. Denison E, Asenlof P, Lindberg P. Self-efficacy, fear avoidance, and pain intensity as predictors of disability in subacute and chronic musculoskeletal pain patients in primary health care. *Pain*. 2004;111(3):245-252.
8. Jensen MP, Turner JA, Romano JM. Self-efficacy and outcome expectancies: relationship to chronic pain coping strategies and adjustment. *Pain*. 1991;44(3):263-269.
9. Lackner JM, Carosella AM, Feuerstein M. Pain expectancies, pain, and functional self-efficacy expectancies as determinants of disability in patients with chronic low back disorders. *J Consult Clin Psychol*. 1996;64(1):212-220.
10. Lackner JM, Carosella AM. The relative influence of perceived pain control, anxiety, and functional self efficacy on spinal function among patients with chronic low back pain. *Spine (Phila Pa 1976)*. 1999;24(10562993):2254-2260.
11. Turner JA, Jensen MP, Romano JM. Do beliefs, coping, and catastrophizing independently predict functioning in patients with chronic pain? *Pain*. 2000;85(1-2):115-125.
12. Becker M. *The Health Belief Model and Personal Health Behavior*. Thorofore, NJ: Charles B. Slack, Inc.; 1974.

13. Becker M, Maiman L. Sociobehavioral determinants of compliance with health and medical care recommendations. *Med Care*. 1975;13(1):10-24.
14. Janz NK, Becker MH. The Health Belief Model: a decade later. *Health Educ Q*. 1984;11(1):1-47.
15. Prochaska JO, Velicer WF. The transtheoretical model of health behavior change. *Am J Health Promot*. 1997;12(1):38-48.
16. Rundell SD, Davenport TE. Patient education based on principles of cognitive behavioral therapy for a patient with persistent low back pain: a case report. *J Orthop Sports Phys Ther*. 2010;40(8):494-501. doi: 10.2519/jospt.2010.3264.
17. Davenport T, Austin A, Yamada K, Peterson C. The CAB model of pain-related activity avoidance: description and implications for research and practice in physical therapy. *Orthopaedic Practice*. 2009;21(4):127-134.
18. Carragee EJ, Alamin TF, Miller JL, Carragee JM. Discographic, MRI and psychosocial determinants of low back pain disability and remission: a prospective study in subjects with benign persistent back pain. *Spine J*. 2005;5(1):24-35.
19. Gilkey DP, Keefe TJ, Peel JL, Kassab OM, Kennedy CA. Risk factors associated with back pain: a cross-sectional study of 963 college students. *J Manipulative Physiol Ther*. 2010;33(2):88-95. doi: 10.1016/j.jmpt.2009.12.005.
20. Elwood LS, Wolitzky-Taylor K, Olatunji BO. Measurement of anxious traits: a contemporary review and synthesis. *Anxiety Stress Coping*. 2012;25(6):647-666. doi: 10.1080/10615806.2011.582949. Epub 2011 Jun 3.
21. Letham J, Slade P, Troup J, Bentley G. Outline of a fear-avoidance model of exaggerated pain perception - I. *Behav Res Ther*. 1983;21(4):401-408.
22. Slade PD, Troup JD, Lethem J, Bentley G. The Fear-Avoidance Model of exaggerated pain perception--II. *Behav Res Ther*. 1983;21(4):409-416.
23. Vlaeyen JW, Linton SJ. Fear-avoidance and its consequences in chronic musculoskeletal pain: a state of the art. *Pain*. 2000;85(3):317-332.
24. Leeuw M, Goossens ME, Linton SJ, Crombez G, Boersma K, Vlaeyen JW. The fear-avoidance model of musculoskeletal pain: current state of scientific evidence. *J Behav Med*. 2007;30(1):77-94.
25. McCracken LM, Zayfert C, Gross RT. The Pain Anxiety Symptoms Scale: development and validation of a scale to measure fear of pain. *Pain*. 1992;50(1):67-73.
26. Burns JW, Mullen JT, Higdon LJ, Wei JM, Lansky D. Validity of the pain anxiety symptoms scale (PASS): prediction of physical capacity variables. *Pain*. 2000;84(2-3):247-252.
27. Spielberger C. *Manual for the State-Trait Anxiety Index for Adults (STAI-AD)*. Palo Alto, CA: Consulting Psychologists Press; 1983.
28. Beck AT, Epstein N, Brown G, Steer RA. An inventory for measuring clinical anxiety: psychometric properties. *J Consult Clin Psychol*. 1988;56(6):893-897.
29. Zigmond AS, Snaith RP. The hospital anxiety and depression scale. *Acta Psychiatr Scand*. 1983;67(6):361-370.
30. Alberts NM, Hadjistavropoulos HD, Jones SL, Sharpe D. The Short Health Anxiety Inventory: a systematic review and meta-analysis. *J Anxiety Disord*. 2013;27(1):68-78. doi: 10.1016/j.janxdis.2012.10.009. Epub 2012 Nov 9.
31. Salkovskis PM, Rimes KA, Warwick HM, Clark DM. The Health Anxiety Inventory: development and validation of scales for the measurement of health anxiety and hypochondriasis. *Psychol Med*. 2002;32(5):843-853.
32. McCracken LM, Dhingra L. A short version of the Pain Anxiety Symptoms Scale (PASS-20): preliminary development and validity. *Pain Res Manag*. 2002;7(1):45-50.
33. *Diagnostic and Statistical Manual of Mental Disorders*. 4th ed. Washington, D.C.: American Psychiatric Association; 1994.
34. Paykel ES. Basic concepts of depression. *Dialogues Clin Neurosci*. 2008;10(3):279-289.
35. Beck A, Ward C, Mendelson M, Mock J, Erbaugh J. An inventory for measuring depression. *Arch Gen Psychiatry*. 1961;4:561-571.
36. Yesavage JA. Geriatric Depression Scale. *Psychopharmacol Bull*. 1988;24(4):709-711.
37. Yesavage JA, Brink TL, Rose TL, et al. Development and validation of a geriatric depression screening scale: a preliminary report. *J Psychiatr Res*. 1982;17(1):37-49.
38. Radloff L. The CES-D scale: a self-report depression scale for research in the general population. *Appl Psychol Meas*. 1977;1(3):385-401.
39. Kroenke K, Spitzer RL, Williams JB. The PHQ-9: validity of a brief depression severity measure. *J Gen Intern Med*. 2001;16(9):606-613.
40. Kori S, Miller R, Todd D. Kinesiophobia: A new view of chronic pain behavior. *Pain Management*. 1990;3:35-43.
41. Woby SR, Roach NK, Urmston M, Watson PJ. Psychometric properties of the TSK-11: a shortened version of the Tampa Scale for Kinesiophobia. *Pain*. 2005;117(1-2):137-144.
42. Waddell G, Newton M, Henderson I, Somerville D, Main CJ. A Fear-Avoidance Beliefs Questionnaire (FABQ) and the role of fear-avoidance beliefs in chronic low back pain and disability. *Pain*. 1993;52(2):157-168.
43. Sullivan MJ, Thorn B, Haythornthwaite JA, et al. Theoretical perspectives on the relation between catastrophizing and pain. *Clin J Pain*. 2001;17(1):52-64.

44. Geisser ME, Robinson ME, Keefe FJ, Weiner ML. Catastrophizing, depression and the sensory, affective and evaluative aspects of chronic pain. *Pain*. 1994;59(1):79-83.
45. Wertli MM, Burgstaller JM, Weiser S, Steurer J, Kofmehl R, Held U. Influence of catastrophizing on treatment outcome in patients with nonspecific low back pain: a systematic review. *Spine (Phila Pa 1976)*. 2014;39(3):263-273. doi: 10.1097/BRS.0000000000000110.
46. Severeijns R, Vlaeyen JW, van den Hout MA, Weber WE. Pain catastrophizing predicts pain intensity, disability, and psychological distress independent of the level of physical impairment. *Clin J Pain*. 2001;17(2):165-172.
47. Sullivan MJ, Martel MO, Tripp DA, Savard A, Crombez G. Catastrophic thinking and heightened perception of pain in others. *Pain*. 2006;123(1-2):37-44.
48. Sullivan M, Bishop S, Pivik J. The Pain Catastrophizing Scale: Development and validation. *Psychol Assess*. 1995;7:524-532.
49. George SZ, Valencia C, Beneciuk JM. A psychometric investigation of fear-avoidance model measures in patients with chronic low back pain. *J Orthop Sports Phys Ther*. 2010;40(4):197-205. doi: 10.2519/jospt.2010.3298.
50. Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev*. 1977;84(2):191-215.
51. Bandura A. Human agency in social cognitive theory. *Am Psychol*. 1989;44(9):1175-1184.
52. Ajzen I. The theory of planned behavior. *Organizational Behavior and Human Decision Processes*. 1991;50(2):179-211.
53. Armitage CJ, Conner M. Efficacy of the Theory of Planned Behaviour: a meta-analytic review. *Br J Soc Psychol*. 2001;40(Pt 4):471-499.
54. Bandura A. *Self Efficacy: The Exercise of Control*. New York, NY: W H Freeman/Times Books/ Henry Holt & Co.; 1997.
55. Bandura A, Adams N, Beyer J. Cognitive processes mediating behavioral change. *J Pers Soc Psychol*. 1977;35(3):125-139.
56. Resnick B, Zimmerman SI, Orwig D, Furstenberg AL, Magaziner J. Outcome expectations for exercise scale: utility and psychometrics. *J Gerontol B Psychol Sci Soc Sci*. 2000;55(6):S352-356.
57. Bandura A. *Social Foundations of Thought and Action*. 1st ed. Englewood Cliffs, NJ: Prentice-Hall; 1986.
58. Estlander AM, Vanharanta H, Moneta GB, Kaivanto K. Anthropometric variables, self-efficacy beliefs, and pain and disability ratings on the isokinetic performance of low back pain patients. *Spine (Phila Pa 1976)*. 1994;19(8):941-947.
59. Resnick B. A longitudinal analysis of efficacy expectations and exercise in older adults. *Res Theory Nurs Pract*. 2004;18(4):331-344.
60. Resnick B. A prediction model of aerobic exercise in older adults living in a continuing-care retirement community. *J Aging Health*. 2001;13(2):287-310.
61. Resnick B. Testing a model of exercise behavior in older adults. *Res Nurs Health*. 2001;24(2):83-92.
62. Bandura A. Health promotion by social cognitive means. *Health Educ Behav*. 2004;31(2):143-164.
63. Ajzen I, Fishbein M. *Understanding Attitudes and Predicting Social Behavior*. Englewood Cliffs, NJ: Prentice-Hall; 1980.
64. Fishbein M, Ajzen I. *Belief, Attitude, Intention, and Behavior*. New York, NY: Wiley; 1975.
65. Asghari A, Nicholas MK. Pain self-efficacy beliefs and pain behaviour. A prospective study. *Pain*. 2001;94(1):85-100.
66. Turner JA, Ersek M, Kemp C. Self-efficacy for managing pain is associated with disability, depression, and pain coping among retirement community residents with chronic pain. *J Pain*. 2005;6(7):471-479.
67. Turner JA, Holtzman S, Mancl L. Mediators, moderators, and predictors of therapeutic change in cognitive-behavioral therapy for chronic pain. *Pain*. 2007;127(3):276-286. Epub 2006 Oct 27.
68. Council JR, Ahern DK, Follick MJ, Kline CL. Expectancies and functional impairment in chronic low back pain. *Pain*. 1988;33(3):323-331.
69. Jackson T, Wang Y, Fan H. Self-efficacy and chronic pain outcomes: a meta-analytic review. *J Pain*. 2014;15(8):800-814. doi: 10.1016/j.jpain.2014.05.002. Epub 2014 May 28.
70. Arnstein P. The mediation of disability by self efficacy in different samples of chronic pain patients. *Disabil Rehabil*. 2000;22(11194620):794-801.
71. Wiedenfeld SA, O'Leary A, Bandura A, Brown S, Levine S, Raska K. Impact of perceived self-efficacy in coping with stressors on components of the immune system. *J Pers Soc Psychol*. 1990;59(5):1082-1094.
72. Ayre M, Tyson G. The role of self-efficacy and fear-avoidance beliefs in the prediction of disability. *Australian Psychologist*. 2001;36(3):250-253.
73. Kores RC, Murphy WD, Rosenthal TL, Elias DB, North WC. Predicting outcome of chronic pain treatment via a modified self-efficacy scale. *Behav Res Ther*. 1990;28(2):165-169.
74. Young MD, Plotnikoff RC, Collins CE, Callister R, Morgan PJ. Social cognitive theory and physical activity: a systematic review and meta-analysis. *Obes Rev*. 2014;15(12):983-995.
75. Barlow JH, Williams B, Wright C. The Generalized Self-Efficacy Scale in people with arthritis. *Arthritis Care Res*. 1996;9(3):189-196.
76. Horn KK, Jennings S, Richardson G, Vliet DV, Heford C, Abbott JH. The patient-specific functional

- scale: psychometrics, clinimetrics, and application as a clinical outcome measure. *J Orthop Sports Phys Ther.* 2012;42(1):30-42. doi: 10.2519/jospt.2012.3727. Epub 2011 Oct 25.
77. Stratford P. Assessing disability and change on individual patients: a report of a patient specific measure. *Physiother Can.* 1995;47(4):258-263.
78. Resnick B, Jenkins LS. Testing the reliability and validity of the Self-Efficacy for Exercise scale. *Nurs Res.* 2000;49(3):154-159.
79. Nicholas MK. The pain self-efficacy questionnaire: Taking pain into account. *Eur J Pain.* 2007;11(2):153-163.
80. Lorig K, Chastain RL, Ung E, Shoor S, Holman HR. Development and evaluation of a scale to measure perceived self-efficacy in people with arthritis. *Arthritis Rheum.* 1989;32(2912463):37-44.
81. Anderson KO, Dowds BN, Pelletz RE, Edwards WT, Peeters-Asdourian C. Development and initial validation of a scale to measure self-efficacy beliefs in patients with chronic pain. *Pain.* 1995;63(1):77-84.
82. Keefe FJ, Kashikar-Zuck S, Robinson E, et al. Pain coping strategies that predict patients' and spouses' ratings of patients' self-efficacy. *Pain.* 1997;73(2):191-199.
83. Harland N, Georgieff K. Development of the Coping Strategies Questionnaire 24, a Clinically Utilitarian Version of the Coping Strategies Questionnaire. *Rehabil Psychol.* 2003;48(4):296-300.
84. Rosenstiel AK, Keefe FJ. The use of coping strategies in chronic low back pain patients: relationship to patient characteristics and current adjustment. *Pain.* 1983;17(1):33-44.
85. Jensen MP, Turner JA, Romano JM, Strom SE. The Chronic Pain Coping Inventory: development and preliminary validation. *Pain.* 1995;60(2):203-216.
86. Romano JM, Jensen MP, Turner JA. The Chronic Pain Coping Inventory-42: reliability and validity. *Pain.* 2003;104(1-2):65-73.
87. Deci EL, Ryan RM. A motivational approach to self: integration in personality. *Nebr Symp Motiv.* 1990;38:237-288.
88. Ryan RM, Deci EL. Intrinsic and Extrinsic Motivations: Classic Definitions and New Directions. *Contemp Educ Psychol.* 2000;25(1):54-67.
89. Abramson LY, Seligman ME, Teasdale JD. Learned helplessness in humans: critique and reformulation. *J Abnorm Psychol.* 1978;87(1):49-74.
90. Seligman ME. Learned helplessness. *Annu Rev Med.* 1972;23:407-412.
91. Frederick CM, Morrison C, Manning T. Motivation to participate, exercise affect, and outcome behaviors toward physical activity. *Percept Mot Skills.* 1996;82(2):691-701.
92. Markland D, Tobin V. A modification of the Behavioral Regulation in Exercise Questionnaire to include an assessment of amotivation. *J Sport Exerc Psychol.* 2004;26:191-196.
93. Mullan E, Markland D, Ingleedew D. A graded conceptualisation of self-determination in the regulation of exercise behaviour: development of a measure using confirmatory factor analytic procedures. *Person Individ Diff.* 1997;23(5):745-752.
94. Wilson P, Rodgers W, Loitz C, Scime G. "It's who I am...really!" The importance of integrated regulation in exercise contexts. *J Biobehavioral Res.* 2006;11:79-104.
95. Rose EA, Markland D, Parfitt G. The development and initial validation of the Exercise Causality Orientations Scale. *J Sports Sci.* 2001;19(6):445-462.
96. Cox CL. The Health Self-Determinism Index. *Nurs Res.* 1985;34(3):177-183.
97. Bandura A, Wood R. Effect of perceived controllability and performance standards on self-regulation of complex decision making. *J Pers Soc Psychol.* 1989;56(5):805-814.
98. Condly S. Resilience in children: a review of literature with implications for education. *Urban Education.* 2006;41(3):211-236.
99. Connor KM, Davidson JR. Development of a new resilience scale: the Connor-Davidson Resilience Scale (CD-RISC). *Depress Anxiety.* 2003;18(2):76-82.
100. Masten AS. Ordinary magic. Resilience processes in development. *Am Psychol.* 2001;56(3):227-238.
101. Zautra AJ. Resilience: one part recovery, two parts sustainability. *J Pers.* 2009;77(6):1935-1943.
102. Rutter M. Implications of resilience concepts for scientific understanding. *Ann N Y Acad Sci.* 2006;1094:1-12.
103. Nygren B, Aléx L, Jonsén E, Gustafson Y, Norberg A, Lundman B. Resilience, sense of coherence, purpose in life and self-transcendence in relation to perceived physical and mental health among the oldest old. *Aging Ment Health.* 2005;9(4):354-362.
104. Leppin AL, Bora PR, Tilburt JC, et al. The efficacy of resiliency training programs: a systematic review and meta-analysis of randomized trials. *PLoS One.* 2014;9(10):e111420. doi: 10.1371/journal.pone.0111420. eCollection 2014.
105. Windle G, Bennett KM, Noyes J. A methodological review of resilience measurement scales. *Health Qual Life Outcomes.* 2011;9:8. doi: 10.1186/1477-7525-9-8.
106. Campbell-Sills L, Stein MB. Psychometric analysis and refinement of the Connor-davidson Resilience Scale (CD-RISC): Validation of a 10-item measure of resilience. *J Trauma Stress.* 2007;20(6):1019-1028.
107. Resnick B, Galik E, Dorsey S, Scheve A, Gutkin S. Reliability and validity testing of the physical resilience measure. *Gerontologist.* 2011;51(5):643-

652. doi: 10.1093/geront/gnr016. Epub 2011 Mar 14.
108. The World Health Organization (WHO). Preamble to the Constitution of the World Health Organization as adopted by the International Health Conference. 1948; New York.
109. Ware J, Kosinski M, Keller SD. A 12-Item Short-Form Health Survey: construction of scales and preliminary tests of reliability and validity. *Med Care*. 1996;34(3):220-233.
110. Ware JE, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med Care*. 1992;30(6):473-483.
111. Ware J, Kosinski M, Dewey J, Gandek B. *SF-36 Health Survey: Manual and Interpretation Guide*. New England Medical Center: The Health Institute; 1993.
112. Development of the World Health Organization WHOQOL-BREF quality of life assessment. *Psychol Med*. 1998;28(3):551-558.
113. Anke AG, Fugl-Meyer AR. Life satisfaction several years after severe multiple trauma--a retrospective investigation. *Clin Rehabil*. 2003;17(4):431-442.
114. Fugl-Meyer A, Branholm I, Fugl-Meyer K. Happiness and domain-specific life satisfaction in adult northern Swedes. *Clin Rehabil*. 1991;5:25-33.
115. Diener E, Emmons RA, Larsen RJ, Griffin S. The Satisfaction With Life Scale. *J Pers Assess*. 1985;49(1):71-75.
116. McWilliams LA, Kowal J, Wilson KG. Development and evaluation of short forms of the Pain Catastrophizing Scale and the Pain Self-efficacy Questionnaire. *Eur J Pain*. 2015;19(9):1342-1349. doi: 10.1002/ejp.665. Epub 2015 Mar 11.
117. Ashford S, Edmunds J, French DP. What is the best way to change self-efficacy to promote lifestyle and recreational physical activity? A systematic review with meta-analysis. *Br J Health Psychol*. 2010;15(Pt 2):265-288. doi: 10.1348/135910709X461752. Epub 2009 Jul 7.
118. Woods MP, Asmundson GJ. Evaluating the efficacy of graded in vivo exposure for the treatment of fear in patients with chronic back pain: a randomized controlled clinical trial. *Pain*. 2008;136(3):271-280. Epub 2007 Aug 22.
119. Lentz TA, Zeppieri G, George SZ, et al. Comparison of physical impairment, functional, and psychosocial measures based on fear of reinjury/lack of confidence and return-to-sport status after ACL reconstruction. *Am J Sports Med*. 2015;43(2):345-353. doi: 10.1177/0363546514559707. Epub 2014 Dec 5.
120. van Tulder MW, Ostelo R, Vlaeyen JW, Linton SJ, Morley SJ, Assendelft WJ. Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. *Spine (Phila Pa 1976)*. 2000;25(20):2688-2699.
121. Nash VR, Ponto J, Townsend C, Nelson P, Bretz MN. Cognitive behavioral therapy, self-efficacy, and depression in persons with chronic pain. *Pain Manag Nurs*. 2013;14(4):e236-243. doi: 10.1016/j.pmn.2012.02.006. Epub 2012 Dec 28.
122. Brown GK, Beck AT, Newman CF, Beck JS, Tran GQ. A comparison of focused and standard cognitive therapy for panic disorder. *J Anxiety Disord*. 1997;11(3):329-345.
123. Lee YW, Park EJ, Kwon IH, Kim KH, Kim KJ. Impact of psoriasis on quality of life: relationship between clinical response to therapy and change in health-related quality of life. *Ann Dermatol*. 2010;22(4):389-396. doi: 10.5021/ad.2010.22.4.389. Epub 2010 Nov 5.
124. Julian LJ. Measures of anxiety: State-Trait Anxiety Inventory (STAI), Beck Anxiety Inventory (BAI), and Hospital Anxiety and Depression Scale-Anxiety (HADS-A). *Arthritis Care Res (Hoboken)*. 2011;63 Suppl 1:S467-472. doi: 10.1002/acr.20561.
125. Knight RG, Waal-Manning HJ, Spears GF. Some norms and reliability data for the State-Trait Anxiety Inventory and the Zung Self-Rating Depression scale. *Br J Clin Psychol*. 1983;22 (Pt 4):245-249.
126. Spielberger C, Reheiser E. Assessment of emotions: anxiety, anger, depression, and curiosity. *Appl Psychol Health Well Being*. 2009;1(3):271-302.
127. Beck A, Steer R. *Manual for the Beck Anxiety Inventory*. San Antonio, TX: Psychological Corporation; 1990.
128. DeAyala R, Vonderhaar-Carlson D, Kim D. Assessing the reliability of the Beck Anxiety Inventory scores. *Educ Psychol Meas*. 2005;65(5):742-756.
129. Beck A, Steer R. Relationship between the Beck Anxiety Inventory and the Hamilton Anxiety Rating Scale with anxious outpatients. *J Anxiety Disord*. 1991;5(3):213-223.
130. Creamer M, Foran J, Bell R. The Beck Anxiety Inventory in a non-clinical sample. *Behav Res Ther*. 1995;33(4):477-485.
131. Osman A, Kopper BA, Barrios FX, Osman JR, Wade T. The Beck Anxiety Inventory: reexamination of factor structure and psychometric properties. *J Clin Psychol*. 1997;53(1):7-14.
132. Bjelland I, Dahl AA, Haug TT, Neckelmann D. The validity of the Hospital Anxiety and Depression Scale. An updated literature review. *J Psychosom Res*. 2002;52(2):69-77.
133. Brennan C, Worrall-Davies A, McMillan D, Gilbody S, House A. The Hospital Anxiety and Depression Scale: a diagnostic meta-analysis of case-finding ability. *J Psychosom Res*. 2010;69(4):371-378. doi: 10.1016/j.jpsychochro.2010.04.006. Epub 2010 Jun 1.

134. Herrmann C. International experiences with the Hospital Anxiety and Depression Scale--a review of validation data and clinical results. *J Psychosom Res*. 1997;42(1):17-41.
135. Roelofs J, McCracken L, Peters ML, Crombez G, van Breukelen G, Vlaeyen JW. Psychometric evaluation of the Pain Anxiety Symptoms Scale (PASS) in chronic pain patients. *J Behav Med*. 2004;27(2):167-183.
136. Abrams MP, Carleton RN, Asmundson GJ. An exploration of the psychometric properties of the PASS-20 with a nonclinical sample. *J Pain*. 2007;8(11):879-886. Epub 2007 Aug 9.
137. Coons MJ, Hadjistavropoulos HD, Asmundson GJ. Factor structure and psychometric properties of the Pain Anxiety Symptoms Scale-20 in a community physiotherapy clinic sample. *Eur J Pain*. 2004;8(6):511-516.
138. Manea L, Gilbody S, McMillan D. A diagnostic meta-analysis of the Patient Health Questionnaire-9 (PHQ-9) algorithm scoring method as a screen for depression. *Cen Hosp Psychiatry*. 2015;37(1):67-75. doi: 10.1016/j.genhosppsych.2014.09.009. Epub 2014 Sep 23.
139. Wang YP, Gorenstein C. Assessment of depression in medical patients: a systematic review of the utility of the Beck Depression Inventory-II. *Clinics (Sao Paulo)*. 2013;68(9):1274-1287. doi: 10.6061/clinics/2013(09)15.
140. Kieffer K, Reese R. A reliability generalization study of the Geriatric Depression Scale. *Educ Psychol Meas*. 2002;62:969-994.
141. Mitchell AJ, Bird V, Rizzo M, Meader N. Diagnostic validity and added value of the Geriatric Depression Scale for depression in primary care: a meta-analysis of GDS30 and GDS15. *J Affect Disord*. 2010;125(1-3):10-17. doi: 10.1016/j.jad.2009.08.019. Epub 2009 Oct 2.
142. Lewinsohn PM, Seeley JR, Roberts RE, Allen NB. Center for Epidemiologic Studies Depression Scale (CES-D) as a screening instrument for depression among community-residing older adults. *Psychol Aging*. 1997;12(2):277-287.
143. Löwe B, Unützer J, Callahan CM, Perkins AJ, Kroenke K. Monitoring depression treatment outcomes with the patient health questionnaire-9. *Med Care*. 2004;42(12):1194-1201.
144. Manea L, Gilbody S, McMillan D. Optimal cut-off score for diagnosing depression with the Patient Health Questionnaire (PHQ-9): a meta-analysis. *CMAJ*. 2012;184(3):E191-196. doi: 10.1503/cmaj.110829. Epub 2011 Dec 19.
145. Löwe B, Kroenke K, Herzog W, Gräfe K. Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). *J Affect Disord*. 2004;81(1):61-66.
146. French DJ, France CR, Vigneau F, French JA, Evans RT. Fear of movement/(re)injury in chronic pain: a psychometric assessment of the original English version of the Tampa scale for kinesiophobia (TSK). *Pain*. 2007;127(1-2):42-51. Epub 2006 Sep 7.
147. Lundberg M, Styf J, Carlsson S. A psychometric evaluation of the Tampa Scale for Kinesiophobia - from a physiotherapeutic perspective. *Physiother Theory Pract*. 2004;20(2):121-133.
148. Roelofs J, Goubert L, Peters ML, Vlaeyen JW, Crombez G. The Tampa Scale for Kinesiophobia: further examination of psychometric properties in patients with chronic low back pain and fibromyalgia. *Eur J Pain*. 2004;8(5):495-502.
149. Tkachuk GA, Harris CA. Psychometric properties of the Tampa Scale for Kinesiophobia-11 (TSK-11). *J Pain*. 2012;13(10):970-977. doi: 10.1016/j.jpain.2012.07.001.
150. George SZ, Fritz JM, McNeil DW. Fear-avoidance beliefs as measured by the fear-avoidance beliefs questionnaire: change in fear-avoidance beliefs questionnaire is predictive of change in self-report of disability and pain intensity for patients with acute low back pain. *Clin J Pain*. 2006;22(2):197-203.
151. Holden J, Davidson M, Tam J. Can the Fear-Avoidance Beliefs Questionnaire predict work status in people with work-related musculoskeletal disorders? *J Back Musculoskelet Rehabil*. 2010;23(4):201-208. doi: 10.3233/BMR-2010-0268.
152. Osman A, Barrios FX, Gutierrez PM, Kopper BA, Merrifield T, Grittman L. The Pain Catastrophizing Scale: further psychometric evaluation with adult samples. *J Behav Med*. 2000;23(4):351-365.
153. Osman A, Barrios FX, Kopper BA, Hauptmann W, Jones J, O'Neill E. Factor structure, reliability, and validity of the Pain Catastrophizing Scale. *J Behav Med*. 1997;20(6):589-605.
154. Luszczynska A, Scholz U, Schwarzer R. The general self-efficacy scale: multicultural validation studies. *J Psychol*. 2005;139(5):439-457.
155. Schwarzer R. *Measurement of Perceived Self-efficacy: Psychometric Scales for Cross-cultural Research*. Berlin: Freie Universität; 1993.
156. Abbott JH, Schmitt J. Minimum important differences for the patient-specific functional scale, 4 region-specific outcome measures, and the numeric pain rating scale. *J Orthop Sports Phys Ther*. 2014;44(8):560-564. doi: 10.2519/jospt.2014.5248. Epub 2014 May 14.
157. Barten JA, Pisters MF, Huisman PA, Takken T, Veenhof C. Measurement properties of patient-specific instruments measuring physical function. *J Clin Epidemiol*. 2012;65(6):590-601. doi: 10.1016/j.jclinepi.2011.12.005. Epub 2012 Mar 27.

158. Chatman AB, Hyams SP, Neel JM, et al. The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. *Phys Ther.* 1997;77(8):820-829.
159. Resnick B, Zimmerman S, Orwig D, Furstenberg AL, Magaziner J. Model testing for reliability and validity of the Outcome Expectations for Exercise Scale. *Nurs Res.* 2001;50(5):293-299.
160. Wójcicki TR, White SM, McAuley E. Assessing outcome expectations in older adults: the multidimensional outcome expectations for exercise scale. *J Gerontol B Psychol Sci Soc Sci.* 2009;64(1):33-40. doi: 10.1093/geronb/gbn032. Epub 2009 Jan 29.
161. Main CJ, Waddell G. A comparison of cognitive measures in low back pain: statistical structure and clinical validity at initial assessment. *Pain.* 1991;46(3):287-298.
162. Geisser ME, Robinson ME, Henson CD. The Coping Strategies Questionnaire and chronic pain adjustment: a conceptual and empirical reanalysis. *Clin J Pain.* 1994;10(2):98-106.
163. Swartzman LC, Gwadry FG, Shapiro AP, Teasell RW. The factor structure of the Coping Strategies Questionnaire. *Pain.* 1994;57(3):311-316.
164. Chiu C, Jochman J, Fujikawa M, et al. Measurement Structure of the Coping Strategies Questionnaire-24 in a sample of individuals with musculoskeletal pain: a confirmatory factor analysis. *Rehabil Res Policy Educ.* 2014;28(2):80-90.
165. Ryan R, Frederick C, Lepes D, Rubio N, Sheldon K. Intrinsic motivation and exercise adherence. *Int J Sport Psychol.* 1997;28:335-354.
166. Cox CL, Miller EH, Mull CS. Motivation in health behavior: measurement, antecedents, and correlates. *ANS Adv Nurs Sci.* 1987;9(4):1-15.
167. Campbell-Sills L, Forde DR, Stein MB. Demographic and childhood environmental predictors of resilience in a community sample. *J Psychiatr Res.* 2009;43(12):1007-1012. doi: 10.1016/j.jpsychores.2009.01.013. Epub 2009 Mar 4.
168. Hartley M. Assessing and promoting resilience: An additional tool to address the increasing number of college students with psychological problems. *J Coll Couns.* 2012;15(1):37-51.
169. Cheak-Zamora NC, Wyrwich KW, McBride TD. Reliability and validity of the SF-12v2 in the medical expenditure panel survey. *Qual Life Res.* 2009;18(6):727-735.
170. Resnick B, Nahm ES. Reliability and validity testing of the revised 12-item Short-Form Health Survey in older adults. *J Nurs Meas.* 2001;9(2):151-161.
171. McHorney CA, Ware JE, Raczek AE. The MOS 36-Item Short-Form Health Survey (SF-36): II. Psychometric and clinical tests of validity in measuring physical and mental health constructs. *Med Care.* 1993;31(3):247-263.
172. Samsa G, Edelman D, Rothman ML, Williams GR, Lipscomb J, Matchar D. Determining clinically important differences in health status measures: a general approach with illustration to the Health Utilities Index Mark II. *Pharmacoconomics.* 1999;15(2):141-155.
173. Jenkinson C, Layte R, Jenkinson D, et al. A shorter form health survey: can the SF-12 replicate results from the SF-36 in longitudinal studies? *J Public Health Med.* 1997;19(2):179-186.
174. Bonomi AE, Patrick DL, Bushnell DM, Martin M. Validation of the United States' version of the World Health Organization Quality of Life (WHO-QOL) instrument. *J Clin Epidemiol.* 2000;53(1):1-12.
175. Hwang HF, Liang WM, Chiu YN, Lin MR. Suitability of the WHOQOL-BREF for community-dwelling older people in Taiwan. *Age Ageing.* 2003;32(6):593-600.
176. Boonstra AM, Reneman MF, Posthumus JB, Stewart RE, Schiphorst Preuper HR. Reliability of the Life Satisfaction Questionnaire to assess patients with chronic musculoskeletal pain. *Int J Rehabil Res.* 2008;31(2):181-183.
177. Pavot W, Diener E, Colvin CR, Sandvik E. Further validation of the Satisfaction with Life Scale: evidence for the cross-method convergence of well-being measures. *J Pers Assess.* 1991;57(1):149-161.