

Current Concepts of **Orthopaedic Physical Therapy**

Independent Study Course 26.2.1



4th Edition

Clinical Reasoning and Evidence-based Practice

Nicole Christensen, PT, PhD, MAppSc
Associate Professor, Samuel Merritt University
Oakland, California
Guest Lecturer, Kaiser Permanente Southern
California Residency and Fellowship Programs
Los Angeles, California

Benjamin Boyd, PT, DPTSc, OCS
Associate Professor, Samuel Merritt University
Oakland, California

Jason Tonley, PT, DPT, OCS
Program Coordinator, Kaiser Permanente
Southern California Residency and
Fellowship Programs
Los Angeles, California



REFERENCES

1. Brooker C. *Mosby's 2013 Dictionary of Medicine, Nursing and Health Professions*. 9 ed. Edinburgh, Scotland: Elsevier; 2013.
2. Christensen N, Jones MA, Higgs J, Edwards I. Dimensions of clinical reasoning capability. In: Higgs J, Jones MA, Loftus S, Christensen N, eds. *Clinical Reasoning in the Health Professions*. 3rd ed. Amsterdam: Elsevier; 2008:101-110.
3. Christensen N, Jones MA, Edwards I, Higgs J. Helping physiotherapy students develop clinical reasoning capability. In: Higgs J, Jones MA, Loftus S, Christensen N, eds. *Clinical Reasoning in the Health Professions*. 3rd ed. Amsterdam: Elsevier; 2008:389-396.
4. Jensen GM, Gwyer J, Shepard KF, Hack LM. Expert practice in physical therapy. *Phys Ther*. 2000;80(1):28-43.
5. Jewell D. *Guide to Evidence-based Physical Therapy*. 2nd ed. Sudbury, MA: Jones & Bartlett Learning; 2011.
6. American Physical Therapy Association. Guide to Physical Therapist Practice 3.0. 2014; Revised 2nd: Available at: <http://guidetoptpractice.apta.org/>. Accessed October 14, 2015.
7. Fetters L, Tilson J. *Evidence Based Physical Therapy*. Philadelphia, PA: F.A. Davis Company; 2012.
8. Edwards I, Jones M. Clinical reasoning and expertise. In: Jensen GM, Gwyer J, Hack LM, Shepard KF, eds. *Expertise in Physical Therapy Practice*. 2nd ed. Boston: Elsevier; 2007:192-213.
9. Edwards I, Jones M, Carr J, Braunack-Mayer A, Jensen G. Clinical reasoning strategies in physical therapy. *Phys Ther*. 2004;84(4):312-335.
10. Stephenson RC. Using a complexity model of human behaviour to help interprofessional clinical reasoning. *Int J Ther Rehabil*. 2004;11(4):168-175.
11. Higgs J, Jones MA. Clinical decision making and multiple problem spaces. In: Higgs J, Jones MA, Loftus S, Christensen N, eds. *Clinical Reasoning in the Health Professions*. 3rd ed. Amsterdam: Butterworth Heinemann Elsevier; 2008:3-18.
12. Jensen GM, Shepard KF, Gwyer J, Hack LM. Attribute dimensions that distinguish master and novice physical therapy clinicians in orthopedic settings. *Phys Ther*. 1992;72(10):711-722.
13. Jensen G, Shepard KF, Hack LM. The novice versus the experienced clinician: Insights into the work of the physical therapist. *Phys Ther*. 1990;70(5):314-323.
14. Resnik L, Jensen GM. Using clinical outcomes to explore the theory of expert practice in physical therapy. *Phys Ther*. 2003;83(12):1090-1106.
15. Black L, Jensen GM, Mostrom E, et al. The first year of practice: an investigation of the professional learning and development of promising novice physical therapists. *Phys Ther*. 2010;90(12):1758-1773. doi: 10.2522/ptj.20100078. Epub 2010 Oct 7.
16. Hayward L, Black L, Mostrom E, Jensen G, Ritzline P, Perkins J. The first two years of practice: a longitudinal perspective on the learning and professional development of promising novice physical therapists. *Phys Ther*. 2013;93(3):369-383. doi: 10.2522/ptj.20120214. Epub 2012 Oct 11.
17. Christensen N, Nordstrom T. Facilitating the teaching and learning of clinical reasoning. In: Jensen GM, Mostrom E, eds. *Handbook of Teaching and Learning for Physical Therapists*. 3rd ed. St. Louis, MO: Butterworth-Heinemann Elsevier; 2013:183-199.
18. Audetat M, Laurin S, Sanche G, et al. Clinical reasoning difficulties: a taxonomy for clinical teachiers. *Med Teach*. 2013;35(3):e984-e989. doi: 10.3109/0142159X.2012.733041. Epub 2012 Dec 11.
19. Croskerry P. The importance of cognitive errors in diagnosis and strategies to minimise them. *Acad Med*.
20. Klein J. Five pitfalls in decisions about diagnosis and prescribing. *BMJ*. 2005;330(7494):781-784.
21. Scott I. Errors in clincal reasoning: causes and remedial strategies. *BMJ*. 2009;339(339):22-25.
22. Sacchi S, Cherubini P. The effect of outcome information on doctors' evaluations of their own diagnostic decisions. *Med Educ*. 2004;38(10):1028-1034.
23. Jones MA. Clinical reasoning: from the Maitland concept and beyond. In: Hengeveld E, Banks K, eds. *Maitland's Vertebral Manipulation: Management of Neuromusculoskeletal Disorders*. Vol 1. 8th ed. Edinburgh, Scotland: Churchill Livingstone Elsevier; 2014:14-82.
24. Doncaster K, Lester S. Capability and its development: experiences from a work-based doctorate. *Stud Higher Educ*. 2002;27(1):91-101.

25. Stephenson J. The concept of capability and its importance in higher education. In: Stephenson J, Yorke M, eds. *Capability & Quality in Higher Education*. London: Kogan Page; 1998:1-13.
26. Bordage G, Lemieux M. Semantic structures and diagnostic thinking of experts and novices. *Acad Med*. 1991;66(S):70-72.
27. Bordage G, Zacks R. The structure of medical knowledge in the memories of medical students and general practitioners: Categories and prototypes. *Med Educ*. 1984;18(6):406-416.
28. Grant J, Marsden P. The structure of memorized knowledge in students and clinicians: An explanation for medical expertise. *Med Educ*. 1987;21(2):92-98.
29. Patel VL, Groen G, Frederiksen C. Differences between medical students and doctors in memory for clinical cases. *Med Educ*. 1986;20(1):3-9.
30. Schmidt HG, Norman GR, Boshuizen HP. A cognitive perspective on medical expertise: Theory and implications. *Acad Med*. 1990;65(10):611-621.
31. Elstein AS, Schwarz A. Clinical problem solving and diagnostic decision making: Selective review of the cognitive literature. *BMJ*. 2002;324(7339):729-732.
32. Wright A, Hannon J, Hegedus E, Kavchak A. Clinimetrics corner: a closer look at the minimal clinically important difference (MCID). *J Man Manip Ther*. 2012;20(3):160-166. doi: 10.1179/2042618612Y.0000000001.
33. Hegedus EJ, Stern B. Beyond SpPIN and SnOUT: considerations with dichotomous tests during assessment of diagnostic accuracy. *J Man Manip Ther*. 2009;17(1):E1-E5.
34. Hegedus EJ, Moody J. Clinimetrics corner: the many faces of selection bias. *J Man Manip Ther*. 2010;18(2):69-73. doi: 10.1179/106698110X12640740712699.
35. Nee RJ, Coppieters MW. Interpreting research on clinical prediction rules for physiotherapy treatments. *Man Ther*. 2011;16(2):105-108. doi: 10.1016/j.math.2010.10.005. Epub 2010 Nov 11.
36. de Morton NA. The PEDro scale is a valid measure of the methodological quality of clinical trials: a demographic study. *Aust J Physiother*. 2009;55(2):129-133.
37. Maher C, Sherrington C, Herbert R, Moseley A, Elkins M. Reliability of the PEDro scale for rating quality of randomized controlled trials. *Phys Ther*. 2003;83(8):713-721.
38. Downs SH, Black N. The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions. *J Epidemiol Community Health*. 1998;52(6):377-384.
39. Consort Transparent Reporting of Trials. Welcome to the CONSORT Website. www.consort-statement.org. Accessed October 19, 2015.
40. Schulz KF, Altman DG, Moher D; CONSORT Group. CONSORT 2010 statement: updated guidelines for reporting parallel group randomised trials. *Int J Surg*. 2011;9(8):672-677. doi: 10.1016/j.ijsu.2011.09.004. Epub 2011 Oct 13.
41. Whiting P, Rutjes A, Westwood M, et al. QUADAS-2: a revised tool for the quality assessment of diagnostic accuracy studies. *Ann Intern Med*. 2011;155(8):529-536. doi: 10.7326/0003-4819-155-8-201110180-00009.
42. Whiting P, Rutjes A, Reitsma JB, Bossuyt PM, Kleijnen J. The development of QUADAS: a tool for the quality assessment of studies of diagnostic accuracy included in systematic reviews. *BMC Med Res Methodol*. 2003;3:25.
43. Hayden J, Côté P, Bombardier C. Evaluation of the quality of prognosis studies in systematic reviews. *Ann Intern Med*. 2006;144(6):427-437.
44. STROBE statement: Strengthening the reporting of observational studies in epidemiology. What is STROBE? www.strobe-statement.org/index.php?id=strobe-home. Accessed October 19, 2015.
45. von Elm E, Altman D, Egger M, Pocock S, Gotzsche P, Vandebroucke J; STROBE Initiative The strengthening of the reporting of observational studies in epidemiology (STROBE) statement: guidelines for reporting observational studies. *J Clin Epidemiol*. 2008;61(4):344-349. doi: 10.1016/j.jclinepi.2007.11.008.
46. Lucas NP, Macaskill P, Irwig L, Bogduk N. The development of a quality appraisal tool for studies of diagnostic reliability (QAREL). *J Clin Epidemiol*. 2010;63(8):854-861. doi: 10.1016/j.jclinepi.2009.10.002. Epub 2010 Jan 13.
47. AMSTAR. Assessing the Methodological Quality of Systematic Reviews. amstar.ca. Accessed October 19, 2015.
48. Shea BJ, Hamel C, Wells GA, et al. AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. *J Clin Epidemiol*. 2009;62(10):1013-1020. doi: 10.1016/j.jclinepi.2008.10.009. Epub 2009 Feb 20.
49. Liberati A, Altman D, Tetzlaff J, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ*. 2009;339:b2700. doi: 10.1136/bmj.b2700.
50. PRISMA Transparent Reporting of Systematic Reviews and Meta-analysis. prisma-statement.org. Accessed April 20, 2015.
51. Cochrane. Trusted evidence. Informed decisions. Better health. www.cochrane.org. Accessed December 4, 2015.
52. Leblanc M, Kowalcuk M, Andruszkiewicz N, et al. Diagnostic accuracy of physical examination for anterior instability: a systematic review. *Knee Surg Sports Traumatol Arthrosc*. 2015;23(10):2805-2813. doi: 10.1007/s00167-015-3563-2. Epub 2015 Mar 13.

53. Wainwright SF, Shepard KF, Harman LB, Stephens J. Factors that influence the clinical decision making of novice and experienced physical therapists. *Phys Ther.* 2011;91(1):87-101. doi: 10.2522/ptj.20100161. Epub 2010 Dec 2.
54. Christensen N, Jones MA, Edwards I. *Clinical Reasoning and Evidence-based Practice. Independent Study Course 21.2.2: Current Concepts of Orthopaedic Physical Therapy*, 3rd ed. La Crosse, Wis: Orthopaedic Section, APTA, Inc; 2011.
55. Davis OC, Nakamura J. A proposed model for an optimal mentoring environment for medical residents: a literature review. *Acad Med.* 2010;85(6):1060-1066. doi: 10.1097/ACM.0b013e3181dc4aab.
56. Neher JO, Stevens NG. The one-minute preceptor: shaping the teaching conversation. *Fam Med.* 2003;35(6):391-393.
57. Wainwright SF, Shepard KF, Harman LB, Stephens J. Novice and experienced physical therapist clinicians: a comparison of how reflection is used to inform the clinical decision making process. *Phys Ther.* 2010;90(1):75-88. doi: 10.2522/ptj.20090077. Epub 2009 Nov 19.
58. Croskerry P. Clinical cognition and diagnostic error: applications of a dual process model of reasoning. *Adv Health Sci Educ.* 2009;14:27-35. doi: 10.1007/s10459-009-9182-2. Epub 2009 Aug 11.
59. Cranton P. *Understanding and Promoting Transformative Learning: A Guide for Educators of Adults*. San Francisco, CA: Jossey-Bass; 2006.
60. Mezirow J. *Transformative Dimensions of Adult Learning*. San Francisco: Jossey-Bass Publishers; 1991.
61. Cranton P. *Understanding and Promoting Transformative Learning: A Guide for Education of Adults*. San Francisco, CA: Jossey-Bass; 1994.
62. Hawkins D, Elder L, Paul R. *The Thinker's Guide to Clinical Reasoning*. Tomales, CA: Foundation for Critical Thinking; 2010.
63. Wright RW. Knee injury outcomes measures. *J Am Acad Orthop Surg.* 2009;17:31-39.
64. Wang D, Jones MH, Khair MM, Miniaci A. Patient-reported outcome measures for the knee. *J Knee Surg.* 2010;23:137-151.
65. Lohmander LS, Ostenberg A, Englund M, Roos H. High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. *Arthritis Rheum.* 2004;50:3145-3152.
66. Wobdy S, Roach N, Urmston M, Watson P. Psychometric properties of the TSK-11: a shortened version of the Tampa Scale for Kinesiophobia. *Pain.* 2005;117(1):137-144.
67. Leeuw M, Goossens ME, Linton SJ, Crombez G, Boersma K, Vlaeyen JW. The fear-avoidance model of musculoskeletal pain: current state of scientific evidence. *J Behav Med.* 2007;30:77-94. Epub 2006 Dec 20.
68. Kvist J, Ek A, Sporrstedt K, Good L. Fear of re-injury: a hindrance for returning to sports after anterior cruciate ligament reconstruction. *Knee Surg Sports Trumatol, Arthrosc.* 2005;13(5):393-397. Epub 2005 Feb 10.
69. Hartigan EH, Lynch AD, Logerstedt DS, Chmielewski TL, Snyder-Mackler L. Kinesiophobia after anterior cruciate ligament rupture and reconstruction: noncopers versus potential copers. *J Orthop Sports Phys Ther.* 2013;43(11):821-832. doi: 10.2519/jospt.2013.4514. Epub 2013 Sep 9.
70. Sturgill LP, Snyder-Mackler L, Manal TJ, Axe MJ. Interrater reliability of a clinical scale to assess knee joint effusion. *J Orthop Sports Phys Ther.* 2009;39(12):845-849. doi: 10.2519/jospt.2009.3143.
71. Logerstedt DS, Snyder-Mackler L, Ritter RC, Axe MJ; Orthopaedic Section of the American Physical Therapy Association. Knee pain and mobility impairments: meniscal and articular cartilage lesions. *J Orthop Sports Phys Ther.* 2010;40(6):A1-A35. doi: 10.2519/jospt.2010.0304.
72. Malanga GA, Andrus S, Nadler SF, McLean J. Physical examination of the knee: a review of the original test description and scientific validity of common orthopedic tests. *Arch Phys Med Rehabil.* 2003;84(4):592-603.
73. Benjaminise A, Gokeler A, van der Schans CP. Clinical diagnosis of an anterior cruciate ligament rupture: a meta-analysis. *J Orthop Sports Phys Ther.* 2006;36(5):267-288.
74. Meserve BB, Cleland JA, Boucher TR. A meta-analysis examining clinical test utilities for assessing meniscal injury. *Clin Rehabil.* 2008;22(2):143-161. doi: 10.1177/0269215507080130.
75. Fitzgerald GK, Axe MJ, Snyder-Mackler L. A decision-making scheme for returning patients to high-level activity with nonoperative treatment after anterior cruciate ligament rupture. *Knee Surg Sports Trumatol Arthrosc.* 2000;8(2):76-82.
76. Hurd WJ, Axe MJ, Snyder-Mackler L. A 10-year prospective trial of a patient management algorithm and screening examination for highly active individuals with anterior cruciate ligament injury: Part 1, outcomes. *Am J Sports Med.* 2008;36(1):40-47. Epub 2007 Oct 16.
77. Logerstedt DS, Snyder-Mackler L, Ritter RC, Axe MJ, Godges JJ; Orthopaedic Section of the American Physical Therapy Association. Knee stability and movement coordination impairments: knee ligament sprain. *J Orthop Sports Phys Ther.* 2010;40(4):A1-A37. doi: 10.2519/jospt.2010.0303.
78. Irrang J, Harner C, Fu F, Silbey M, DiGiacomo R. Loss of motion following ACL reconstruction: a second look. *J Sport Rehabil.* 1997;6(3):213-225.
79. Medvecky MJ, Nelson S. Kinesiophobia and return to sports after anterior cruciate ligament reconstruction. *Conn Med.* 2015;79(3):155-157.

80. te Wierike S, van der Sluis A, van den Akker-Scheek I, Elferink-Gemser M, Visscher C. Psychosocial factors influencing the recovery of athletes with anterior cruciate ligament injury: a systematic review. *Scand J Med Sci Sports*. 2013;23(5):527-540. doi: 10.1111/sms.12010. Epub 2012 Nov 4.
-

NOTES