


# *Current Concepts of* **Orthopaedic Physical Therapy**

Independent Study Course 26.2.11

**4th Edition**


## **The Knee: Physical Therapy Patient Management Using Current Evidence**



Tara Jo Manal, PT, DPT, OCS, SCS, FAPTA  
University of Delaware  
Newark, Delaware

Anna Shovestul Grieder, PT, DPT, OCS  
Christiana Care Rehabilitation Services  
Wilmington, Delaware

Bryan W. Kist, PT, DPT, OCS  
Christiana Care Rehabilitation Services  
Wilmington, Delaware



## REFERENCES

1. World Health Organization. *International Classification of Functioning, Disability and Health*. Geneva, Switzerland: World Health Organization; 2001.
2. Logerstedt DS, Snyder-Mackler L, Ritter RC, Axe MJ, Godges JJ, Orthopaedic Section of the American Physical Therapy Association. Knee stability and movement coordination impairments: knee ligament sprain. *J Orthop Sports Phys Ther*. 2010;40(4):A1-A37. doi: 10.2519/jospt.2010.0303.
3. Sharmann S. Diagnosis by a physical therapist—a prerequisite for treatment. A special communication. *Phys Ther*. 1988;68(11):1703-1706.
4. Dekker J, van Baar ME, Curfs EC, Kerssens JJ. Diagnosis and treatment in physical therapy: an investigation of their relationship. *Phys Ther*. 1993;73(9):568-577, discussion 577-580.
5. Levangie PK, Norkin CC. *Joint Structure and Function: A Comprehensive Analysis*. 4th ed. Philadelphia, PA: FA Davis Co; 2005.
6. Greenspan A. *Orthopedic Radiology: A Practical Approach*. 2nd ed. New York, NY: Raven Press; 1992:8.
7. McKinnis L. *Fundamentals of Orthopedic Radiology*. Philadelphia, PA: FA Davis Co; 1997.
8. Merchant AC. Patellofemoral imaging. *Clin Orthop Relat Res*. 2001;(389):15-21.
9. McLeod WD, Moschi A, Andrews JR, Hughston JC. Tibial plateau topography. *Am J Sports Med*. 1977;5(1):13-18.
10. Messner K, Gao J. The menisci of the knee joint: anatomical and functional characteristics and a rationale for clinical treatment. *J Anat*. 1998;193(pt 2):161-178.
11. Riener R, Rabuffetti M, Frigo C. Stair ascent and descent at different inclinations. *Gait Posture*. 2002;15(1):32-44.
12. Gray JC. Neural and vascular anatomy of the menisci of the human knee. *J Orthop Sports Phys Ther*. 1999;29(1):23-30.
13. Mine T, Kimura M, Sakka A, Kawai S. Innervation of nociceptors in the menisci of the knee joint: an immunohistochemical study. *Arch Orthop Trauma Surg*. 2000;120(3-4):201-204.
14. Levy IM, Torzilli PA, Warren RF. The effect of medial meniscectomy on the anterior-posterior motion of the knee. *J Bone Joint Surg Am*. 1982;64(6):883-888.
15. Logerstedt DS, Snyder-Mackler L, Ritter RC, Axe MJ, Orthopaedic Section of the American Physical Therapy Association. Knee pain and mobility impairments: meniscal and articular cartilage lesions. *J Orthop Sports Phys Ther*. 2010;40(6):A1-A35. doi: 10.2519/jospt.2010.0304.
16. Hughston JC, Andrews JR, Cross MJ, Moschi A. Classification of knee ligament instabilities. Part II. The lateral compartment. *J Bone Joint Surg Am*. 1976;58(2):173-179.
17. Kolowich PA, Paulos LE, Rosenberg TD, Farnsworth S. Lateral release of the patella: indications and contraindications. *Am J Sports Med*. 1990;18(4):359-365.
18. Frey C, Bjorkengen A, Sartoris D, Resnick D. Knee dysfunction secondary to dislocation of the fabella. *Clin Orthop Relat Res*. 1987;(222):223-227.
19. Pritchett JW. The incidence of fabellae in osteoarthritis of the knee. *J Bone Joint Surg Am*. 1984;66(9):1379-1380.
20. Lim HC, Bae JH, Bae TS, Moon BC, Shyam AK, Wang JH. Relative role changing of lateral collateral ligament on the posterolateral rotatory instability according to the knee flexion angles: a biomechanical comparative study of role of lateral collateral ligament and popliteofibular ligament. *Arch Orthop Trauma Surg*. 2012;132(11):1631-1636. doi: 10.1007/s00402-012-1591-7. Epub 2012 Jul 31.
21. Grood ES, Stowers SF, Noyes FR. Limits of movement in the human knee. Effect of sectioning the posterior cruciate ligament and posterolateral structures. *J Bone Joint Surg Am*. 1988;70(1):88-97.
22. Warren LF, Marshall JL. The supporting structures and layers on the medial side of the knee: an anatomical analysis. *J Bone Joint Surg Am*. 1979;61(1):56-62.
23. Hughston JC, Andrews JR, Cross MJ, Moschi A. Classification of knee ligament instabilities. Part I. The medial compartment and cruciate ligaments. *J Bone Joint Surg Am*. 1976;58(2):159-172.
24. Grood ES, Noyes FR, Butler DL, Suntay WJ. Ligamentous and capsular restraints preventing straight medial and lateral laxity in intact human cadaver knees. *J Bone Joint Surg Am*. 1981;63(8):1257-1269.
25. Frank CB, Hart DA, Shrive NG. Molecular biology and biomechanics of normal and healing ligaments—a review. *Osteoarthritis Cartilage*. 1999;7(1):130-140.
26. Ralphs JR, Benjamin M. The joint capsule: structure, composition, ageing and disease. *J Anat*. 1994;184(pt 3):503-509.
27. Starok M, Lenchik L, Trudell D, Resnick D. Normal patellar retinaculum: MR and sonographic imaging with cadaveric correlation. *AJR Am J Roentgenol*. 1997;168(6):1493-1499.
28. Feller JA, Feagin JA Jr, Garrett WE Jr. The medial patellofemoral ligament revisited: an anatomical study. *Knee Surg Sports Traumatol Arthrosc*. 1993;1(3-4):184-186.
29. Fulkerson JP, Gossling HR. Anatomy of the knee joint lateral retinaculum. *Clin Orthop Relat Res*. 1980;(153):183-188.
30. Goldblatt JP, Richmond KC. Anatomy and biomechanics of the knee. *Oper Tech Sports Med*. 2003;11(3):172-186.
31. Schutte MJ, Dabezies Ej, Zimny ML, Happel LT. Neural anatomy of the human anterior cruciate ligament. *J Bone Joint Surg Am*. 1987;69(2):243-247.
32. Johansson H, Sjölander P, Sojka P. The sensory role of the cruciate ligaments. *Clin Orthop Relat Res*. 1991;(268):161-178.
33. Dodds JA, Arnoczyk SP. Anatomy of the anterior cruciate ligament: a blueprint for repair and reconstruction. *Arthroscopy*. 1994;10(2):132-139.
34. Bach JM, Hull ML, Patterson HA. Direct measurement of the strain in the posterolateral bundle of the anterior cruciate ligament. *J Biomech*. 1997;30(3):281-283.
35. Butler DL, Noyes FR, Grood ES. Ligamentous restraints of anterior-posterior drawer in the human knee. A biomechanical study. *J Bone Joint Surg Am*. 1980;62(2):259-270.
36. Amis AA, Dawkins GP. Functional anatomy of the anterior cruciate ligament. Fibre bundle actions related to ligament replacements and injuries. *J Bone Joint Surg Br*. 1991;73(2):260-267.
37. Sakane M, Fox RJ, Woo SL, Livesey GA, Li G, Fu FH. In situ forces in the anterior cruciate ligament and its bundles in response to anterior tibial loads. *J Orthop Res*. 1997;15(2):285-293.
38. Wascher DC, Markolf KL, Shapiro MS, Finerman GA. Direct in vitro measurement of forces in the cruciate ligaments. Part I: the effect of multiplane loading in the intact knee. *J Bone Joint Surg Am*. 1993;75(3):377-386.
39. Inoue M, McGurk-Burleson E, Hollis JM, Woo SL. Treatment of the medial collateral ligament injury. I: the importance of anterior cruciate ligament on the varus-valgus knee laxity. *Am J Sports Med*. 1987;15(1):15-21.
40. Feagin JA Jr, Lambert KL. Mechanism of injury and pathology of anterior cruciate ligament injuries. *Orthop Clin North Am*. 1985;16(1):41-45.
41. Dürselen L, Claes L, Kiefer H. The influence of muscle forces and external loads on cruciate ligament strain. *Am J Sports Med*. 1995;23(1):129-136.
42. Van Dommelen BA, Fowler PJ. Anatomy of the posterior cruciate ligament. *Am J Sports Med*. 1989;17(1):24-29.
43. Grood ES, Hefzy MS, Lindenfield TN. Factors affecting the region of most isometric femoral attachments. I: the posterior cruciate ligament. *Am J Sports Med*. 1989;17(2):197-207.
44. Ritchie JR, Bergfeld JA, Kambic H, Manning T. Isolated sectioning of the medial and posteromedial capsular ligaments in the posterior cruciate ligament-deficient knee. Influence on posterior tibial translation. *Am J Sports Med*. 1998;26:389-394.
45. Piziali RL, Seering WP, Nagel DA, Schurman DJ. The function of the primary ligaments of the knee in anterior-posterior and medial-lateral motions. *J Biomech*. 1980;13(9):777-784.
46. Covey CD, Saapega AA. Injuries of the posterior cruciate ligament. *J Bone Joint Surg Am*. 1993;75(9):1376-1386.
47. Bowman K, Sekiya J. Anatomy and biomechanics of the posterior cruciate ligament and other ligaments of the knee. *Oper Tech Sports Med*. 2009;17(3):126-134.
48. Buford WL Jr, Ivey FM Jr, Nakamura T, Patterson RM, Nguyen DK. Internal/external rotation moment arms of muscles at the knee: moment arms for the normal knee and the ACL-deficient knee. *Knee*. 2001;8(4):293-303.
49. Zhang LQ, Xu D, Wang G, Hendriz RW. Muscle strength in knee varus and valgus. *Med Sci Sports Exerc*. 2001;33(7):1194-1199.
50. Lieb FJ, Perry J. Quadriceps function. An anatomical and mechanical study using amputated limbs. *J Bone Joint Surg Am*. 1968;50(8):1535-1548.
51. Powers CM, Lilley JC, Lee TQ. The effects of axial and multi-plane loading of the extensor mechanism on the patellofemoral joint. *Clin Biomech*. 1998;13(8):616-624.
52. Salsich GB, Ward SR, Terk MR, Powers CM. In vivo assessment of patellofemoral joint contact area in individuals who are pain free. *Clin Orthop Relat Res*. 2003;(417):277-284.
53. Hubbard JK, Sampson HW, Elledge JR. Prevalence and morphology of the vastus medialis obliquus muscle in human cadavers. *Anat Rec*. 1997;249(1):135-142.
54. Chester R, Smith TO, Sweeting D, Dixon J, Wood S, Song F. The relative timing of VMO and VL in the aetiology of anterior knee pain: a systematic review and meta-analysis. *BMC Musculoskelet Disord*. 2008;9:64. doi: 10.1186/1471-2474-9-64.
55. Wilk KE, Escamilla RF, Fleisig GS, Barrentine SW, Andrews JR, Boyd ML. A comparison of tibiofemoral joint forces and electromyographic activity during open and closed kinetic chain exercises. *Am J Sports Med*. 1996;24(4):518-527.
56. Stuart MK, Meglan DA, Lutz GE, Grownay ES, An KN. Comparison of intersegmental tibiofemoral joint forces and muscle activity during various closed kinetic chain exercises. *Am J Sports Med*. 1996;24(6):792-799.
57. Blackburn JS, Peel TE. A new method of measuring patellar height. *J Bone Joint Surg Br*. 1977;59(2):241-242.
58. Grelsamer RP, Meadows S. The modified Insall-Salvati ration for assessment of patellar height. *Clin Orthop Relat Res*. 1992;282:170-176.

59. Insall J, Salvati E. Patella position in the normal knee joint. *Radiology*. 1971;101(1):101-104.
60. Insall J, Goldberg V, Salvati E. Recurrent dislocation and the high-riding patella. *Clin Orthop Relat Res*. 1972;88:67-69.
61. Joshi RP, Heatley FW. Measurement of coronal plane patellar mobility in normal subjects. *Knee Surg Sports Traumatol Arthrosc*. 2000;8(1):40-45.
62. Dupont JY. Synovial plicae of the knee. Controversies and review. *Clin Sports Med*. 1997;16(1):87-122.
63. Johnson DP, Eastwood DM, Witherow PJ. Symptomatic synovial plicae of the knee. *J Bone Joint Surg Am*. 1993;75(10):1485-1496.
64. Heino Brechter J, Powers CM. Patellofemoral stress during walking in persons with and without patellofemoral pain. *Med Sci Sports Exerc*. 2002;34(10):1582-1593.
65. Flynn TW, Soutas-Little RW. Patellofemoral joint compressive forces in forward and backward running. *J Orthop Sports Phys Ther*. 1995;21(5):277-282.
66. Ellis MI, Seedhom BB, Wright V. Forces in the knee joint whilst rising from a seated position. *J Biomed Eng*. 1984;6(2):113-120.
67. Desio SM, Burks RT, Bachus KN. Soft tissue restraints to lateral patellar translation in the human knee. *Am J Sports Med*. 1998;26(1):59-65.
68. McLester J, Pierre PS. *Applied Biomechanics: Concepts and Connections*. Belmont, CA: Thomson Wadsworth; 2008:83.
69. Livingston LA, Mandigo JL. Bilateral within-subject Q angle asymmetry in young adult females and males. *Biomed Sci Instrum*. 1997;33:112-117.
70. Cohen ZA, Roglic H, Grelsamer RP, et al. Patellofemoral stresses during open and closed kinetic chain exercises. An analysis using computer simulation. *Am J Sports Med*. 2001;29(4):480-487.
71. Smith BW, Green GA. Acute knee injuries: Part II. Diagnosis and management. *Am Fam Physician*. 1995;51(4):799-806.
72. Stiell IG, Greenberg GH, Wells GA, et al. Prospective validation of a decision rule for use of radiography in acute knee injuries. *JAMA*. 1996;275(8):611-615.
73. Stiell IG, Wells GA, Hoag RH, et al. Implementation of the Ottawa Knee Rule for the use of radiography in acute knee injuries. *JAMA*. 1997;278(23):2075-2079.
74. Emparanza JI, Aginag JR. Validation of the Ottawa Knee Rules. *Ann Emerg Med*. 2001;38(4):364-368.
75. Seaberg DC, Jackson R. Clinical decision rule for knee radiographs. *Am J Emerg Med*. 1994;12(5):541-543.
76. Loder RT. Slipped capital femoral epiphysis. *Am Fam Physician*. 1998;57(9): 2135-2142.
77. Hosalkare HS, Horn D, Friedman JE, Dormans JP. The hip. In: Kliegman RM, Behrman RE, Jenson HB, Standton BF, eds. *Nelson Textbook of Pediatrics*. 18th ed. Philadelphia, PA: Saunders Elsevier; 2007:677.
78. Pappas AM. Osteochondrosis dissecans. *Clin Orthop Relat Res*. 1981;(158): 59-69.
79. Obedian RS, Grelsamer RP. Osteochondritis dissecans of the distal femur and patella. *Clin Sports Med*. 1997;16(1):157-174.
80. Sood G, O'Donnell JA. Clinical controversies in Lyme disease. *Hosp Physician*. 2001;37:68-74.
81. Ware JE Jr, Kosinski M, Bayliss MS, McHorney CA, Rogers WH, Raczek A. Comparison of methods for the scoring and statistical analysis of SF-36 health profile and summary measures: summary of results from the Medical Outcomes Study. *Med Care*. 1995;33(4 suppl):AS264-AS279.
82. Bergner M, Bobbitt RA, Carter WB, Gilson BS. The Sickness Impact Profile: development and final revision of a health status measure. *Med Care*. 1981;19(8):787-805.
83. Deyo RA. Comparative validity of the sickness impact profile and shorter scales for functional assessment in low-back pain. *Spine*. 1986;11(9):951-954.
84. Bellamy N, Buchanan WW, Goldsmith CH, Campbell J, Stitt LW. Validation study of the WOMAC: a health status instrument for measuring clinically important patient relevant outcomes to antirheumatic drug therapy in patients with osteoarthritis of the hip or knee. *J Rheumatol*. 1988;15(12):1833-1840.
85. Escobar A, Quintana JM, Bilbao A, Aróstegui I, Lafuente, Vidaurreta I. Responsiveness and clinically important differences for the WOMAC and SF-36 after total knee replacement. *Osteoarthritis Cartilage*. 2007;15(3):273-280. Epub 2006 Oct 17.
86. Roos EM, Roos HP Lohmander LS, Ekdahl C, Beynnon BD. Knee Injury and Osteoarthritis outcome score (KOOS)-development of a self administered outcome measure. *J Orthop Sports Phys Ther*. 1998;28(2):88-96.
87. Higgins LD, Taylor MK, Park D, et al. Reliability and validity of the International Knee Documentation Committee (IKDC) Subjective Knee Form. *Joint Bone Spine*. 2007;74(6):594-599. Epub 2007 Aug 6.
88. Grevnert HT, Tervee CB, Kvist J. The measurement properties of the IKDC-subjective knee form. *Knee Surg Sports Traumatol Arthrosc*. 2015;23(12):3698-3706. doi: 10.1007/s00167-014-3283-z. Epub 2014 Sep 6.
89. Irgang JJ, Anderson AF, Boland AL, et al. Responsiveness of the International Knee Documentation Committee subjective knee form. *Am J Sports Med*. 2006;34(10):1567-1573. Epub 2006 Jul 26.
90. Tegner Y, Lysholm J. Rating systems in the evaluation of knee ligament injuries. *Clin Orthop Relat Res*. 1985;(198):43-49.
91. Briggs KK, Kocher MS, Rodkey WG, Steadman JR. Reliability, validity, and responsiveness of the Lysholm knee score and Tegner activity scale for patients with meniscal injury of the knee. *J Bone Joint Surg Am*. 2006;88(4):698-705.
92. Wright RW. Knee injury outcomes measures. *J Am Acad Orthop Surg*. 2009;17(1):31-39.
93. Hefti F, Müller W, Jakob RP, Stäubli HU. Evaluation of knee ligament injuries with the IKDC form. *Knee Surg Sports Traumatol Arthrosc*. 1993;1(3-4):226-234.
94. Meserve BB, Cleland JA, Boucher TR. A meta-analysis examining clinical test utilities for assessing meniscal injury. *Clin Rehabil*. 2008;22(2):143-161. doi: 10.1177/0269215507080130.
95. Noyes FR, McGinniss GH, Mooar LA. Functional disability in the anterior cruciate insufficient knee syndrome. Review of knee rating systems and projected risk factors in determining treatment. *Sports Med*. 1984;1:278-302.
96. Phillips N, Benjamin M, Everett T, VanDeursen RW. Outcome and progression measures in rehabilitation following anterior cruciate ligament injury. *Phys Ther Sport*. 2000;1(4):106-118.
97. Irgang JJ, Snyder-Mackler L, Wainner RS, Fu FH, Harner CD. Development of a patient-reported measure of function of the knee. *J Bone Joint Surg Am*. 1998;80(8):1132-1145.
98. Marx RG, Jones EC, Allen AA, et al. Reliability, validity, and responsiveness of four knee outcome scales for athletic patients. *J Bone Joint Surg Am*. 2001;83(A10):1459-1469.
99. Stratford PW, Binkley JM, Watson J, Heath-Jones T. Validation of the LEFS on patients with total joint arthroplasty. *Physiother Can*. 2000;52:97-105.
100. Binkley JM, Stratford PW, Lott SA, Riddle DL. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. *Phys Ther*. 1999;79(4):371-383.
101. Hoogendoorn TJ, de Bie RA, den Broeder AA, van den Ende CH. The Dutch Lower Extremity Functional Scale was highly reliable, valid, and responsive in individuals with hip/knee osteoarthritis: a validation study. *BMC Musculoskelet Disord*. 2012;13:117. doi: 10.1186/1471-2474-13-117.
102. Stratford PW, Kennedy DM. Performance measures were necessary to obtain a complete picture of osteoarthritic patients. *J Clin Epidemiol*. 2006;59(2):160-167. Epub 2005 Dec 27.
103. Watson CJ, Propp M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. *J Orthop Sports Phys Ther*. 2005;35(3):136-146.
104. Scopaz KA, Piva SR, Wisniewski S, Fitzgerald GK. Relationships of fear, anxiety, and depression with physical function in patients with knee osteoarthritis. *Arch Phys Med Rehabil*. 2009;90(11):1866-1973. doi: 10.1016/j.apmr.2009.06.012.
105. Kvist J, Ek A, Sporrstedt K, Good L. Fear of re-injury: a hindrance for returning to sports after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2005;13(5):393-397. Epub 2005 Feb 10.
106. George SZ, Lentz TA, Zeppieri G, Lee D, Chmielewski TL. Analysis of shortened versions of the Tampa Scale for Kinesiophobia and Pain Catastrophizing Scale for patients following anterior cruciate ligament reconstruction. *Clin J Pain*. 2012;28(1):73-80. doi:10.1097/AJP.0b013e31822363f4.
107. Hartigan EH, Lynch AD, Logerstedt DS, Chmielewski TL, Snyder-Mackler L. Kinesiophobia after anterior cruciate ligament rupture and reconstruction: noncopers versus potential copers. *J Orthop Sports Phys Ther*. 2013;43(11):821-832. doi: 10.2519/jospt.2013.4514. Epub 2013 Sep 9.
108. Chmielewski TL, Zeppieri G Jr, Lentz TA, et al. Longitudinal changes in psychosocial factors and their association with knee pain and function after anterior cruciate ligament reconstruction. *Phys Ther*. 2011;91(9):1355-1366. doi: 10.2522/ptj.2010027. Epub 2011 Jun 23.
109. Everhart JS, Best TM, Flanigan DC. Psychological predictors of anterior cruciate ligament reconstruction outcomes: a systematic review. *Knee Surg Sports Traumatol Arthrosc*. 2015;23(3):752-762. doi: 10.1007/s00167-013-2699-1. Epub 2013 Oct 15.
110. Maitland G. *Peripheral Manipulation*. Toronto, Canada: Butterworths; 1977.
111. Baños JE, Bosch F, Cañellas M, Bassols A, Ortega F, Bigorra J. Acceptability of visual analogue scales in the clinical setting: a comparison with verbal rating scales in postoperative pain. *Methods Find Exp Clin Pharmacol*. 1989;11(2):123-127.
112. Costa LO, Maher CG, Latimer J, et al. Clinimetric testing of three self-report outcome measures for low back pain in patients in Brazil: which one is best? *Spine*. 2008;33(22):2459-2463. doi: 10.1097/BRS.0b013e3181849dbe.
113. Fischer D, Stewart AL, Bloch DA, Lorig K, Laurent D, Holman H. Capturing the patient's view of change as a clinical outcome measure. *JAMA*. 1999;282(12):1157-1162.
114. Kamper SJ, Maher CG, Mackay G. Global rating of change scales: a review of strengths and weaknesses and considerations for design. *J Man Manip Ther*. 2009;17(3):163-170.
115. Schmitt J, Abbott JH. Global ratings of change do not accurately reflect functional change over time in clinical practice. *J Orthop Sports Phys Ther*. 2015;45(2):106-111. doi: 10.2519/jospt.2015.5247. Epub 2015 Jan 8.
116. Stratford P, Gill C, Westaway M, Binkley J. Assessing disability and change on individual patients: a report of a patient specific measure. *Physiother Can*. 1995;47:258-263.

117. Chatman AB, Hyams SP, Neel JM, et al. The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. *Phys Ther.* 1997;77(8):820-829.
118. Sturgill LP, Snyder-Mackler L, Manal TJ, Axe MJ. Interrater reliability of a clinical scale to assess knee joint effusion. *J Orthop Sports Phys Ther.* 2009;39(12):845-849. doi: 10.2519/jospt.2009.3143
119. Lynch A, Logerstedt D, Axe MJ, Snyder-Mackler L. Quadriceps activation failure after anterior cruciate ligament rupture is not mediated by knee joint effusion. *J Orthop Sports Phys Ther.* 2012;42(6):502-510. doi: 10.2519/jospt.2012.3793. Epub 2012 Apr 20.
120. Hart J, Pietrosimone B, Hertel J, Ingersoll CD. Quadriceps activation following knee injuries: a systematic review. *J Athl Train.* 2010;45(1):87-97. doi: 10.4085/1062-6050-45.1.87.
121. Reese BN, Bandy WD. *Joint Range of Motion and Muscle Length Testing.* 2nd ed. St Louis, MO: Saunders; 2010.
122. Fritz JM, Delitto A, Earhard RE, Roman M. An examination of the selective tissue tension scheme, with evidence for the concept of a capsule pattern of the knee. *Phys Ther.* 1998;78(10):1046-1056, discussion 1057-1061.
123. Hayes KW, Petersen C, Falconer J. An examination of Cyriax's passive motion tests with patients having osteoarthritis of the knee. *Phys Ther.* 1994;74(8):697-707, discussion 707-709.
124. Wadsworth CT, Krishnan R, Sear M, Harrold J, Nielsen DH. Intrarater reliability of manual muscle testing and hand-held dynametric muscle testing. *Phys Ther.* 1987;67(9):1342-1347.
125. Frese E, Brown M, Norton BJ. Clinical reliability of manual muscle testing. Middle trapezius and gluteus medius muscles. *Phys Ther.* 1987;67(7):1072-1076.
126. Sapega AA. Muscle performance evaluation in orthopaedic practice. *J Bone Joint Surg Am.* 1990;72(10):1562-1574.
127. Kues JM, Rothstein JM, Lamb RL. Obtaining reliable measurements of knee extensor torque produced during maximal voluntary contractions: an experimental investigation. *Phys Ther.* 1992;72(7):492-501; discussion 501-504.
128. Hughston JC. *Knee Ligaments: Injury and Repair.* St Louis, MO: Mosby-Year Book Inc; 1993:121-145.
129. Kastelein M, Wagemakers HP, Luijsterburg PA, Verhaar JA, Koes BW, Bierma-Zeinstra SM. Assessing medial collateral ligament knee lesions in general practice. *Am J Med.* 2008;121(11):982-988. doi: 10.1016/j.amjmed.2008.05.041
130. Harilainen A. Evaluation of knee instability in acute ligamentous injuries. *Ann Chir Gynaecol.* 1987;76(5):269-273.
131. Andrews JR, Axe MJ. The classification of knee ligament instability. *Orthop Clin North Am.* 1985;16(1):69-82.
132. Rubinstein RA Jr, Shelbourne KD, McC Carroll JR, Van Meter CD, Rettig AC. The accuracy of the clinical examination in the setting of posterior cruciate ligament injuries. *Am J Sports Med.* 1994;22(4):550-557.
133. Benjaminse A, Gokeler A, van der Schans CP. Clinical diagnosis of an anterior cruciate ligament rupture: a meta-analysis. *J Orthop Sports Phys Ther.* 2006;36(5):267-288.
134. Katz JV, Fingerroth RJ. The diagnostic accuracy of ruptures of the anterior cruciate ligament comparing the Lachman test, the anterior drawer test, and the pivot shift test in acute and chronic knee injuries. *Am J Sports Med.* 1986;14(1):88-91.
135. Daniel DM, Malcom LL, Losse G, Stone ML, Sachs R, Burks R. Instrumented measurement of anterior laxity of the knee. *J Bone Joint Surg Am.* 1985;67(5):720-726.
136. Covey DC. Injuries of the posterolateral corner of the knee. *J Bone Joint Surg Am.* 2001;83-A(1):106-118.
137. Manal TJ, Dickerson-Schnatz A. Disorders of the tibiofemoral joint. In: Wilmarth MA, ed. *ISC 13.2, Evidence-based Practice for the Upper and Lower Quarter.* La Crosse, WI: Orthopaedic Section, APTA, Inc; 2003.
138. Davis E. Clinical examination of the knee following trauma: an evidence-based perspective. *Trauma.* 2002;4(3):135-145.
139. Stratford PW, Binkley J. A review of the McMurray test: definition, interpretation, and clinical usefulness. *J Orthop Sports Phys Ther.* 1995;22(3):116-120.
140. Magee D. *Orthopedic Physical Assessment.* Philadelphia, PA: WB Saunders Co; 1997.
141. Konan S, Rayan F, Haddad FS. Do physical diagnostic tests accurately detect meniscal tears? *Knee Surg Sports Traumatol Arthrosc.* 2009;17(7):806-811. doi: 10.1007/s00167-009-0803-3. Epub 2009 Apr 28.
142. Jackson JL, O'Malley PG, Kroenke K. Evaluation of acute knee pain in primary care. *Ann Intern Med.* 2003;139(7):575-588.
143. Ryzewicz M, Peterson B, Siparsky PN, Bartz RL. The diagnosis of meniscus tears: the role of MRI and clinical examination. *Clin Orthop Relat Res.* 2007;455:123-133.
144. Karachalias T, Hantes M, Zibis AH, Zachos V, Karantanas AH, Malizos KN. Diagnostic accuracy of a new clinical test (the Thessaly Test) for early detection of meniscal tears. *J Bone Joint Surg Am.* 2005;87(5):955-962.
145. Goossens P, Keijser E, van Geenen RJ, et al. Validity of the Thessaly test in evaluating meniscal tears compared with arthroscopy: a diagnostic accuracy study. *J Orthop Sports Phys Ther.* 2015;45(1):18-24, B1. doi: 10.2519/jospt.2015.5215.
146. Mirzatolooei F1, Yekta Z, Bayazidchi M, Ershadi S, Afshar A. Validation of the Thessaly test for detecting meniscal tears in anterior cruciate deficient knees. *Knee.* 2010;17(3):221-223. doi: 10.1016/j.knee.2009.08.007.
147. Lowery DJ, Farley TD, Wing DW, Sterett WI, Steadman JR. A clinical composite score accurately detects meniscal pathology. *Arthroscopy.* 2006;22(11):1174-1179.
148. Fulkerson JP, Shea KP. Disorders of patellofemoral alignment. *J Bone Joint Surg Am.* 1990;72(9):1424-1429.
149. Fithian DC, Paxton EW, Stone ML, et al. Epidemiology and natural history of acute patellar dislocation. *Am J Sports Med.* 2004;32(5):1114-1121. Epub 2004 May 18.
150. Doucette SA, Goble EM. The effect of exercise on patellar tracking in lateral patellar compression syndrome. *Am J Sports Med.* 1992;20(4):434-440.
151. Witvrouw E, Werner S, Mikkelsen C, Van Tiggelen D, Vandend Berghe L, Cerulli G. Clinical classification of patellofemoral pain syndrome: guidelines for non-operative treatment. *Knee Surg Sports Traumatol Arthrosc.* 2005;13(2):122-130. Epub 2005 Feb 10.
152. Cook C, Hegedus E, Hawkins R, Scovell F, Wyland D. Diagnostic accuracy and association to disability of clinical test findings associated with patellofemoral pain syndrome. *Physiother Can.* 2010; 62(1):17-24. doi: 10.3138/physio.62.1.17. Epub 2010 Feb 22.
153. Guyatt G, Rennie D, Meade M, Cook D. *Users' Guides to the Medical Literature: A Manual of Evidence-Based Clinical Practice.* 3rd ed. Columbus, OH: McGraw Hill Education; 2015.
154. Nunes GS, Stappaert EL, Kirsten MH, de Noronha M, Santos GM. Clinical test for diagnosis of patellofemoral pain syndrome: Systematic review with meta-analysis. *Phys Ther Sport.* 2013;14(1):54-59. doi: 10.1016/j.ptsp.2012.11.003. Epub 2012 Dec 8.
155. Manal TJ, Snyder-Mackler L. Practice guidelines for anterior cruciate ligament rehabilitation: a criterion-based rehabilitation progression. *Oper Tech Orthop.* 1996;6(3):190-196.
156. Noyes FR, Barber SD, Mangine RE. Abnormal lower limb symmetry determined by function hop tests after anterior cruciate ligament rupture. *Am J Sports Med.* 1991;19(5):513-518.
157. Fitzgerald GK, Lephart SM, Hwang JH, Wainner RS. Hop tests as predictors of dynamic knee stability. *J Orthop Sports Phys Ther.* 2001;31(10):588-597.
158. Reid A, Birmingham TB, Stratford PW, Alcock GK, Griffin JR. Hop testing provides a reliable and valid outcome measure during rehabilitation after anterior cruciate ligament reconstruction. *Phys Ther.* 2007;87(3):337-349. Epub 2007 Feb 20.
159. Logerstedt D, Grindem H, Lynch A, et al. Single-legged hop tests as predictors of self-reported knee function after anterior cruciate ligament reconstruction: the Delaware-Oslo ACL cohort study. *Am J Sports Med.* 2012; 40(10):2348-2356. Epub 2012 Aug 27.
160. Myers BA, Jenkins WL, Killian C, Rundquist P. Normative data for hop tests in high school and collegiate basketball and soccer players. *Int J Sports Phys Ther.* 2014;9(5):596-603.
161. Shaffer SW, Teyhen DS, Lorenson CL, et al. Y-balance test: a reliability study involving multiple raters. *Mil Med.* 2013; 178(11):1264-1270. doi: 10.7205/MILMED-D-13-00222.
162. Kinzey SJ, Armstrong CW. The reliability of the star-excursion test in assessing dynamic balance. *J Orthop Sports Phys Ther.* 1998;27(5):356-360.
163. Hertel J. Sensorimotor deficits with ankle sprains and chronic ankle instability. *Clin Sports Med.* 2008;27(3):353-370, vii. doi: 10.1016/j.csm.2008.03.006.
164. Plisky PJ, Rauh MJ, Kaminski TW, Underwood FB. Star Excursion Balance Test as a predictor of lower extremity injury in high school basketball players. *J Orthop Sports Phys Ther.* 2006;36(12):911-919.
165. Clagg A, Paterno MV, Hewett TE, Schmitt LC. Performance on the modified star excursion balance test at the time of return to sport following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther.* 2015;45(6):444-452. doi: 10.2519/jospt.2015.5.5040. Epub 2015 Apr 21.
166. Shumway-Cook A, Brauer S, Woollacott M. Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. *Phys Ther.* 2000;80(9):896-903.
167. Fritz S, Lusardi M. White paper: "walking sped: the sixth vital sign". *J Geriatr Phys Ther.* 2009;32(2):46-49.
168. Middleton A, Fritz SL, Lusardi M. Walking speed: The functional vital sign. *J Aging Phys Act.* 2015;23(2):314-322. doi: 10.1123/japa.2013-0236. Epub 2014 May 2.
169. Harada ND, Chiu V, Stewart AL. Mobility related function in older adults: assessment with a 6-minute walk test. *Arch Phys Med Rehabil.* 1999;80(7):837-841.
170. Ko V, Naylor JM, Harris IA, Crosbie J, Yeo AE. The six-minute walk test is an excellent predictor of functional ambulation after total knee arthroplasty. *BMC Musculoskeletal Disord.* 2013;14:145. doi: 10.1186/1471-2474-14-145.
171. Meszler D, Manal TJ, Snyder-Mackler L. Disorders of the tibiofemoral joint. *Orthop Clin North Am.* 1998;7:347-366.
172. Trippett SR. Referred knee pain in a young athlete: a case study. *J Orthop Sports Phys Ther.* 1994;19(2):117-120.
173. George SZ, Benecki JM, Bialosky JE, et al. Development of a review-of-systems screening tool for orthopaedic physical therapists: results from the Optimal Screening for Prediction of Referral and Outcome (OSPRO) Cohort. *J Orthop Sports Phys Ther.* 2015;45(7):512-526. doi: 10.2519/jospt.2015.5900. Epub 2015 May 21.

174. Gracely RH. Psychophysical assessment of human pain. In: Bonica J, ed. *Advances in Pain Research and Therapy*. New York, NY: Raven Press; 1979:805-824.
175. Logerstedt D, Sennett B. Case series utilizing drop-out casting for the treatment of knee joint extension motion loss following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther*. 2007;37(7):404-411.
176. Manal TJ, Schmitt L. Free from stiff knee. *Phys Ther Products*. 2002;13:25-29.
177. Bandy WD, Irion JM. The effect of time on static stretch in the flexibility of the hamstring muscles. *Phys Ther*. 1994;74(9):845-850, discussion 850-852.
178. Tinetti ME, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. *N Engl J Med*. 1988;319(26):1701-1707.
179. Snyder-Mackler L, Delitto A, Bailey S, Stralka SW. Strength of the quadriceps femoris muscle and functional recovery after reconstruction of the anterior cruciate ligament. A prospective, randomized clinical trial of electrical stimulation. *J Bone Joint Surg Am*. 1995;77(8):1166-1173.
180. Colliander EB, Tesch PA. Effects of eccentric and concentric muscle actions in resistance training. *Acta Physiol Scand*. 1990;140(1):31-39.
181. Higbie EJ, Cureton KJ, Waren GL 3rd, Prior BM. Effects of concentric and eccentric training on muscle strength, cross-sectional area, and neural activation. *J Appl Physiol*. 1996;81(5):2173-2181.
182. Colliander EB, Tesch PA. Responses to eccentric and concentric resistance training in females and males. *Acta Physiol Scand*. 1991;141(2):149-156.
183. Alfredson H, Lorentzon R. Chronic Achilles tendinosis: recommendations for treatment and prevention. *Sports Med*. 2000;29(2):135-146.
184. LaStayo PC, Woolf JM, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle contractions: their contribution to injury, prevention, rehabilitation, and sport. *J Orthop Sports Phys Ther*. 2003;33(10):557-571.
185. Malliaras P, Barton CJ, Reeves ND, Langberg H. Achilles and patellar tendinopathy loading programmes: a systematic review comparing clinical outcomes and identifying potential mechanisms for effectiveness. *Sports Med*. 2013; 43(4):267-286. doi: 10.1007/s40279-013-0019-z.
186. Visnes H, Bahr R. The evolution of eccentric training as treatment for patellar tendinopathy (jumper's knee): a critical review of exercise programmes. *Br J Sports Med*. 2007;41(4):217-223. Epub 2007 Jan 29.
187. Frohm A, Saartok T, Halvorsen K, Renström P. Eccentric treatment for patellar tendinopathy: a prospective randomised short-term pilot study of two rehabilitation protocols. *Br J Sports Med*. 2007;41(7):e7. Epub 2007 Feb 8.
188. Latash, ML, Levin, MF, Scholz, JP, Schöner, G. Motor control theories and their applications. *Medicina (Kaunas, Lithuania)*. 2010;46(6):382-392.
189. Ihara H, Nakayama A. Dynamic joint control training for knee ligament injuries. *Am J Sports Med*. 1986;14(4):309-315.
190. Beard DJ, Dodd CA, Trundle HR, Simpson AH. Proprioception enhancement for anterior cruciate ligament deficiency. A prospective randomized trial of two physiotherapy regimens. *J Bone Joint Surg Br*. 1994;76(4):654-659.
191. Risberg MA, Mørk M, Jenssen HK, Holm I. Design and implementation of a neuromuscular training program following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther*. 2001;31(11):620-631.
192. Kvist J. Rehabilitation following anterior cruciate ligament injury: current recommendations for sports participation. *Sports Med*. 2004;34(4):269-280.
193. Ardern CL, Österberg A, Tagesson S, Gauffin H, Webster KE, Kvist J. The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. *Br J Sports Med*. 2014;48(22):1613-1619. doi: 10.1136/bjsports-2014-093842. Epub 2014 Oct 7.
194. Wilk KE, Simoneau GG. Managing knee injuries: keeping up with changes. *J Orthop Sports Phys Ther*. 2012;42(3):150-152. doi: 10.2519/jospt.2012.0104. Epub 2012 Feb 29.
195. Chmielewski TL, Hurd WJ, Rudolph KS, Axe MJ, Snyder-Mackler L. Perturbation training improves knee kinematics and reduces muscle co-contraction after complete unilateral anterior cruciate ligament rupture. *Phys Ther*. 2005;85(8):740-749, discussion 750-754. .
196. Fitzgerald GK, Axe MJ, Snyder-Mackler L. The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physical active individuals. *Phys Ther*. 2000;80(2):128-140.
197. Fitzgerald GK, Axe MJ, Snyder-Mackler L. Proposed practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals. *J Orthop Sports Phys Ther*. 2000;30(4):194-203.
198. Axe MJ, Snyder-Mackler L. Operative and postoperative management of the knee. In: Wilmarth MA, ed. *ISC 15.3. Postoperative Management of Orthopaedic Surgeries*. La Crosse, WI: Orthopaedic Section APTA Inc; 2005.
199. Fees M, Decker T, Snyder-Mackler L, Axe MJ. Upper extremity weight-training modification for the injured athlete. A clinical perspective. *Am J Sports Med*. 1998;26(5):732-742.
200. Axe MJ, Windley TC, Snyder-Mackler L. Data-based interval throwing programs for collegiate softball players. *J Athl Train*. 2002;37(2):194-203.
201. Axe MJ, Snyder-Mackler L, Konin JG, Strube MJ. Development of a distance-based interval throwing program for little league-aged athletes. *Am J Sports Med*. 1996;24(5):594-602.
202. Bockrath K, Wooden C, Worrell T, Ingessoll C, Farr J. Effects of patella taping on patella position and perceived pain. *Med Sci Sports Exerc*. 1993;25(9):989-992.
203. Powers C, Landel R, Sosnick T, et al. The effects of patellar taping on stride characteristics and joint motion in subjects with patellofemoral pain. *J Orthop Sports Phys Ther*. 1997;26(6):286-291.
204. Hinman RS, Crossley KH, McConnell J, Bennell KL. Efficacy of knee tape in the management of osteoarthritis of the knee: blinded randomised controlled trial. *BMJ*. 2003;327(7407):135.
205. Hochberg MC, Altman RD, April KT, et al. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip and knee. *Arthritis Care Res*. 2012;64(4):465-474.
206. Warden SJ, Hinman RS, Watson MA Jr, Avin KG, Bialocerkowski AE, Crossley KM. Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. *Arthritis Rheum*. 2008;59(1):78-83. doi: 10.1002/art.23242.
207. Aminaka N, Gribble PA. A systematic review of the effects of therapeutic taping on patellofemoral pain syndrome. *J Athl Train*. 2005;40(4):341-351.
208. McConnell J. The management of chondromalacia patellae: a long-term solution. *Aust J Physiother*. 1986;32(4):215-223. doi: 10.1016/S0004-9514(14)60654-1.
209. Fitzgerald GK, McClure PW. Reliability of measurements obtained with four tests of patellofemoral alignment. *Phys Ther*. 1995;75(2):84-90, discussion 90-92.
210. Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. *J Orthop Sports Phys Ther*. 2003;33(8):437-443; discussion 444-448.
211. Campolo M, Babu J, Dmochowska, Scariah S, Varughese JA. Comparison of two taping techniques (kinesio and mcConnel) and their effect on anterior knee pain during functional activities. *Int J Sports Phys Ther*. 2013;8(2):105-110.
212. Anandkumar S, Sudarshan S, Nagpal P. Efficacy of kinesio taping on isokinetic quadriceps torque in knee osteoarthritis: a double blinded randomized controlled study. *Physiother Theory Pract*. 2014; 30(6):375-383. doi: 10.3109/09593985.2014.896963. Epub 2014 Mar 11.
213. Song Cy, Huang HY, Chen SC, Lin JJ, Chang AH. Effects of femoral rotational taping on pain, lower extremity kinematics, and muscle activation in female patients with patellofemoral pain. *J Sci Med Sport*. 2014; 18(4):388-393. doi: 10.1016/j.jsm.2014.07.009. Epub 2014 Jul 24.
214. Powers CM, Ward SR, Chan LD, Chen YJ, Terk MR. The effect of bracing on patella alignment and patellofemoral joint contact area. *Med Sci Sports Exerc*. 2004;36(7):1226-1232.
215. Komistek RD, Dennis DA, Northcut ES, Wood A, Parker AW, Traina SM. An in vivo analysis of the effectiveness of the osteoarthritic knee brace during heel-strike of gait. *J Arthroplasty*. 1999;14(6):738-742.
216. McAlindon T, Bannuru RR, Sullivan MC, et al. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage*. 2014;22(3):363-388. doi: 10.1016/j.joca.2014.01.003. Epub 2014 Jan 24.
217. Sitler M, Ryan J, Hopkinson W, et al. The efficacy of a prophylactic knee brace to reduce knee injuries in football. A prospective, randomized study at West Point. *Am J Sports Med*. 1990;18(3):310-315.
218. Garrick JG, Requa RK. Prophylactic knee bracing. *Am J Sports Med*. 1987;15(5):471-476.
219. Colville MK, Lee CL, Ciullo JV. The Lenox Hill brace. An evaluation of the effectiveness in treating knee instability. *Am J Sports Med*. 1986;14(4):257-261.
220. Kocher MS, Sterett WI, Briggs KK, Zurakowski D, Steadman JR. Effect of functional bracing on subsequent knee injury in ACL-deficient professional skiers. *J Knee Surg*. 2003;16(2):87-92.
221. Smith SD, LaPrade RF, Jansson KS, Aroen A, Wijdicks CA. Functional bracing of ACL injuries: current state and future directions. *Knee Surg Sports Traumatol Arthrosc*. 2014;22(5):1131-1141. doi: 10.1007/s00167-013-2514-z. Epub 2013 Apr 27.
222. DeCoster LC, Vaillas JC, Swartz WG. Functional ACL bracing. A survey of current opinion and practice. *Am J Orthop*. 1995;24(11):838-843.
223. Risberg MA, Holm I, Steen H, Eriksson J, Ekelend A. The effect of knee bracing after anterior cruciate ligament reconstruction: A prospective, randomized study with two years' follow-up. *Am J Sports Med*. 1999;27(1):76-83.
224. Wright RW, Fetzer GB. Bracing after ACL reconstruction: a systematic review. *Clin Orthop Relat Res*. 2007;455:162-168.
225. Branch TP, Hunter RE. Functional analysis of anterior cruciate ligament braces. *Clin Sports Med*. 1990;9(4):771-797.
226. Branch T, Hunter R, Reynolds P. Controlling anterior tibial displacement under static load: a comparison of two braces. *Orthopedics*. 1988;11(9):1249-1252.
227. Cook FF, Tibone JE, Redfern FC. A dynamic analysis of a functional brace for anterior cruciate ligament insufficiency. *Am J Sports Med*. 1989;17(4):519-524.
228. Janousek AT, Jones DG, Clatworthy M, Higgins LD, Fu FH. Posterior cruciate ligament injuries of the knee joint. *Sports Med*. 1999;28(6):429-441.
229. Wind WM Jr, Bergfeld JA, Parker RD. Evaluation and treatment of posterior cruciate ligament injuries: revised. *Am J Sports Med*. 2004;32(7):1765-1775.
230. Arroll B, Robb G, Sutich E. The Diagnosis and Management of Soft Tissue Knee Injuries: Internal Derangements, Best Practice Evidence-Based Guideline. July 2003. [http://www.acc.co.nz/PRD\\_EXT\\_CSMP/groups/ex](http://www.acc.co.nz/PRD_EXT_CSMP/groups/ex)

- ternal\_communications/documents/guide/wcmz002488. Accessed August 25, 2016.
231. Anderson AC. Knee laxity and function after conservative treatment of anterior cruciate ligament injuries: a prospective study. *Int J Sports Med.* 1993;14(3):150-153.
  232. Beynnon BD, Fleming BC, Johnson RJ, Nichols CE, Renström PA, Pope MH. Anterior cruciate ligament strain behavior during rehabilitation exercises in vivo. *Am J Sports Med.* 1995;23(1):24-34.
  233. Buss DD, Min R, Skyhar M, Galinat B, Warren RF, Wickiewicz TL. Nonoperative treatment of acute anterior cruciate ligament injuries in a selected group of patients. *Am J Sports Med.* 1995;23(2):160-165.
  234. Ciccotti MG, Kerlan RK, Perry J, Pink M. An electromyographic analysis of the knee during functional activities. II. The anterior cruciate ligament-deficient and -reconstructed profiles. *Am J Sports Med.* 1994;22(5):651-658.
  235. Ciccotti MG, Lombardo SJ, Nonweiler B, Pink M. Nonoperative treatment of ruptures of the anterior cruciate ligament in middle-aged patients. Results after long-term follow-up. *J Bone Joint Surg Am.* 1994;76(9):1315-1321.
  236. Rudolph KS, Eastlack ME, Axe MJ, Snyder-Mackler L. 1998 Basmajian Student Award Paper: Movement patterns after anterior cruciate ligament injury: a comparison of patients who compensate well for the injury and those who require operative stabilization. *J Electromogr Kinesiol.* 1998;8(6):349-362.
  237. Eastlack ME, Axe MJ, Snyder-Mackler L. Laxity, instability, and functional outcome after ACL injury: copers versus non-copers. *Med Sci Sports Exerc.* 1999;31(2):210-215.
  238. Grindem H, Eitzen I, Moksnes H, Snyder-Mackler L, Risberg MA. A pair matched comparison of return to pivoting sports at 1 year in ACL-injured patients after a nonoperative versus operative treatment course. *Am J Sports Med.* 2012;40(11):2509-2516. doi: 10.1177/0363546512458424. Epub 2012 Sep 7.
  239. Grindem H, Eitzen I, Engebretsen L, Snyder-Mackler L, Risberg MA. Nonsurgical or surgical treatment of ACL injuries: Knee function, Sports participation, and knee reinjury. The Delaware-Oslo ACL Cohort Study. *J Bone Joint Surg Am.* 2014;96(15):1233-1241.
  240. Delay BS, Smolinski RJ, Wind WM, Bowman DS. Current practices and opinions in ACL reconstruction and rehabilitation: results of a survey of the American Orthopaedic Society for Sports Medicine. *Am J Knee Surg.* 2001;14(2):85-91.
  241. Sachs RA, Daniel DM, Stone ML, Garfein RF. Patellofemoral problems after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1989;17(6):760-765.
  242. Eriksson K, Anderberg P, Homber P, Glerud P, Wredmark T. There are differences in early morbidity after ACL reconstruction comparing patellar tendon and semitendinosus tendon graft. A prospective randomized study of 107 patients. *Scand J Med Sci Sports.* 2001;11(3):170-177.
  243. Williams GN, Snyder-Mackler L, Barrance PJ, Axe MJ, Buchanan TS. Muscle and tendon morphology after reconstruction of the anterior cruciate ligament with autologous semitendinosus-gracilis graft. *J Bone Joint Surg Am.* 2004;86-A(9):1936-1946.
  244. Goertzen MJ, Clahsen H, Shultz KP. Anterior cruciate ligament reconstruction using cryopreserved irradiated bone-ACL-bone-allograft transplants. *Knee Surg Sports Traumatol Arthrosc.* 1994;2(3):150-157.
  245. Gut G, Marowska J, Olender E, Kamiński A. Structural mechanical properties of radiation-sterilized human bone-tendon-bone grafts preserved by different methods. *Cell Tissue Bank.* 2016;17(2):277-287. doi: 10.1007/s10561-015-9538-1. Epub 2015 Dec 17.
  246. Strobel MJ. *Manual of Arthroscopic Surgery.* Berlin, Germany: Springer-Verlag; 2002.
  247. Cosgarea AJ, Sebastianelli WI, DeHaven K. Prevention of arthrofibrosis after anterior cruciate ligament reconstruction using the central third patellar tendon autograft. *Am J Sports Med.* 1995;23(1):87-92.
  248. Majors RA, Woodfin B. Achieving full range of motion after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1996;24(3):350-355.
  249. Irrgang J, Harner C, Fu F, et al. Loss of motion following anterior cruciate ligament reconstruction: a second look. *J Sports Rehab.* 1997;6:213-225.
  250. Adams D, Logerstedt D, Hunter-Giordano A, Axe M, Snyder-Mackler L. Current concepts for anterior cruciate ligament reconstruction: a criterion-based rehabilitation progression. *J Orthop Sports Phys Ther.* 2012;42(7):601-614. doi: 10.2519/jospt.2012.3871. Epub 2012 Mar 8.
  251. Myer GD, Paterno MV, Ford KR, Quatman CE, Hewett TE. Rehabilitation after anterior cruciate ligament reconstruction: criteria-based progression through the return-to-sport phase. *J Orthop Sports Phys Ther.* 2006; 36(6):385-402
  252. Wilk KE, Macrina LC, Cain EL, Dugas JR, Andrews JR. Recent advances in the rehabilitation of anterior cruciate ligament injuries. *J Orthop Sports Phys Ther.* 2012; 42(3):153-171. doi: 10.2519/jospt.2012.3741. Epub 2012 Feb 29.
  253. Beynnon BD, Johnson RJ, Fleming BC, Stankevich CJ, Renström PA, Nichols CE. The strain behavior of the anterior cruciate ligament during squatting and active flexion-extension: a comparison of an open and a closed kinetic chain exercise. *Am J Sports Med.* 1997;25(6):823-829.
  254. Henning CE, Lynch MA, Glick KR Jr. An in vivo strain gauge study of elongation of the anterior cruciate ligament. *Am J Sports Med.* 1985;13(1):22-26.
  255. Arms SW, Pope MH, Johnson RJ, Fischer RA, Arvidsson I, Eriksson E. The biomechanics of anterior cruciate ligament rehabilitation and reconstruction. *Am J Sports Med.* 1984;12(1):8-18.
  256. Snyder-Mackler L, Delitto A, Stralka SW, Bailey SL. Use of electrical stimulation to enhance recovery of quadriceps femoris muscle force production in patients following anterior cruciate ligament reconstruction. *Phys Ther.* 1994;74(10):901-907.
  257. Palmieri RA, An KN, Scott SG, Chao EY. Kinetic chain exercise in knee rehabilitation. *Sports Med.* 1991;11(6):402-413.
  258. Graf BK, Ott JW, Lange RH, Keene JS. Risk factors for restricted motion after anterior cruciate reconstruction. *Orthopedics.* 1994;17(10):909-912.
  259. Shelbourne KD, Johnson GE. Outpatient surgical management of arthrofibrosis after anterior cruciate ligament surgery. *Am J Sports Med.* 1994;22(2):192-197.
  260. Shelbourne KD, Patel DV. Treatment of limited motion after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 1999;7(2):85-92.
  261. Snyder-Mackler L, Ladin Z, Schepsis AA, Young JC. Electrical stimulation of the thigh muscles after reconstruction of the anterior cruciate ligament. Effects of electrically elicited contraction of the quadriceps femoris and hamstring muscles on gait and on strength of the thigh muscles. *J Bone Joint Surg Am.* 1991;73(7):1025-1036.
  262. Vegso JJ, Genuario SE, Torg JS. Maintenance of hamstring strength following knee surgery. *Med Sci Sports Exerc.* 1985;17(3):376-379.
  263. Kim KM, Croy T, Hertel J, Saliba S. Effects of neuromuscular electrical stimulation after anterior cruciate ligament reconstruction on quadriceps strength, function, and patient-oriented outcomes: a systematic review. *J Orthop Sports Phys Ther.* 2010;40(7): 383-391. doi: 10.2519/jospt.2010.3184.
  264. Shen W, Jordan S, Fu F. Review article: anatomic double bundle anterior cruciate ligament reconstruction. *J Orthop Surg.* 2007;15(2):216-221.
  265. Kondo E, Yasuda K, Azuma H, Tanabe Y, Yagi T. Prospective clinical comparisons of anatomic double-bundle versus single-bundle anterior cruciate ligament reconstruction procedures in 328 consecutive patients. *Am J Sports Med.* 2008;36(9):1675-1687. doi: 10.1177/0363546508317123. Epub 2008 May 19.
  266. Crawford C, Nyland J, Landes S, et al. Anatomic double bundle ACL reconstruction: a literature review. *Knee Surg Sports Traumatol Arthrosc.* 2007;15(8):946-964, discussion 945. Epub 2007 May 30.
  267. Lindenfeld TN, Hewett TE, Andriacchi TP. Decrease in knee joint loading with unloader brace wear in patients with medial compartment gonarthrosis [abstract]. *Proc Annual Meeting American Academy of Orthopaedic Surgeons.* 1996;243.
  268. Fitzgibbons RE, Shelbourne KD. 'Aggressive' nontreatment of lateral meniscal tears seen during anterior cruciate ligament reconstruction. *Am J Sports Med.* 1995;23(2):156-159.
  269. Noyes FR, Barber-Westin SD. The treatment of acute combined ruptures of the anterior cruciate and medial ligaments of the knee. *Am J Sports Med.* 1995;23(4):380-389.
  270. Schierl M, Petermann J, Trus P, Baumgärtel F, Gotzen L. Anterior cruciate and medial collateral ligament injury: ACL reconstruction and functional treatment of the MCL. *Knee Surg Sports Traumatol Arthrosc.* 1994;2(4):203-206.
  271. Wilk KE. Rehabilitation of isolated and combined posterior cruciate ligament injuries. *Clin Sports Med.* 1994;13(3):649-677.
  272. Harner CD, Xerogeanes JW, Livesay GA, et al. The human posterior cruciate ligament complex: an interdisciplinary study. Ligament morphology and biomechanical evaluation. *Am J Sports Med.* 1995;23(6):736-745.
  273. Bergfeld JA, Noyes FR, Warren RF, et al. The posterior cruciate ligament injured knee: principles of evaluation and treatment [abstract]. *Proc ORS Annual Meeting.* 1996;354.
  274. Meszler D, Manal T, Snyder-Mackler L. Rehabilitation after revision anterior cruciate ligament reconstruction. Practice guidelines and procedure modified, criterion-based progression. *Oper Tech Sports Med.* 1998;6(2):111-116.
  275. Nakagawa S, Shino K, Inone M, et al. Patellofemoral degeneration following anterior cruciate ligament reconstruction. *Am J Sports Med.* 1991;19:559-565.
  276. Friis EA, Cooke FW, McQueen DA, Henning CE. Effect of bone block removal and patellar prosthesis on stresses in the human patella. *Am J Sports Med.* 1994;22(5):696-701.
  277. Kohn D, Sander-Beuermann A. Donor-site morbidity after harvest of a bone-tendon-bone patellar tendon autograft. *Knee Surg Sports Traumatol Arthrosc.* 1994;2(4):219-223.
  278. Lynch AD, Logerstedt DS, Grindem H, et al. Consensus criteria for defining 'successful outcome' after ACL injury and reconstruction: a Delaware Oslo ACL cohort investigation. *Br J Sports Med.* 2015;49(5):335-342. doi: 10.1136/bjsports-2013-092299. Epub 2013 Jul 23.
  279. Heijne A, Werner S. A 2-year follow-up of rehabilitation after ACL reconstruction using patellar tendon or hamstring tendon grafts: a prospective randomized outcome study. *Knee Surg Sports Traumatol Arthrosc.* 2010;18(6):805-813. doi:10.1007/s00167-009-0961-3. Epub 2009 Oct 23.
  280. Barber-Westin SD, Noyes FR. Objective criteria for return to athletics after anterior cruciate ligament reconstruction and subsequent reinjury rates:

- a systematic review. *Phys Sportsmed*. 2011;39(3):100-110. doi: 10.3810/psm.2011.09.1926.
281. Andernord D, Desai N, Björnsson H, Gillen S, Karlsson J, Samuelsson K. Predictors of contralateral anterior cruciate ligament reconstruction: A cohort study of 9061 patients with 5-year follow-up. *Am J Sports Med*. 2015;43(2):295-302. doi: 10.1177/0363546514557245. Epub 2014 Nov 10.
  282. Løgerstedt D, DiStasi S, Grindem H, et al. Self-reported knee function can identify athletes who fail return-to-activity criteria up to 1 year after anterior cruciate ligament reconstruction: a Delaware-Oslo ACL cohort study. *J Orthop Sports Phys Ther*. 2014;44(12):914-923. doi: 10.2519/jospt.2014.4852. Epub 2014 Oct 27.
  283. Ardern CL, Webster KE, Taylor NF, Feller JA. Return to the preinjury level of competitive sport after anterior cruciate ligament reconstruction surgery: two-thirds of patients have not returned by 12 months after surgery. *Am J Sports Med*. 2011; 39(3):538-543. doi: 10.1177/0363546510384798. Epub 2010 Nov 23.
  284. McCullough KA, Phelps KD, Spindler KP, et al. Return to high school- and college-level football after anterior cruciate ligament reconstruction: A multicenter orthopaedic outcomes network (MOON) cohort study. *Am J Sports Med*. 2012;40(11):2523-2529. doi: 10.1177/0363546512456836. Epub 2012 Aug 24.
  285. Webster KE, Feller JA, Lambros C. Development and preliminary validation of a scale to measure the psychological impact of returning to sport following anterior cruciate ligament reconstruction surgery. *Phys Ther Sport*. 2008;9(1):9-15. doi: 10.1016/j.ptsp.2007.09.003. Epub 2007 Nov 5.
  286. Werner BC, Yang S, Looney AM, Gwathmey FW Jr. Trends in pediatric and adolescent anterior cruciate ligament injury and reconstruction. *J Pediatr Orthop*. 2016;36(5):447-452. doi: 10.1097/BPO.0000000000000482.
  287. Shea KG, Pfeiffer R, Wang JH, Curtin M, Apel PJ. Anterior cruciate ligament injury in pediatric and adolescent soccer players: analysis of insurance data. *J Pediatr Orthop*. 2004;24(6):623-628.
  288. Ramski DE, Kanj WW, Franklin CC, Baldwin KD, Ganley TJ. Anterior cruciate ligament tears in children and adolescents: a meta-analysis of non-operative versus operative treatment. *Am J Sports Med*. 2014;42(11):2769-2776. doi: 10.1177/0363546513510889. Epub 2013 Dec 4.
  289. Schachter AK, Rokito AS. ACL injuries in the skeletally immature patient. *Orthopedics*. 2007;30(5):365-370, quiz 371-372.
  290. McCarroll JR, Shelbourne KD, Patel DV. Anterior cruciate injuries in young athletes. Recommendations for treatment and rehabilitation. *Sports Med*. 1995;20(2):117-127.
  291. Arbes S, Resinger C, Vécsei V, Nau T. The functional outcome of total tears of the anterior cruciate ligament (ACL) in the skeletally immature patient. *Int Orthop*. 2007;31(4):471-475. Epub 2006 Sep 1.
  292. Henry J, Chotel F, Choueau J, Fessy MH, Bérard J, Moven B. Rupture of the anterior cruciate ligament in children: early reconstruction with open physis or delayed reconstruction to skeletal maturity? *Knee Surg Sports Traumatol Arthrosc*. 2009;17(7):748-755. doi: 10.1007/s00167-009-0741-0. Epub 2009 Feb 28.
  293. Fabricant PD, Jones KJ, Delos D, et al. Reconstruction of the anterior cruciate ligament in the skeletally immature athlete: a review of current concepts. *J Bone Joint Surg Am*. 2013;95(5):e28(1-13). doi: 10.2106/JBJS.L.00772
  294. Andrews M, Noyes FR, Barber-Westin SD. Anterior cruciate ligament allograft reconstruction in the skeletally immature athlete. *Am J Sports Med*. 1994;22(1):48-54.
  295. Shelbourne KD, Patel DV, McCarroll JR. Management of anterior cruciate ligament injuries in skeletally immature adolescents. *Knee Surg Sports Traumatol Arthrosc*. 1996;4(2):68-74.
  296. Bales CP, Guettler JH, Moorman CT 3rd. Anterior cruciate ligament injuries in children with open physis: evolving strategies of treatment. *Am J Sports Med*. 2004;32(8):1978-1985.
  297. Paletta GA Jr. Special considerations. Anterior cruciate ligament reconstruction in the skeletally immature. *Orthop Clin North Am*. 2003;34(1):65-77.
  298. Dorizas JA, Stanitski CL. Anterior cruciate ligament injury in the skeletally immature. *Orthop Clin North Am*. 2003;34(3):355-363.
  299. Kercher J, Xerogeanes J, Tannenbaum A, Al-Hakim R, Black JC, Zhao J. Anterior cruciate ligament reconstruction in the skeletally immature: an anatomical study utilizing 3-dimensional magnetic resonance imaging reconstructions. *J Pediatr Orthop*. 2009;29(2):124-129. doi: 10.1097/BPO.0b013e3181982228.
  300. Mihaia LC, Beutler AI, Boden BP. Comparing the incidence of anterior cruciate ligament injury in collegiate lacrosse, soccer, and basketball players: implications for anterior cruciate ligament mechanism and prevention. *Am J Sports Med*. 2006;34(6):899-904. Epub 2006 Mar 27.
  301. Podromos CC, Han Y, Rogowski J, Joyce B, Shi K. A meta-analysis of the incidence of anterior cruciate ligament tears as a function of gender, sport, and a knee injury-reduction regimen. *Arthroscopy*. 2007;23(12):1320-1325.e6.
  302. Hutchinson MR, Ireland ML. Knee injuries in female athletes. *Sports Med*. 1995;19(4):288-302.
  303. Mandelbaum B. ACL prevention strategies in the female athlete and soccer: implementation of a neuromuscular training program to determine its efficacy on the incidence of ACL injury. In: AAOSM 2002 Specialty Day. Dallas, TX; 2002.
  304. Hewett TE, Torg JS, Boden BP. Video analysis of trunk and knee motion during non-contact anterior cruciate ligament injury in female athletes: lateral trunk and knee abduction motion are combined components of the injury mechanism. *Br J Sports Med*. 2009;43(6):417-422. doi: 10.1136/bjsm.2009.059162. Epub 2009 Apr 15.
  305. Zazulak BT, Hewett TE, Reeves NP, Goldberg B, Cholewicki J. Deficits in neuromuscular control of the trunk predict knee injury risk: a prospective biomechanical-epidemiologic study. *Am J Sports Med*. 2007;35(7):1123-1130. Epub 2007 Apr 27.
  306. Griffin LY, Agel J, Albohm MJ, et al. Noncontact anterior cruciate ligament injuries: risk factors and prevention strategies. *J Am Acad Orthop Surg*. 2000;8(3):141-150.
  307. Griffin LY, Albohm MJ, Arendt EA, et al. Understanding and preventing noncontact anterior cruciate ligament injuries: a review of the Hunt Valley II meeting, January 2005. *Am J Sports Med*. 2006;34(9):1512-1532.
  308. Hewett TE, Zazulak BT, Myer GD. Effects of the menstrual cycle on anterior cruciate ligament injury risk: a systematic review. *Am J Sports Med*. 2007;35(4):659-668. Epub 2007 Feb 9.
  309. Sugimoto D, Myer GD, Foss KD, Hewett TE. Specific exercise effects of preventative neuromuscular training intervention on anterior cruciate ligament injury risk reduction in young females: meta-analysis and subgroup analysis. *Br J Sports Med*. 2015;49(5):282-289. doi: 10.1136/bjsports-2014-093461. Epub 2014 Dec 1.
  310. Sugimoto D, Aleñorn-Geli E, Mendiguchía J, Samuelsson K, Karlsson J, Myer GD. Biomechanical and neuromuscular characteristics of male athletes: implications for the development of anterior cruciate ligament injury prevention programs. *Sports Med*. 2015;45(6):809-822. doi: 10.1007/s40279-015-0311-1. Spiridonov SI, Slinkard NJ, LaPrade RF. Isolated and combined grade-III posterior cruciate.
  311. Spiridonov SI, Slinkard NJ, LaPrade RF. Isolated and combined grade-III posterior cruciate ligament tears treated with double-bundle reconstruction with use of endoscopically placed femoral tunnels and grafts: operative technique and clinical outcomes. *J Bone Joint Surg Am*. 2011;93(19):1773-1780. doi: 10.2106/JBJS.J.01638.
  312. Harner CD, Höher J. Evaluation and treatment of posterior cruciate ligament injuries. *Am J Sports Med*. 1998;26(3):471-482.
  313. Chandrasekaran S, Ma D, Scarvell JM, Woods KR, Smith PN. A review of the anatomical, biomechanical and kinematic findings of posterior cruciate ligament injury with respect to non-operative management. *Knee*. 2012;19(6):738-745. doi: 10.1016/j.knee.2012.09.005. Epub 2012 Sep 28.
  314. Shelbourne KD, Jennings RW, Vahey TN. Magnetic resonance imaging of posterior cruciate ligament injuries: assessment of healing. *Am J Knee Surg*. 1999;12(4):209-213.
  315. Shelbourne KD, Davis TJ, Patel DV. The natural history of acute, isolated nonoperatively treated posterior cruciate ligament injuries. A prospective study. *Am J Sports Med*. 1999;27(3):276-283.
  316. Rosenthal MD, Rainey CE, Tognoni A, Worms R. Evaluation and management of posterior cruciate ligament injuries. *Phys Ther Sport*. 2012;13(4):196-208. doi: 10.1016/j.ptsp.2012.03.016. Epub 2012 May 18.
  317. Shelbourne KD, Clark M, Gray T. Minimum 10-year follow-up of patients after an acute, isolated posterior cruciate ligament injury treated nonoperatively. *Am J Sports Med*. 2013;41(7):1526-1533. doi: 10.1177/0363546513486771. Epub 2013 May 7.
  318. Patel DV, Allen AA, Warren RF, Wickiewicz TL, Simonian PT. The nonoperative treatment of acute, isolated (partial or complete) posterior cruciate ligament-deficient knees: an intermediate-term follow-up study. *HSS J*. 2007;3(2):137-146. doi: 10.1007/s11420-007-9058-z.
  319. Edson CJ, Fanelli GC, Beck JD. Postoperative rehabilitation of the posterior cruciate ligament. *Sports Med Arthrosc*. 2010;18(4):275-279. doi: 10.1097/JS.0b013e3181f2f23d.
  320. Matava MJ, Ellis E, Gruber B. Surgical treatment of posterior cruciate ligament tears: an evolving technique. *J Am Acad Orthop Surg*. 2009;17(7):435-446.
  321. Wilk KE, Andres JR, Clancy WG Jr, Crockett HC, O'Mara JW Jr. Rehabilitation programs for the PCL-injured and reconstructed knee. *J Sport Rehabil*. 1999;8(4):333-361.
  322. Bergfeld JA, Graham SM, Parker RD, Valdevit DC, Kambic HE. A biomechanical comparison of posterior cruciate ligament reconstruction using single- and double-bundle tibial inlay techniques. *Am J Sports Med*. 2005;33(7):976-981. Epub 2005 May 11.
  323. Wang CJ, Weng LH, Hsu CC, Chan YS. Arthroscopic single- versus double-bundle posterior cruciate ligament reconstruction using hamstring autograft. *Injury*. 2004;35(12):1293-1299.
  324. Lunden JB, Bzdusek PJ, Monson JK, Malcomson KW, Laprade RF. Current concepts in the recognition and treatment of posterolateral corner injuries of the knee. *J Orthop Sports Phys Ther*. 2010;40(8):502-516. doi: 10.2519/jospt.2010.3269.
  325. LaParade RF, Johanson S, Agel J, Risberg MA, Moksnes H, Engebretsen L. Outcomes of an anatomic posterolateral knee reconstruction. *J Bone Joint Surg Am*. 2010;92(1):16-22. doi: 10.2106/JBJS.I.00474.
  326. LaParade RF, Johanson S, Wentorf FA, Engebretsen L, Esterberg JL, Tso A. An analysis of an anatomical posterolateral knee reconstruction: an in vitro biomechanical study and development of a surgical technique. *Am J Sports Med*. 2004;32(6):1405-1414. Epub 2004 Jul 20.

327. LaParade RF, Ly TV, Wentorf FA, Engebretsen L. The posterolateral attachments of the knee: a qualitative and quantitative morphologic analysis of the fibular collateral ligament, popliteus tendon, popliteofibular ligament, and lateral gastrocnemius tendon. *Am J Sports Med.* 2003;31(6):854-860.
328. Shahane SA, Ibbotson C, Strachan R, Bickerstaff DR. The popliteofibular ligament. An anatomical study of the posterolateral corner of the knee. *J Bone Joint Surg Br.* 1999;81(4):636-642.
329. Jakobsen BW, Lund B, Christiansen SE, Lind MC. Anatomic reconstruction of the posterolateral corner of the knee: a case series with isolated reconstructions in 27 patients. *Arthroscopy.* 2010;26(7):918-925. doi: 10.1016/j.arthro.2009.11.019. Epub 2010 May 7.
330. Baker CL Jr, Norwood LA, Hughston JC. Acute combined posterior cruciate and posterolateral instability of the knee. *Am J Sports Med.* 1984;12(3):204-208.
331. Torg JS, Barton TM, Pavlov H, Stine R. Natural history of the posterior cruciate ligament-deficient knee. *Clin Orthop Relat Res.* 1989;(246):208-216.
332. Harner CD, Vogrini TM, Höher J, Ma CB, Woo SL. Biomechanical analysis of a posterior cruciate ligament reconstruction. Deficiency of the posterolateral structures as a cause of graft failure. *Am J Sports Med.* 2000;28(1):32-39.
333. Scheffler SU, Unterhauser FN, Weiler A. Graft remodeling and ligamentization after cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2008;16(9):834-842. doi: 10.1007/s00167-008-0560-8. Epub 2008 May 31.
334. Indelicato PA. Non-operative treatment of complete tears to the medial collateral ligament of the knee. *J Bone Joint Surg Am.* 1983;65(3):323-329.
335. Kannus P. Nonoperative treatment of grade II and III sprains of the lateral ligament compartment of the knee. *Am J Sports Med.* 1989;17(1):83-88.
336. Clancy W, Melster K, Raythorne C. Posteriorlateral corner and collateral ligament reconstruction. In: Jackson DW, ed. *Reconstructive Knee Surgery*. New York, NY: Raven Press; 1995:87-102.
337. Wilk K, Andrews JR, Clancy WG. Nonoperative and postoperative rehabilitation of the collateral ligaments of the knee. *Oper Tech Sports Med.* 1996;4(3):192-201.
338. Albright JP, Powell JW, Smith W, et al. Medial collateral ligament knee sprains in college football. Brace wear preferences and injury risk. *Am J Sports Med.* 1994;22(1):12-18.
339. Paulos LE, France EP, Rosenberg TD, Jayaraman G, Abbott P, Jaen J. The biomechanics of lateral knee bracing. Part I: response of the valgus restraints to loading. *Am J Sports Med.* 1987;15(5):419-429.
340. Reinold MM, Wilk KE, Macrina LC, Dugas JR, Cain EL. Current concepts in the rehabilitation following articular cartilage repair procedures in the knee. *J Orthop Sports Phys Ther.* 2006;36(10):774-794.
341. Mariani PP, Santori N, Adriani E, Mastantuono M. Accelerated rehabilitation after arthroscopic meniscal repair: a clinical and magnetic resonance imaging evaluation. *Arthroscopy.* 1996;12(6):680-686.
342. Weiss C, Lundberg M, Hamberg P, DeHaven KE, Gillquist J. Non-operative treatment of meniscal tears. *J Bone Joint Surg Am.* 1989;71(6):811-822.
343. Noyes FR, Heckmann TR, Barber-Westin SD. Meniscus repair and transplantation: A comprehensive update. *J Orthop Sports Phys Ther.* 2012;42(3):274-90. doi: 10.2519/jospt.2012.3588. Epub 2011 Sep 4.
344. Arnoczyk SP, Warren RF. Microvasculature of the human meniscus. *Am J Sports Med.* 1982;10(2):90-95.
345. Heckmann TP, Barber-Westin SD, Noyes FR. Meniscal repair and transplantation: indications, techniques, rehabilitation, and clinical outcome. *J Orthop Sports Phys Ther.* 2006;36(10):795-814.
346. Barber FA. Accelerated rehabilitation for meniscus repairs. *Arthroscopy.* 1994;10(2):206-210.
347. van Arkel ER, de Boer HH. Human meniscal transplantation. Preliminary results at 2 to 5-years follow-up. *J Bone Joint Surg Br.* 1995;77(4):589-595.
348. van Arkel ER, Goei R, de Ploeg I, de Boer HH. Meniscal allografts: evaluation with magnetic resonance imaging and correlation with arthroscopy. *Arthroscopy.* 2000;16(5):517-521.
349. Sekiya JK, Ellingson CI. Meniscal allograft transplantation. *J Am Acad Orthop Surg.* 2006;14(3):164-174.
350. Sohn DH, Toth AP. Meniscus transplantation: current concepts. *J Knee Surg.* 2008;21(2):163-172.
351. Kohn D, Agaard H, Verdonk R, Diest M, Seil R. Postoperative follow-up and rehabilitations after meniscus replacement. *Scand J Med Sci Sports.* 1999;9(3):177-180.
352. Belzer JP, Cannon WD Jr. Meniscus tears: treatment in the stable and unstable knee. *J Am Acad Orthop Surg.* 1993;1(1):41-47.
353. Noyes FR, Barber-Westin SD. Repair of complex and avascular meniscal repairs and transplantation. *J Bone Joint Surg Am.* 2010;92(4):1012-1029.
354. Noyes FR, Barber-Westin SD. Arthroscopic repair of meniscal tears extending into the avascular zone in patients younger than twenty years of age. *Am J Sports Med.* 2002;30(4):589-600.
355. Noyes FR, Barber-Westin SD, Rankin M. Meniscal transplantation in symptomatic patients less than fifty years old. *J Bone Joint Surg Am.* 2004;86-A(7):1392-1404.
356. Hutchinson ID, Moran CJ, Potter HG, Warren RF, Rodeo SA. Restoration of the meniscus: form and function. *Am J Sports Med.* 2014;42(4): 987-98. doi: 10.1177/0363545613498503. Epub 2013 Aug 12.
357. Iorio R, Healy ML. Unicompartmental arthritis of the knee. *J Bone Joint Surg Am.* 2003;85-A(7):1351-1364.
358. W-Dahl A, Robertsson O, Lidgren L. Surgery for knee osteoarthritis in younger patients. *Acta Orthop.* 2010;81(2):161-164. doi: 10.3109/1743670903413186.
359. Newman J, Pydisetty RV, Ackroyd C. Unicompartmental or total knee replacement: the 15-year results of a prospective randomized controlled trial. *J Bone Joint Surg Br.* 2009;91(1):52-57. doi: 10.1302/0301-620X.91B1.20899.
360. Walsh M, Woodhouse LJ, Thomas SG, Finch E. Physical impairments and functional limitations: a comparison of individuals 1 year after total knee arthroplasty with control subjects. *Phys Ther.* 1998;78(3):248-258.
361. Ettinger WH Jr, Afable RF. Physical disability from knee osteoarthritis: the role of exercise as an intervention. *Med Sci Sports Exerc.* 1994;26(12):1435-1440.
362. Fisher NM, Gresham GE, Abrams M, Hicks J, Horrigan D, Pendergast DR. Quantitative effects of physical therapy on muscular and functional performance in subjects with osteoarthritis of the knees. *Arch Phys Med Rehabil.* 1993;74(8):840-847.
363. Fisher NM, Gresham G, Pendergast DR. Effects of a quantitative progressive rehabilitation program applied unilaterally to the osteoarthritic knee. *Arch Phys Med Rehabil.* 1993;74(12):1319-1326.
364. Schilke JM, Johnson GO, Housh TJ, O'Dell JR. Effects of muscle-strength training on the functional status of patients with osteoarthritis of the knee joint. *Nurs Res.* 1996;45(2):68-72.
365. Mizner RL, Pettersson SC, Stevens JE, Axe MJ, Snyder-Mackler L. Preoperative quadriceps strength predicts functional ability one year after total knee arthroplasty. *J Rheumatol.* 2005;32(8):1533-1539.
366. Hungerford DS. Treating osteoarthritis with chondroprotective agents. *Orthopedic Special Edition.* 1998;4:39-42.
367. Noyes FR, Barber SD, Simon R. High tibial osteotomy and ligament reconstruction in varus angulated, anterior cruciate ligament-deficient knees. A two- to seven-year follow-up study. *Am J Sports Med.* 1993;21(1):2-12.
368. Grelsamer RP. Unicompartmental osteoarthritis of the knee. *J Bone Joint Surg Am.* 1995;77(2):278-292.
369. Kumar PJ, McPherson EJ, Dorr LD, Wan Z, Baldwin K. Rehabilitation after total knee arthroplasty: a comparison of 2 rehabilitation techniques. *Clin Orthop Relat Res.* 1996;(331):93-101.
370. Pope RO, Corcoran S, McCaul K, Howie DW. Continuous passive motion after primary total knee arthroplasty. Does it offer any benefits? *J Bone Joint Surg Br.* 1997;79(6):914-917.
371. Haug J, Wood LT. Efficacy of neuromuscular stimulation of the quadriceps femoris during continuous passive motion following total knee arthroplasty. *Arch Phys Med Rehabil.* 1988;69(6):423-424.
372. Felson D. Weight and osteoarthritis. *Am J Clin Nutr.* 1996;63(3 suppl):430S-432S.
373. Christensen R, Bartels EM, Astrup A, Bliddal H. Effect of weight reduction in obese patients diagnosed with knee osteoarthritis: a systematic review and meta-analysis. *Ann Rheum Dis.* 2007;66(4):433-439. Epub 2007 Jan 4.
374. Lindenfeld TN, Hewett TE, Andriacchi TP. Joint loading with valgus bracing in patients with varus gonarthrosis. *Clin Orthop Relat Res.* 1997;(344):290-297.
375. Vlad SC, LaValley MP, McAlindon TE, Felson DT. Glucosamine for pain in osteoarthritis: why do trial results differ? *Arthritis Rheum.* 2007;56(7):2267-2277.
376. Clegg DO, Reda DJ, Harris CL, et al. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med.* 2006;354(8):795-808.
377. Bellamy N, Campbell J, Robinson B, Gee T, Bourne R, Wells G. Intraarticular corticosteroid for treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev.* 2006;19(2):CD005328.
378. Lawrence RC, Felson DT, Helmick CG, et al. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. *Arthritis Rheum.* 2008;58(1):26-35. doi: 10.1002/art.23176.
379. Brouwer RW, van Raaij TM, Verhaar JA, Coene LN, Bierma-Zeinstra SM. Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. *Osteoarthritis Cartilage.* 2006;14(8):777-783. Epub 2006 Mar 24.
380. Hinman RS, Bennell KL, Crossley KM, McConnell J. Immediate effects of adhesive tape on pain and disability in individuals with knee osteoarthritis. *Rheumatology.* 2003;42(7):865-869. Epub 2003 Mar 31.
381. Hinman RS, Bowles KA, Bennell KL. Laterally wedged insoles in knee osteoarthritis: do biomechanical effects decline after one month of wear? *BMC Musculoskeletal Disord.* 2009;10:146. doi: 10.1186/1471-2474-10-146.
382. Kakihana W, Akai M, Nakawaxa K, Takashima T, Naito K, Torii S. Effects of laterally wedges insoles on knee and subtalar joint moments. *Arch Phys Med Rehabil.* 2005;86(7):1465-1471.
383. Baker H, Goggins J, Xie H, et al. A randomized crossover trial of a wedged insole for the treatment of knee osteoarthritis. *Arthritis Rheum.* 2007;56(4):1198-1203.
384. Pham T, Maillefert JF, Hudry C, et al. Laterally elevated wedged insoles in the treatment of medial knee osteoarthritis: a two-year prospective randomized controlled study. *Osteoarthritis Cartilage.* 2004;12:46-55.
385. Coleman S, Briffa NK, Carroll G, Inderjeeth C, Cook N, McQuade J. A randomised controlled trial of a self-management education program for osteoarthritis of the knee delivered by healthcare professionals. *Arthritis Res Ther.* 2012;14(1):R21. doi: 10.1186/ar3703.

386. Abbott JH, Chapple CM, Fitzgerald GK, et al. The incremental effects of manual therapy or booster sessions in addition to exercise therapy for knee osteoarthritis: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2015;45(12):975-983. doi: 10.2519/jospt.2015.6015. Epub 2015 Sep 28.
387. Virolainen P, Aro HT. High tibial osteotomy for the treatment of osteoarthritis of the knee: a review of the literature and a meta-analysis of follow-up studies. *Arch Orthop Trauma Surg.* 2004;124(4):258-261. Epub 2003 Jun 25.
388. Schwanz L. Unicompartmental knee arthroplasty-a review of the literature. *J Orthopedics.* 2008;5(2):e20.
389. Naal FD, Fischer M, Preuss A, et al. Return to sports and recreational activity after unicompartmental knee arthroplasty. *Am J Sports Med.* 2007;35(10):1688-1695. Epub 2007 Jun 8.
390. Griffen T, Rowden N, Morgan D, Atkinson R, Woodruff P, Maddern G. Unicompartmental knee arthroplasty for the treatment of unicompartmental osteoarthritis: a systematic study. *ANZ J Surg.* 2007;77(4):214-221.
391. Argenson JN, Chevrol-Benkaddache Y, Aubaniac JM. Modern unicompartmental knee arthroplasty with cement: a three to ten-year follow-up study. *J Bone Joint Surg Am.* 2002;84-A(12):2235-2239.
392. van der List JP, McDonald LS, Pearle AD. Systematic review of medial versus lateral survivorship in unicompartmental knee arthroplasty. *Knee.* 2015;22(6):454-460. doi: 10.1016/j.knee.2015.09.011. Epub 2015 Oct 24.
393. Lyons MC, MacDonald SJ, Somerville LE, Naudie DD, McCalden RW. Unicompartmental versus total knee Arthroplasty database analysis: is there a winner? *Clin Orthop Relat Res.* 2012;470(1):84-90. doi:10.1007/s11999-011-2144-z.
394. Hopper GP, Leach WJ. Participation in sporting activities following knee replacement: total versus unicompartmental. *Knee Surg Sports Traumatol Arthrosc.* 2008;16(10):973-979. doi: 10.1007/s00167-008-0596-9. Epub 2008 Aug 12.
395. Lewek M, Stevens J, Snyder-Mackler L. The use of electrical stimulation to increase quadriceps femoris muscle force in an elderly patient following a total knee arthroplasty. *Phys Ther.* 2001;81(9):1565-1571.
396. Larsen K, Sørensen OG, Hansen TB, Thomsen PB, Søballe K. Accelerated perioperative care and rehabilitation intervention for hip and knee replacement is effective: a randomized clinical trial involving 87 patients with 3 months of follow-up. *Acta Orthop.* 2008;79(2):149-159. doi: 10.1080/17453670710014923.
397. White NT, Delitto A, Manal TJ, Miller S. The American Physical Therapy Association's top five choosing wisely recommendations. *Phys Ther.* 2015;95(1):9-24. doi: 10.2522/ptj.20140287. Epub 2014 Sep 15.
398. Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. *J Orthop Sports Phys Ther.* 2005;35(7):424-436.
399. Moxley Scarborough D, Krebs DE, Harris BA. Quadriceps muscle strength and dynamic stability in elderly persons. *Gait Posture.* 1999;10(1):10-20.
400. Mizner RL, Petterson SC, Stevens JE, Vandenborne K, Snyder-Mackler L. Early quadriceps strength loss after total knee arthroplasty. The contributions of muscle atrophy and failure of voluntary muscle activation. *J Bone Joint Surg Am.* 2005;87(5):1047-1053.
401. Valtonen A, Pöyhönen T, Heinonen A, Sipilä S. Muscle deficits persist after unilateral knee replacement and have implications for rehabilitation. *Phys Ther.* 2009;89(10):1072-1079. doi: 10.2522/ptj.20070295. Epub 2009 Aug 27.
402. Stevens JE, Mizner RL, Snyder-Mackler L. Neuromuscular electrical stimulation for quadriceps strengthening after bilateral total knee arthroplasty: a case series. *J Orthop Sports Phys Ther.* 2004;34(1):21-29.
403. Stevens-Lapsley JE, Balter JE, Wolfe P, Eckhoff DG, Kohrt WM. Early neuromuscular electrical stimulation to improve quadriceps muscle strength after total knee arthroplasty: a randomized controlled trial. *Phys Ther.* 2012;92(2):210-226. doi: 10.2522/ptj.20110124. Epub 2011 Nov 17.
404. Kittelson AJ1, Stackhouse SK, Stevens-Lapsley JE. Neuromuscular electrical stimulation after total joint arthroplasty: a critical review of recent controlled studies. *Eur J Phys Rehabil Med.* 2013;49(6):909-920. Epub 2013 Nov 28.
405. Jenkins C, Barker KL, Pandit H, Dodd CA, Murray DW. After partial knee replacement, patients can kneel, but they need to be taught to do so: a single-blind randomized controlled trial. *Phys Ther.* 2008;88(9):1012-1021. doi: 10.2522/ptj.20070374. Epub 2008 Jul 17.
406. Slemenda C, Brandt KD, Heilman DK, et al. Quadriceps weakness and osteoarthritis of the knee. *Ann Intern Med.* 1997;127(2):97-104.
407. National Institutes of Health Consensus Development Conference on Total Knee Replacement Panel. *NH Consensus Development Conference Statement on Total Knee Replacement.* December 8-10, 2003. <https://consensus.nih.gov/2003/2003totalkneereplacement117html.htm>. Accessed August 25, 2016.
408. Wang JH, Zhao J, He Y. A new treatment strategy for severe arthrofibrosis of the knee. A review of twenty-two cases. *J Bone Joint Surg Am.* 2006;88(6):1245-1250.
409. Asano H, Muneta T, Hoshino A. Stiffness of soft tissue complex in total knee arthroplasty. *Knee Surg Sports Traumatol Arthrosc.* 2008;16(1):51-55. Epub 2007 Jul 29.
410. Kim DH, Gill TJ, Millett PJ. Arthroscopic treatment of the arthrofibrotic knee. *Arthroscopy.* 2004;20(Suppl2):187-194.
411. González Della Valle A, Leali A, Haas S. Etiology and surgical interventions for stiff total knee replacements. *HSS J.* 2007;3:182-189. doi: 10.1007/s11420-007-9053-4.
412. Scuderi GR. The stiff total knee arthroplasty: causality and solution. *J Arthroplasty.* 2005;20(4 Suppl 2):23-26.
413. Cuckler JM. The stiff knee: evaluation and management. *Orthopedics.* 2002;25(9):969-970.
414. Magit D, Wolff A, Sutton K, Medvecky M. Arthrofibrosis of the knee. *J Am Acad Orthop Surg.* 2007;15(11):682-694.
415. Jerosch J, Aldawoudy AM. Arthroscopic treatment of patients with moderate arthrofibrosis after total knee replacement. *Knee Surg Sports Traumatol Arthrosc.* 2007;15(1):71-77. Epub 2006 May 19.
416. Schiavone Panni A, Cerciello S, Vasso M, Tartarone M. Stiffness in total knee arthroplasty. *J Orthop Traumatol.* 2009;10(3):111-118. doi: 10.1007/s10195-009-0054-6. Epub 2009 Jul 7.
417. Nelson CL, Kim J, Lotke PA. Stiffness after total knee arthroplasty. *J Bone Joint Surg Am.* 2005;87 Suppl 1(pt 2):264-270.
418. Fitzsimmons SE, Vazquez EA, Bronson MJ. How to treat the stiff total knee arthroplasty?: a systemic review. *Clin Orthop Relat Res.* 2010;468(4):1096-1106. doi: 10.1007/s11999-010-1230-y. Epub 2010 Jan 20.
419. Lavernia C, Cardona D, Rossi MD, Lee D. Multimodal pain management and arthrofibrosis. *J Arthroplasty.* 2008;23(6 Suppl 1):74-79. doi: 10.1016/j.arth.2008.03.012.
420. Creighton RA, Bach BR. Arthrofibrosis: evaluation, prevention, and treatment. *Tech Knee Surg.* 2005;4(3):163-172.
421. Bonutti PM, Marulanda GA, McGrath MS, Mont MA, Zywiel MG. Static progressive stretch improves range of motion in arthrofibrosis following total knee arthroplasty. *Knee Surg Sports Traumatol Arthrosc.* 2010;18(2):194-199. doi: 10.1007/s00167-009-0947-1. Epub 2009 Oct 14.
422. Mont MA, Seyler TM, Marulanda GA, Delanois RE, Bhade A. Surgical treatment and customized rehabilitation for stiff knee arthroplasties. *Clin Orthop Relat Res.* 2006;446:193-200.
423. Scranton PE Jr. Management of knee pain and stiffness after total knee arthroplasty. *J Arthroplasty.* 2001;16(4):428-435.
424. Yercan HS, Sugun TS, Bussiere C, Ait Si Selmi T, Davies A, Neyret P. Stiffness after total knee arthroplasty: prevalence, management, and outcomes. *Knee.* 2006;13(2):111-117. Epub 2006 Feb 20.
425. Edwards PK, Ackland T, Ebert JR. Clinical rehabilitation guidelines for matrix-induced autologous chondrocyte implantation on the tibiofemoral joint. *J Orthop Sports Phys Ther.* 2014;44(2):102-119. doi: 10.2519/jospt.2014.5055. Epub 2013 Oct 30.
426. Murray IR, Benke MT, Mandelbaum BR. Management of knee articular cartilage injuries in athletes: chondroprotection, chondrofacilitation, and resurfacing. *Knee Surg Sports Traumatol Arthrosc.* 2015;24(5):1617-1626. doi: 10.1007/s00167-015-3509-8. Epub 2015 Feb 7.
427. Sterett WI, Steadman JR. Chondral resurfacing and high tibial osteotomy in the varus knee. *Am J Sports Med.* 2004;32(5):1243-1249. Epub 2004 May 18.
428. Wilk KE, Macrina LC, Reinold MM. Rehabilitation following microfracture of the knee. *Cartilage.* 2010;1(2):96-107. doi: 10.1177/1947603510366029.
429. Schmitt LC, Quatman CE, Paterno MV, Best TM, Flanigan DC. Functional outcomes after surgical management of articular cartilage lesions in the knee: a systematic literature review to guide postoperative rehabilitation. *J Orthop Sports Phys Ther.* 2014;44(8):565-578. doi: 10.2519/jospt.2014.4844. Epub 2014 Jun 23.
430. Løken S, Ludvigsen TC, Høysæten T, Holm I, Engebretsen L, Reinholdt FP. Autologous chondrocyte implantation to repair knee cartilage injury: ultrastructural evaluation at 2 years and long-term follow-up including muscle strength measurements. *Knee Surg Sports Traumatol Arthrosc.* 2009;17(11):1278-1288. doi: 10.1007/s00167-009-0854-5. Epub 2009 Jul 2.
431. Ebert JR, Robertson WB, Lloyd DG, Zheng MH, Wood DJ, Ackland T. Traditional vs accelerated approaches to post-operative rehabilitation following matrix-induced autologous chondrocyte implantation (MACI): comparison of clinical, biomechanical and radiographic outcomes. *Osteoarthritis Cartilage.* 2008;16(10):1131-1140. doi: 10.1016/j.joca.2008.03.010. Epub 2008 Apr 22.
432. Witvrouw E, Callaghan MJ, Stefanik JJ, et al. Patellofemoral pain: consensus statement from the 3rd International Patellofemoral Pain Research Retreat held in Vancouver, September 2013. *Br J Sports Med.* 2014;48(6):411-414. doi: 10.1136/bjsports-2014-093450.
433. Lankhorst NE, Bierma-Zeinstra SM, VanMiddelkoop M. Risk factors for patellofemoral pain syndrome: a systematic review. *J Orthop Sports Phys Ther.* 2012;42(2):81-94. doi: 10.2519/jospt.2012.3803. Epub 2011 Oct 25.
434. Witvrouw E, Lysens R, Bellemans J, Cambier D, Vanderstraeten G. Intrinsic risk factors for the development of anterior knee pain in an athletic population. A two-year prospective study. *Am J Sports Med.* 2000;28(4):480-489.
435. Näslund J, Näslund U, Odenbring S, Lundeberg T. Comparison of symptoms and clinical findings in subgroups of individuals with patellofemoral pain. *Physiother Theory Pract.* 2006;22(3):105-118.
436. Janssen J, Dey P, Callaghan M, et al. Targeted Intervention for Patellofemoral Pain (TIPPS): Psychosocial characteristics of clinical subgroups. World Confederation for Physical Therapy Congress; May 2, 2015; Singapore.

437. Wilk KE, Davies GJ, Mangine RE, Malone, TR. Patellofemoral disorders: a classification system and clinical guidelines for nonoperative rehabilitation. *J Orthop Sports Phys Ther.* 1998;28(5):307-322.
438. Selfe J, Callaghan M, Witvrouw E, et al. Targeted interventions for patellofemoral pain syndrome (TIPPS): classifications of clinical subgroups. *BMJ Open.* 2013;9:e003795. doi: 10.1136/bmjopen-2013-003795
439. Kannus P, Natri A, Paakkala T, Järvinen M. An outcome study of chronic patellofemoral pain syndrome. Seven-year follow-up of patients in a randomized, controlled trial. *J Bone Joint Surg Am.* 1999;81(3):355-363.
440. Thomeé R, Augustsson J, Karlsson J. Patellofemoral pain syndrome: a review of current issues. *Sports Med.* 1999;28(4):245-262.
441. Fulkerson JP. Diagnosis and treatments of patients with patellofemoral pain. *Am J Sports Med.* 2002;30(3):447-456.
442. Natri A, Kannus P, Järvinen M. Which factors predict the long-term outcome in chronic patellofemoral pain syndrome? A 7-year prospective follow-up study. *Med Sci Sports Exerc.* 1998;30(11):1572-1577.
443. Powers CM. The influence of altered lower extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. *J Orthop Sports Phys Ther.* 2003;33(11) 639-646.
444. Cichanowski HR, Schmitt JS, Johnson RJ, Niemuth PE. Hip strength in collegiate female athletes with patellofemoral pain. *Med Sci Sports Exerc.* 2007;39(8):1227-1232.
445. Souza RB, Powers CM. Differences in hip kinematics, muscle strength, and muscle activation between subjects with and without patellofemoral pain. *J Orthop Sports Phys Ther.* 2009;39(1):12-19. doi: 10.2519/jospt.2009.2885.
446. Dierks TA, Manal KT, Hamill J, Davis IS. Proximal and distal influences on hip and knee kinematics in runners with patellofemoral pain during a prolonged run. *J Orthop Sports Phys Ther.* 2008;38(8):448-456. doi: 10.2519/jospt.2008.2490. Epub 2008 Aug 1.
447. Willson JD, Davis IS. Lower extremity strength and mechanics during jumping in women with patellofemoral pain. *J Sport Rehabil.* 2009;18(1):76-90.
448. Cowan SM, Crossley KM, Bennell KL. Altered hip and trunk muscle function in individuals with patellofemoral pain. *Br J Sports Med.* 2009;43(8):584-588. doi: 10.1136/bjsm.2008.053553. Epub 2008 Oct 6.
449. Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral syndrome. *J Orthop Sports Phys Ther.* 2005;35(12):793-801.
450. Collins N, Crossley K, Bellier E, et al. Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomized clinical trial. *Br J Sports Med.* 2009;43(3):169-71. doi: 10.1136/bmj.a1735.
451. Eng J, Piernyrowski M. Evaluation of soft foot orthotics in the treatment of patellofemoral pain syndrome. *Phys Ther.* 1993;73(2):62-68, discussion 68-70.
452. Barton C, Levinger P, Webster K, et al. The relationship between rearfoot, tibial, and femoral kinematics in individuals with patellofemoral pain syndrome [abstract]. *J Orthop Sports Phys Ther.* 2012;42:A-32.
453. Powers CM, Bolgia LA, Callaghan MJ, Collins N, Sheehan FT. Patellofemoral pain: proximal, distal and local factors, 2nd International Research Retreat. *J Orthop Sports Phys Ther.* 2012;42(6):A1-A54. doi: 10.2519/jospt.2012.0301. Epub 2012 Jun 1.
454. Thijs Y, DeClercq D, Roosen P, Witvrouw E. Gait related intrinsic risk factors for patellofemoral pain in novice recreational runners. *Br J Sports Med.* 2008;42(6):466-471. doi: 10.1136/bjsm.2008.046649. Epub 2008 Apr 8.
455. McPoil T, Vincenzino B, Cornwall M, Collins N. Variations in foot posture and mobility between individuals with anterior knee pain and controls [abstract]. *J Orthop Sports Phys Ther.* 2007;37(1):A-15.
456. Ernst GP, Kawaguchi J, Saliba E. Effect of patellar taping on knee kinetics of patients with patellofemoral pain syndrome. *J Orthop Sports Phys Ther.* 1999;29(1):661-667.
457. Shellock FG, Mink JH, Deutsch AL, et al. Effect of a patellar realignment brace on patellofemoral relationships: evaluation with kinematic MR imaging. *J Magn Reson Imaging.* 1994;49:590-594.
458. Stefanik J, Zhu Y, Zumwalt A, et al. Association between patella alta and the prevalence and worsening of structural features of patellofemoral joint osteoarthritis: the multicenter osteoarthritis study. *Arthritis Care Res.* 2010;62(9):1258-1265. doi: 10.1002/acr.20214.
459. Chrisman OD, Snook GA, Wilson TC. A long-term prospective study of the Hauser and Roux-Goldthwait procedures for recurrent patellar dislocation. *Clin Orthop Relat Res.* 1979;144:27-30.
460. DeCesare WF. Late results of Hauser procedure for recurrent dislocation of the patella. *Clin Orthop Relat Res.* 1979;140:137-144.
461. Thygesen JE, Hejgaard N, Tårnhøi J. Is Hauser a harmless procedure? A biomechanical study of the patellofemoral joint, related to the development of secondary chondromalacia. *Acta Orthop Belg.* 1982;48(3):481-485.
462. Koëter S, Diks MJ, Anderson PG, Wymenga AB. A modified tibial tubercle osteotomy for patellar maltracking: results at two years. *J Bone Joint Surg Br.* 2007;89(2):180-185.
463. Pritsch T, Haim A, Arbel R, Snir N, Shasha N, Dekel S. Tailored tibial tubercle transfer for patellofemoral malalignment: analysis of clinical outcomes. *Knee Surg Sports Traumatol Arthrosc.* 2007;15(8):994-1002. Epub 2007 Apr 12.
464. Fulkerson JP. Anteromedialization of the tibial tuberosity for patellofemoral malalignment. *Clin Orthop Relat Res.* 1983;177:176-181.
465. Buuck D, Fulkerson J. Anteromedialization of the tibial tubercle: a 4- to 12-year follow-up. *Oper Tech Sports Med.* 2000;8(2):131-137.
466. Dejour D, Le Coultre B. Osteotomies in patello-femoral instabilities. *Sports Med Arthrosc.* 2007;15(1):39-46.
467. Luhmann SJ, Fuhrhop S, O'Donnell JC, Gordon JE. Tibial fractures after tibial tubercle osteotomies for patellar instability: a comparison of three osteotomy configurations. *J Child Orthop.* 2011;5(1):19-26. doi:10.1007/s11832-010-0311-5. Epub 2010 Dec 12.
468. Ogata K. Painful bipartite patella. A new approach to operative treatment. *J Bone Joint Surg Am.* 1994;76(4):573-578.
469. Hogan K, Gross RH. Overuse injuries in pediatric athletes. *Orthop Clin North Am.* 2003;34(3):405-415.
470. Binazzi R, Felli L, Vaccari V, Borelli P. Surgical treatment of unresolved Osgood-Schlatter lesion. *Clin Orthop Relat Res.* 1993;(289):202-204.
471. Traverso A, Baldari A, Catalani F. The coexistence Of Osgood-Schlatter's disease with Sinding-Larsen Johansson's disease. Case report in an adolescent soccer player. *J Sports Med Phys Fitness.* 1990;30(3):331-333.
472. Krause BL, Williams JP, Catterall A. Natural history of Osgood-Schlatter disease. *J Pediatr Orthop.* 1990;10(1):65-68.
473. Hall R, Barber-Foss K, Hewett TE, Myer FD. Sports specialization associated with an increased risk of developing anterior knee pain in adolescent female athletes. *J Sports Rehabil.* 2015;24(1):31-35
474. Ahmed AM, Bunkle DL. In-vitro measurement of static pressure distribution in synovial joints--Part 1: tibial surface of the knee. *J Biomech Eng.* 1983;105(3):216-225.
475. McGrory NJ, Stuart MJ, Sim FH. Participation in sports after hip and knee arthroplasty: review of literature and survey of surgeon preferences. *Mayo Clin Proc.* 1995;70(4):342-348.