

# *Current Concepts of* **Orthopaedic Physical Therapy**



Independent Study Course 26.2.6

**4th Edition**

**The Cervical Spine:  
Physical Therapy  
Patient Management  
Using Current  
Evidence**

Michael B. Miller,  
PT, DPT, OCS, FAAOMPT, CCI  
Irvine, California

Orthopaedic Physical Therapy Seminars  
[www.LearningMovements.com](http://www.LearningMovements.com)



---

## REFERENCES

1. Miller MB. The cervical spine: physical therapy patient management utilizing current evidence. Wilmarth MA, ed. *ISC 21.2.6, Current Concepts of Orthopaedic Physical Therapy*. 3<sup>rd</sup> ed. La Crosse, WI: Orthopaedic Section, APTA; 2011.
2. Cleland JA, Childs JD, McRae M, Palmer JA, Howell T. Immediate effects of thoracic manipulation in patients with neck pain: a randomized clinical trial. *Man Ther*. 2005;10(2):127-135.
3. Jette AM, Smith K, Haley SM, Davis KD. Physical therapy episodes of care for patients with low back pain. *Phys Ther*. 1994;74(2):101-110; discussion 110-115.
4. Tuttle N. Do changes within a manual therapy treatment session predict between-session changes for patients with cervical spine pain? *Aust J Physiother*. 2005;51(1):43-48.
5. Croft PR, Lewis M, Papageorgiou AC, et al. Risk factors for neck pain: a longitudinal study in the general population. *Pain*. 2001;93(3):317-325.
6. Bovim G, Schrader H, Sand T. Neck pain in the general population. *Spine (Phila Pa 1976)*. 1994;19(12):1307-1309.
7. Childs JD, Cleland JA, Elliott JM, et al. Neck pain clinical practice guidelines linked to the International Classification of Function, Disability, and Health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2008;38(9):A1-A34. Epub 2008 Sept 1. Erratum *J Orthop Sports Phys Ther*. 2009;39(4):297.
8. Brattberg G, Thorslund M, Wikman A. The prevalence of pain in a general population. The results of a postal survey in a county of Sweden. *Pain*. 1989;37(2):215-222.
9. Cote P, Cassidy JD, Carroll L. The factors associated with neck pain and its related disability in the Saskatchewan population. *Spine (Phila Pa 1976)*. 2000;25(9):1109-1117.
10. Cote P, Cassidy JD, Carroll L. The Saskatchewan Health and Back Pain Survey, the prevalence of neck pain and related disability in Saskatchewan adults. *Spine (Phila Pa 1976)*. 1998;23(15):1689-1698.
11. Hogg-Johnson S, van der Velde G, Carroll LJ, et al. The burden and determinants of neck pain in the general population: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine (Phila Pa 1976)*. 2008;33(4 Suppl):S39-51. doi: 10.1097/BRS.0b013e31816454c8.
12. Puentedura EJ, Cleland JA, Landers MR, Minkten PE, Louw A, Fernandez-De-Las-Penas C. Development of a clinical prediction rule to identify patients with neck pain likely to benefit from thrust joint manipulation to the cervical spine. *J Orthop Sports Phys Ther*. 2012;42(7):577-592. doi: 10.2519/jospt.2012.4243. Epub 2012 May 14.
13. Cote P, van der Velde G, Cassidy JD, et al. The burden and determinants of neck pain in workers: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine (Phila Pa 1976)*. 2008;33(4 Suppl):S60-74. doi: 10.1097/BRS.0b013e3181643ee4.
14. Jette DU, Jette AM. Physical therapy and health outcomes in patients with spinal impairments. *Phys Ther*. 1996;76(9):930-941; discussion 942-945.
15. Borghouts JA, Koes BW, Bouter LM. The clinical course and prognostic factors of non-specific neck pain: a systematic review. *Pain*. 1998;77(1):1-13.
16. Hoving JL, Gross AR, Gasner D, et al. A critical appraisal of review articles on the effectiveness of conservative treatment for neck pain. *Spine (Phila Pa 1976)*. 2001;26(2):196-205.
17. Pransky G, Benjamin K, Hill-Fotouhi C, et al. Outcomes in work related upper extremity and low back injuries: results of a retrospective study. *Am J Ind Med*. 2000;37(4):400-409.
18. Cote P, Cassidy JD, Carroll L, Kristman V. The annual incidence and course of neck pain in the general population: a population-based cohort study. *Pain*. 2004;112(3):267-273.
19. Snodgrass SJ, Rivett DA, Robertson VJ, Stojanovski E. Forces applied to the cervical spine during posteroanterior spinal mobilization. *J Manipulative Physiol Ther*. 2009;32(1):72-83. doi: 10.1016/j.jmpt.2008.09.012.
20. Rosenfeld M, Sferiadis A, Gunnarsson R. Active involvement and intervention in patients exposed to whiplash trauma in automobile crashes reduces costs: a randomized, controlled clinical trial and health economic evaluation. *Spine (Phila Pa 1976)*. 2006;31(16):1799-1804.
21. Spitzer WO. Scientific monograph of the Quebec Task Force on Whiplash Associated Disorders: redefining whiplash-related injuries. *Spine (Phila Pa 1976)*. 1995;20(8 Suppl):1S-73S.
22. Cote P, Kreits BG, Cassidy JD, Thiel H. The validity of the extension-rotation test as a clinical screening procedure before neck manipulation: a secondary analysis. *J Manipulative Physiol Ther*. 1996;19(3):159-164.
23. Kerry R, Taylor AJ, Mitchell J, McCarthy C. Cervical arterial dysfunction and manual therapy: a critical literature review to inform professional

- practice. *Man Ther*. 2008;13(4):278-288. doi: 10.1016/j.math.2007.10.006. Epub 2008 Feb 15.
24. Childs JD, Flynn TW, Fritz JM, et al. Screening for vertebrobasilar insufficiency in patients with neck pain: manual therapy decision-making in the presence of uncertainty. *J Orthop Sports Phys Ther*. 2005;35(5):300-306.
  25. Li YK, Zhang YK, Lu CM, Zhong SC. Changes and implication of blood flow velocity of the vertebral artery during rotation and extension of the head. *J Manipulative Physiol Ther*. 1992;22:91-95.
  26. Thiel H, Rix G. Is it time to stop functional pre-manipulation testing the cervical spine? *Man Ther*. 2005;10(2):154-158. Epub 2004 Oct 5.
  27. Stiell IG, Wells GA, Vandemheen KL, et al. The Canadian C-spine rule for radiography in alert and stable trauma patients. *JAMA*. 2001;286(15):1841-1848.
  28. Chan CW, Goldman S, Ilstrup DM, Kuselman AR, O'Neill PI. The pain drawing and Waddell's nonorganic physical signs in chronic low-back pain. *Spine (Phila Pa 1976)*. 1993;18:1717-1722.
  29. Mann N, Brown M, Hertz D, Enger I, Thompkins J. Initial impression diagnosis using low back pain patient drawings. *Spine (Phila Pa 1976)*. 1993;18(1):1841-1853.
  30. Uden A, Astrom M, Bergenudd H. Pain drawings in chronic back pain. *Spine (Phila Pa 1976)*. 1988;13:389-392.
  31. Dwyer A, Aprill C, Bogduk N. Cervical zygapophyseal joint pain patterns. I: a study in normal volunteers. *Spine (Phila Pa 1976)*. 1990;15(6):453-457.
  32. Aprill C, Dwyer A, Bogduk N. Cervical zygapophyseal joint pain patterns. II: a clinical evaluation. *Spine (Phila Pa 1976)*. 1990;15(6):458-461.
  33. Jull G, Bogduk N, Marsland A. The accuracy of manual diagnosis for cervical zygapophysial joint pain syndromes. *Med J Aust*. 1988;148(5):233-236.
  34. Cleland JA, Childs JD, Whitman JM. Psychometric properties of the neck disability index and numeric pain rating scale in patients with mechanical neck pain. *Arch Phys Med Rehabil*. 2008;89(1):69-74. doi: 10.1016/j.apmr.2007.08.126.
  35. Childs JD, Piva SR, Fritz JM. Responsiveness of the numeric pain rating scale in patients with low back pain. *Spine (Phila Pa 1976)*. 2005;30(11):1331-1334.
  36. Beaton De, Bombardier C, Katz JN, Et Al. Looking for important change/differences in studies of responsiveness. OMERACT MCID Working Group. Outcome Measures In Rheumatology. Minimal Clinically Important Difference. *J Rheumatol*. 2001;28(2):400-405.
  37. Jaeschke R, Singer J, Guyatt GH. Measurement of health status: ascertaining the minimal clinically important difference. *Control Clin Trials*. 1989;10(4):407-415.
  38. Young BA, Walker MJ, Strunce JB, Boyles RE, Whitman JM, Childs JD. Responsiveness of the neck disability index in patients with mechanical neck disorders. *Spine J*. 2009;9(1):802-808. doi: 10.1016/j.spinee.2009.06.002. Epub 2009 Jul 25.
  39. Vernon H, Mior S. The Neck Disability Index: a study of reliability and validity. *J Manipulative Physiol Ther*. 1991;14(7):409-415.
  40. Riddle DL, Stratford PW. Use of generic versus region specific functional status measures on patients with cervical spine disorders. *Phys Ther*. 1998;78(9):951-963.
  41. Stratford PW, Riddle DL, Binkley JM, Spadoni G, Westaway MD, Padfiled B. Using the neck disability index to make decision concerning individual patients. *Physiother Can*. 1999;51:107-112.
  42. Westaway MD, Stratford PW, Binkley JM. The patient-specific functional scale: validation of its use in persons with neck dysfunctions. *J Orthop Sports Phys Ther*. 1998;27(5):331-338.
  43. Cleland JA, Fritz JM, Whitman JM, Palmer JA. The reliability and construct validity of the neck disability index and patient specific functional scale in patients with cervical radiculopathy. *Spine (Phila Pa 1976)*. 2006;31(5):598-602.
  44. Macdermid JC, Walton DM, Avery S, et al. Measurement properties of the Neck Disability Index: a systematic review. *J Orthop Sports Phys Ther*. 2009;39(5):400-416.
  45. Stratford PW, Gill C, Westaway MD, Binkley JM. Assessing disability and change on individual patients: a report of a patient specific measure. *Physiother Can*. 1995;47:258.
  46. Hoving JL, de Vet HC, Koes BW, et al. Manual therapy, physical therapy, or continued care by the general practitioner for patients with neck pain; long-term results from a pragmatic randomized clinical trial. *Clin J Pain*. 2006;22(4):370-377.
  47. Waddell G, Newton M, Henderson I, Somerville D, Main CJ. Fear Avoidance Beliefs Questionnaire (FABQ) and the role of fear avoidance beliefs in chronic low back pain and disability. *Pain*. 1993;52(2):157-168.
  48. Lee KC, Chiu TT, Lam TH. Psychometric properties of the fear-avoidance beliefs questionnaire in patients with neck pain. *Clin Rehabil*. 2006;20(10):909-920.
  49. Cleland JA, Fritz JM, Childs JD. Psychometric properties of the fear-avoidance beliefs questionnaire and Tampa scale of kinesiophobia in patients with neck pain. *Am J Phys Med Rehabil*. 2008;87(2):109-117.
  50. Grotle M, Brox JI, Vollestad NK. Reliability, validity and responsiveness of the fear-avoidance beliefs questionnaire: methodological aspects of the Norwegian version. *J Rehabil Med*. 2006;38(6):346-353. doi: 10.1080/16501970600722403.

51. Crombez G, Vlaeyen JW, Heuts PH, Lysens R. Pain related fear is more disabling than pain itself: evidence on the role of pain related fear in chronic back pain disability. *Pain*. 1999;80(1-2):329-339.
52. Kleneman L, Slade PD, Stanley IM, et al. The prediction of chronicity in patients with an acute attack of low back pain in a general practice setting. *Spine (Phila Pa 1976)*. 1995;20(4):478-484.
53. George S, Fritz J, Erhard E. A comparison of fear avoidance beliefs in patients with lumbar spine and cervical spine pain. *Spine (Phila Pa 1976)*. 2001;26(19):2139-2145.
54. Lee KC, Chiu TT, Lam TH. The role of fear-avoidance beliefs in patients with neck pain: relationships with current and future disability and work capacity. *Clin Rehabil*. 2007;21(9):812-821.
55. Sobel JB, Sollenbeger P, Robonson R, Polatin PB, Gatchel RJ. Cervical nonorganic signs: a new clinical tool to assess abnormal illness behavior in neck pain patients: a pilot study. *Arch Phys Med Rehabil*. 2000;81(2):170-175.
56. Landers MR, Creger RV, Baker CV, Stutelberg KS. The use of fear avoidance beliefs and nonorganic signs in predicting prolonged disability in patients with neck pain. *Man Ther*. 2008;13(3):239-248. Epub 2007 Mar 26.
57. Cleland JA, Childs JD, Fritz JM, Whitman JM. Inter-rater reliability of the history and physical examination in patients with mechanical neck pain. *Arch Phys Med Rehabil*. 2006;87(10):1388-1395.
58. Fritz JM, Childs JD, Flynn TW. Pragmatic application of a clinical prediction rule in primary care to identify patients with low back pain with a good prognosis following a brief spinal manipulation intervention. *BMC Fam Pract*. 2005;6(1):29.
59. Godges JJ, Irrgang JJ. ICF-based practice guidelines for common musculoskeletal conditions. *J Orthop Sports Phys Ther*. 2008;38(4):167-168.
60. Cleland JA, Childs JA, Fritz JM, Whitman JM, Eberhart SL. Development of a clinical prediction rule for guiding treatment of a subgroup of patients with neck pain: use of thoracic spine manipulation, exercise, and patient education. *Phys Ther*. 2007;87(1):9-23. Epub 2006 Dec 1.
61. Fritz JM, Brennan GP. Preliminary examination of a proposed treatment-based classification system for patients receiving physical therapy interventions for neck pain. *Phys Ther*. 2007;87(5):513-524. Epub 2007 Mar 20.
62. Tseng YL, Wang WT, Chen WY, Hou TJ, Chen TC, Lieu FK. Predictors for the immediate responders to cervical manipulation in patients with neck pain. *Man Ther*. 2006;11(4):306-315. Epub 2005 Dec 27.
63. Sharp J, Purser DW. Spontaneous atlantoaxial dislocation in ankylosing spondylitis and rheumatoid arthritis. *Ann Rheum Dis*. 1961;20:918-922.
64. Utivlught G, Indenbaum S. Clinical assessment of atlantoaxial instability using the Sharp-Purser test. *Arthritis Rheum*. 1988;31(7):918-922.
65. Cook CE, Hegedus EJ. *Orthopedic Physical Examination Tests: An evidence-based Approach*. Upper Saddle River, NJ: Pearson Prentice Hall; 2008.
66. Mintken PE, Metrick L, Flynn TW. Upper cervical ligament testing in a patient with os odontoideum presenting with headaches. *J Orthop Sports Phys Ther*. 2008;38(8):465-475.
67. Magee D. *Orthopedic Physical Assessment*. 4th ed. Philadelphia, PA: Saunders; 2002.
68. Hoffman JR, Mower WR, Wolfson AB, Todd KH, Zucker MI. Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. *N Engl J Med*. 2000;343(2):94-99.
69. Carlesso LC, Macdermid JC, Santaguida LP. Standardization of adverse event terminology and reporting in orthopaedic physical therapy: application to the cervical spine. *J Orthop Sports Phys Ther*. 2010;40(8):455-463. doi: 10.2519/jospt.2010.3229
70. Ernst E. Prospective investigations into the safety of spinal manipulation. *J Pain Symptom Manage*. 2001;21(3):238-242.
71. Haldeman S, Kohlbeck FJ, McGregor M. Stroke, cerebral artery dissection, and cervical spine manipulation therapy. *J Neurol*. 2002;249(8):1098-1104. doi: 10.1007/s00415-002-0783-4
72. Haldeman S, Kohlbeck FJ, McGregor M. Unpredictability of cerebrovascular ischemia associated with cervical spine manipulation therapy: a review of sixty-four cases after cervical spine manipulation. *Spine (Phila Pa 1976)*. 2002;27(1):49-55
73. Miley ML, Wellik KE, Wingerchuk DM, Demarschalk BM. Does cervical manipulative therapy cause vertebral artery dissection and stroke? *Neurologist*. 2008;14(1):66-73. doi: 10.1097/NRL.0b013e318164e53d
74. Cassidy JD, Boyle E, Cote P, et al. Risk of vertebrobasilar stroke and chiropractic care: results of a population-based case-control and case-crossover study. *Spine (Phila Pa 1976)*. 2008;33(4 Suppl):S176-183. doi: 10.1097/BRS.0b013e3181644600
75. Carlesso LC, Gross AR, Santaguida PL, Burnie S, Voth S, Sadi J. Adverse events associated with the use of cervical manipulation and mobilization for the treatment of neck pain in adults: a systematic review. *Man Ther*. 2010;15:434-444. doi: 10.1016/j.math.2010.02.006.
76. Hurwitz EL, Morgenstern H, Vassilaki M, Chiang LM. Adverse reactions to chiropractic treatment and their effects on satisfaction and clinical outcomes among patients enrolled in the UCLA Neck Pain Study. *J Manipulative Physiol Ther*. 2004;27(1):16-25. doi: 10.1016/j.jmpt.2003.11.002.

77. Hurley L, Yardley K, Gross AR, Hendry L, McLaughlin L. A survey to examine attitudes and patterns of practice of physiotherapists who perform cervical spine manipulation. *Man Ther*. 2002;7(1):10-18. doi: 10.1054/math.2001.0430.
78. Kerry R, Taylor AJ. Cervical arterial dysfunction: knowledge and reasoning for manual physical therapists. *J Orthop Sports Phys Ther*. 2009;39(5):378-387. doi: 10.2519/jospt.2009.2926.
79. Rivett D, Shirley D, Magarey M, Refshauge K. Clinical Guidelines for Assessing Vertebrobasilar Insufficiency in the Management of Cervical Spine Disorders. [www.physiotherapy.asn.au/index.php?quality-practice/guidelines](http://www.physiotherapy.asn.au/index.php?quality-practice/guidelines). [http://www.physiotherapy.asn.au/DocumentsFolder/Resources\\_Guidelines\\_Spine\\_Disorders\\_2006.pdf](http://www.physiotherapy.asn.au/DocumentsFolder/Resources_Guidelines_Spine_Disorders_2006.pdf). Accessed April 7, 2016.
80. Kerry R, Taylor AJ, Mitchell J, McCarthy C, Brew J. Manual therapy and cervical arterial dysfunction, directions for the future: a clinical perspective. *J Man Manip Ther*. 2008;16(1):39-48.
81. Taylor AJ, Kerry R. The 'vertebral artery test'. *Man Ther*. 2005;10:297; author reply 298. doi: 10.1016/j.math.2005.02.005
82. Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. *J Orthop Sports Phys Ther*. 2005;35(10):645-650.
83. Haldeman S, Carey P, Townsend M, Papadopoulos C. Clinical perception of the risk of vertebral artery dissection after cervical manipulation: the effects of referral bias. *Spine J*. 2002;2(5):334-342.
84. Krespi Y, Gurol ME, Coban O, Tuncay R, Bahar S. Vertebral artery dissection presenting with isolated neck pain. *J Neuroimaging*. 2002;12(2):179-182.
85. Hufnagel A, Hammers A, Schonle PW, Bohm KD, Leohardt G. Stroke following chiropractic manipulation of the cervical spine. *J Neurol*. 1999;246(8):683-688.
86. Grant R. Dizziness testing and manipulation of the cervical spine. In: Grant R, ed. *Physical Therapy of the Cervical and Thoracic Spine*. New York, NY: Churchill Livingstone; 1988:111-124.
87. Youdas JW, Carey JR, Garret TR. Reliability of measurements of cervical spine range of motion: comparison of three methods. *Phys Ther*. 1991;71(2):98-104; discussion 105-106.
88. Hole DE, Cook JM, Bolton JE. Reliability and concurrent validity of two instruments for measuring cervical range of motion: effects of age and gender. *Man Ther*. 2000;1:36-42.
89. Maitland G. *Maitland's Vertebral Manipulation*. 6th ed. Oxford: Butterworth and Heinemann; 2001.
90. van Eerd M, Patijn J, Lataster A, et al. 5. Cervical facet pain. *Pain Pract*. 2010;10(2):113-123. doi: 10.1111/j.1533-2500.2009.00346.x.
91. Inami S, Kaneoka K, Hayashi K, Ochiai N. Types of synovial fold in the cervical facet joint. *J Orthop Sci*. 2000;5(5):475-480. doi: 10.1007/s007760070026.
92. Uhrenholt L, Hauge E, Charles AV, Gregersen M. Degenerative and traumatic changes in the lower cervical spine facet joints. *Scand J Rheumatol*. 2008;37(5):375-384. doi: 10.1080/03009740801998770.
93. Webb AL, Collins P, Rassoulian H, Mitchell BS. Synovial folds – a pain in the neck? *Man Ther*. 2011;16(2):118-124. doi: 10.1016/j.math.2010.11.004.
94. Friedrich KM, Trattnig S, Millington SA, Fried- rich M, Groschmidt K, Pretterkloiber ML. High-field magnetic resonance imaging of meniscoids in the zygapophyseal joints of the human cervical spine. *Spine (Phila Pa 1976)*. 2007;32(2):244-248. doi: 10.1097/01.brs.0000251952.36735.fb.
95. Tonetti J, Peoc'h M, Merloz P, Pasquier B, Chiro- sel JP. Elastic reinforcement and thickness of the joint capsules of the lower cervical spine. *Surg Radiol Anat*. 1999;21(1):35-39.
96. Abbott JH, Flynn TW, Fritz JM, Hing WA, Reid D, Whitman JM. Manual physical assessment of spinal segmental motion: intent and validity. *Man Ther*. 2009;14(1):36-44.
97. Lee RY, McGregor AH, Bull AMJ, Wragg P. Dy- namic response of the cervical spine to posteroan- terior mobilization. *Clin Biomech (Bristol, Avon)*. 2005;20(2):228-231.
98. Bertilson BC, Grunnesjo M, Strenger LE. Reliabil- ity of clinical tests in the assessment of patients with neck/shoulder problems-impact of history. *Spine (Phila Pa 1976)*. 2003;28(19):2222-2231.
99. Greenman PE. *Principles of Manual Medicine*. 2nd ed. Baltimore, MD: Williams and Wilkins; 1996.
100. Snodgrass SJ, Rivett DA, Robertson VJ. Manual forces applied during posterior-to-anterior spinal mobilization: a review of the evidence. *J Manipulative Physiol Ther*. 2006;29(4):316-329.
101. Martinez-Segura R, Fernandez-De-Las Penas C, Ruiz-Saez M, Lopez-Jimenez C, Rodriguez-Blanco C. Immediate effects on neck pain and active range of motion after a single cervical high- velocity low-amplitude manipulation in subjects presenting with mechanical neck pain: a random- ized controlled trial. *J Manipulative Physiol Ther*. 2006;29(7):511-517.
102. Gross A, Miller J, D'Sylva J, et al. Manipula- tion or mobilisation for neck pain. *Cochrane Database Syst Rev*. 2010;(1):CD004249. doi: 10.1002/14651858.CD004249.pub3.
103. Leaver AM, Maher CG, Herbert RD, et al. A randomized controlled trial comparing manipula- tion with mobilization for recent onset neck pain. *Arch Phys Med Rehabil*. 2010;91:1313-1318. doi: 10.1016/j.apmr.2010.06.006.
104. Parkin-Smith GF, Penter C. A clinical trial investi- gating the effect of two manipulative approaches

- in the treatment of mechanical neck pain: a pilot study. *J Neuromusculoskel Syst.* 1998;6:6-16.
105. Puentedura EJ, Landers MR, Cleland JA, Mintken P, Huijbregts, Fernandez-De-Las-Penas C. Thoracic spine thrust manipulation versus cervical spine thrust manipulation in patients with acute neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2011;41(4):208-220. doi: 10.2519/jospt.2011.3640. Epub 2011 Feb 18.
  106. Dunning JR, Cleland, JA, Waldrop MA, et al. Upper cervical and upper thoracic thrust manipulation versus nonthrust mobilization in patients with mechanical neck pain: a multicenter randomized clinical trial. *J Orthop Sports Phys Ther.* 2012;42(1):5-18. doi: 10.2519/jospt.2012.3894. Epub 2011 Sep 30.
  107. Chiu TT, Law EY, Chiu TH. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. *J Orthop Sports Phys Ther.* 2005;35(9):567-571. doi: 10.2519/jospt.2005.2055.
  108. Falla D, Jull G, Hodges PW. Feedforward activity of the cervical flexor muscles during voluntary arm movements is delayed in chronic neck pain. *Exp Brain Res.* 2004;157(1):43-48. doi: 10.1007/s00221-003-1814-9. Epub 2004 Feb 5.
  109. Jull G. Deep cervical flexor muscle dysfunction in whiplash. *J Musculoskelet Pain.* 2000;8:143-154.
  110. Bialosky JE, Bishop MD, Price DD, Robinson ME, George SZ. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther.* 2009;14(5):531-538. doi: 10.1016/j.math.2008.09.001. Epub 2008 Nov 21.
  111. Bialosky JE, George SZ, Bishop MD. How spinal manipulative therapy works: why ask why? *J Orthop Sports Phys Ther.* 2008;38(6):293-295. doi: 10.2519/jospt.2008.0118. Epub 2008 May 27.
  112. Schmid A, Brunner F, Wright A, Bachmann LM. Paradigm shift in manual therapy? Evidence for a central nervous system component in the response to passive cervical joint mobilisation. *Man Ther.* 2008;13(5):387-396. doi: 10.1016/j.math.2007.12.007. Epub 2008 Mar 3.
  113. Skyba DA, Radhakrishnan R, Rohlwing JJ, Wright A, Sluka KA. Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord. *Pain.* 2003;106(1-2):159-168.
  114. Souvlis T, Vicenzino B, Wright A. Neuro-physiological effects of spinal manual therapy. In: Boyling JD, Jull GA, eds. *Grieves' Modern Manual Therapy: The Vertebral Column.* 3rd ed. Edinburgh, UK: Churchill Livingstone; 2004:367-379.
  115. Wright A. Pain-relieving effects of cervical manual therapy. In: Grant R, ed. *Physical Therapy of the Cervical and Thoracic Spine.* New York, NY: Churchill Livingstone; 2002:217-238.
  116. Masaracchio M, Cleland J, Hellman M, Hagins M. Shortterm combined effects of thoracic spine thrust manipulation and cervical spine nonthrust manipulation in individuals with mechanical neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2013;43(3):118-127. doi: 10.2519/jospt.2013.4221. Epub 2012 Dec 7.
  117. Saavedra-Hernandez M, Castro-Sanchez AM, Arroyo-Moarales M, Cleland JA, Lara-Palomo IC, Fernandez-De-Las-Penas C. Short-term effects of kinesio taping versus cervical thrust manipulation in patients with mechanical neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2012;42:724-730. doi: 10.2519/jospt.2012.4086. Epub 2012 Apr 20.
  118. Gross AR, Hoving JL, Haines TA, et al. A Cochrane review of manipulation and mobilization for mechanical neck disorders. *Spine (Philadelphia Pa 1976).* 2004;29(14):1541-1548.
  119. Gross AR, Goldsmith C, Hoving JL, et al. Conservative management of mechanical neck disorders: a systematic review. *J Rheumatol.* 2007;34(5):1083-1102. Epub 2007 Jan 15.
  120. Fernandez-De-Las Penas C, Perez-De-Heredia M, Brea-Rivero M, Miangolarra-Page JC. Immediate effects on pressure pain threshold following a single cervical spine manipulation in healthy subjects. *J Orthop Sports Phys Ther.* 2007;37(6):325-329.
  121. Cleland JA, Whitman JM, Fritz JM. Effectiveness of manual physical therapy to the cervical spine in the management of lateral epicondylalgia: a retrospective analysis. *J Orthop Sports Phys Ther.* 2004;34(11):713-722; discussion 722-724.
  122. Bronfort G, Evans R, Nelson B, Aker PD, Goldsmith CH, Vernon H. A randomized clinical trial of exercise and spinal manipulation for patients with chronic neck pain. *Spine (Phila PA 1976).* 2001;26(7):788-797; discussion 798-799.
  123. Evans R, Bronfort G, Nelson B, Goldsmith CH. Two-year follow-up of a randomized clinical trial of spinal manipulation and two types of exercise for patients with chronic neck pain. *Spine (Phila Pa 1976).* 2002;27(21):2383-2389.
  124. Hoving JL, Koes BW, de Vet HC, et al. Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain. A randomized, controlled trial. *Ann Intern Med.* 2002;136(10):713-722.
  125. Korthals-de Bos IB, Hoving JL, van Tulder MW, et al. Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomized controlled trial. *BMJ.* 2003;326(7395):911.
  126. Walker MJ, Boyles RE, Young BA, et al. The effectiveness of manual physical therapy and exercise for mechanical neck pain. *Spine (Phila Pa 1976).* 2008;33(22):2371-2378. doi: 10.1097/BRS.0b013e318183391e.

127. Hurwitz EL, Carragee EJ, van der Velde G, et al. Treatment of neck pain: noninvasive interventions: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine (Phila Pa 1976)*. 2008;33:S123-S152. doi: 10.1097/BRS.0b013e3181644b1d.
128. Lewis M, James M, Stokes E, et al. An economic evaluation of three physiotherapy treatments for non-specific neck disorders alongside a randomized trial. *Rheumatology (Oxford)*. 2007;46(11):1701-1708.
129. Snodgrass SJ, Rivett DA, Sterling M, Vicenzino B. Dose optimization for spinal treatment effectiveness: a randomized controlled trial investigating the effects of high and low mobilization forces in patients with neck pain. *J Orthop Sports Phys Ther*. 2014;44(3):141-152. doi: 10.2519/jospt.2014.4778. Epub 2014 Jan 22.
130. González-Iglesias J, Fernández-de-las-Peñas C, Cleland JA, Alburquerque-Sendín F, Palomeque-del-Cerro L, Méndez-Sánchez R. Inclusion of thoracic spine thrust manipulation into an electrotherapy/thermal program for the management of patients with acute mechanical neck pain: a randomized clinical trial. *Man Ther*. 2009;14(3):306-313. doi: 10.1016/j.math.2008.04.006. Epub 2008 Aug 8.
131. González-Iglesias J, Fernández-de-las-Peñas C, Cleland JA, del Rosario Gutiérrez-Vega M. Thoracic spine manipulation for the management of patients with neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther*. 2009;39(1):20-27. doi: 10.2519/jospt.2009.2914
132. Lau HM, Wing Chiu TT, Lam TH. The effectiveness of thoracic manipulation on patients with chronic mechanical neck pain – a randomized controlled trial. *Man Ther*. 2011;16:141-147. doi: 10.1016/j.math.2010.08.003. Epub 2010 Sep 1.
133. Cleland JA, Mintken PE, Carpenter K, et al. Examination of a clinical prediction rule to identify patients with neck pain likely to benefit from thoracic spine thrust manipulation and a general cervical range of motion exercise: multi-center randomized clinical trial. *Phys Ther*. 2010;90(9):1239–1250. doi: 10.2522/ptj.20100123. Epub 2010 Jul 15.
134. Cleland JA, Glynn P, Whitman JM, Eberhart SL, MacDonald C, Childs JD. Short-term effects of thrust versus nonthrust mobilization/manipulation directed at the thoracic spine in patients with neck pain: a randomized clinical trial. *Phys Ther*. 2007;87(4):431-440. Epub 2007 Mar 6.
135. Cross KM, Kuenze C, Grindstaff T, Hertel J. Thoracic spine thrust manipulation improves pain, range of motion, and self-reported function in patients with mechanical neck pain: a systematic review. *J Orthop Sports Phys Ther*. 2011;41(9):633-642. doi: 10.2519/jospt.2011.3670. Epub 2011 Aug 31.
136. Pfaffenrath V, Kaube H. Diagnostics of cervicogenic headache. *Funct Neurol*. 1990;5(2):159-164.
137. Jull G, Trott P, Potter H, et al. A randomized controlled trial of exercise and manipulative therapy for cervicogenic headache. *Spine (Phila Pa 1976)*. 2002;27(17):1835-1843; discussion 1843.
138. Zito G, Jull G, Story I. Clinical tests of musculoskeletal dysfunction in the diagnosis of cervicogenic headache. *Man Ther*. 2006;11(2):118-129. Epub 2005 Jul 18.
139. Bland JH. Anatomy and pathology of the cervical spine. In: Giles LFG, Singer KP, eds. *Clinical Anatomy and Management of Cervical Spine Pain*. Oxford, UK: Butterworth-Heinemann; 1998.
140. Hall T, Robinson K. The flexion-rotation test and active cervical mobility--a comparative measurement study in cervicogenic headache. *Man Ther*. 2004;9(4):197-202. doi: 10.1016/j.math.2004.04.004
141. Hall TM, Briffa K, Hopper D, Robinson K. Comparative analysis and diagnostic accuracy of the cervical flexion-rotation test. *J Headache Pain*. 2010;11(5):391-397. doi: 10.1007/s10194-010-0222-3. Epub 2010 May 28.
142. Jull G, Zito G, Trott P, Potter H, Shirley D. Inter-examiner reliability to detect painful upper cervical joint dysfunction. *Aust J Physiother*. 1997;43(2):125-129.
143. Amiri M, Jull G, Bullock-Saxton J. Measuring range of active cervical rotation in a position of full head flexion using the 3D Fastrak measurement system: an intra-tester reliability study. *Man Ther*. 2003;8(3):176-179.
144. Dumas JL, Sainte Rose M, Dreyfus P, Goldlust D, Chevrel JP. Rotation of the cervical spinal column: a computed tomography in vivo study. *Surg Radiol Anat*. 1993;15(4):333-339.
145. Mimura M, Moriya H, Watanabe T, Takahashi K, Yamagata M, Tamaki T. Three-dimensional motion analysis of the cervical spine with special reference to the axial rotation. *Spine (Phila Pa 1976)*. 1989;14(11):1135-1139.
146. Ogince M, Hall T, Robinson K, Blackmore AM. The diagnostic validity of the cervical flexion-rotation test in C1/2-related cervicogenic headache. *Man Ther*. 2007;12(3):256-262. Epub 2006 Nov 16.
147. Hall TM, Robinson KW, Fujinawa O, Akasaka K, Pyne EA. Intertester reliability and diagnostic validity of the cervical flexion-rotation test. *J Manipulative Physiol Ther*. 2008;31(4):293-300. doi: 10.1016/j.jmpt.2008.03.012.
148. Stratton S, Bryan J. Dysfunction, evaluation, and treatment of the cervical spine and thoracic inlet. In: Donatelli R, Wooden MJ, eds. *Orthopaedic Physical Therapy*. New York, NY: Churchill-Livingstone; 1994:77-122.

149. Hall T, Chan HT, Christensen L, Odenthal B, Wells C, Robinson K. Efficacy of a C1-C2 self-sustained natural apophyseal glide (SNAG) in the management of cervicogenic headache. *J Orthop Sports Phys Ther.* 2007;37(3):100-107. doi: 10.2519/jospt.2007.2379
150. Hall T, Briffa K, Hopper D, Robison K. Long-term stability and minimal detectable change of the cervical flexion-rotation test. *J Orthop Sports Phys Ther.* 2010;40(4):L225-229. doi: 10.2519/jospt.2010.3100.
151. Van Suijlekom HA, De Vet HC, Van Den Berg SG, Weber WE. Interobserver reliability in physical examination of the cervical spine in patients with headache. *Headache.* 2000;40(7):581-586.
152. Jull G, Zito G, Potter H, Shirley D. Inter-examiner reliability to detect painful upper cervical joint dysfunction. *Aust J Physiother.* 1997;43(2):125-129.
153. Jull G, Barrett C, Magee R, Ho P. Further clinical clarification of the muscle dysfunction in cervical headache. *Cephalgia.* 1999;19(3):179-185.
154. Fernandez-De-Las-Penas C, Perez-De-Heredia M, Molero-Sanchez A, Miangolarra JC. Performance of the craniocervical flexion test, forward head posture, and headache clinical parameters in patients with chronic tension-type headache: a pilot study. *J Orthop Sports Phys Ther.* 2007;37(2):33-39.
155. Uthaikup S, Jull G. Performance in the craniocervical flexion test is altered in elderly subjects. *Man Ther.* 2009;14(5):475-479. doi: 10.1016/j.math.2008.12.003. Epub 2009 Jan 26.
156. Harris KD, Heer DM, Roy TC, Santos DM, Whitman JM, Wainner RS. Reliability of a measurement of neck flexor muscle endurance. *Phys Ther.* 2005;85(12):1349-1355.
157. Olsen LE, Millar AL, Dunker J, Hicks J, Glanz D. Reliability of a clinical test for deep cervical flexor endurance. *J Manipulative Physiol Ther.* 2006;29(2):134-138.
158. Domenech MA, Sizer PS, Dedrick GS, McGaillard MK, Brismee JM. The deep neck flexor endurance test: normative data scores in healthy adults. *PM R.* 2011;3(2):105-110. doi: 10.1016/j.pmrj.2010.10.023.
159. Harris KD, Heer DM, Roy TC, Santos DM, Whitman JM, Wainner RS. Reliability of measurement of neck flexor muscle endurance. *Phys Ther.* 2005;85(12):1349-1355.
160. Bandy WD, Irion JM. The effect of time on static stretch on the flexibility of the hamstring muscles. *Phys Ther.* 1994;74(9):845-850; discussion 850-852.
161. Bandy WD, Irion JM, Briggler M. The effect of time and frequency of static stretching on flexibility of the hamstring muscles. *Phys Ther.* 1997;77(10):1090-1096.
162. O'Leary SO, Jull G, Kim M, Vicenzino B. Craniocervical flexor muscle impairment at maximal, moderate, and low loads is a feature of neck pain. *Man Ther.* 2007;12(1):34-39. Epub 2006 Jun 13.
163. Hammill JM, Cook TM, Rosecrance JC. Effectiveness of a physical therapy regimen in the treatment of tension-type headaches. *Headache.* 1996;36(3):149-153.
164. Kay TM, Gross A, Goldsmith C, Santaguida PL, Hoving J, Bronfort G; Cervical Overview Group. Exercises for mechanical neck disorders. *Cochrane Database Syst Rev.* 2005;(3):CD004250. doi: 10.1002/14651858.CD004250.pub3.
165. Mongini F, Ciccone G, Rota E, et al. Effectiveness of an educational and physical program in reducing headache, neck and shoulder pain: a workplace controlled trial. *Cephalgia.* 2008;28(5):541-552. doi: 10.1111/j.1468-2982.2008.01551.x. Epub 2008 Mar 3.
166. Mongini F, Evangelista A, Rota E, et al. Long term benefits of an educational and physical program on headache, and neck and shoulder pain, in a working community. *J Pain.* 2009;10(11):1138-1145. doi: 10.1016/j.jpain.2009.01.324. Epub 2009 Apr 23.
167. Falla D, Jull G, Russell T, Vicenzino B, Hodges P. Effect of neck exercise on sitting posture in patients with chronic neck pain. *Phys Ther.* 2007;87(4):408-417. Epub 2007 Mar 6.
168. Johnston V, Jull G, Souvlis T, Jimmieson NL. Neck movement and muscle activity characteristics in female office workers with neck pain. *Spine (Phila Pa 1976).* 2008;33(5):555-563. doi: 10.1097/BRS.0b013e3181657d0d.
169. Prushansky T, Reuven G, Gordon C, Dvir Z. Cervical muscles weakness in chronic whiplash patients. *Clin Biomech (Bristol, Avon).* 2005;20(8):794-798.
170. Kongsted A, Qerama E, Kasch H, et al. Neck collar, "act-as-usual" or active mobilization for whiplash injury? A randomized parallel-group trial. *Spine (Phila Pa 1976).* 2007;32(6):618-626.
171. O'Leary S, Falla D, Hodges PW, Jull G, Vicenzino B. Specific therapeutic exercise of the neck induces immediate local hypoalgesia. *J Pain.* 2007;8(11):832-839. Epub 2007 Jul 19.
172. Ask T, Strand LI, Skouen JS. The effect of two exercise regimes: motor control versus endurance/strength training for patients with whiplash associated disorders: a randomized controlled pilot study. *Clin Rehabil.* 2009;23(9):812-823. doi: 10.1177/0269215509335639. Epub 2009 Aug 5.
173. Falla D, Jull G, Hodges P. Training the cervical muscles with prescribed motor tasks does not change muscle activation during functional activity. *Man Ther.* 2008;13(6):507-512. Epub 2007 Aug 27.

174. Dusunceli Y, Ozturk C, Atamaz F, Hepguler S, Durmaz B. Efficacy of neck stabilization exercises for neck pain: a randomized controlled study. *J Rehabil Med.* 2009;41(8):626-631. doi: 10.2340/16501977-0392.
175. Chiu TT, Lam TH, Hedley AJ. A randomized controlled trial on the efficacy of exercise for patients with chronic neck pain. *Spine (Phila Pa 1976).* 2005;30:E1-E7.
176. Ylinen J, Takala EP, Nykanen M, et al. Active neck muscle training in the treatment of chronic neck pain in women: a randomized controlled trial. *JAMA.* 2003;289(1):2509-2516.
177. Jull G, Falla D, Treleaven J, Hodges P, Vicenzino B. Retraining cervical joint position sense: the effect of two exercise regimes. *J Orthop Res.* 2007;25(3):404-412.
178. Taimela S, Takala EP, Asklof T, Seppala K, Parviainen S. Active treatment of chronic neck pain: a prospective randomized intervention. *Spine (Phila Pa 1976).* 2000;25(8):1021-1027.
179. Viljanen M, Malmivaara A, Uitti J, Rinne M, Palmroos P, Laippala P. Effectiveness of dynamic muscle training, relaxation training, or ordinary activity for chronic neck pain; a randomized controlled trial. *BMJ.* 2003;327(7413):475.
180. Sarig-Bahat H. Evidence for exercise therapy in mechanical neck disorders. *Man Ther.* 2003;8(1):10-20.
181. Chiu TT, Hui-Chan CW, Chein G. A randomized clinical trial of TENS and exercise for patients with chronic neck pain. *Clin Rehabil.* 2005;19(8):580-860.
182. Kendall FP, McCreary EK. *Muscles Testing and Function.* 3rd ed. Baltimore, MD: Williams and Wilkins; 1983.
183. Wainner RS, Fritz JA, Irrgang JJ, Boninger ML, Delitto A, Allison S. Reliability and diagnostic accuracy of the clinical examination and patient self-report measures for cervical radiculopathy. *Spine (Phila Pa 1976).* 2003;28(1):52-62.
184. Matsumoto M, Fujimura Y, Toyama Y. Usefulness and reliability of neurological signs for level diagnosis in cervical myelopathy caused by soft disc herniation. *J Spinal Disord.* 1996;9(4):317-321.
185. Lauder T, Dillingham T, Andary M, Kumar S, Pezzin L, Stephens R. Predicting electrodiagnostic outcome in patients with upper limb symptoms: are the history and physical examination helpful? *Arch Phys Med Rehabil.* 2000;81(4):436-441.
186. Sung R, Wang J. Correlation between a positive Hoffmann's reflex and cervical pathology in asymptomatic patients. *Spine (Phila Pa 1976).* 2001;26(1):67-70.
187. Cleland JA, Fritz JM, Whitman JM, Heath R. Predictors of short-term outcome in people with clinical diagnosis of cervical radiculopathy. *Phys Ther.* 2007;87(12):1619-1632. Epub 2007 Oct 2.
188. Cleland JA, Whitman JM, Fritz JM, et al. Manual physical therapy, cervical traction and strengthening exercises in patients with cervical radiculopathy. *J Orthop Sports Phys Ther.* 2005;35(12):802-811.
189. Waldrop MA. Diagnosis and treatment of cervical radiculopathy using a clinical prediction rule and a multimodal intervention approach: a case series. *J Orthop Sports Phys Ther.* 2006;36(3):152-159.
190. Browder DA, Erhard RE, Piva SR. Intermittent cervical traction and thoracic manipulation for management of mild cervical compressive myelopathy attributed to cervical herniated disc: a case series. *J Orthop Sports Phys Ther.* 2004;34(11):701-712.
191. Young IA, Michener LA, Cleland JA, Aguilera AJ, Snyder AR. Manual therapy, exercise, and traction for patients with cervical radiculopathy: a randomized clinical trial. *Phys Ther.* 2009;89:632-642. doi: 10.2522/ptj.20080283. Epub 2009 May 21.
192. Persson L, Moritz U, Brantdt I, Carlsson CA. Cervical radiculopathy: pain, muscle weakness, and sensory loss in patients with cervical radiculopathy treated with surgery, physiotherapy, or cervical collar. *Eur Spine J.* 1997;6(4):256-266.
193. Kuijper B, Tans JT, Beelen A, Nollet F, de Visser M. Cervical collar or physiotherapy versus wait and see policy for recent onset cervical radiculopathy: randomized trial. *BMJ.* 2009;339:b3883. doi: 10.1136/bmj.b3883.
194. Allison GT, Nagy BM, Hall T. A randomized clinical trial of manual therapy for cervico-brachial pain syndrome – a pilot study. *Man Ther.* 2002;7(2):95-102.
195. Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. *J Orthop Sports Phys Ther.* 2003;33(7):369-378.
196. Graham N, Gross AR, Goldsmith C; Cervical Overview Group. Mechanical traction for mechanical neck disorders: a systemic review. *J Rehabil Med.* 2006;38(3):145-152.
197. Freburger JK, Carey TS, Holmes GM, et al. Exercise prescription for chronic back or neck pain: who prescribes it? Who gets it? What is prescribed? *Arthritis Rheum.* 2009;61(2):192-200. doi: 10.1002/art.24234.
198. Graham N, Gross A, Goldsmith CH, et al. Mechanical traction for neck pain with or without radiculopathy. *Cochrane Database Syst Rev.* 2008;(3)CD006408. doi: 10.1002/14651858.CD006408.pub2.
199. Thoomes EJ, Scholten-Peeters W, Koes B, Falla D, Verhagen AP. The effectiveness of conservative treatment for patients with cervical radiculopathy: a systematic review. *Clin J Pain.* 2013;29(12):1073-1086. doi: 10.1097/AJP.0b013e31828441fb.

200. Joghataei MT, Arab AM, Khaksar H. The effect of cervical traction combined with conventional therapy on grip strength on patients with cervical radiculopathy. *Clin Rehabil.* 2004;18(8):879-887.
201. Raney NH, Petersen EJ, Smith TA, et al. Development of a clinical prediction rule to identify patients with neck pain likely to benefit from cervical traction and exercise. *Eur Spine J.* 2009;18(3):382-391. doi: 10.1007/s00586-008-0859-7. Epub 2009 Jan 14.
202. Fritz JM, physical therapist, Thackeray A, Brennan GP, Childs JD. Exercise only, exercise with mechanical traction, or exercise with over-door traction for patients with cervical radiculopathy, with or without consideration of status on a previously described subgrouping rule: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2014;44(2):45-57. doi: 10.2519/jospt.2014.5065. Epub 2014 Jan 9.
203. Childs JD, Fritz JM, Piva SR, Whitman JM. Proposal of a classification system for patients with neck pain. *J Orthop Sports Phys Ther.* 2004;34(11):686-696; discussion 697-700.
204. *International Classification of Functioning, Disability and Health (ICF)*. Geneva, Switzerland: Worth Health Organization; 2001.