POSTOPERATIVE MANAGEMENT OF ORTHOPAEDIC SURGERIES

Ankle and Foot

Independent Study Course 27.1.3

Stephanie Albin, DPT, OCS, FAAOMPT
Intermountain Healthcare
Salt Lake City, Utah

Regis University
Denver, CO

Mark Cornwall, PT, PhD, FAPTA
Northern Arizona University
Flagstaff, Arizona

Drew H. Van Boerum, MD
The Orthopedic Specialty Hospital
Intermountain Healthcare
Salt Lake City, Utah

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC SECTION

APTA
American Physical Therapy Association

REFERENCES

1. Thomas RH, Daniels TR. Ankle arthritis. *J Bone Joint Surg Am.* 2003;85-A(5):923-936.
2. Teramoto A, Kura H, Uchiyama E, Suzuki D, Yamashita T. Three-dimensional analysis of ankle instability after tibiofibular syndesmosis injuries: a biomechanical experimental study. *Am J Sports Med.* 2008;36(2):348-352. Epub 2007 Oct 16.
3. Wülker N, Stephens MM, Cracchiolo AI. *Atlas of Foot and Ankle Surgery.* 2nd ed. London, UK: CRC Press: 2005.
4. Fujii T, Kitaoka HB, Luo ZP, Kura H, An KN. Analysis of ankle-hindfoot stability in multiple planes: an in vitro study. *Foot Ankle Int.* 2005;26(8):633-637.
5. Hintermann B, Valderrabano V, Boss A, Trouillier HH, Dick W. Medial ankle instability: an exploratory, prospective study of fifty-two cases. *Am J Sports Med.* 2004;32(1):183-190.
6. Masciocchi C, Barile A. Magnetic resonance imaging of the hindfoot with surgical correlations. *Skeletal Radiol.* 2002;31(3):131-142.
7. Bozkurt M, Doral MN. Anatomic factors and biomechanics in ankle instability. *Foot Ankle Clin.* 2006;11(3):451-463.
8. Hatch GF, Labib SA, Rolf RH, Hutton WC. Role of the peroneal tendons and superior peroneal retinaculum as static stabilizers of the ankle. *J Surg Orthop Adv.* 2007;16(4):187-191.
9. Hicks JH. The mechanics of the foot. I. The joints. *J Anat.* 1953;87(4):345-357.
10. Barnett CH, Napier JR. The axis of rotation at the ankle joint in man; its influence upon the form of the talus and the mobility of the fibula. *J Anat.* 1952;86(1):1-9.
11. American Academy of Orthopaedic Surgeons. Joint Motion: Method of Measuring and Recording. 2011.
12. DiGiovanni CW, Kuo R, Tejwani N, et al. Isolated gastrocnemius tightness. *J Bone Joint Surg Am.* 2002;84-A(6):962-970.
13. Keener BJ, Sizensky JA. The anatomy of the calcaneus and surrounding structures. *Foot Ankle Clin.* 2005;10(3):413-424.
14. Keefe DT, Haddad SL. Subtalar instability. Etiology, diagnosis, and management. *Foot Ankle Clin.* 2002;7(3):577-609.
15. Harper MC. The lateral ligamentous support of the subtalar joint. *Foot Ankle.* 1991;11(6):354-358.
16. Stephens MM, Sammarco GJ. The stabilizing role of the lateral ligament complex around the ankle and subtalar joints. *Foot Ankle.* 1992;13(3):130-136.
17. Jotoku T, Kinoshita M, Okuda R, Abe M. Anatomy of ligamentous structures in the tarsal sinus and canal. *Foot Ankle Int.* 2006;27(7):533-538.
18. DeLeo AT, Dierks TA, Ferber R, Davis IS. Lower extremity joint coupling during running: a current update. *Clin Biomech (Bristol, Avon).* 2004;19(10):983-991.
19. Lundgren P, Nester C, Liu A, et al. Invasive in vivo measurement of rear-, mid- and forefoot motion during walking. *Gait Posture.* 2008;28(1):93-100. Epub 2007 Dec 21.
20. Pohl MB, Messenger N, Buckley JG. Changes in foot and lower limb coupling due to systematic variations in step width. *Clin Biomech (Bristol, Avon).* 2006;21(2):175-183. Epub 2005 Nov 2.
21. Pohl MB, Messenger N, Buckley JG. Forefoot, rearfoot and shank coupling: effect of variations in speed and mode of gait. *Gait Posture.* 2007;25(2):295-302. Epub 2006 Jun 6.
22. Nawoczenski DA, Saltzman CL, Cook TM. The effect of foot structure on the three-dimensional kinematic coupling behavior of the leg and rear foot. *Phys Ther.* 1998;78(4):404-416.
23. Wilken J, Rao S, Saltzman C, Yack HJ. The effect of arch height on kinematic coupling during walking. *Clin Biomech (Bristol, Avon).* 2011;26(3):318-323. doi: 10.1016/j.clinbiomech.2010.10.005. Epub 2010 Nov 12.
24. Drewes LK, McKeon PO, Paolini G, et al. Altered ankle kinematics and shank-rear-foot coupling in those with chronic ankle instability. *J Sport Rehabil.* 2009;18(3):375-388.
25. Herb CC, Hertel J. Shank-rearfoot joint coupling in young adults with chronic ankle instability: a cross-correlation analysis. *J Sports Med Phys Fitness.* 2015;55(6):639-646. Epub 2014 Nov 5.
26. Golano P, Fariñas O, Sáenz I. The anatomy of the navicular and periarticular structures. *Foot Ankle Clin.* 2004;9(1):1-23.
27. Jennings MM, Christensen JC. The effects of sectioning the spring ligament on rearfoot stability and posterior tibial tendon efficiency. *J Foot Ankle Surg.* 2008;47(3):219-224. doi: 10.1053/j.jfas.2008.02.002. Epub 2008 Mar 28.
28. Tryfonidis M, Jackson W, Mansour R, et al. Acquired adult flat foot due to isolated plantar calcaneonavicular (spring) ligament insufficiency

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

with a normal tibialis posterior tendon. *Foot Ankle Surg.* 2008;14(2):89-95. doi: 10.1016/j.fas.2007.11.005. Epub 2008 Jan 31.
29. Lundberg A, Svensson OK, Bylund C, Goldie I, Selvik G. Kinematics of the ankle/foot complex--Part 2: Pronation and supination. *Foot Ankle.* 1989;9(5):248-253.
30. Astion DJ, Deland JT, Otis JC, Kenneally S. Motion of the hindfoot after simulated arthrodesis. *J Bone Joint Surg Am.* 1997;79(2):241-246.
31. Sammarco VJ. The talonavicular and calcaneocuboid joints: anatomy, biomechanics, and clinical management of the transverse tarsal joint. *Foot Ankle Clin.* 2004;9(1):127-145.
32. Elftman H. The transverse tarsal joint and its control. *Clin Orthop.* 1960;16:41-46.
33. Levangie PK, Norkin CC. *Joint Structure and Function a Comprehensive Analysis.* 5th ed. Philadelphia, PA: F.A. Davis; 2011.
34. Beumer A, Valstar ER, Garling EH, et al. Effects of ligament sectioning on the kinematics of the distal tibiofibular syndesmosis: a radiostereometric study of 10 cadaveric specimens based on presumed trauma mechanisms with suggestions for treatment. *Acta Orthop.* 2006;77(3):531-540.
35. Manter JT. Movements of the subtalar and transverse tarsal joints. *Anat Rec.* 1941;80(4):397-410.
36. Inma V, Mann RA. *Biomechanics of the Foot and Ankle.* 3rd ed. St. Louis, MO: 1973.
37. Van Boerum DH, Sangeorzan BJ. Biomechanics and pathophysiology of flat foot. *Foot Ankle Clin.* 2003;8(3):419-430.
38. Hicks JH. The mechanics of the foot. II. The plantar aponeurosis and the arch. *J Anat.* 1954;88(1):25-30.
39. Ward ED, Smith KM, Cocheba JR, Patterson PE, Phillips RD. 2003 William J. Stickel Gold Award. In vivo forces in the plantar fascia during the stance phase of gait: sequential release of the plantar fascia. *J Am Podiatr Med Assoc.* 2003;93(6):429-442.
40. Erdemir A, Hamel AJ, Fauth AR, Piazza SJ, Sharkey NA. Dynamic loading of the plantar aponeurosis in walking. *J Bone Joint Surg Am.* 2004;86-A(3):546-552.
41. Crary JL, Hollis JM, Manoli A 2nd. The effect of plantar fascia release on strain in the spring and long plantar ligaments. *Foot Ankle Int.* 2003;24(3):245-250.
42. Kitaoka HB, Luo ZP, An KN. Analysis of longitudinal arch supports in stabilizing the arch of the foot. *Clin Orthop Relat Res.* 1997;(341):250-256.
43. DiDomenico LA, Cross D. Tarsometatarsal/Lisfranc joint. *Clin Podiatr Med Surg.* 2012;29(2):221-242, vii-viii doi: 10.1016/j.cpm.2012.01.003. Epub 2012 Feb 15.
44. Halstead J, Redmond AC. Weight-bearing passive dorsiflexion of the hallux in standing is not related to hallux dorsiflexion during walking. *J Orthop Sports Phys Ther.* 2006;36(8):550-556.
45. Hopson MM, McPoil TG, Cornwall MW. Motion of the first metatarsophalangeal joint. Reliability and validity of four measurement techniques. *J Am Podiatr Med Assoc.* 1995;85(4):198-204.
46. Nawoczenski DA, Baumhauer JF, Umberger BR. Relationship between clinical measurements and motion of the first metatarsophalangeal joint during gait. *J Bone Joint Surg Am.* 1999;81(3):370-376.
47. Sarrafian SK. Functional characteristics of the foot and plantar aponeurosis under tibiotalar loading. *Foot Ankle.* 1987;8(1):4-18.
48. Hansen ST. *Functional Reconstruction of the Foot and Ankle.* Philadelphia, PA: Lippincott Williams & Wilkins; 2000.
49. Hunt AE, Smith RM, Torode M. Extrinsic muscle activity, foot motion and ankle joint moments during the stance phase of walking. *Foot Ankle Int.* 2001;22(1):31-41.
50. Lundberg A, Svensson OK. The axes of rotation of the talocalcaneal and talonavicular joints. *The Foot.* 1993;3(2):65-70.
51. van Langelaan EJ. A kinematical analysis of the tarsal joints. An X-ray photogrammetric study. *Acta Orthop Scand Suppl.* 1983;204:1-269.
52. Wolf P SA, Stacoff A, Stussi E. Modelling of the passive mobility in human tarsal gears implications from the literature. *The Foot.* 2004;14(1):23-34.
53. Kelly LA, Cresswell AG, Racinais S, Whiteley R, Lichtwark G. Intrinsic foot muscles have the capacity to control deformation of the longitudinal arch. *J R Soc Interface.* 2014;11(93):20131188.
54. Kelly LA, Lichtwark G, Cresswell AG. Active regulation of longitudinal arch compression and recoil during walking and running. *J R Soc Interface.* 2015;12(102):20141076.
55. Mulligan EP, Cook PG. Effect of plantar intrinsic muscle training on medial longitudinal arch morphology and dynamic function. *Man Ther.* 2013;18(5):425-430. doi: 10.1016/j.math.2013.02.007. Epub 2013 Apr 28.
56. McPoil T, Cornwall MW. Relationship between neutral subtalar joint position and pattern of rearfoot motion during walking. *Foot Ankle Int.* 1994;15(3):141-145.
57. McPoil TG, Cornwall MW. Relationship between three static angles of the rearfoot and the pattern

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

of rearfoot motion during walking. *J Orthop Sports Phys Ther.* 1996;23(6):370-375.
58. Pierrynowski MR, Smith SB. Rear foot inversion/eversion during gait relative to the subtalar joint neutral position. *Foot Ankle Int.* 1996;17(7):406-412.
59. Leardini A, O'Connor JJ, Giannini S. Biomechanics of the natural, arthritic, and replaced human ankle joint. *J Foot Ankle Res.* 2014;7(1):8. doi: 10.1186/1757-1146-7-8.
60. Cornwall MW, McPoil TG. Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking. *J Am Podiatr Med Assoc.* 2002;92(2):67-76.
61. Toussaint RJ, Lin D, Ehrlichman LK, Ellington JK, Strasser N, Kwon JY. Peroneal tendon displacement accompanying intra-articular calcaneal fractures. *J Bone Joint Surg Am.* 2014;96(4):310-315. doi: 10.2106/JBJS.L.01378.
62. Epstein N, Chandran S, Chou L. Current concepts review: intra-articular fractures of the calcaneus. *Foot Ankle Int.* 2012;33(1):79-86. doi: 10.3113/FAI.2012.0079.
63. Kingwell S, Buckley R, Willis N. The association between subtalar joint motion and outcome satisfaction in patients with displaced intraarticular calcaneal fractures. *Foot Ankle Int.* 2004;25(9):666-673.
64. Griffin D, Parsons N, Shaw E, et al. Operative versus non-operative treatment for closed, displaced, intra-articular fractures of the calcaneus: randomised controlled trial. *BMJ.* 2014;349:g4483. doi: 10.1136/bmj.g4483.
65. Balazs GC, Polfer EM, Brelin AM, Gordon WT. High seas to high explosives: the evolution of calcaneus fracture management in the military. *Mil Med.* 2014;179(11):1228-1235. doi: 10.7205/MILMED-D-14-00156.
66. Benirschke SK, Sangeorzan BJ. Extensive intraarticular fractures of the foot. Surgical management of calcaneal fractures. *Clin Orthop Relat Res.* 1993;(292):128-134.
67. Ramasamy A, Hill AM, Phillip R, Gibb I, Bull AM, Clasper JC. The modern "deck-slap" injury--calcaneal blast fractures from vehicle explosions. *J Trauma.* 2011;71(6):1694-1698. doi: 10.1097/TA.0b013e318227a999
68. Mitchell MJ, McKinley JC, Robinson CM. The epidemiology of calcaneal fractures. *Foot (Edinb).* 2009;19(4):197-200. doi: 10.1016/j.foot.2009.05.001.
69. Schepers T, van Lieshout EM, van Ginhoven TM, Heetveld MJ, Patka P. Current concepts in the treatment of intra-articular calcaneal fractures: results of a nationwide survey. *Int Orthop.* 2008;32(5):711-715.
70. Mortelmans LJ, Du Bois M, Donceel P, Broos PL. Impairment and return to work after intra-articular fractures of the calcaneus. *Acta Chir Belg.* 2002;102(5):329-333.
71. Hirschmuller A, Konstantinidis L, Baur H, et al. Do changes in dynamic plantar pressure distribution, strength capacity and postural control after intra-articular calcaneal fracture correlate with clinical and radiological outcome? *Injury.* 2011;42(10):1135-1143. doi: 10.1016/j.injury.2010.09.040. Epub 2010 Nov 13.
72. Tufescu TV, Buckley R. Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures. *J Orthop Trauma.* 2001;15(4):275-279.
73. Gardner MJ, Nork SE, Barei DP, Kramer PA, Sangeorzan BJ, Benirschke SK. Secondary soft tissue compromise in tongue-type calcaneus fractures. *J Orthop Trauma.* 2008;22(7):439-445. doi: 10.1097/BOT.0b013e31817ace7e.
74. Buckley R, Tough S, McCormack R, et al. Operative compared with nonoperative treatment of displaced intra-articular calcaneal fractures: a prospective, randomized, controlled multicenter trial. *J Bone Joint Surg Am.* 2002;84-A(10):1733-1744.
75. Clare MP, Lee WE 3rd, Sanders RW. Intermediate to long-term results of a treatment protocol for calcaneal fracture malunions. *J Bone Joint Surg Am.* 2005;87(5):963-973.
76. Radnay CS, Clare MP, Sanders RW. Subtalar fusion after displaced intra-articular calcaneal fractures: does initial operative treatment matter? *J Bone Joint Surg Am.* 2009;91(3):541-546. doi: 10.2106/JBJS.G.01445.
77. Brauer CA, Manns BJ, Ko M, Donaldson C, Buckley R. An economic evaluation of operative compared with nonoperative management of displaced intra-articular calcaneal fractures. *J Bone Joint Surg Am.* 2005;87(12):2741-2749.
78. Aktuglu K, Aydogan U. The functional outcome of displaced intra-articular calcaneal fractures: a comparison between isolated cases and polytrauma patients. *Foot Ankle Int.* 2002;23(4):314-318.
79. Holm JL, Laxson SE, Schuberth JM. Primary subtalar joint arthrodesis for comminuted fractures of the calcaneus. *J Foot Ankle Surg.* 2015;54(1):61-65. doi: 10.1053/j.jfas.2014.07.013. Epub 2014 Aug 29.
80. Yoshimura I, Ichimura R, Kanazawa K, et al. Simultaneous use of lateral calcaneal ostectomy and subtalar arthroscopic debridement for residual pain after a calcaneal fracture. *J Foot Ankle Surg.* 2015;54(1):37-40. doi: 10.1053/j.jfas.2014.09.049. Epub 2014 Nov 15.

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

81. van Tetering EA, Buckley RE. Functional outcome (SF-36) of patients with displaced calcaneal fractures compared to SF-36 normative data. *Foot Ankle Int.* 2004;25(10):733-738.
82. Schepers T, Heetveld MJ, Mulder PG, Patka P. Clinical outcome scoring of intra-articular calcaneal fractures. *J Foot Ankle Surg.* 2008;47(3):213-218. doi: 10.1053/j.jfas.2008.02.014. Epub 2008 Mar 28.
83. Pinsker E, Inrig T, Daniels TR, Warmington K, Beaton DE. Reliability and validity of 6 measures of pain, function, and disability for ankle arthroplasty and arthrodesis. *Foot Ankle Int.* 2015;36(6):617-625. doi: 10.1177/1071100714566624. Epub 2015 Feb 4.
84. Dawson J, Doll H, Coffey J, et al. Responsiveness and minimally important change for the Manchester-Oxford foot questionnaire (MOXFQ) compared with AOFAS and SF-36 assessments following surgery for hallux valgus. *Osteoarthritis Cartilage.* 2007;15(8):918-931.
85. Potter MQ, Nunley JA. Long-term functional outcomes after operative treatment for intra-articular fractures of the calcaneus. *J Bone Joint Surg Am.* 2009;91(8):1854-1860. doi: 10.2106/JBJS.H.01475.
86. Binkley JM, Stratford PW, Lott SA, Riddle DL. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. North American Orthopaedic Rehabilitation Research Network. *Phys Ther.* 1999;79(4):371-383.
87. Youdas JW, Bogard CL, Suman VJ. Reliability of goniometric measurements and visual estimates of ankle joint active range of motion obtained in a clinical setting. *Arch Phys Med Rehabil.* 1993;74(10):1113-1118.
88. Simondson D, Brock K, Cotton S. Reliability and smallest real difference of the ankle lunge test post ankle fracture. *Man Ther.* 2012;17(1):34-38. doi: 10.1016/j.math.2011.08.004. Epub 2011 Sep 29.
89. Hancock MJ, Herbert RD, Stewart M. Prediction of outcome after ankle fracture. *J Orthop Sports Phys Ther.* 2005;35(12):786-792.
90. Menadue C, Raymond J, Kilbreath SL, Refshauge KM, Adams R. Reliability of two goniometric methods of measuring active inversion and eversion range of motion at the ankle. *BMC Musculoskelet Disord.* 2006;7:60.
91. Albin SR, Cornwall MW, McPoil TG, Van Boerum DH, Morgan JM. Plantar pressure and gait symmetry in individuals with fractures versus tendon injuries to the hindfoot. *J Am Podiatr Med Assoc.* 2015;105(6):469-477.
92. O'Brien J, Buckley R, McCormack R, et al. Personal gait satisfaction after displaced intraarticular calcaneal fractures: a 2-8 year followup. *Foot Ankle Int.* 2004;25(9):657-665.
93. Terada M, Harkey MS, Wells AM, Pietrosimone BG, Gribble PA. The influence of ankle dorsiflexion and self-reported patient outcomes on dynamic postural control in participants with chronic ankle instability. *Gait Posture.* 2014;40(1):193-197. doi: 10.1016/j.gaitpost.2014.03.186. Epub 2014 Apr 3.
94. Hubbard TJ, Kramer LC, Denegar CR, Hertel J. Contributing factors to chronic ankle instability. *Foot Ankle Int.* 2007;28(3):343-354.
95. Stevens JE, Walter GA, Okereke E, et al. Muscle adaptations with immobilization and rehabilitation after ankle fracture. *Med Sci Sports Exerc.* 2004;36(10):1695-1701.
96. Fan WL, Sun HZ, Wu SY, Wang AM. Subtalar distraction osteogenesis for posttraumatic arthritis following intra-articular calcaneal fractures. *Foot Ankle Int.* 2013;34(3):398-402. doi: 10.1177/1071100712472039. Epub 2013 Jan 30.
97. Cleland JA, Abbott JH, Kidd MO, et al. Manual physical therapy and exercise versus electrophysical agents and exercise in the management of plantar heel pain: a multicenter randomized clinical trial. *J Orthop Sports Phys Ther.* 2009;39(8):573-585. doi: 10.2519/jospt.2009.3036.
98. Green T, Refshauge K, Crosbie J, Adams R. A randomized controlled trial of a passive accessory joint mobilization on acute ankle inversion sprains. *Phys Ther.* 2001;81(4):984-994.
99. López-Rodríguez S, Fernández de-Las-Peñas C, Alburquerque-Sendín F, Rodriguez-Blanco C, Palomeque-del-Cerro L. Immediate effects of manipulation of the talocrural joint on stabilometry and barop odometry in patients with ankle sprain. *J Manipulative Physiol Ther.* 2007;30(3):186-192.
100. Whitman JM, Cleland JA, Mintken PE, et al. Predicting short-term response to thrust and nonthrust manipulation and exercise in patients post inversion ankle sprain. *J Orthop Sports Phys Ther.* 2009;39(3):188-200. doi: 10.2519/jospt.2009.2940.
101. Yeo HK, Wright A. Hypoalgesic effect of a passive accessory mobilisation technique in patients with lateral ankle pain. *Man Ther.* 2011;16(4):373-377. doi: 10.1016/j.math.2011.01.001. Epub 2011 Feb 1.
102. Hoch MC, McKeon PO. Joint mobilization improves spatiotemporal postural control and range of motion in those with chronic ankle instability. *J Orthop Res.* 2011;29(3):326-332. doi: 10.1002/jor.21256. Epub 2010 Sep 30.

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

103. Poeze M, Verbruggen JP, Brink PR. The relationship between the outcome of operatively treated calcaneal fractures and institutional fracture load. A systematic review of the literature. *J Bone Joint Surg Am.* 2008;90(5):1013-1021. doi: 10.2106/JBJS.G.00604.
104. Ding L, He Z, Xiao H, Chai L, Xue F. Risk factors for postoperative wound complications of calcaneal fractures following plate fixation. *Foot Ankle Int.* 2013;34(9):1238-1244. doi: 10.1177/1071100713484718. Epub 2013 Apr 5.
105. Bahari Kashani M, Kachooei AR, Ebrahimi H, et al. Comparative study of peroneal tenosynovitis as the complication of intraarticular calcaneal fracture in surgically and non-surgically treated patients. *Iran Red Crescent Med J.* 2013;15(10):e11378. doi: 10.5812/ircmj.11378. Epub 2013 Oct 5.
106. Eleftheriou KI, Rosenfeld PF. Lisfranc injury in the athlete: evidence supporting management from sprain to fracture dislocation. *Foot Ankle Clin.* 2013;18(2):219-236. doi: 10.1016/j.fcl.2013.02.004. Epub 2013 Mar 19.
107. Kalia V, Fishman EK, Carrino JA, Fayad LM. Epidemiology, imaging, and treatment of Lisfranc fracture-dislocations revisited. *Skeletal Radiol.* 2012;41(2):129-136. doi: 10.1007/s00256-011-1131-5. Epub 2011 Mar 23.
108. Stavlas P, Roberts CS, Xypnitos FN, Giannoudis PV. The role of reduction and internal fixation of Lisfranc fracture-dislocations: a systematic review of the literature. *Int Orthop.* 2010;34(8):1083-1091. doi: 10.1007/s00264-010-1101-x. Epub 2010 Aug 5.
109. Mullen JE, O'Malley MJ. Sprains--residual instability of subtalar, Lisfranc joints, and turf toe. *Clin Sports Med.* 2004;23(1):97-121.
110. Schepers T, Kieboom BC, van Diggele P, Patka P, Van Lieshout EM. Pedobarographic analysis and quality of life after Lisfranc fracture dislocation. *Foot Ankle Int.* 2010;31(10):857-864. doi: 10.3113/FAI.2010.0857.
111. Nunley JA, Vertullo CJ. Classification, investigation, and management of midfoot sprains: Lisfranc injuries in the athlete. *Am J Sports Med.* 2002;30(6):871-878.
112. Myerson MS, Fisher RT, Burgess AR, Kenzora JE. Fracture dislocations of the tarsometatarsal joints: end results correlated with pathology and treatment. *Foot Ankle.* 1986;6(5):225-242.
113. Philbin T, Rosenberg G, Sferra JJ. Complications of missed or untreated Lisfranc injuries. *Foot Ankle Clin.* 2003;8(1):61-71.
114. Rammelt S, Schneiders W, Schikore H, Holch M, Heineck J, Zwipp H. Primary open reduction and fixation compared with delayed corrective arthrodesis in the treatment of tarsometatarsal (Lisfranc) fracture dislocation. *J Bone Joint Surg Br.* 2008;90(11):1499-1506. doi: 10.1302/0301-620X.90B11.20695.
115. DeOrio M, Erickson M, Usuelli FG, Easley M. Lisfranc injuries in sport. *Foot Ankle Clin.* 2009;14(2):169-186. doi: 10.1016/j.fcl.2009.03.008.
116. Miswan MF, Singh VA, Yasin NF. Outcome of surgically treated Lisfranc injury: a review of 34 cases. *Ulus Travma Acil Cerrahi Derg.* 2011;17(6):504-508. doi: 10.5505/tjtes.2011.04809.
117. Nithyananth M, Boopalan PR, Titus VT, Sundararaj GD, Lee VN. Long-term outcome of high-energy open Lisfranc injuries: a retrospective study. *J Trauma.* 2011;70(3):710-716. doi: 10.1097/TA.0b013e3181f02ab9.
118. Desmond EA, Chou LB. Current concepts review: Lisfranc injuries. *Foot Ankle Int.* 2006;27(8):653-660.
119. Rhim B, Hunt JC. Lisfranc injury and Jones fracture in sports. *Clin Podiatr Med Surg.* 2011;28(1):69-86. doi: 10.1016/j.cpm.2010.09.003.
120. Curtis MJ, Myerson M, Szura B. Tarsometatarsal joint injuries in the athlete. *Am J Sports Med.* 1993;21(4):497-502.
121. Komenda GA, Myerson MS, Biddinger KR. Results of arthrodesis of the tarsometatarsal joints after traumatic injury. *J Bone Joint Surg Am.* 1996;78(11):1665-1676.
122. Talarico RH, Hamilton GA, Ford LA, Rush SM. Fracture dislocations of the tarsometatarsal joints: Analysis of interrater reliability in using the modified Hardcastle classification system. *J Foot Ankle Surg.* 2006;45(5):300-303.
123. Raikin SM, Elias I, Dheer S, Besser MP, Morrison WB, Zoga AC. Prediction of midfoot instability in the subtle Lisfranc injury. Comparison of magnetic resonance imaging with intraoperative findings. *J Bone Joint Surg Am.* 2009;91(4):892-899. doi: 10.2106/JBJS.H.01075.
124. Eleftheriou KI, Rosenfeld PF, Calder JD. Lisfranc injuries: an update. *Knee Surg Sports Traumatol Arthrosc.* 2013;21(6):1434-1446. doi: 10.1007/s00167-013-2491-2. Epub 2013 Apr 7.
125. Arntz CT, Veith RG, Hansen ST Jr. Fractures and fracture-dislocations of the tarsometatarsal joint. *J Bone Joint Surg Am.* 1988;70(2):173-181.
126. Alberta FG, Aronow MS, Barrero M, Diaz-Doran V, Sullivan RJ, Adams DJ. Ligamentous Lisfranc joint injuries: a biomechanical comparison of dorsal plate and transarticular screw fixation. *Foot Ankle Int.* 2005;26(6):462-473.
127. Marks RM, Parks BG, Schon LC. Midfoot fusion technique for neuroarthropathic feet:

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

biomechanical analysis and rationale. *Foot Ankle Int.* 1998;19(8):507-510.
128. Sangeorzan BJ, Hansen ST Jr. Early and late posttraumatic foot reconstruction. *Clin Orthop Relat Res.* 1989;(243):86-91.
129. Coetzee C, Hurwitz S. *Arthritis and Arthroplasty: The Foot and Ankle.* Philadelphia, PA: Saunders; 2010.
130. Henning JA, Jones CB, Sietsema DL, Bohay DR, Anderson JG. Open reduction internal fixation versus primary arthrodesis for lisfranc injuries: a prospective randomized study. *Foot Ankle Int.* 2009;30(10):913-922. doi: 10.3113/FAI.2009.0913.
131. Ly TV, Coetzee JC. Treatment of primarily ligamentous Lisfranc joint injuries: primary arthrodesis compared with open reduction and internal fixation. A prospective, randomized study. *J Bone Joint Surg Am.* 2006;88(3):514-520.
132. Bandac RC, Botez P. Lisfranc midfoot dislocations: correlations between surgical treatment and functional outcomes. *Rev Med Chir Soc Med Nat Iasi.* 2012;116(3):834-839.
133. Marín-Peña OR, Viloria Recio F, Sanz Gómez T, Larrainzar Garijo R. Fourteen years follow up after Lisfranc fracture-dislocation: functional and radiological results. *Injury.* 2012;43 Suppl 2:S79-82. doi: 10.1016/S0020-1383(13)70185-2.
134. Wiss DA, Kull DM, Perry J. Lisfranc fracture-dislocations of the foot: a clinical-kinesiological study. *J Orthop Trauma.* 1987;1(4):267-274.
135. Malović M, Milošević M, Vlahović T, Nikolić T, Margetić P, Milošević M. Injuries of the tarsometatarsal joints: treatment and outcome. *Coll Antropol.* 2011;35(4):1203-1208.
136. Schepers T, van Lieshout EM, Ginai AZ, Mulder PG, Heetveld MJ, Patka P. Calcaneal fracture classification: a comparative study. *J Foot Ankle Surg.* 2009;48(2):156-162. doi: 10.1053/j.jfas.2008.11.006.
137. Kösters C, Bockholt S, Müller C, et al. Comparing the outcomes between Chopart, Lisfranc and multiple metatarsal shaft fractures. *Arch Orthop Trauma Surg.* 2014;134(10):1397-1404. doi: 10.1007/s00402-014-2059-8. Epub 2014 Jul 27.
138. Meyer SA, Callaghan JJ, Albright JP, Crowley ET, Powell JW. Midfoot sprains in collegiate football players. *Am J Sports Med.* 1994;22(3):392-401.
139. Calder JD, Whitehouse SL, Saxby TS. Results of isolated Lisfranc injuries and the effect of compensation claims. *J Bone Joint Surg Br.* 2004;86(4):527-530.
140. Gaweda K, Tarczynska M, Modrzewski K, Turzanska K. An analysis of pathomorphic forms and diagnostic difficulties in tarso-metatarsal joint injuries. *Int Orthop.* 2008;32(5):705-710. Epub 2007 Jun 15.
141. Chilvers M, Donahue M, Nassar L, Manoli A 2nd. Foot and ankle injuries in elite female gymnasts. *Foot Ankle Int.* 2007;28(2):214-218.
142. Kuo RS, Tejwani NC, Digiovanni CW, et al. Outcome after open reduction and internal fixation of Lisfranc joint injuries. *J Bone Joint Surg Am.* 2000;82-A(11):1609-1618.
143. Richter M, Wippermann B, Krettek C, Schratt HE, Hufner T, Therman H. Fractures and fracture dislocations of the midfoot: occurrence, causes and long-term results. *Foot Ankle Int.* 2001;22(5):392-398.
144. Coetzee JC. Making sense of lisfranc injuries. *Foot Ankle Clin.* 2008;13(4):695-704, ix. doi: 10.1016/j.fcl.2008.07.001.
145. Garras DN, Raikin SM, Bhat SB, Taweel N, Karanjia H. MRI is unnecessary for diagnosing acute Achilles tendon ruptures: clinical diagnostic criteria. *Clin Orthop Relat Res.* 2012;470(8):2268-2273. doi: 10.1007/s11999-012-2355-y. Epub 2012 Apr 27.
146. Hando BR, Gill NW, Walker MJ, Garber M. Short- and long-term clinical outcomes following a standardized protocol of orthopedic manual physical therapy and exercise in individuals with osteoarthritis of the hip: a case series. *J Man Manip Ther.* 2012;20(4):192-200. doi: 10.1179/2042618612Y.0000000013.
147. Horstmann T, Lukas C, Merk J, Brauner T, Mundermann A. Deficits 10-years after Achilles tendon repair. *Int J Sports Med.* 2012;33(6):474-479. doi: 10.1055/s-0032-1301932. Epub 2012 Apr 12.
148. Jiang N, Wang B, Chen A, Dong F, Yu B. Operative versus nonoperative treatment for acute Achilles tendon rupture: a meta-analysis based on current evidence. *Int Orthop.* 2012;36(4):765-773. doi: 10.1007/s00264-011-1431-3. Epub 2011 Dec 9.
149. Kongsgaard M, Aagaard P, Kjaer M, Magnusson SP. Structural Achilles tendon properties in athletes subjected to different exercise modes and in Achilles tendon rupture patients. *J Appl Physiol (1985).* 2005;99(5):1965-1971. Epub 2005 Aug 4.
150. Maffulli N, Longo UG, Maffulli GD, Khanna A, Denaro V. Achilles tendon ruptures in elite athletes. *Foot Ankle Int.* 2011;32(1):9-15. doi: 10.3113/FAI.2011.0009.
151. Maquirriain J. Achilles tendon rupture: avoiding tendon lengthening during surgical repair and rehabilitation. *Yale J Biol Med.* 2011;84(3):289-300.

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

152. Clayton RA, Court-Brown CM. The epidemiology of musculoskeletal tendinous and ligamentous injuries. *Injury.* 2008;39(12):1338-1344. doi: 10.1016/j.injury.2008.06.021. Epub 2008 Nov 25.
153. Costa ML, MacMillan K, Halliday D, et al. Randomised controlled trials of immediate weight-bearing mobilisation for rupture of the tendo Achillis. *J Bone Joint Surg Br.* 2006;88(1):69-77.
154. Deangelis JP, Wilson KM, Cox CL, Diamond AB, Thomson AB. Achilles tendon rupture in athletes. *J Surg Orthop Adv.* 2009;18(3):115-121.
155. Suchak AA, Bostick G, Reid D, Blitz S, Jomha N. The incidence of Achilles tendon ruptures in Edmonton, Canada. *Foot Ankle Int.* 2005;26(11):932-936.
156. White DW, Wenke JC, Mosely DS, Mountcastle SB, Basamania CJ. Incidence of major tendon ruptures and anterior cruciate ligament tears in US Army soldiers. *Am J Sports Med.* 2007;35(8):1308-1314. Epub 2007 Apr 27.
157. Asplund CA, Best TM. Achilles tendon disorders. *BMJ.* 2013;346:f1262. doi: 10.1136/bmj.f1262.
158. Rompe JD, Furia JP, Maffulli N. Mid-portion Achilles tendinopathy--current options for treatment. *Disabil Rehabil.* 2008;30(20-22):1666-1676. doi: 10.1080/09638280701785825.
159. Mortensen HM, Skov O, Jensen PE. Early motion of the ankle after operative treatment of a rupture of the Achilles tendon. A prospective, randomized clinical and radiographic study. *J Bone Joint Surg Am.* 1999;81(7):983-990.
160. Strom AC, Casillas MM. Achilles tendon rehabilitation. *Foot Ankle Clin.* 2009;14(4):773-782. doi: 10.1016/j.fcl.2009.08.003.
161. Godbout C, Ang O, Frenette J. Early voluntary exercise does not promote healing in a rat model of Achilles tendon injury. *J Appl Physiol (1985).* 2006;101(6):1720-1726. Epub 2006 Aug 17.
162. Kraemer R, Wuerfel W, Lorenzen J, Busche M, Vogt PM, Knobloch K. Analysis of hereditary and medical risk factors in Achilles tendinopathy and Achilles tendon ruptures: a matched pair analysis. *Arch Orthop Trauma Surg.* 2012;132(6):847-853. doi: 10.1007/s00402-012-1476-9. Epub 2012 Feb 17.
163. Kearney RS, Costa ML. Current concepts in the rehabilitation of an acute rupture of the tendo Achillis. *J Bone Joint Surg Br.* 2012;94(1):28-31. doi: 10.1302/0301-620X.94B1.28008.
164. Owens B, Mountcastle S, White D. Racial differences in tendon rupture incidence. *Int J Sports Med.* 2007;28(7):617-620. Epub 2007 Mar 15.
165. Soroceanu A, Sidhwa F, Aarabi S, Kaufman A, Glazebrook M. Surgical versus nonsurgical treatment of acute Achilles tendon rupture: a meta-analysis of randomized trials. *J Bone Joint Surg Am.* 2012;94(23):2136-2143. doi: 10.2106/JBJS.K.00917.
166. Silbernagel KG, Steele R, Manal K. Deficits in heel-rise height and achilles tendon elongation occur in patients recovering from an Achilles tendon rupture. *Am J Sports Med.* 2012;40(7):1564-1571. doi: 10.1177/0363546512447926. Epub 2012 May 16.
167. Bostick GP, Jomha NM, Suchak AA, Beaupré LA. Factors associated with calf muscle endurance recovery 1 year after achilles tendon rupture repair. *J Orthop Sports Phys Ther.* 2010;40(6):345-351. doi: 10.2519/jospt.2010.3204.
168. Bressel E, Larsen BT, McNair PJ, Cronin J. Ankle joint proprioception and passive mechanical properties of the calf muscles after an Achilles tendon rupture: a comparison with matched controls. *Clin Biomech (Bristol, Avon).* 2004;19(3):284-291.
169. Sorrenti SJ. Achilles tendon rupture: effect of early mobilization in rehabilitation after surgical repair. *Foot Ankle Int.* 2006;27(6):407-410.
170. Bring D, Reno C, Renstrom P, Salo P, Hart D, Ackermann P. Prolonged immobilization compromises up-regulation of repair genes after tendon rupture in a rat model. *Scand J Med Sci Sports.* 2010;20(3):411-417. doi: 10.1111/j.1600-0838.2009.00954.x. Epub 2009 Jul 2.
171. Suchak AA, Spooner C, Reid DC, Jomha NM. Postoperative rehabilitation protocols for Achilles tendon ruptures: a meta-analysis. *Clin Orthop Relat Res.* 2006;445:216-221.
172. Kangas J, Pajala A, Ohtonen P, Leppilahti J. Achilles tendon elongation after rupture repair: a randomized comparison of 2 postoperative regimens. *Am J Sports Med.* 2007;35(1):59-64. Epub 2006 Sep 14.
173. Suchak AA, Bostick GP, Beaupre LA, Durand DC, Jomha NM. The influence of early weight-bearing compared with non-weight-bearing after surgical repair of the Achilles tendon. *J Bone Joint Surg Am.* 2008;90(9):1876-1883. doi: 10.2106/JBJS.G.01242.
174. Mullaney M, Tyler TF, McHugh M, et al. Electromyographic analysis of the triceps surae muscle complex during achilles tendon rehabilitation program exercises. *Sports Health.* 2011;3(6):543-546.

Orthopaedic Section, APTA, Inc.
Downloaded from www.orthoptlearn.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.