

# CLINICAL IMAGING

Basic Diagnostic Imaging Principles

Independent Study Course 27.3.1

Ira Gorman, PT, PhD, MSPH

Regis University  
Denver, CO

Orthopaedic Section, APTA, Inc.  
Downloaded from www.orthopaedic.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.  
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC  
SECTION



APTA  
American Physical Therapy Association

## REFERENCES

- Dinny P. More than a uniform: the military model of physical therapy. *PT Magazine*. 1995;3:40-48.
- American Physical Therapy Association. Diagnosis By Physical Therapists. In: APTA, ed. *Vol HOD P06-12-10-10 [Amended HOD P06-08-06-07; HOD P06-09-06-19; HOD 06-05-12-07; HOD 06-04-22-35; Initial HOD 06-04-19-78] [Position]* 2012.
- Whittaker JL, Teyhen DS, Elliott JM, et al. Rehabilitative ultrasound imaging: understanding the technology and its applications. *J Orthop Sports Phys Ther*. 2007;37(8):434-449.
- Hazle C, White DM, Kirsch N, Keil A. *Diagnostic And Procedural Imaging in Physical Therapist Practice*. Orthopaedic Section, APTA, Inc.; 2016.
- American Physical Therapy Association. Direct Access at the State level. 2016; <http://www.apta.org/StateIssues/DirectAccess/>. Accessed January 1, 2017.
- McKinnis LN. *Fundamentals of Musculoskeletal Imaging*. 4th ed. Philadelphia, PA: F.A. Davis Company; 2014.
- Malone T, Hazle C, Grey M. *Imaging in Rehabilitation*. New York, NY: McGraw Hill; 2008.
- Chan O, Touquet R. General Principles: How to Interpret Radiographs. In: Chan O. *ABC of Emergency Radiology*. Malden, MA: Blackwell Publishing; 2007.
- Richardson J, Iglarsh Z. *Clinical Orthopaedic Physical Therapy*. Philadelphia, PA: WB Saunders; 1994.
- Mubarak SJ, Kim JR, Edmonds EW, Pring ME, Bastrom TP. Classification of proximal tibial fractures in children. *J Child Orthop*. 2009;3(3):191-197. doi: 10.1007/s11832-009-0167-8. Epub 2009 Mar 17.
- Agustsson H. Computed Tomography. In: McKinnis LN, ed. *Fundamentals of Musculoskeletal Imaging*. 4th ed. Philadelphia, PA: F.A. Davis; 2014.
- Brooks RA. A quantitative theory of the Hounsfield unit and its application to dual energy scanning. *J Comput Assist Tomogr*. 1977;1(4):487-493.
- Brenner DJ, Hall EJ. Computed tomography—an increasing source of radiation exposure. *N Engl J Med*. 2007;357(22):2277-2284.
- Bille B, Harley B, Cohen H. A comparison of CT arthrography of the wrist to findings during wrist arthroscopy. *J Hand Surg Am*. 2007;32(6):834-841.
- Adams HP Jr, Del Zoppo G, Alberts MJ, et al. Guidelines for the early management of adults with ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular Disease and Quality of Care Outcomes in Research Interdisciplinary Working Groups: The American Academy of Neurology affirms the value of this guideline as an educational tool for neurologists. *Circulation*. 2007;115(20):e478-e534.
- Wolfman NT, Bechtold RE, Scharling ES, Meredith JW. Blunt upper abdominal trauma: evaluation by CT. *AJR Am J Roentgenol*. 1992;158(3):493-501.
- Marchiori D. *Clinical Imaging: With Skeletal, Chest and Abdomen Pattern Differentials*. St. Louis, MO: Elsevier Health Sciences; 2004.
- Elliott JM, Flynn TW, Al-Najjar A, Press J, Nguyen B, Noteboom JT. The pearls and pitfalls of magnetic resonance imaging for the spine. *J Orthop Sports Phys Ther*. 2011;41(11):848-860. doi: 10.2519/jospt.2011.3636. Epub 2011 Oct 31.
- Beattie PF, Meyers SP. Magnetic resonance imaging in low back pain: general principles and clinical issues. *Phys Ther*. 1998;78(7):738-753.
- Helms CA, Major NM, Anderson MW, Kaplan P, Dussault R. *Musculoskeletal MRI*, 2<sup>nd</sup> ed. Philadelphia, PA: Elsevier Health Sciences; 2008.
- Okuda T, Korogi Y, Shigematsu Y, et al. Brain lesions: when should fluid-attenuated inversion-recovery sequences be used in MR evaluation? *Radiology*. 1999;212(3):793-798.
- Hagmann P, Jonasson L, Maeder P, Thiran JP, Wedeen VJ, Meuli R. Understanding diffusion MR imaging techniques: from scalar diffusion-weighted imaging to diffusion tensor imaging and beyond. *Radiographics*. 2006;26(suppl 1):S205-S223.
- Beattie PF. Diffusion-weighted magnetic resonance imaging of the musculoskeletal system: an emerging technology with potential to impact clinical decision making. *J Orthop Sports Phys Ther*. 2011;41(11):887-895. doi: 10.2519/jospt.2011.3744. Epub 2011 Sep 4.
- Beattie PF, Morgan PS, Peters D. Diffusion-weighted magnetic resonance imaging of normal and degenerative lumbar intervertebral discs: a new method to potentially quantify the physiologic effect of physical therapy intervention. *J Orthop Sports Phys Ther*. 2008;38(2):42-49. doi: 10.2519/jospt.2008.2631. Epub 2007 Sep 21.
- Elliott J, Pedler A, Beattie P, McMahon K. Diffusion-weighted magnetic resonance imaging for the healthy cervical multifidus: a potential method for studying neck muscle physiology following spinal trauma. *J Orthop Sports Phys Ther*. 2010;40(11):722-728. doi: 10.2519/jospt.2010.3423.
- Beattie PF, Meyers SP, Stratford P, Millard RW, Hollenberg GM. Associations between patient report of symptoms and anatomic impairment visible on lumbar magnetic resonance imaging. *Spine (Phila Pa 1976)*. 2000;25(7):819-828.
- Teyhen D. Rehabilitative Ultrasound Imaging Symposium, San Antonio, Texas, May 8-10, 2006. *J Orthop Sports Phys Ther*. 2006;36(8):A1-A3.
- Potter CL, Cairns MC, Stokes M. Use of ultrasound imaging by physiotherapists: a pilot study to survey use, skills and training. *Man Ther*. 2012;17(1):39-46. doi: 10.1016/j.math.2011.08.005. Epub 2011 Sep 28.
- Special Issue: Ultrasound Imaging. *J Orthop Sports Phys Ther*. 2007;37(8).
- Special Issue: Ultrasound Imaging. *J Orthop Sports Phys Ther*. 2007;37(10).
- Beggs I. Ultrasound of the shoulder and elbow. *Orthop Clin North Am*. 2006;37(3):277-285.
- Al-Shawi A, Badge R, Bunker T. The detection of full thickness rotator cuff tears using ultrasound. *J Bone Joint Surg Br*. 2008;90(7):889-892. doi: 10.1302/0301-620X.90B7.20481.
- Hides J, Stokes M, Saide M, Jull G, Cooper D. Evidence of lumbar multifidus muscle wasting ipsilateral to symptoms in patients with acute/subacute low back pain. *Spine(Phila Pa 1976)*. 1994;19(2):165-172.
- Stokes M, Hides J, Elliott J, Kiesel K, Hodges P. Rehabilitative ultrasound imaging of the posterior paraspinal muscles. *J Orthop Sports Phys Ther*. 2007;37(10):581-595.
- Hides JA, Richardson CA, Jull GA. Use of real-time ultrasound imaging for feedback in rehabilitation. *Man Ther*. 1998;3(3):125-131.
- Kremkau F. *Diagnostic Ultrasound: Principles and Instruments*. Philadelphia, PA: WB Saunders Company; 2002.
- Kneffel Z, Horváth P, Petrekanits M, Németh H, Sidó Z, Pavlik G. Relationship between relative aerobic power and echocardiographic characteristics in male athletes. *Echocardiography*. 2007;24(9):901-910.
- Pavlik G, Olexó Z, Osváth P, Sidó Z, Frenkl R. Echocardiographic characteristics of male athletes of different age. *Br J Sports Med*. 2001;35(2):95-99.
- Sapsford RR, Hodges PW. Contraction of the pelvic floor muscles during abdominal maneuvers. *Arch Phys Med Rehabil*. 2001;82(8):1081-1088.
- McMeeken JM, Beith ID, Newham DJ, Milligan P, Critchley DJ. The relationship between EMG and change in thickness of transversus abdominis. *Clin Biomech (Bristol, Avon)*. 2004;19(4):337-342.
- Trusen A, Beissert M, Hahn D. Color Doppler US findings in the diagnosis of arterial occlusive disease of the lower limb. *Acta Radiol*. 2003;44(4):411-418.
- Manco L, Berlow M. Meniscal tears—comparison of arthrography, CT, and MRI. *Crit Rev Diagn Imaging*. 1989;29(2):151-179.
- Hintze H, Wiese M, Wenzel A. Cone beam CT and conventional tomography for the detection of morphological temporomandibular joint changes. *Dentomaxillofac Radiol*. 2007;36(4):192-197.



44. Cherry SR, Sorenson JA, Phelps ME. *Physics in Nuclear Medicine*, 4th ed. Philadelphia, PA: Elsevier Health Sciences; 2012.
45. Mettler FA Jr, Huda W, Yoshizumi TT, Mahesh M. Effective doses in radiology and diagnostic nuclear medicine: a catalog. *Radiology*. 2008;248(1):254-263. doi: 10.1148/radiol.2481071451.
46. Ringer R, Wertli M, Bachmann LM, Buck FM, Brunner F. Concordance of qualitative bone scintigraphy results with presence of clinical complex regional pain syndrome 1: meta-analysis of test accuracy studies. *Eur J Pain*. 2012;16(10):1347-1356. doi: 10.1002/j.1532-2149.2012.00137.x. Epub 2012 Apr 4.
47. Mariani G, Bruselli L, Kuwert T, et al. A review on the clinical uses of SPECT/CT. *Eur J Nucl Med Mol Imaging*. 2010;37(10):1959-1985. doi: 10.1007/s00259-010-1390-8. Epub 2010 Feb 25.
48. Shimada H, Kimura Y, Lord SR, et al. Comparison of regional lower limb glucose metabolism in older adults during walking. *Scand J Med Sci Sports*. 2009;19(3):389-397. doi: 10.1111/j.1600-0838.2008.00799.x. Epub 2009 Apr 24.
49. Oi N, Iwaya T, Itoh M, Yamaguchi K, Tobimatsu Y, Fujimoto T. FDG-PET imaging of lower extremity muscular activity during level walking. *J Orthop Sci*. 2003;8(1):55-61.
50. Andersen KF, Jensen KE, Loft A. PET/MR imaging in musculoskeletal disorders. *PET Clin*. 2016;11(4):453-463. doi: 10.1016/j.cpet.2016.05.007.
51. Huettel SA, Song AW, McCarthy G. *Functional Magnetic Resonance Imaging*. Sunderland, MA: Sinauer Associates; 2004.
52. Ries E. The State(s) of Direct Access. *PT in Motion*: APTA; 2016.
53. Stiell IG, Clement CM, McKnight RD, et al. The Canadian C-spine rule versus the NEXUS low-risk criteria in patients with trauma. *N Engl J Med*. 2003;349(26):2510-2518.
54. Brand DA, Frazier WH, Kohlhepp WC, et al. A protocol for selecting patients with injured extremities who need x-rays. *N Engl J Med*. 1982;306(6):333-339.
55. Straus SE, Richardson WS, Glasziou P, Haynes RB. *Evidence-based Medicine: How to Practice and Teach It*. 3rd ed. London, UK: Churchill Livingstone Elsevier; 2005.
56. Cleland J. *Orthopaedic Clinical Examination: an Evidence-based Approach for Physical Therapists*. Philadelphia, PA: Saunders; 2005.
57. Hayden SR, Brown MD. Likelihood ratio: a powerful tool for incorporating the results of a diagnostic test into clinical decisionmaking. *Ann Emerg Med*. 1999;33(5):575-580.
58. Stiell IG, McKnight RD, Greenberg GH, et al. Implementation of the Ottawa ankle rules. *JAMA*. 1994;271(11):827-832.
59. Stiell IG, Greenberg GH, McKnight RD, Nair RC, McDowell I, Worthington JR. A study to develop clinical decision rules for the use of radiography in acute ankle injuries. *Ann Emerg Med*. 1992;21(4):384-390.
60. Leddy JJ, Smolinski RJ, Lawrence J, Snyder JL, Priore RL. Prospective evaluation of the Ottawa Ankle Rules in a university sports medicine center with a modification to increase specificity for identifying malleolar fractures. *Am J Sports Med*. 1998;26(2):158-165.
61. Stiell IG, Wells GA, Hoag RH, et al. Implementation of the Ottawa Knee Rule for the use of radiography in acute knee injuries. *JAMA*. 1997;278(23):2075-2079.
62. Bachmann LM, Haberbeth S, Steurer J, ter Riet G. The accuracy of the Ottawa knee rule to rule out knee fractures: a systematic review. *Ann Intern Med*. 2004;140(2):121-124.
63. Hawley C, Rosenblatt R. Ottawa and Pittsburgh rules for acute knee injuries. *J Fam Pract*. 1998;47(4):254-255.
64. Tandeter HB, Shvartzman P. Acute knee injuries: use of decision rules for selective radiograph ordering. *Am Fam Physician*. 1999;60(9):2599-2608.
65. Hoffman JR, Wolfson AB, Todd K, Mower WR. Selective cervical spine radiography in blunt trauma: methodology of the National Emergency X-Radiography Utilization Study (NEXUS). *Ann Emerg Med*. 1998;32(4):461-469.
66. Hoffman JR, Mower WR, Wolfson AB, Todd KH, Zucker MI. Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. *N Engl J Med*. 2000;343(2):94-99.
67. Stiell IG, Wells GA, Vandemheen KL, et al. The Canadian C-spine rule for radiography in alert and stable trauma patients. *JAMA*. 2001;286(15):1841-1848.
68. Blackmore CC, Medina LS. Evidence-based radiology and the ACR Appropriateness Criteria. *J Am Coll Radiol*. 2006;3(7):505-509.
69. American College of Radiology. ACR Appropriateness Criteria®. <https://acsearch.acr.org/list>. Accessed January 1, 2017.
70. National Guideline Clearinghouse. ACR Appropriateness Criteria®; acute trauma to the ankle. <https://www.guideline.gov/summaries/summary/48284/acr-appropriateness-criteria--acute-trauma-to-the-ankle>. Accessed on March 13, 2017.
71. Moore JH, McMillian DJ, Rosenthal MD, Weishaar MD. Risk determination for patients with direct access to physical therapy in military health care facilities. *J Orthop Sports Phys Ther*. 2005;35(10):674-678.
72. Desmeules F, Toliopoulos P, Roy JS, et al. Validation of an advanced practice physiotherapy model of care in an orthopaedic outpatient clinic. *BMC Musculoskelet Disord*. 2013;14:162. doi: 10.1186/1471-2474-14-162
73. Daker-White G, Carr AJ, Harvey I, et al. A randomised controlled trial. Shifting boundaries of doctors and physiotherapists in orthopaedic outpatient departments. *J Epidemiol Community Health*. 1999;53(10):643-650.
74. Walker S. Governor Walker Signs Seven Bills Into Law. <http://walker.wi.gov/newsroom/press-release/governor-walker-signs-seven-bills-law>. Accessed January 14, 2017.
75. Colorado Physical Therapy Practice Act. CRS Title 12 Article 41. 2011.
76. Relating to: the authority of physical therapists to order X-rays and granting rule-making authority. (FE). In: Legislature WS, ed. *448.56 (7)2016*.
77. Boyles RE, Gorman I, Pinto D, Ross MD. Physical therapist practice and the role of diagnostic imaging. *J Orthop Sports Phys Ther*. 2011;41(11):829-837. doi: 10.2519/jospt.2011.3556. Epub 2011 Oct 31.
78. Greathouse DG, Schreck RC, Benson CJ. The United States Army physical therapy experience: evaluation and treatment of patients with neuromusculoskeletal disorders. *J Orthop Sports Phys Ther*. 1994;19(5):261-266.
79. Boissonnault WG, White DM, Carney S, Malin B, Smith W. Diagnostic and procedural imaging curricula in physical therapist professional degree programs. *J Orthop Sports Phys Ther*. 2014;44(8):579-586, B1-12. doi: 10.2519/jospt.2014.5379. Epub 2014 Jun 23.
80. Keil A, Brown SR. US hospital-based direct access with radiology referral: an administrative case report. *Physiother Theory Pract*. 2015;31(8):594-600. doi: 10.3109/09593985.2015.1060658. Epub 2015 Oct 9.
81. Stiell IG, Greenberg GH, McKnight RD, Wells GA. Ottawa ankle rules for radiography of acute injuries. *N Z Med J*. 1995;108(996):111.
82. Binkley JM, Stratford PW, Lott SA, Riddle DL. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. North American Orthopaedic Rehabilitation Research Network. *Phys Ther*. 1999;79(4):371-383.
83. Seidenwurm DJ, Wippold FJ 2nd, Cornelius RS, et al. ACR Appropriateness Criteria® Myelopathy. *J Am Coll Radiol*. 2012;9(5):315-324. doi: 10.1016/j.jacr.2012.01.010.
84. Duchesneau S, Fallat LM. The Maisonneuve fracture. *J Foot Ankle Surg*. 1995;34(5):422-428.
85. Patton A, Bourne J, Theis JC. Patterns of lower limb fractures sustained during snowsports in Otago, New Zealand. *N Z Med J*. 2010;123(1316):20-25.