

FRONTIERS IN ORTHOPAEDIC SCIENCE

The Science of Neuromuscular Healing

Independent Study Course 27.4.1

Andrew Piraino, PT, DPT, OCS, CSCS

Division of Biokinesiology and Physical Therapy
Herman Ostrow School of Dentistry
University of Southern California
Los Angeles, California

Select Physical Therapy
Pasadena, Texas



Orthopaedic Section, APTA, Inc.
Downloaded from www.orthopteam.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC
SECTION



APTA
American Physical Therapy Association

REFERENCES

1. Pelletier R, Higgins J, Bourbonnais D. Addressing neuroplastic changes in distributed areas of the nervous system associated with chronic musculoskeletal disorders. *Phys Ther.* 2015;95(11):1582-1591. doi: 10.2522/ptj.20140575.
2. Stanton TR, Hancock MJ, Christopher G, Koes BW. Critical appraisal of clinical prediction rules that aim to optimize treatment selection for musculoskeletal conditions. *Phys Ther.* 2010;90(6):843-854. doi:10.2522/ptj.20090233.
3. Childs J, Fritz J, Flynn T, et al. A clinical prediction rule to identify patients with low back pain most likely to benefit from spinal manipulation: A validation study. *Ann Intern Med.* 2004;141(12):920-928. doi:10.7326/0003-4819-141-12-200412210-00008.
4. Bialosky JE, George SZ, Bishop MD. How spinal manipulative therapy works: why ask why? *J Orthop Sports Phys Ther.* 2008;38(6):293-295. doi:10.2519/jospt.2008.0118.
5. Krafts KP. Tissue repair: The hidden drama. *Organogenesis.* 2010;6(4):225-233. doi:10.4161/org6.4.12555.
6. Beldon P. Basic science of wound healing. *Surgery (Oxford).* 2010;28(9):409-412. doi:10.1016/j.mpsur.2010.05.007.
7. Broughton G, Janis JE, Attinger CE. The basic science of wound healing. *Plast Reconstr Surg.* 2006;117(7 Suppl):12S-34S. doi:10.1097/01.prs.0000225430.42531.c2.
8. Reinke JM, Sorg H. Wound repair and regeneration. *Eur Surg Res.* 2012;49(1):35-43. doi:10.1159/000339613.
9. Harper D, Young A, McNaught CE. The physiology of wound healing. *Surgery (Oxford).* 2014;32(9):445-450. doi:10.1016/j.mpsur.2014.06.010.
10. Furie B, Furie BC. Mechanisms of thrombus formation. *N Engl J Med.* 2008;359(9):938-949. doi:10.1056/NEJM-ra0801082.
11. Gailani D, Renné T. Intrinsic pathway of coagulation and arterial thrombosis. *Arterioscler Thromb Vasc Biol.* 2007;27(12):2507-2513. doi:10.1161/ATVBAHA.107.155952.
12. Ferreira CN, de Sousa MO, Dusse L, Carvalho MG. A cell-based model of coagulation and its implications. *Rev Bras Hematol Hemoter.* 2010;32(5):416-421. doi:10.1590/S1516-84842010000500016.
13. Li J, Chen J, Kirsner R. Pathophysiology of acute wound healing. *Clin Dermatol.* 2007;25(1):9-18. doi:10.1016/j.clindermatol.2006.09.007.
14. Walsh TG, Metharom P, Berndt MC. The functional role of platelets in the regulation of angiogenesis. *Platelets.* 2015;26(3):199-211. doi:10.3109/09537104.2014.909022.
15. Mackman N, Tilley RE, Key NS. Role of the extrinsic pathway of blood coagulation in hemostasis and thrombosis. *Arterioscler Thromb Vasc Biol.* 2007;27(8):1687-1693. doi:10.1161/ATVBAHA.107.141911.
16. Undas A, Ariëns RA. Fibrin clot structure and function: A role in the pathophysiology of arterial and venous thromboembolic diseases. *Arterioscler Thromb Vasc Biol.* 2011;31(12):e88-99. doi:10.1161/ATVBAHA.111.230631.
17. Zielins ER, Atashroo DA, Maan ZN, et al. Wound healing: An update. *Regen Med.* 2014;9(6):817-830. doi: 10.2217/rme.14.54.
18. Tonnesen MG, Feng X, Clark RA. Angiogenesis in wound healing. *J Invest Dermatol Symp Proc.* 2000;5(1):40-46. doi:10.1046/j.1087-0024.2000.00014.x.
19. Blair P, Flaumenhaft R. Platelet Alpha-granules: Basic biology and clinical correlates. *Blood Rev.* 2009;23(4):177-189. doi:10.1016/j.blre.2009.04.001.
20. Saran U, Gemini Piperni S, Chatterjee S. Role of angiogenesis in bone repair. *Arch Biochem Biophys.* 2014;561:109-117. doi:10.1016/j.abb.2014.07.006.
21. Ricciotti E, FitzGerald GA. Prostaglandins and inflammation. *Arterioscler Thromb Vasc Biol.* 2011;31(5):986-1000. doi:10.1161/ATVBAHA.110.207449.
22. Bratton DL, Henson PM. Neutrophil clearance: When the party is over, clean-up begins. *Trends Immunol.* 2011;32(8):350-357. doi:10.1016/j.it.2011.04.009.
23. Novak ML, Koh TJ. Macrophage phenotypes during tissue repair. *J Leukoc Biol.* 2013;93(6):875-881. doi:10.1189/jlb.1012512.
24. Fox S, Leitch AE, Duffin R, Haslett C, Rossi AG. Neutrophil apoptosis: relevance to the innate immune response and inflammatory disease. *J Innate Immun.* 2010;2(3):216-227. doi:10.1159/000284367.

25. Koh TJ, DiPietro LA. Inflammation and wound healing: the role of the macrophage. *Expert Rev Mol Med*. 2011;13:e23. doi:10.1017/S1462399411001943.
26. Daley JM, Reichner JS, Mahoney EJ, et al. Modulation of macrophage phenotype by soluble product(s) released from neutrophils. *J Immunol*. 2005;174(4):2265-2272. doi:10.4049/jimmunol.174.4.2265.
27. Das A, Sinha M, Datta S, et al. Monocyte and macrophage plasticity in tissue repair and regeneration. *Am J Pathol*. 2015;185(10):2596-2606. doi:10.1016/j.ajpath.2015.06.001.
28. Fadok VA, Bratton DL, Konowal A, Freed PW, Westcott JY, Henson PM. Macrophages that have ingested apoptotic cells in vitro inhibit proinflammatory cytokine production through autocrine/paracrine mechanisms involving TGF-beta, PGE2, and PAF. *J Clin Invest*. 1998;101(4):890-898. doi:10.1172/JCI1112.
29. Fullerton JN, O'Brien AJ, Gilroy DW. Pathways mediating resolution of inflammation: when enough is too much. *J Pathol*. 2013;231(1):8-20. doi:10.1002/path.4232.
30. Ginhoux F, Schultze JL, Murray PJ, Ochando J, Biswas SK. New insights into the multidimensional concept of macrophage ontogeny, activation and function. *Nat Immunol*. 2016;17(1):34-40. doi:10.1038/ni.3324.
31. Greaves NS, Ashcroft KJ, Baguneid M, Bayat A. Current understanding of molecular and cellular mechanisms in fibroplasia and angiogenesis during acute wound healing. *J Dermatol Sci*. 2013;72(3):206-217. doi:10.1016/j.jdermsci.2013.07.008.
32. Martínez CE, Smith PC, Palma Alvarado VA. The influence of platelet-derived products on angiogenesis and tissue repair: a concise update. *Front Physiol*. 2015;6:290. doi:10.3389/fphys.2015.00290.
33. Darby IA, Laverdet B, Bonté F, Desmoulière A. Fibroblasts and myofibroblasts in wound healing. *Clin Cosmet Investig Dermatol*. 2014;7:301-311. doi:10.2147/CCID.S50046.
34. Tschumperlin DJ. Fibroblasts and the ground they walk on. *Physiology (Bethesda)*. 2013;28(6):380-390. doi:10.1152/physiol.00024.2013.
35. Caseiro AR, Pereira T, Ivanova G, Luís AL, Maurício AC. Neuromuscular regeneration: Perspective on the application of mesenchymal stem cells and their secretion products. *Stem Cells Int*. 2016;2016:9756973. doi:10.1155/2016/9756973.
36. Scheib J, Höke A. Advances in peripheral nerve regeneration. *Nat Rev Neurol*. 2013;9(12):668-676. doi:10.1038/nrneurol.2013.227.
37. Faroni A, Mobasser SA, Kingham PJ, Reid AJ. Peripheral nerve regeneration: experimental strategies and future perspectives. *Adv Drug Deliv Rev*. 2015;82:160-167. doi:10.1016/j.addr.2014.11.010.
38. Christie KJ, Zochodne D. Peripheral axon regrowth: new molecular approaches. *Neuroscience*. 2013;240:310-324. doi:10.1016/j.neuroscience.2013.02.059.
39. Chan KM, Gordon T, Zochodne DW, Power HA. Improving peripheral nerve regeneration: from molecular mechanisms to potential therapeutic targets. *Exp Neurol*. 2014;261:826-835. doi:10.1016/j.expneurol.2014.09.006.
40. Sharma P, Maffulli N. Tendon injury and tendinopathy: healing and repair. *J Bone Joint Surg Am*. 2005;87(1):187-202. doi:10.2106/JBJS.D.01850.
41. Kulig K, Chang YJ, Winiarski S, Bashford GR. Ultrasound-based tendon micromorphology predicts mechanical characteristics of degenerated tendons. *Ultrasound Med Biol*. 2015;42(3):664-673. doi:10.1016/j.ultrasmed-bio.2015.11.013.
42. Oishi T, Uezumi A, Kanaji A, et al. Osteogenic differentiation capacity of human skeletal muscle-derived progenitor cells. *PLoS One*. 2013;8(2):e56641. doi:10.1371/journal.pone.0056641.
43. Järvinen TA, Järvinen TL, Kääriäinen M, Kalimo H, Järvinen M. Muscle injuries: biology and treatment. *Am J Sports Med*. 2005;33(5):745-764. doi:10.1177/0363546505274714.
44. Huard J, Li Y, Fu FH. Muscle injuries and repair: current trends in research. *J Bone Joint Surg Am*. 2002;84-A(5):822-832.
45. Prisk V, Huard J. Muscle injuries and repair: the role of prostaglandins and inflammation. *Histol Histopathol*. 2003;18(4):1243-1256.
46. Fu X, Wang H, Hu P. Stem cell activation in skeletal muscle regeneration. *Cell Mol Life Sci*. 2015;72(9):1663-1677. doi:10.1007/s00018-014-1819-5.
47. Krüger K, Pilat C, Schild M, et al. Progenitor cell mobilization after exercise is related to systemic levels of G-CSF and muscle damage. *Scand J Med Sci Sports*. 2015;25(3):e283-e291. doi:10.1111/sms.12320.
48. Aurora AB, Olson EN. Immune modulation of stem cells and regeneration. *Cell Stem Cell*. 2014;15(1):14-25. doi:10.1016/j.stem.2014.06.009.
49. Garg K, Boppart MD. Influence of exercise and aging on extracellular matrix composition in the skeletal muscle stem cell niche. *J Appl Physiol (1985)*. 2016;121(5):1053-1058. doi:10.1152/jappphysiol.00594.2016.
50. Woolf AD, Pflieger B. Burden of major musculoskeletal conditions. *Bull World Health Organ*. 2003;81(9):646-656. doi:10.1590/S0042-96862003000900007.
51. Temple S. The development of neural stem cells. *Nature*. 2001;414(6859):112-117. doi:10.1038/35102174.
52. McKay R. Stem cells in the central nervous system. *Science*. 1997;276(5309):66-71. doi:10.1126/science.276.5309.66.
53. Bi Y, Ehrlich D, Kilts TM, et al. Identification of tendon stem/progenitor cells and the role of the extracellular matrix in their niche. *Nat Med*. 2007;13(10):1219-1227. doi:10.1038/nm1630.
54. Scharner J, Zammit PS. The muscle satellite cell at 50: the formative years. *Skelet Muscle*. 2011;1(1):28. doi:10.1186/2044-5040-1-28.
55. Liu X, Chen W, Zhou Y, Tang K, Zhang J. Mechanical tension promotes the osteogenic differentiation of rat tendon-derived stem cells through the Wnt5a/Wnt5b/JNK signaling pathway. *Cell Physiol Biochem*. 2015;36(2):517-530. doi:10.1159/000430117.
56. Best TM, Gharaibeh B, Huard J. Stem cells, angiogenesis and muscle healing: a potential role in massage therapies? *Br J Sports Med*. 2013;47(9):556-560. doi:10.1136/bjsports-2012-091685.
57. Guo S, DiPietro LA. Factors affecting wound healing. *J Dent Res*. 2010;89(3):219-229. doi:10.1177/0022034509359125.
58. Lui PP, Chan KM. Tendon-derived stem cells (TDSCs): from basic science to potential roles in tendon pathology and tissue engineering applications. *Stem Cell Rev*. 2011;7(4):883-897. doi:10.1007/s12015-011-9276-0.
59. Lui PP. Identity of tendon stem cells - how much do we know? *J Cell Mol Med*. 2013;17(1):55-64. doi:10.1111/jcmm.12007.
60. Quintero AJ, Wright VJ, Fu FH, Huard J. Stem cells for the treatment of skeletal muscle injury. *Clin Sports*

- Med. 2009;28(1):1-11. doi:10.1016/j.csm.2008.08.009. Stem.
61. Jash S, Adhya S. Effects of transient hypoxia versus prolonged hypoxia on satellite cell proliferation and differentiation in vivo. *Stem Cells Int*. 2015;2015:961307. doi:10.1155/2015/961307.
62. Cho Y, Shin JE, Ewan EE, Oh YM, Pita-Thomas W, Cavalli V. Activating injury-responsive genes with hypoxia enhances axon regeneration through neuronal HIF-1 α . *Neuron*. 2015;88(4):720-734. doi:10.1016/j.neuron.2015.09.050.
63. Gordillo GM, Sen CK. Revisiting the essential role of oxygen in wound healing. *Am J Surg*. 2003;186(3):259-263. doi:10.1016/S0002-9610(03)00211-3.
64. Schäfer M, Werner S. Oxidative stress in normal and impaired wound repair. *Pharmacol Res*. 2008;58(2):165-171. doi:10.1016/j.phrs.2008.06.004.
65. Manresa MC, Godson C, Taylor CT. Hypoxia-sensitive pathways in inflammation-driven fibrosis. *Am J Physiol Regul Integr Comp Physiol*. 2014;307(12):R1369-R1380. doi:10.1152/ajpregu.00349.2014.
66. Dauwe PB, Pulikkottil BJ, Lavery L, Stuzin JM, Rohrich RJ. Does hyperbaric oxygen therapy work in facilitating acute wound healing: a systematic review. *Plast Reconstr Surg*. 2014;133(2):208e - 215e. doi:10.1097/01.prs.0000436849.79161.a4.
67. Kranke P, Bennett MH, Martyn-St James M, Schnabel A, Debus SE, Weibel S. Hyperbaric oxygen therapy for chronic wounds. *Cochrane Database Syst Rev*. 2015;(6):CD004123. doi:10.1002/14651858.CD004123.pub4.
68. Rodriguez PG, Felix FN, Woodley DT, Shim EK. The role of oxygen in wound healing: a review of the literature. *Dermatologic Surg*. 2008;34(9):1159-1169. doi:10.1111/j.1524-4725.2008.34254.x.
69. Sen CK, Roy S. Redox signals in wound healing. *Biochim Biophys Acta*. 2008;1780(11):1348-1361. doi:10.1016/j.bbagen.2008.01.006.
70. Sen CK. Wound healing essentials: let there be oxygen. *Wound Repair Regen*. 2009;17(1):1-18. doi:10.1111/j.1524-475X.2008.00436.x.
71. Yip WL. Influence of oxygen on wound healing. *Int Wound J*. 2015;12(6):620-624. doi:10.1111/iwj.12324.
72. Engemann JJ, Carmeli Y, Cosgrove SE, et al. Adverse clinical and economic outcomes attributable to methicillin resistance among patients with staphylococcus aureus surgical site infection. *Clin Infect Dis*. 2003;36(5):592-598. doi:10.1086/367653.
73. Serra R, Grande R, Butrico L, et al. Chronic wound infections: the role of pseudomonas aeruginosa and staphylococcus aureus. *Expert Rev Anti Infect Ther*. 2015;13(5):605-613. doi:10.1586/14787210.2015.1023291.
74. Nakashima Y, Sun DH, Trindade MC, et al. Induction of macrophage C-C chemokine expression by titanium alloy and bone cement particles. *J Bone Joint Surg Br*. 1999;81(1):155-162.
75. Kzhyshkowska J, Gudima A, Riabov V, Dollinger C, Lavalle P, Vrana NE. Macrophage responses to implants: prospects for personalized medicine. *J Leukoc Biol*. 2015;98(6):953-962. doi:10.1189/jlb.5VMR0415-166R.
76. Dhawan A, Ghodadra N, Karas V, Salata MJ, Cole BJ. Complications of bioabsorbable suture anchors in the shoulder. *Am J Sports Med*. 2012;40(6):1424-1430. doi:10.1177/0363546511417573.
77. Mascarenhas R, Saltzman BM, Sayegh ET, et al. Bioabsorbable versus metallic interference screws in anterior cruciate ligament reconstruction: a systematic review of overlapping meta-analyses. *Arthroscopy*. 2015;31(3):561-568. doi:10.1016/j.arthro.2014.11.011.
78. Shen C, Jiang SD, Jiang LS, Dai LY. Bioabsorbable versus metallic interference screw fixation in anterior cruciate ligament reconstruction: a meta-analysis of randomized controlled trials. *Arthroscopy*. 2010;26(5):705-713. doi:10.1016/j.arthro.2009.12.011.
79. McNair PJ, Marshall RN, Maguire K. Swelling of the knee joint: effects of exercise on quadriceps muscle strength. *Arch Phys Med Rehabil*. 1996;77(9):896-899.
80. Rice DA, McNair PJ, Lewis GN, Dalbeth N. Quadriceps arthrogenic muscle inhibition: the effects of experimental knee joint effusion on motor cortex excitability. *Arthritis Res Ther*. 2014;16(6):502. doi:10.1186/s13075-014-0502-4.
81. Eming SA, Martin P, Tomic-Canic M. Wound repair and regeneration: mechanisms, signaling, and translation. *Sci Transl Med*. 2014;6(265):265sr6. doi:10.1126/scitranslmed.3009337.
82. Gosain A, DiPietro LA. Aging and wound healing. *World J Surg*. 2004;28(3):321-326. doi:10.1007/s00268-003-7397-6.
83. Verdú E, Ceballos D, Vilches JJ, Navarro X. Influence of aging on peripheral nerve function and regeneration. *J Peripher Nerv Syst*. 2000;5(4):191-208. doi:10.1046/j.1529-8027.2000.00026.x.
84. Kovacic U, Sketelj J, Bajrović FF. Chapter 26: Age-related differences in the reinnervation after peripheral nerve injury. *Int Rev Neurobiol*. 2009;87:465-482. doi:10.1016/S0074-7742(09)87026-8.
85. Painter MW, Brosius Lutz A, Cheng YC, et al. Diminished schwann cell repair responses underlie age-associated impaired axonal regeneration. *Neuron*. 2014;83(2):331-343. doi:10.1016/j.neuron.2014.06.016.
86. Nishimune H, Stanford JA, Mori Y. Role of exercise in maintaining the integrity of the neuromuscular junction. *Muscle Nerve*. 2014;49(3):315-324. doi:10.1002/mus.24095.
87. Zhou B, Zhou Y, Tang K. An overview of structure, mechanical properties, and treatment for age-related tendinopathy. *J Nutr Health Aging*. 2014;18(4):441-448. doi:10.1007/s12603-014-0026-2.
88. Voleti PB, Buckley MR, Soslowsky LJ. Tendon healing: repair and regeneration. *Annu Rev Biomed Eng*. 2012;14:47-71. doi:10.1146/annurev-bioeng-071811-150122.
89. Plate JF, Brown PJ, Walters J, et al. Advanced age diminishes tendon-to-bone healing in a rat model of rotator cuff repair. *Am J Sports Med*. 2014;42(4):859-868. doi:10.1177/0363546513518418.
90. Domingues-Faria C, Vasson MP, Goncalves-Mendes N, Boirie Y, Walrand S. Skeletal muscle regeneration and impact of aging and nutrition. *Ageing Res Rev*. 2016;26:22-36. doi:10.1016/j.arr.2015.12.004.
91. Gopinath SD, Rando TA. Stem cell review series: aging of the skeletal muscle stem cell niche. *Ageing Cell*. 2008;7(4):590-598. doi:10.1111/j.1474-9726.2008.00399.x.
92. Blau HM, Cosgrove BD, Ho AT. The central role of muscle stem cells in regenerative failure with aging. *Nat Med*. 2015;21(8):854-862. doi:10.1038/nm.3918.
93. Suetta C, Frandsen U, Mackey AL, et al. Ageing is associated with diminished muscle re-growth and myogenic precursor cell expansion early after immobility-induced atrophy in human skeletal muscle. *J Physiol*. 2013;591(Pt 15):3789-3804. doi:10.1113/jphysiol.2013.257121.

94. Soneja A, Drews M, Malinski T. Role of nitric oxide, nitroxidative and oxidative stress in wound healing. *Pharmacol Reports*. 2005;57 Suppl:108-119.
95. Leeuwenburgh C, Heinecke JW. Oxidative stress and antioxidants in exercise. *Curr Med Chem*. 2001;8(7):829-838. doi:10.2174/0929867013372896.
96. Kanda N, Watanabe S. 17beta-estradiol inhibits oxidative stress-induced apoptosis in keratinocytes by promoting Bcl-2 expression. *J Invest Dermatol*. 2003;121(6):1500-1509. doi:10.1111/j.1523-1747.2003.12617.x.
97. Wassmann S, Bäumer AT, Strehlow K, et al. Endothelial dysfunction and oxidative stress during estrogen deficiency in spontaneously hypertensive rats. *Circulation*. 2001;103(3):435-441. doi:10.1161/01.CIR.103.3.435.
98. Almeida M, Martin-Millan M, Ambrogini E, et al. Estrogens attenuate oxidative stress and the differentiation and apoptosis of osteoblasts by DNA binding-independent actions of the ERalpha. *J Bone Miner Res*. 2010;25(4):769-781. doi:10.1359/jbmr.091017.
99. Behl C, Skutella T, Lezoualc'h F, et al. Neuroprotection against oxidative stress by estrogens: structure-activity relationship. *Mol Pharmacol*. 1997;51(4):535-541. doi:10.1124/mol.51.4.535.
100. Akova B, Sürmen-Gür E, Gür H, Dirican M, Sarandöl E, Küçükoglu S. Exercise-induced oxidative stress and muscle performance in healthy women: role of vitamin E supplementation and endogenous oestradiol. *Eur J Appl Physiol*. 2001;84(1-2):141-147. doi:10.1007/s004210000331.
101. Velders M, Schleipen B, Fritzeimer KH, Zierau O, Diel P. Selective estrogen receptor-2 activation stimulates skeletal muscle growth and regeneration. *FASEB J*. 2012;26(5):1909-1920. doi:10.1096/fj.11-194779.
102. Velders M, Diel P. How sex hormones promote skeletal muscle regeneration. *Sports Med*. 2013;43(11):1089-1100. doi:10.1007/s40279-013-0081-6.
103. Ronkainen PH, Kovanen V, Alén M, et al. Postmenopausal hormone replacement therapy modifies skeletal muscle composition and function: a study with monozygotic twin pairs. *J Appl Physiol (1985)*. 2009;107(1):25-33. doi:10.1152/jappphysiol.91518.2008.
104. MacNeil LG, Baker SK, Stevic I, Tarnopolsky MA. 17β-Estradiol attenuates exercise-induced neutrophil infiltration in men. *Am J Physiol Regul Integr Comp Physiol*. 2011;300(6):R1443-R1451. doi:10.1152/ajp-regu.00689.2009.
105. Torricelli P, Veronesi F, Pagani S, et al. In vitro tenocyte metabolism in aging and oestrogen deficiency. *Age (Dordr)*. 2013;35(6):2125-2136. doi:10.1007/s11357-012-9500-0.
106. Hansen M, Kongsgaard M, Holm L, et al. Effect of estrogen on tendon collagen synthesis, tendon structural characteristics, and biomechanical properties in postmenopausal women. *J Appl Physiol (1985)*. 2009;106(4):1385-1393. doi:10.1152/jappphysiol.90935.2008.
107. Miller BF, Hansen M, Olesen JL, et al. Tendon collagen synthesis at rest and after exercise in women. *J Appl Physiol (1985)*. 2007;102(2):541-546. doi:10.1152/jappphysiol.00797.2006.
108. Magnusson SP, Hansen M, Langberg H, et al. The adaptability of tendon to loading differs in men and women. *Int J Exp Pathol*. 2007;88(4):237-240. doi:10.1111/j.1365-2613.2007.00551.x.
109. Silbernagel KG, Brorsson A, Olsson N, Eriksson BI, Karlsson J, Nilsson-Helander K. Sex differences in outcome after an acute Achilles tendon rupture. *Orthop J Sports Med*. 2015;3(6):2325967115586768. doi:10.1177/2325967115586768.
110. Pauly S, Stahnke K, Klatte-Schulz F, Wildemann B, Scheibel M, Greiner S. Do patient age and sex influence tendon cell biology and clinical/radiographic outcomes after rotator cuff repair? *Am J Sports Med*. 2015;43(3):549-556. doi:10.1177/0363546514562552.
111. Ashcroft GS, Mills SJ. Androgen receptor-mediated inhibition of cutaneous wound healing. *J Clin Invest*. 2002;110(5):615-624. doi:10.1172/JCI15704.
112. Gilliver SC, Ashworth JJ, Ashcroft GS. The hormonal regulation of cutaneous wound healing. *Clin Dermatol*. 2007;25(1):56-62. doi:10.1016/j.clinidmatol.2006.09.012.
113. Marqueti RC, Parizotto NA, Chriquer RS, Perez SE, Selistre-de-Araujo HS. Androgenic-anabolic steroids associated with mechanical loading inhibit matrix metalloproteinase activity and affect the remodeling of the achilles tendon in rats. *Am J Sports Med*. 2006;34(8):1274-1280. doi:10.1177/0363546506286867.
114. Sabatier MJ, English AW. Pathways mediating activity-induced enhancement of recovery from peripheral nerve injury. *Exerc Sport Sci Rev*. 2015;43(3):163-171. doi:10.1249/JES.0000000000000047.
115. Nguyen PL, Alibhai SMH, Basaria S, et al. Adverse effects of androgen deprivation therapy and strategies to mitigate them. *Eur Urol*. 2015;67(5):825-836. doi:10.1016/j.eururo.2014.07.010.
116. Liu C, Ward PJ, English AW. The effects of exercise on synaptic stripping require androgen receptor signaling. *PLoS One*. 2014;9(6):e98633. doi:10.1371/journal.pone.0098633.
117. Deasy BM, Schugar RC, Huard J. Sex differences in muscle-derived stem cells and skeletal muscle. *Crit Rev Eukaryot Gene Expr*. 2008;18(2):173-188.
118. Maman E, Somjen D, Maman E, et al. The response of cells derived from the supraspinatus tendon to estrogen and calcitropic hormone stimulations: In vitro study. *Connect Tissue Res*. 2016;57(2):124-130. doi:10.3109/03008207.2015.1114615.
119. Sørensen LT. Wound healing and infection in surgery: the pathophysiological impact of smoking, smoking cessation and nicotine replacement therapy: a systematic review. *Ann Surg*. 2012;255(6):1069-1079. doi:10.1097/SLA.0b013e31824f632d.
120. Sørensen LT, Jørgensen S, Petersen LJ, et al. Acute effects of nicotine and smoking on blood flow, tissue oxygen, and aerobic metabolism of the skin and subcutis. *J Surg Res*. 2009;152(2):224-230. doi:10.1016/j.jss.2008.02.066.
121. Morita H, Ikeda H, Haramaki N, Eguchi H, Imaizumi T. Only two-week smoking cessation improves platelet aggregability and intraplatelet redox imbalance of long-term smokers. *J Am Coll Cardiol*. 2005;45(4):589-594. doi:10.1016/j.jacc.2004.10.061.
122. Kondo T, Hayashi M, Takeshita K, et al. Smoking cessation rapidly increases circulating progenitor cells in peripheral blood in chronic smokers. *Arterioscler Thromb Vasc Biol*. 2004;24(8):1442-1447. doi:10.1161/01.ATV.0000135655.52088.c5.
123. Wannamethee SG, Lowe GD, Shaper AG, Rumley A, Lennon L, Whincup PH. Associations between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. *Eur Heart J*. 2005;26(17):1765-1773. doi:10.1093/eurheartj/ehi183.

124. Sorensen LT, Toft B, Rygaard J, Ladelund S, Teisner B, Gottrup F. Smoking attenuates wound inflammation and proliferation while smoking cessation restores inflammation but not proliferation. *Wound Repair Regen.* 2010;18(2):186-192. doi:10.1111/j.1524-475X.2010.00569.x.
125. Wong J, Lam DP, Abrishami A, Chan MT, Chung F. Short-term preoperative smoking cessation and postoperative complications: a systematic review and meta-analysis. *Can J Anaesth.* 2012;59(3):268-279. doi:10.1007/s12630-011-9652-x.
126. Kuri M, Nakagawa M, Tanaka H, Hasuo S, Kishi Y. Determination of the duration of preoperative smoking cessation to improve wound healing after head and neck surgery. *Anesthesiology.* 2005;102(5):892-896. doi: 10.1097/00000542-200505000-00005.
127. Myers K, Hajek P, Hinds C, McRobbie H. Stopping smoking shortly before surgery and postoperative complications: a systematic review and meta-analysis. *Arch Intern Med.* 2011;171(11):983-989. doi:10.1001/archinternmed.2011.97.
128. Teng S, Yi C, Krettek C, Jagodzinski M. Smoking and risk of prosthesis-related complications after total hip arthroplasty: a meta-analysis of cohort studies. *PLoS One.* 2015;10(4):e0125294. doi: 10.1371/journal.pone.0125294.
129. Santiago-Torres J, Flanigan DC, Butler RB, Bishop JY. The effect of smoking on rotator cuff and glenoid labrum surgery: a systematic review. *Am J Sports Med.* 2015;43(3):745-751. doi:10.1177/0363546514533776.
130. Rinker B, Fink BF, Barry NG, et al. The effect of cigarette smoking on functional recovery following peripheral nerve ischemia/reperfusion injury. *Microsurgery.* 2011;31(1):59-65. doi:10.1002/micr.20820.
131. Abate M, Vanni D, Pantalone A, Salini V. Cigarette smoking and musculoskeletal disorders. *Muscles Ligaments Tendons J.* 2013;3(2):63-69. doi:10.11138/mltj/2013.3.2.063.
132. Centers for Disease Control and Prevention. *National Diabetes Statistics Report: Estimates of Diabetes and Its Burden in the United States, 2014.* Atlanta, GA: U.S. Department of Health and Human Services; 2014.
133. Falanga V. Wound healing and its impairment in the diabetic foot. *Lancet.* 2005;366(9498):1736-1743. doi:10.1016/S0140-6736(05)67700-8.
134. Noor S, Zubair M, Ahmad J. Diabetic foot ulcer-a review on pathophysiology, classification and microbial etiology. *Diabetes Metab Syndr Clin Res Rev.* 2015;9(3):192-199. doi:10.1016/j.dsx.2015.04.007.
135. Brem H, Tomic-Canic M. Cellular and molecular basis of wound healing in diabetes. *J Clin Invest.* 2007;117(5):1219-1222. doi:10.1172/JCI32169.
136. Gary Sibbald R, Woo KY. The biology of chronic foot ulcers in persons with diabetes. *Diabetes Metab Res Rev.* 2008;24(Suppl 1):S25-S30. doi:10.1002/dmrr.847.
137. Kennedy JM, Zochodne DW. Impaired peripheral nerve regeneration in diabetes mellitus. *J Peripher Nerv Syst.* 2005;10(2):144-157. doi:10.1111/j.1085-9489.2005.0010205.x.
138. Ebenezer GJ, O'Donnell R, Hauer P, Cimino NP, McArthur JC, Polydefkis M. Impaired neurovascular repair in subjects with diabetes following experimental intracutaneous axotomy. *Brain.* 2011;134(Pt 6):1853-1863. doi:10.1093/brain/awr086.
139. Cho NS, Moon SC, Jeon JW, Rhee YG. The influence of diabetes mellitus on clinical and structural outcomes after arthroscopic rotator cuff repair. *Am J Sports Med.* 2015;43(4):991-997. doi:10.1177/0363546514565097.
140. Ahmed AS, Schizas N, Li J, et al. Type 2 diabetes impairs tendon repair after injury in a rat model. *J Appl Physiol (1985).* 2012;113(11):1784-1791. doi:10.1152/jappphysiol.00767.2012.
141. Bedi A, Fox AJ, Harris PE, et al. Diabetes mellitus impairs tendon-bone healing after rotator cuff repair. *J Shoulder Elbow Surg.* 2010;19(7):978-988. doi:10.1016/j.jse.2009.11.045.
142. Egemen O, Ozkaya O, Ozturk MB, et al. The biomechanical and histological effects of diabetes on tendon healing : experimental study in rats. *J Hand Microsurg.* 2012;4(2):60-64. doi:10.1007/s12593-012-0074-y.
143. Snedeker JG, Gautieri A. The role of collagen crosslinks in ageing and diabetes - the good, the bad, and the ugly. *Muscles Ligaments Tendons J.* 2014;4(3):303-308. doi:10.11138/mltj/2014.4.3.303.
144. Couppé C, Svensson RB, Kongsgaard M, et al. Human Achilles tendon glycation and function in diabetes. *J Appl Physiol (1985).* 2016;120(2):130-137. doi:10.1152/jappphysiol.00547.2015.
145. Hu Z, Wang H, Lee IH, et al. PTEN inhibition improves muscle regeneration in mice fed a high-fat diet. *Diabetes.* 2010;59(6):1312-1320. doi:10.2337/db09-1155.
146. Fujimaki S, Wakabayashi T, Takemasa T, Asashima M, Kuwabara T. Diabetes and stem cell function. *Biomed Res Int.* 2015;2015:592915. doi: 10.1155/2015/592915.
147. Krause MP, Al-Sajee D, Souza DM, et al. Impaired macrophage and satellite cell infiltration occurs in a muscle-specific fashion following injury in diabetic skeletal muscle. *PLoS One.* 2013;8(8):e70971 doi:10.1371/journal.pone.0070971.
148. Newsom SA, Brozinick JT, Kiseljak-Vassiliades K, et al. Skeletal muscle phosphatidylcholine and phosphatidylethanolamine are related to insulin sensitivity and respond to acute exercise in humans. *J Appl Physiol (1985).* 2016;120(11):1355-1363. doi:10.1152/jappphysiol.00664.2015.
149. Rizvi AA, Chillag SA, Chillag KJ. Perioperative management of diabetes and hyperglycemia in patients undergoing orthopaedic surgery. *J Am Acad Orthop Surg.* 2010;18(7):426-435.
150. Balistreri CR, Caruso C, Candore G. The role of adipose tissue and adipokines in obesity-related inflammatory diseases. *Mediators Inflamm.* 2010;2010:802078. doi:10.1155/2010/802078.
151. Miscio G, Guastamacchia G, Brunani A, Priano L, Baudo S, Mauro A. Obesity and peripheral neuropathy risk: a dangerous liaison. *J Peripher Nerv Syst.* 2005;10(4):354-358. doi:10.1111/j.1085-9489.2005.00047.x.
152. Akhmedov D, Berdeaux R. The effects of obesity on skeletal muscle regeneration. *Front Physiol.* 2013;4:371. doi:10.3389/fphys.2013.00371.
153. Fermont AJ, Wolterbeek N, Wessel RN, Baeyens JP, de Bie RA. Prognostic factors for successful recovery after arthroscopic rotator cuff repair: a systematic literature review. *J Orthop Sports Phys Ther.* 2014;44(3):153-163. doi:10.2519/jospt.2014.4832.
154. David MA, Jones KH, Inzana JA, Zuscik MJ, Awad HA, Mooney RA. Tendon repair is compromised in a high fat diet-induced mouse model of obesity and type 2 diabetes. *PLoS One.* 2014;9(3):e91234. doi:10.1371/journal.pone.0091234.

155. Cross MB, Yi PH, Thomas CF, Garcia J, Della Valle CJ. Evaluation of malnutrition in orthopaedic surgery. *J Am Acad Orthop Surg.* 2014;22(3):193-199. doi:10.5435/JAAOS-22-03-193.
156. Stechmiller JK. Understanding the role of nutrition and wound healing. *Nutr Clin Pract.* 2010;25(1):61-68. doi:10.1177/0884533609358997.
157. Arnold M, Barbul A. Nutrition and wound healing. *Plast Reconstr Surg.* 2006;117(7 suppl):42S-58S. doi:10.1097/01.prs.0000225432.17501.6c.
158. Enrione EB, Weeks OI, Kranz S, Shen J. A vitamin E-deficient diet affects nerve regeneration in rats. *Nutrition.* 1999;15(2):140-144. doi:10.1016/S0899-9007(98)00167-1.
159. Hawley JA, Burke LM, Phillips SM, Spriet LL. Nutritional modulation of training-induced skeletal muscle adaptations. *J Appl Physiol (1985).* 2011;110(3):834-845. doi:10.1152/jappphysiol.00949.2010.
160. Gouin JP, Kiecolt-Glaser JK. The impact of psychological stress on wound healing: methods and mechanisms. *Crit Care Nurs Clin North Am.* 2012;24(2):201-213. doi:10.1016/j.ccell.2012.03.006.
161. Vedhara K. Psychoneuroimmunology: the whole and the sum of its parts. *Brain Behav Immun.* 2012;26(2):210-211. doi:10.1016/j.bbi.2011.09.005.
162. Broadbent E, Kahokehr A, Booth RJ, et al. A brief relaxation intervention reduces stress and improves surgical wound healing response: a randomised trial. *Brain Behav Immun.* 2012;26(2):212-217. doi:10.1016/j.bbi.2011.06.014.
163. Broadbent E. Operating principles in surgical wound healing. *Brain Behav Immun.* 2015;43:17-18. doi:10.1016/j.bbi.2014.09.010.
164. Broadbent E, Koschwanez HE. The psychology of wound healing. *Curr Opin Psychiatry.* 2012;25(2):135-140. doi:10.1097/YCO.0b013e32834e1424.
165. Dhabhar FS. Effects of stress on immune function: The good, the bad, and the beautiful. *Immunol Res.* 2014;58(2-3):193-210. doi:10.1007/s12026-014-8517-0.
166. Kiecolt-Glaser JK, Marucha PT, Malarkey WB, Mercado AM, Glaser R. Slowing of wound healing by psychological stress. *Lancet.* 1995;346(8984):1194-1196. doi:10.1016/S0140-6736(95)92899-5.
167. Segerstrom SC, Miller GE. Psychological stress and the human immune system: a meta-analytic study of 30 years of inquiry. *Psychol Bull.* 2004;130(4):601-630. doi:10.1037/0033-2909.130.4.601.
168. Dhabhar FS, Malarkey WB, Neri E, McEwen BS. Stress-induced redistribution of immune cells—from barracks to boulevards to battlefields: a tale of three hormones—Curt Richter Award Winner. *Psychoneuroendocrinology.* 2012;37(9):1345-1368. doi:10.1016/j.psyneuen.2012.05.008.
169. Kuebler U, Wirtz PH, Sakai M, Stemmer A, Meister RE, Ehlert U. Anticipatory cognitive stress appraisal modulates suppression of wound-induced macrophage activation by acute psychosocial stress. *Psychophysiology.* 2015;52(4):499-508. doi:10.1111/psyp.12368.
170. Koschwanez H, Vurnek M, Weinman J, et al. Stress-related changes to immune cells in the skin prior to wounding may impair subsequent healing. *Brain Behav Immun.* 2015;50:47-51. doi:10.1016/j.bbi.2015.06.011.
171. Pennebaker JW, Burnam MA, Schaeffer MA, Harper DC. Lack of control as a determinant of perceived physical symptoms. *J Pers Soc Psychol.* 1977;35(3):167-174. doi:10.1037/0022-3514.35.3.167.
172. Lewis T, Cook J. Fluoroquinolones and tendinopathy: a guide for athletes and sports clinicians and a systematic review of the literature. *J Athl Train.* 2014;49(3):422-427. doi:10.4085/1062-6050-49.2.09.
173. Pountos I, Georgouli T, Calori GM, Giannoudis PV. Do non-steroidal anti-inflammatory drugs affect bone healing? A critical analysis. *ScientificWorldJournal.* 2012;2012:606404. doi:10.1100/2012/606404.
174. Kurmis AP, Kurmis TP, O'Brien JX, Dalén T. The effect of nonsteroidal anti-inflammatory drug administration on acute phase fracture-healing: a review. *J Bone Joint Surg Am.* 2012;94(9):815-823. doi:10.2106/JBJS.J.01743.
175. Fu JH, Bashutski JD, Al-Hezaimi K, Wang HL. Statins, glucocorticoids, and nonsteroidal anti-inflammatory drugs. *Implant Dent.* 2012;21(5):362-367. doi:10.1097/ID.0b013e3182611ff6.
176. Boursinos LA, Karachalios T, Poultsides L, Malizos KN. Do steroids, conventional non-steroidal anti-inflammatory drugs and selective COX-2 inhibitors adversely affect fracture healing? *J Musculoskelet Neuronal Interact.* 2009;9(1):44-52.
177. Dearth CL, Slivka PF, Stewart SA, et al. Inhibition of COX1/2 alters the host response and reduces ECM scaffold mediated constructive tissue remodeling in a rodent model of skeletal muscle injury. *Acta Biomater.* 2016;31:50-60. doi:10.1016/j.actbio.2015.11.043.
178. Bondesen BA, Mills ST, Kegley KM, Pavlath GK. The COX-2 pathway is essential during early stages of skeletal muscle regeneration. *Am J Physiol Cell Physiol.* 2004;287(2):475-483. doi:10.1152/ajpcell.00088.2004.
179. Mo C, Zhao R, Vallejo J, et al. Prostaglandin E2 promotes proliferation of skeletal muscle myoblasts via EP4 receptor activation. *Cell Cycle.* 2015;14(10):1507-1516. doi:10.1080/15384101.2015.1026520.
180. Korotkova M, Lundberg IE. The skeletal muscle arachidonic acid cascade in health and inflammatory disease. *Nat Rev Rheumatol.* 2014;10(5):295-303. doi:10.1038/nr-rheum.2014.2.
181. Mackey AL, Kjaer M, Dandanell S, et al. The influence of anti-inflammatory medication on exercise-induced myogenic precursor cell responses in humans. *J Appl Physiol (1985).* 2007;103(2):425-431. doi:10.1152/jappphysiol.00157.2007.
182. Mackey AL. Does an NSAID a day keep satellite cells at bay? *J Appl Physiol (1985).* 2013;115(6):900-908. doi:10.1152/jappphysiol.00044.2013.
183. Mikkelsen U, Langberg H, Helmark IC, et al. Local NSAID infusion inhibits satellite cell proliferation in human skeletal muscle after eccentric exercise. *J Appl Physiol (1985).* 2009;107(25):1600-1611. doi:10.1152/jappphysiol.00707.2009.
184. Su B, O'Connor JP. NSAID therapy effects on healing of bone, tendon, and the enthesis. *J Appl Physiol (1985).* 2013;115(6):892-899. doi:10.1152/jappphysiol.00053.2013.
185. Zhang Y, Wang X, Qiu Y, Cornish J, Carr AJ, Xia Z. Effect of indomethacin and lactoferrin on human tenocyte proliferation and collagen formation in vitro. *Biochem Biophys Res Commun.* 2014;454(2):301-307. doi:10.1016/j.bbrc.2014.10.061.
186. Almekinders LC, Baynes AJ, Bracey LW. An in vitro investigation into the effects of repetitive motion and nonsteroidal antiinflammatory medication on human

- tendon fibroblasts. *Am J Sports Med.* 1995;23(1):119-123. doi:10.1177/036354659502300120.
187. Rouhani A, Tabrizi A, Ghavidel E. Effects of non-steroidal anti-inflammatory drugs on flexor tendon rehabilitation after repair. *Arch Bone Jt Surg.* 2013;28(1):28-30.
 188. Ferry ST, Dahners LE, Afshari HM, Weinhold PS. The effects of common anti-inflammatory drugs on the healing rat patellar tendon. *Am J Sports Med.* 2007;35(8):1326-1333. doi:10.1177/0363546507301584.
 189. Cohen DB, Kawamura S, Ehteshami JR, Rodeo SA. Indomethacin and celecoxib impair rotator cuff tendon-to-bone healing. *Am J Sports Med.* 2005;34(3):362-369. doi:10.1177/0363546505280428.
 190. Virchenko O, Skoglund B, Aspenberg P. Parecoxib impairs early tendon repair but improves later remodeling. *Am J Sports Med.* 2004;32(7):1743-1747. doi:10.1177/0363546504263403.
 191. Gimenez M, Pujol J, Ali Z, et al. Naproxen effects on brain response to painful pressure stimulation in patients with knee osteoarthritis: a double-blind, randomized, placebo-controlled, single-dose study. *J Rheumatol.* 2014;41(11):2240-2248. doi:10.3899/jrheum.131367.
 192. Jones P, Dalziel SR, Lamdin R, Miles-Chan JL, Frampton C. Oral non-steroidal anti-inflammatory drugs versus other oral analgesic agents for acute soft tissue injury. *Cochrane Database Syst Rev.* 2015;7(7):CD007789. doi:10.1002/14651858.CD007789.pub2.
 193. Spoenlin J, Meier C, Jick SS, et al. Oral and inhaled glucocorticoid use and risk of Achilles or biceps tendon rupture : a population-based case-control study. *Ann Med.* 2015;47(6):492-498. doi:10.3109/07853890.2015.1074272.
 194. Zargar Baboldashti N, Poulsen RC, Franklin SL, Thompson MS, Hulley PA. Platelet-rich plasma protects tenocytes from adverse side effects of dexamethasone and ciprofloxacin. *Am J Sports Med.* 2011;39(9):1929-1935. doi:10.1177/0363546511407283.
 195. Schakman O, Kalista S, Barbé C, Loumaye A, Thissen JP. Glucocorticoid-induced skeletal muscle atrophy. *Int J Biochem Cell Biol.* 2013;45(10):2163-2172. doi:10.1016/j.biocel.2013.05.036.
 196. Minetto MA, Qaisar R, Agoni V, et al. Quantitative and qualitative adaptations of muscle fibers to glucocorticoids. *Muscle Nerve.* 2015;52(4):631-639. doi:10.1002/mus.24572.
 197. Casuso RA, Melskens L, Bruhn T, Secher NH, Nordsborg NB. Glucocorticoids improve high-intensity exercise performance in humans. *Eur J Appl Physiol.* 2014;114(2):419-424. doi:10.1007/s00421-013-2784-7.
 198. Ambrosio F, Ferrari RJ, Distefano G, et al. The synergistic effect of treadmill running on stem-cell transplantation to heal injured skeletal muscle. *Tissue Eng Part A.* 2010;16(3):839-849. doi:10.1089/ten.TEA.2009.0113.
 199. Wilborn CD, Taylor LW, Greenwood M, Kreider RB, Willoughby DS. Effects of different intensities of resistance exercise on regulators of myogenesis. *J Strength Cond Res.* 2009;23(8):2179-2187. doi:10.1519/JSC.0b013e3181bab493.
 200. Renaud G, Llano-Diez M, Ravara B, et al. Sparing of muscle mass and function by passive loading in an experimental intensive care unit model. *J Physiol.* 2013;591(5):1385-1402. doi:10.1113/jphysiol.2012.248724.
 201. Rooney SI, Tobias JW, Bhatt PR, Kuntz AF, Soslowsky LJ. Genetic response of rat supraspinatus tendon and muscle to exercise. *PLoS One.* 2015;10(10):e0139880. doi:10.1371/journal.pone.0139880.
 202. McCormack R, Bovard J. Early functional rehabilitation or cast immobilisation for the postoperative management of acute Achilles tendon rupture? A systematic review and meta-analysis of randomised controlled trials. *Br J Sports Med.* 2015;49(20):1329-1335. doi:10.1136/bjsports-2015-094935.
 203. Norris R, Carroll D, Cochrane R. The effects of physical activity and exercise training on psychological stress and well-being in an adolescent population. *J Psychosom Res.* 1992;36(1):55-65. doi:10.1016/0022-3999(92)90114-H.
 204. Wilson MG, Ellison GM, Cable NT. Basic science behind the cardiovascular benefits of exercise. *Heart.* 2015;101(10):758-765. doi:10.1136/heart-jnl-2014-306596.
 205. Fragala MS, Kraemer WJ, Denegar CR, Maresh CM, Mastro AM, Volek JS. Neuroendocrine-immune interactions and responses to exercise. *Sports Med.* 2011;41(8):621-639. doi:10.2165/11590430-000000000-00000.
 206. Emery CF, Kiecolt-Glaser JK, Glaser R, Malarkey WB, Frid DJ. Exercise accelerates wound healing among healthy older adults: a preliminary investigation. *J Gerontol A Biol Sci Med Sci.* 2005;60(11):1432-1436.
 207. Lee BG, Cho NS, Rhee YG. Effect of two rehabilitation protocols on range of motion and healing rates after arthroscopic rotator cuff repair: aggressive versus limited early passive exercises. *Arthroscopy.* 2012;28(1):34-42. doi:10.1016/j.arthro.2011.07.012.
 208. Galatz LM, Charlton N, Das R, Kim HM, Havlioglu N, Thomopoulos S. Complete removal of load is detrimental to rotator cuff healing. *J Shoulder Elbow Surg.* 2009;18(5):669-675. doi:10.1016/j.jse.2009.02.016.
 209. Pittman J. Effect of aging on wound healing: Current concepts. *J Wound Ostomy Continence Nurs.* 2007;34(4):412-415; quiz 416-417. doi:10.1097/01.WON.0000281658.71072.e6.
 210. Pignataro RM, Ohtake PJ, Swisher A, Dino G. The role of physical therapists in smoking cessation: opportunities for improving treatment outcomes. *Phys Ther.* 2012;92(5):757-766. doi:10.2522/ptj.20110304.
 211. Horner PJ, Gage FH. Regenerating the damaged central nervous system. *Nature.* 2000;407(6807):963-970. doi:10.1038/35039559.
 212. Taylor CA, Braza D, Rice JB, Dillingham T. The incidence of peripheral nerve injury in extremity trauma. *Am J Phys Med Rehabil.* 2008;87(5):381-385. doi:10.1097/PHM.0b013e31815e6370.
 213. Simon NG, Spinner RJ, Kline DG, Kliot M. Advances in the neurological and neurosurgical management of peripheral nerve trauma. *J Neurol Neurosurg Psychiatry.* 2016;87(2):198-208. doi:10.1136/jnnp-2014-310175.
 214. Gordon T, Sulaiman O, Boyd JG. Experimental strategies to promote functional recovery after peripheral nerve injuries. *J Peripher Nerv Syst.* 2003;8(4):236-250. doi:10.1111/j.1085-9489.2003.03029.x.
 215. Rempel D, Dahlin L, Lundborg G. Pathophysiology of nerve compression syndromes: response of peripheral nerves to loading. *J Bone Joint Surg Am.* 1999;81(11):1600-1610.
 216. Barton MJ, Morley JW, Stoodley MA, Lauto A, Mahns DA. Nerve repair: Toward a sutureless approach. *Neurosurg Rev.* 2014;37(4):585-595. doi:10.1007/s10143-014-0559-1.

217. Purves D, Augustine GJ, Fitzpatrick D, et al. *Neuroscience*, 4th ed. Sunderland, MA: Sinauer Associates; 2008.
218. Kidd GJ, Ohno N, Trapp BD. Biology of Schwann cells. *Handb Clin Neurol*. 2013;115:55-79. doi:10.1016/B978-0-444-52902-2.00005-9.
219. Glenn TD, Talbot WS. Signals regulating myelination in peripheral nerves and the Schwann cell response to injury. *Curr Opin Neurobiol*. 2013;23(6):1041-1048. doi:10.1016/j.conb.2013.06.010.
220. Griffin JW, Hogan MV, Chhabra AB, Deal DN. Peripheral nerve repair and reconstruction. *J Bone Joint Surg Am*. 2013;95(23):2144-2151. doi:10.2106/JBJS.L.00704.
221. Meng S, Reissig LF, Beikircher R, Tzou CH, Grisold W, Weninger WJ. Longitudinal gliding of the median nerve in the carpal tunnel : Ultrasound cadaveric evaluation of conventional and novel concepts of nerve mobilization. *Arch Phys Med Rehabil*. 2015;96(12):2207-2213. doi:10.1016/j.apmr.2015.08.415.
222. Coppieters MW, Butler DS. Do 'sliders' slide and 'tensioners' tension? An analysis of neurodynamic techniques and considerations regarding their application. *Man Ther*. 2008;13(3):213-221. doi:10.1016/j.math.2006.12.008.
223. Ellis RF, Hing WA, McNair PJ. Comparison of longitudinal sciatic nerve movement with different mobilization exercises: an in vivo study utilizing ultrasound imaging. *J Orthop Sports Phys Ther*. 2012;42(8):667-675. doi:10.2519/jospt.2012.3854.
224. Lee SK, Wolfe SW. Peripheral nerve injury and repair. *J Am Acad Orthop Surg*. 2000;8(4):243-252.
225. Kanda T. Biology of the blood-nerve barrier and its alteration in immune mediated neuropathies. *J Neurol Neurosurg Psychiatry*. 2013;208-212. doi:10.1136/jnnp-2012-302312.
226. Peltonen S, Alanne M, Peltonen J. Barriers of the peripheral nerve. *Tissue Barriers*. 2013;1(3):e24956. doi:10.4161/tisb.24956.
227. Ubogu EE. The molecular and biophysical characterization of the human blood-nerve barrier: current concepts. *J Vasc Res*. 2013;50(4):289-303. doi:10.1159/000353293.
228. Campbell WW. Evaluation and management of peripheral nerve injury. *Clin Neurophysiol*. 2008;119(9):1951-1965. doi:10.1016/j.clinph.2008.03.018.
229. Gelberman RH, Vande Berg JS, Lundborg GN, Akeson WH. Flexor tendon healing and restoration of the gliding surface. An ultrastructural study in dogs. *J Bone Joint Surg Am*. 1983;65(1):70-80.
230. Powell HC, Myers RR. Pathology of experimental nerve compression. *Lab Invest*. 1986;55(1):91-100.
231. Rempel DM, Diao E. Entrapment neuropathies: pathophysiology and pathogenesis. *J Electromyogr Kinesiol*. 2004;14(1):71-75. doi:10.1016/j.jelekin.2003.09.009.
232. Richner M, Ulrichsen M, Elmgaard SL, Dieu R, Pallesen LT, Vaegter CB. Peripheral nerve injury modulates neurotrophin signaling in the peripheral and central nervous system. *Mol Neurobiol*. 2014;50(3):945-970. doi:10.1007/s12035-014-8706-9.
233. Khuong HT, Midha R. Advances in nerve repair. *Curr Neurol Neurosci Rep*. 2013;13(1):322. doi:10.1007/s11910-012-0322-3.
234. Höke A. Mechanisms of disease: what factors limit the success of peripheral nerve regeneration in humans? *Nat Clin Pract Neurol*. 2006;2(8):448-454. doi:10.1038/ncpneuro0262.
235. Wu P, Chawla A, Spinner RJ, et al. Key changes in denervated muscles and their impact on regeneration and reinnervation. *Neural Regen Res*. 2014;9(20):1796-1809. doi:10.4103/1673-5374.143424.
236. Fu SY, Gordon T. Contributing factors to poor functional recovery after delayed nerve repair: prolonged denervation. *J Neurosci*. 1995;15(5 Pt 2):3886-3895.
237. Gordon T, Tyreman N, Raji MA. The basis for diminished functional recovery after delayed peripheral nerve repair. *J Neurosci*. 2011;31(14):5325-5334. doi:10.1523/JNEUROSCI.6156-10.2011.
238. Aydin MA, Mackinnon SE, Gu XM, Kobayashi J, Kuzon WM Jr. Force deficits in skeletal muscle after delayed reinnervation. *Plast Reconstr Surg*. 2004;113(6):1712-1718. doi:10.1097/01.PRS.0000118049.93654.CA
239. Ashley Z, Sutherland H, Lanmüller H, et al. Atrophy, but not necrosis, in rabbit skeletal muscle denervated for periods up to one year. *Am J Physiol Cell Physiol*. 2007;292(1):C440-C451. doi:10.1152/ajpcell.00085.2006.
240. Navarro X, Vivó M, Valero-Cabré A. Neural plasticity after peripheral nerve injury and regeneration. *Prog Neurobiol*. 2007;82(4):163-201. doi:10.1016/j.pneurobio.2007.06.005.
241. Maeda Y, Kettner N, Holden J, et al. Functional deficits in carpal tunnel syndrome reflect reorganization of primary somatosensory cortex. *Brain*. 2014;137(Pt 6):1741-1752. doi:10.1093/brain/awu096.
242. Alvarez FJ, Titus-Mitchell HE, Bullinger KL, Kraszpulski M, Nardelli P, Cope TC. Permanent central synaptic disconnection of proprioceptors after nerve injury and regeneration. I. Loss of VGLUT1/IA synapses on motoneurons. *J Neurophysiol*. 2011;106(5):2450-2470. doi:10.1152/jn.01095.2010.
243. Giroux P, Sirigu A, Schneider F, Dubernard JM. Cortical reorganization in motor cortex after graft of both hands. *Nat Neurosci*. 2001;4(7):691-692. doi:10.1038/89472.
244. Brandt J, Evans JT, Mildenhall T, et al. Delaying the onset of treadmill exercise following peripheral nerve injury has different effects on axon regeneration and motoneuron synaptic plasticity. *J Neurophysiol*. 2015;113(7):2390-2399. doi:10.1152/jn.00892.2014.
245. Houdek MT, Shin AY. Management and complications of traumatic peripheral nerve injuries. *Hand Clin*. 2015;31(2):151-163. doi:10.1016/j.hcl.2015.01.007.
246. Lundborg G, Rydevik B. Effects of stretching the tibial nerve of the rabbit. A preliminary study of the intraneural circulation and the barrier function of the perineurium. *J Bone Joint Surg Br*. 1973;55(2):390-401.
247. Alves JS, Leal-Cardoso JH, Santos-Junior FF, et al. Limb immobilization alters functional electrophysiological parameters of sciatic nerve. *Braz J Med Biol Res*. 2013;46(8):715-721. doi:10.1590/1414-431X20132626.
248. Khattak MJ, Ahmad T, Rehman R, Umer M, Hasan SH, Ahmed M. Muscle healing and nerve regeneration in a muscle contusion model in the rat. *J Bone Joint Surg Br*. 2010;92(6):894-899. doi:10.1302/0301-620X.92B6.22819.
249. Sarikcioglu L, Ozkan O, Gurer EI. Detrimental effects of immobilization on functional recovery after sciatic nerve crush. *J Reconstr Microsurg*. 2005;21(5):307-312. doi:10.1055/s-2005-871772.
250. Huemer GM, Koller M, Pachinger T, Dunst KM, Schwarz B, Hintringer T. Postoperative splinting after open carpal tunnel release does not improve functional and neurological outcome. *Muscle Nerve*. 2007;36(4):528-531. doi:10.1002/mus.20839.
251. Isaac SM, Okoro T, Danial I, Wildin C. Does wrist immobiliza-

- tion following open carpal tunnel release improve functional outcome? A literature review. *Curr Rev Musculoskelet Med*. 2010;3(1-4):11-17. doi:10.1007/s12178-010-9060-9.
252. Peters S, Page MJ, Coppiters MW, Ross M, Johnston V. Rehabilitation following carpal tunnel release. *Cochrane Database Syst Rev*. 2016;2:CD004158. doi:10.1002/14651858.CD004158.pub3.
 253. Yu RS, Catalano LW 3rd, Barron OA, Johnson C, Glickel SZ. Limited, protected postsurgical motion does not affect the results of digital nerve repair. *J Hand Surg Am*. 2004;29(2):302-306. doi:10.1016/j.jhsa.2003.11.007.
 254. Henry FP, Farkhad RI, Butt FS, O'Shaughnessy M, O'Sullivan ST. A comparison between complete immobilisation and protected active mobilisation in sensory nerve recovery following isolated digital nerve injury. *J Hand Surg Eur Vol*. 2012;37(5):422-426. doi:10.1177/1753193411431208.
 255. Vipond N, Taylor W, Rider M. Postoperative splinting for isolated digital nerve injuries in the hand. *J Hand Ther*. 2007;20(3):222-231. doi:10.1197/j.jht.2007.04.010.
 256. Clark BC, Mahato NK, Nakazawa M, Law TD, Thomas JS. The power of the mind: the cortex as a critical determinant of muscle strength/weakness. *J Neurophysiol*. 2014;112(12):3219-3226. doi:10.1152/jn.00386.2014.
 257. Kraeutner S, Gionfriddo A, Bardouille T, Boe S. Motor imagery-based brain activity parallels that of motor execution: evidence from magnetic source imaging of cortical oscillations. *Brain Res*. 2014;1588:81-91. doi:10.1016/j.brainres.2014.09.001.
 258. Stenekes MW, Geertzen JH, Nicolai JP, De Jong BM, Mulder T. Effects of motor imagery on hand function during immobilization after flexor tendon repair. *Arch Phys Med Rehabil*. 2009;90(4):553-559. doi:10.1016/j.apmr.2008.10.029.
 259. Grosprêtre S, Lebon F, Papaxanthis C, Martin A. New evidence of corticospinal network modulation induced by motor imagery. *J Neurophysiol*. 2016;115(3):1279-1288. doi:10.1152/jn.00952.2015.
 260. Bakker M, Overeem S, Snijders AH, et al. Motor imagery of foot dorsiflexion and gait: effects on corticospinal excitability. *Clin Neurophysiol*. 2008;119(11):2519-2527. doi:10.1016/j.clinph.2008.07.282.
 261. Kato K, Watanabe J, Muraoka T, Kanosue K. Motor imagery of voluntary muscle relaxation induces temporal reduction of corticospinal excitability. *Neurosci Res*. 2015;92:39-45. doi:10.1016/j.neures.2014.10.013.
 262. Meugnot A, Agbangla NF, Almecija Y, Toussaint L. Motor imagery practice may compensate for the slowdown of sensorimotor processes induced by short-term upper-limb immobilization. *Psychol Res*. 2015;79(3):489-499. doi:10.1007/s00426-014-0577-1.
 263. Gatti R, Rocca MA, Fumagalli S, et al. The effect of action observation/execution on mirror neuron system recruitment: an fMRI study in healthy individuals. *Brain Imaging Behav*. 2016. doi:10.1007/s11682-016-9536-3.
 264. de la Rosa S, Schillinger FL, Bühlhoff HH, Schultz J, Uludag K. fMRI adaptation between action observation and action execution reveals cortical areas with mirror neuron properties in human BA 44/45. *Front Hum Neurosci*. 2016;10:78. doi:10.3389/fnhum.2016.00078.
 265. Abbruzzese G, Avanzino L, Marchese R, Pelosin E. Action observation and motor imagery: innovative cognitive tools in the rehabilitation of Parkinson's disease. *Parkinsons Dis*. 2015;2015:124214. doi:10.1155/2015/124214.
 266. Bassolino M, Campanella M, Bove M, Pozzo T, Fadiga L. Training the motor cortex by observing the actions of others during immobilization. *Cereb Cortex*. 2014;24(12):3268-3276. doi:10.1093/cercor/bht190.
 267. Taube W, Mouthon M, Leukel C, Hoogewoud H, Annoni J, Keller M. Brain activity during observation and motor imagery of different balance tasks: An fMRI study. *Cortex*. 2015;64:102-114. doi:10.1016/j.cortex.2014.09.022.
 268. Hortobágyi T, Taylor JL, Petersen NT, Russell G, Gandevia SC. Changes in segmental and motor cortical output with contralateral muscle contractions and altered sensory inputs in humans. *J Neurophysiol*. 2003;90(4):2451-2459. doi:10.1152/jn.01001.2002.
 269. Vaynman SS, Ying Z, Yin D, Gomez-Pinilla F. Exercise differentially regulates synaptic proteins associated to the function of BDNF. *Brain Res*. 2006;1070(1):124-130. doi:10.1016/j.brainres.2005.11.062.
 270. Cobianchi S, Casals-Diaz L, Jaramillo J, Navarro X. Differential effects of activity dependent treatments on axonal regeneration and neuropathic pain after peripheral nerve injury. *Exp Neurol*. 2013;240:157-167. doi:10.1016/j.expneurol.2012.11.023.
 271. Armada-da-Silva PA, Pereira C, Amado S, Veloso AP. Role of physical exercise for improving posttraumatic nerve regeneration. *Int Rev Neurobiol*. 2013;109:125-149. doi:10.1016/B978-0-12-420045-6.00006-7.
 272. English AW, Wilhelm JC, Ward PJ. Exercise, neurotrophins, and axon regeneration in the PNS. *Physiology (Bethesda)*. 2014;29(6):437-445. doi:10.1152/physiol.00028.2014
 273. Gordon T, English AW. Strategies to promote peripheral nerve regeneration: electrical stimulation and/or exercise. *Eur J Neurosci*. 2016;43(3):336-350. doi:10.1111/ejn.13005.
 274. English AW, Wilhelm JC, Sabatier MJ. Enhancing recovery from peripheral nerve injury using treadmill training. *Ann Anat*. 2011;193(4):354-361. doi:10.1016/j.aanat.2011.02.013.
 275. Sabatier MJ, Redmon N, Schwartz G, English AW. Treadmill training promotes axon regeneration in injured peripheral nerves. *Exp Neurol*. 2008;211(2):489-493. doi:10.1016/j.expneurol.2008.02.013.
 276. Singh AM, Neva JL, Staines WR. Acute exercise enhances the response to paired associative stimulation-induced plasticity in the primary motor cortex. *Exp Brain Res*. 2014;232(11):3675-3685. doi:10.1007/s00221-014-4049-z.
 277. Singh AM, Neva JL, Staines WR. Aerobic exercise enhances neural correlates of motor skill learning. *Behav Brain Res*. 2016;301:19-26. doi:10.1016/j.bbr.2015.12.020.
 278. McDonnell MN, Buckley JD, Opie GM, Ridding MC, Semmler JG. A single bout of aerobic exercise promotes motor cortical neuroplasticity. *J Appl Physiol (1985)*. 2013;114(9):1174-1182. doi:10.1152/jappphysiol.01378.2012.
 279. Jensen JL, Marstrand PCD, Nielsen JB. Motor skill training and strength training are associated with different plastic changes in the central nervous system. *J Appl Physiol (1985)*. 2005;99(4):1558-1568. doi:10.1152/jappphysiol.01408.2004.
 280. Perez MA, Lungholt BKS, Nyborg K, Nielsen JB. Motor skill training induces changes in the excitability of the leg cortical area in healthy humans. *Exp Brain Res*. 2004;159(2):197-205. doi:10.1007/s00221-004-1947-5.

281. Brown CL, Gilbert KK, Brismee JM, Sizer PS, Roger James C, Smith MP. The effects of neurodynamic mobilization on fluid dispersion within the tibial nerve at the ankle: an unembalmed cadaveric study. *J Man Manip Ther*. 2011;19(1):26-34. doi:10.1179/2042618610Y0000000003.
282. da Silva JT, Santos FM, Giardini AC, et al. Neural mobilization promotes nerve regeneration by nerve growth factor and myelin protein zero increased after sciatic nerve injury. *Growth Factors*. 2015;33(1):8-13. doi:10.3109/08977194.2014.953630.
283. Kim SD. Efficacy of tendon and nerve gliding exercises for carpal tunnel syndrome: a systematic review of randomized controlled trials. *J Phys Ther Sci*. 2015;27(8):2645-2648. doi:10.1589/jpts.27.2645.
284. Ellis RF, Hing WA. Neural mobilization: a systematic review of randomized controlled trials with an analysis of therapeutic efficacy. *J Man Manip Ther*. 2008;16(1):8-22.
285. Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. *J Orthop Sports Phys Ther*. 2003;33(7):369-378. doi:10.2519/jospt.2003.33.7.369.
286. Burke J, Buchberger DJ, Carey-Loghmani MT, Dougherty PE, Greco DS, Dishman JD. A pilot study comparing two manual therapy interventions for carpal tunnel syndrome. *J Manipulative Physiol Ther*. 2007;30(1):50-61. doi:10.1016/j.jmpt.2006.11.014.
287. Childs JD, Cleland JA, Elliott JM, et al. Neck Pain: clinical practice guidelines linked to the International Classification of Functioning, Disability, and Health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2008;38(9):A1-A34. doi:10.2519/jospt.2008.0303.
288. Delitto A, George SZ, Van Dillen LR, et al. Low back pain. *J Orthop Sports Phys Ther*. 2012;42(4):A1-A57. doi:10.2519/jospt.2012.42.4.A1.
289. Langevin P, Desmeules F, Lamothe M, Robitaille S, Roy JS. Comparison of 2 manual therapy and exercise protocols for cervical radiculopathy: a randomized clinical trial evaluating short-term effects. *J Orthop Sports Phys Ther*. 2015;45(1):4-17. doi:10.2519/jospt.2015.5211.
290. Gordon T. Electrical stimulation to enhance axon regeneration after peripheral nerve injuries in animal models and humans. *Neurotherapeutics*. 2016;13(2):295-310. doi:10.1007/s13311-015-0415-1.
291. Al-Majed AA, Neumann CM, Brushart TM, Gordon T. Brief electrical stimulation promotes the speed and accuracy of motor axonal regeneration. *J Neurosci*. 2000;20(7):2602-2608.
292. Gordon T, Amirjani N, Edwards DC, Chan KM. Brief post-surgical electrical stimulation accelerates axon regeneration and muscle reinnervation without affecting the functional measures in carpal tunnel syndrome patients. *Exp Neurol*. 2010;223(1):192-202. doi:10.1016/j.expneurol.2009.09.020.
293. Wong JN, Olson JL, Morhart MJ, Chan KM. Electrical stimulation enhances sensory recovery: a randomized controlled trial. *Ann Neurol*. 2015;77(6):996-1006. doi:10.1002/ana.24397.
294. Elzinga K, Tyreman N, Ladak A, Savaryn B, Olson J, Gordon T. Brief electrical stimulation improves nerve regeneration after delayed repair in sprague dawley rats. *Exp Neurol*. 2015;269:142-153. doi:10.1016/j.expneurol.2015.03.022.
295. Huang J, Zhang Y, Lu L, Hu X, Luo Z. Electrical stimulation accelerates nerve regeneration and functional recovery in delayed peripheral nerve injury in rats. *Eur J Neurosci*. 2013;38(12):3691-3701. doi:10.1111/ejn.12370.
296. McLean NA, Popescu BF, Gordon T, Zochodne DW, Verge VM. Delayed nerve stimulation promotes axon-protective neurofilament phosphorylation, accelerates immune cell clearance and enhances remyelination in vivo in focally demyelinated nerves. *PLoS One*. 2014;9(10):e110174. doi:10.1371/journal.pone.0110174.
297. Asensio-Pinilla E, Udina E, Jaramillo J, Navarro X. Electrical stimulation combined with exercise increase axonal regeneration after peripheral nerve injury. *Exp Neurol*. 2009;219(1):258-265. doi:10.1016/j.expneurol.2009.05.034.
298. Chen WZ, Qiao H, Zhou W, Wu J, Wang ZB. Upgraded nerve growth factor expression induced by low-intensity continuous-wave ultrasound accelerates regeneration of neurotometrically injured sciatic nerve in rats. *Ultrasound Med Biol*. 2010;36(7):1109-1117. doi:10.1016/j.ultrasmed-bio.2010.04.014.
299. Oliveira FB, Pereira VM, da Trindade AP, Shimano AC, Gabriel RE, Borges AP. Action of therapeutic laser and ultrasound in peripheral nerve regeneration. *Acta Ortop Bras*. 2012;20(2):98-103. doi:10.1590/S1413-78522012000200008.
300. Raso VV, Barbieri CH, Mazzer N, Fasan VS. Can therapeutic ultrasound influence the regeneration of peripheral nerves? *J Neurosci Methods*. 2005;142(2):185-192. doi:10.1016/j.jneumeth.2004.08.016.
301. de Oliveira RF, de Andrade Salgado DM, Trevelin LT, et al. Benefits of laser phototherapy on nerve repair. *Lasers Med Sci*. 2015;30(4):1395-1406. doi:10.1007/s10103-014-1531-6.
302. Lazovic M, Ilic-Stojanovic O, Kocic M, Zivkovic V, Hrkovic M, Radosavljevic N. Placebo-controlled investigation of low-level laser therapy to treat carpal tunnel syndrome. *Photomed Laser Surg*. 2014;32(6):336-344. doi:10.1089/pho.2013.3563.
303. Führer-Valdivia A, Noguera-Pantoja A, Ramirez-Lobos V, Solé-Ventura P. Low-level laser effect in patients with neurosensory impairment of mandibular nerve after sagittal split ramus osteotomy. Randomized clinical trial, controlled by placebo. *Med Oral Patol Oral Cir Bucal*. 2014;19(4):e327-e334. doi:10.4317/medoral.19626.
304. Cameron MH. *Physical Agents in Rehabilitation: From Research to Practice*. 4th ed. St Louis, MO: Elsevier Saunders; 2013.
305. Li H, Jia JP, Xu M, Zhang L. Changes in the blood-nerve barrier after sciatic nerve cold injury: indications supporting early treatment. *Neural Regen Res*. 2015;10(3):419-424. doi:10.4103/1673-5374.153690.
306. Jia J, Pollock M. The pathogenesis of non-freezing cold nerve injury. Observations in the rat. *Brain*. 1997;120(Pt 4):631-646. doi:10.1093/brain/120.4.631.
307. Hsu M, Stevenson FF. Wallerian degeneration and recovery of motor nerves after multiple focused cold therapies. *Muscle Nerve*. 2015;51(2):268-275. doi:10.1002/mus.24306.
308. Gage AA, Baust JM, Baust JG. Experimental cryosurgery investigations in vivo. *Cryobiology*. 2009;59(3):229-243. doi:10.1016/j.cryobiol.2009.10.001.
309. Algafly AA, George KP. The effect of cryotherapy on nerve conduction velocity, pain threshold and pain tolerance. *Br J Sports Med*. 2007;41(6):365-369; discussion 369. doi:10.1136/bjism.2006.031237.
310. Bleakley CM, Glasgow P, Webb MJ. Cooling an acute muscle injury: can basic scientific theory translate into the clinical

- setting? *Br J Sports Med.* 2012;46(4):296-298. doi:10.1136/bjism.2011.086116.
311. Myrer JW, Myrer KA, Measom GJ, Fellingham GW, Evers SL. Muscle temperature is affected by overlying adipose when cryotherapy is administered. *J Athl Train.* 2001;36(1):32-36.
 312. Laymon M, Petrofsky J, McKivigan J, Lee H, Yim J. Effect of heat, cold, and pressure on the transverse carpal ligament and median nerve: a pilot study. *Med Sci Monit.* 2015;21:446-451. doi:10.12659/MSM.892462.
 313. Morrey ME, Dean BJF, Carr AJ, Morrey BF. Tendinopathy: Same disease different results-why? *Oper Tech Orthop.* 2013;23(2):39-49. doi:10.1053/j.oto.2013.06.004.
 314. Scott A, Backman LJ, Speed C. Tendinopathy: Update on pathophysiology. *J Orthop Sports Phys Ther.* 2015;45(11):833-841. doi:10.2519/jospt.2015.5884.
 315. Rees JD, Maffulli N, Cook J. Management of tendinopathy. *Am J Sports Med.* 2009;37(9):1855-1867. doi:10.1177/0363546508324283.
 316. Lutsky KF, Giang EL, Matzon JL. Flexor tendon injury, repair and rehabilitation. *Orthop Clin North Am.* 2015;46(1):67-76. doi:10.1016/j.ocl.2014.09.004.
 317. Davenport TE, Kulig K, Matharu Y, Blanco CE. The EdUReP model for nonsurgical management of tendinopathy. *Phys Ther.* 2005;85(10):1093-1103.
 318. Kulig K, Loudon JK, Popovich JM, Pollard CD, Winder BR. Dancers with achilles tendinopathy demonstrate altered lower extremity takeoff kinematics. *J Orthop Sports Phys Ther.* 2011;41(8):606-613. doi:10.2519/jospt.2011.3580.
 319. Alfredson H, Pietilä T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sports Med.* 1998;26(3):360-366.
 320. Ohberg L, Lorentzon R, Alfredson H. Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up. *Br J Sports Med.* 2004;38(1):8-11; discussion 11. doi:10.1136/bjism.2001.000284.
 321. Jonsson P, Wahlström P, Öhberg L, Alfredson H. Eccentric training in chronic painful impingement syndrome of the shoulder: results of a pilot study. *Knee Surg Sports Traumatol Arthrosc.* 2006;14(1):76-81. doi:10.1007/s00167-004-0611-8.
 322. Jonsson P, Alfredson H, Sunding K, Fahlström M, Cook J. New regimen for eccentric calf-muscle training in patients with chronic insertional Achilles tendinopathy: results of a pilot study. *Br J Sports Med.* 2008;42(9):746-749. doi:10.1136/bjism.2007.039545.
 323. Jonsson P, Alfredson H. Superior results with eccentric compared to concentric quadriceps training in patients with jumper's knee: a prospective randomised study. *Br J Sports Med.* 2005;39(11):847-850. doi:10.1136/bjism.2005.018630.
 324. Murtaugh B, Ihm JM. Eccentric training for the treatment of tendinopathies. *Curr Sports Med Rep.* 2013;12(3):175-182. doi:10.1249/JSR.0b013e3182933761.
 325. Drew BT, Smith TO, Littlewood C, Sturrock B. Do structural changes (eg, collagen/matrix) explain the response to therapeutic exercises in tendinopathy: a systematic review. *Br J Sports Med.* 2014;48(12):966-972. doi:10.1136/bjsports-2012-091285.
 326. Benjamin M, Kaiser E, Milz S. Structure-function relationships in tendons: a review. *J Anat.* 2008;212(3):211-228. doi:10.1111/j.1469-7580.2008.00864.x.
 327. Michener LA, Kulig K. Not all tendons are created equal: Implications for differing treatment approaches. *J Orthop Sports Phys Ther.* 2015;45(11):829-832. doi:10.2519/jospt.2015.0114.
 328. Alexander RM. Energy-saving mechanisms in walking and running. *J Exp Biol.* 1991;160:55-69.
 329. Screen HR, Berk DE, Kadler KE, Ramirez F, Young MF. Tendon functional extracellular matrix. *J Orthop Res.* 2015;33(6):793-799. doi:10.1002/jor.22818.
 330. Wang JH. Mechanobiology of tendon. *J Biomech.* 2006;39(9):1563-1582. doi:10.1016/j.jbiomech.2005.05.011.
 331. Kastelic J, Galeski A, Baer E. The multicomposite structure of tendon. *Connect Tissue Res.* 1978;6(1):11-23. doi:10.3109/03008207809152283.
 332. Kannus P. Structure of the tendon connective tissue. *Scand J Med Sci Sports.* 2000;10(6):312-320. doi:10.1034/j.1600-0838.2000.010006312.x.
 333. Kvist M, Jozsa L, Kannus P, et al. Morphology and histochemistry of the myotendineal junction of the rat calf muscles. Histochemical, immunohistochemical and electron-microscopic study. *Acta Anat (Basel).* 1991;141(3):199-205.
 334. Tidball JG. Myotendinous junction injury in relation to junction structure and molecular composition. *Exerc Sport Sci Rev.* 1991;19:419-445.
 335. Knudsen AB, Larsen M, Mackey AL, et al. The human myotendinous junction: an ultrastructural and 3D analysis study. *Scand J Med Sci Sports.* 2015;25(1):e116-e123. doi:10.1111/sms.12221.
 336. Apostolakis J, Durant TJ, Dwyer CR, et al. The enthesis: a review of the tendon-to-bone insertion. *Muscles Ligaments Tendons J.* 2014;4(3):333-342.
 337. Davis ME, Gumucio JP, Sugg KB, Bedi A, Mendias CL. MMP inhibition as a potential method to augment the healing of skeletal muscle and tendon extracellular matrix. *J Appl Physiol (1985).* 2013;115(6):884-891. doi:10.1152/jap-physiol.00137.2013.
 338. Del Buono A, Oliva F, Longo UG, et al. Metalloproteases and rotator cuff disease. *J Shoulder Elbow Surg.* 2012;21(2):200-208. doi:10.1016/j.jse.2011.10.020.
 339. Valencia Mora M, Ruiz Ibán MA, Díaz Heredia J, Barco Laakso R, Cuéllar R, García Arranz M. Stem cell therapy in the management of shoulder rotator cuff disorders. *World J Stem Cells.* 2015;7(4):691-699. doi:10.4252/wjsc.v7.i4.691.
 340. Ahmad Z, Wardale J, Brooks R, Henson F, Noorani A, Rushton N. Exploring the application of stem cells in tendon repair and regeneration. *Arthroscopy.* 2012;28(7):1018-1029. doi:10.1016/j.arthro.2011.12.009.
 341. Dymont NA, Galloway JL. Regenerative biology of tendon: mechanisms for renewal and repair. *Curr Mol Biol Rep.* 2015;1(3):124-131. doi:10.1007/s40610-015-0021-3.
 342. Ahmed IM, Lagopoulos M, McConnell P, Soames RW, Sefton GK. Blood supply of the Achilles tendon. *J Orthop Res.* 1998;16(5):591-596. doi:10.1002/jor.1100160511.
 343. Miller KC, Burne JA. Golgi tendon organ reflex inhibition following manually applied acute static stretching. *J Sports Sci.* 2014;32(15):1491-1497. doi:10.1080/02640414.2014.899708.
 344. Lephart SM, Pincivero DM, Giraldo JL, Fu FH. The role of proprioception in the management and rehabilitation of athletic injuries. *Am J Sports Med.* 1997;25(1):130-137. doi:10.1177/036354659702500126.
 345. Kistemaker D, Van Soest A, Wong J, Kurtzer I, Gribble P. Control of position and movement is simplified by combined muscle spindle and golgi tendon organ feedback. *J Neurophysiol.* 2012;109(4):1126-1139. doi:10.1152/jn.00751.2012.
 346. Dimitriou M, Edin BB. Discharges in human muscle receptor afferents during block grasping. *J Neurosci.*

- 2008;28(48):12632-12642. doi:10.1523/JNEUROSCI.3357-08.2008.
347. Kolz CW, Suter T, Henninger HB. Regional mechanical properties of the long head of the biceps tendon. *Clin Biomech.* 2015;30(9):940-945. doi:10.1016/j.clinbiomech.2015.07.005.
348. Stenroth L, Peltonen J, Cronin NJ, Sipilä S, Finni T. Age-related differences in Achilles tendon properties and triceps surae muscle architecture in vivo. *J Appl Physiol (1985).* 2012;113(10):1537-1544. doi:10.1152/jappphysiol.00782.2012.
349. Duenwald SE, Vanderby R Jr, Lakes RS. Viscoelastic relaxation and recovery of tendon. *Ann Biomed Eng.* 2009;37(6):1131-1140. doi:10.1007/s10439-009-9687-0.
350. Obst SJ, Barrett RS, Newsham-West R. Immediate effect of exercise on achilles tendon properties: systematic review. *Med Sci Sports Exerc.* 2013;45(8):1534-1544. doi:10.1249/MSS.0b013e318289d821.
351. Fukunaga T, Kubo K, Kawakami Y, Fukashiro S, Kanehisa H, Maganaris CN. In vivo behaviour of human muscle tendon during walking. *Proc Biol Sci.* 2001;268(1464):229-233. doi:10.1098/rspb.2000.1361.
352. Screen HR, Toorani S, Shelton JC. Microstructural stress relaxation mechanics in functionally different tendons. *Med Eng Phys.* 2013;35(1):96-102. doi:10.1016/j.medengphy.2012.04.004.
353. Thorpe CT, Godinho MS, Riley GP, Birch HL, Clegg PD, Screen HR. The interfascicular matrix enables fascicle sliding and recovery in tendon, and behaves more elastically in energy storing tendons. *J Mech Behav Biomed Mater.* 2015;52:85-94. doi:10.1016/j.jmbbm.2015.04.009.
354. Shepherd JH, Legerlotz K, Demirci T, Klemm C, Riley GP, Screen HR. Functionally distinct tendon fascicles exhibit different creep and stress relaxation behaviour. *Proc Inst Mech Eng H.* 2014;228(1):49-59. doi:10.1177/0954411913509977.
355. Thornton GM, Shao X, Chung M, et al. Changes in mechanical loading lead to tendonspecific alterations in MMP and TIMP expression: influence of stress deprivation and intermittent cyclic hydrostatic compression on rat supraspinatus and Achilles tendons. *Br J Sports Med.* 2010;44(10):698-703. doi:10.1136/bjism.2008.050575.
356. Birch HL, Worboys S, Eissa S, Jackson B, Strassburg S, Clegg PD. Matrix metabolism rate differs in functionally distinct tendons. *Matrix Biol.* 2008;27(3):182-189. doi:10.1016/j.matbio.2007.10.004.
357. Thomopoulos S, Parks WC, Rifkin DB, Derwin KA. Mechanisms of tendon injury and repair. *J Orthop Res.* 2015;33(6):832-839. doi:10.1002/jor.22806.
358. Amirtharajah M, Lattanza L. Open extensor tendon injuries. *J Hand Surg Am.* 2015;40(2):391-397. doi:10.1016/j.jhsa.2014.06.136.
359. Rosso C, Vavken P, Polzer C, et al. Long-term outcomes of muscle volume and Achilles tendon length after Achilles tendon ruptures. *Knee Surg Sports Traumatol Arthrosc.* 2013;21(6):1369-1377. doi:10.1007/s00167-013-2407-1.
360. Kukkonen J, Joukainen A, Lehtinen J, et al. Treatment of nontraumatic rotator cuff tears: a randomized controlled trial with two years of clinical and imaging follow-up. *J Bone Joint Surg Am.* 2015;97(21):1729-1737. doi:10.2106/JBJS.N.01051.
361. Kukkonen J, Joukainen A, Lehtinen J, et al. Treatment of non-traumatic rotator cuff tears: a randomised controlled trial with one-year clinical results. *Bone Joint J.* 2014;96 B(1):75-81. doi:10.1302/0301-620X.96B1.32168.
362. Benjamin M, Toumi H, Ralphs JR, Bydder G, Best TM, Milz S. Where tendons and ligaments meet bone: attachment sites ('entheses') in relation to exercise and/or mechanical load. *J Anat.* 2006;208(4):471-490. doi:10.1111/j.1469-7580.2006.00540.x.
363. Leung K-S, Chong WS, Chow DH, et al. A comparative study on the biomechanical and histological properties of bone-to-bone, bone-to-tendon, and tendon-to-tendon healing: An Achilles tendon-calcaneus model in goats. *Am J Sports Med.* 2015;43(6):1413-1421. doi:10.1177/0363546515576904.
364. Bunker DL, Ilie V, Ilie V, Nicklin S. Tendon to bone healing and its implications for surgery. *Muscles Ligaments Tendons J.* 2014;4(3):343-350.
365. Wiegerinck JI, Kerkhoffs GM, van Sterkenburg MN, Sierevelt IN, van Dijk CN. Treatment for insertional Achilles tendinopathy: a systematic review. *Knee Surg Sports Traumatol Arthrosc.* 2013;21(6):1345-1355. doi:10.1007/s00167-012-2219-8.
366. Abrahamsson SO, Lundborg G, Lohmander LS. Tendon healing in vivo: An experimental model. *Scandinavian J Plast Reconstr Surg Hand Surg.* 1989;23(3):199-205. doi:10.3109/02844318909075118.
367. Ragoowansi R, Khan U, Brown RA, McGrouther DA. Differences in morphology, cytoskeletal architecture and protease production between zone II tendon and synovial fibroblasts in vitro. *J Hand Surg Br.* 2003;28(5):465-470. doi:10.1016/S0266-7681(03)00140-2.
368. Cadby JA, Buehler E, Godbout C, van Weeren PR, Snedeker JG. Differences between the cell populations from the peritenon and the tendon core with regard to their potential implication in tendon repair. *PLoS One.* 2014;9(3):e92474. doi:10.1371/journal.pone.0092474.
369. Khan U, Ocleston NL, Khaw PT, McGrouther DA. Differences in proliferative rate and collagen lattice contraction between endotenon and synovial fibroblasts. *J Hand Surg Am.* 1998;23(2):266-273. doi:10.1016/S0363-5023(98)80125-1.
370. Uquillas CA, Guss MS, Ryan DJ, Jazrawi LM, Strauss EJ. Everything Achilles: Knowledge update and current concepts in management: AAOS exhibit selection. *J Bone Joint Surg Am.* 2015;97(14):1187-1195. doi:10.2106/JBJS.O.00002.
371. Pingel J, Fredberg U, Qvortrup K, et al. Local biochemical and morphological differences in human Achilles tendinopathy: a case control study. *BMC Musculoskelet Disord.* 2012;13(1):53. doi:10.1186/1471-2474-13-53.
372. Lui PP. Histopathological changes in tendinopathy-potential roles of BMPs? *Rheumatol (Oxford).* 2013;52(12):2116-2126. doi:10.1093/rheumatology/ket165.
373. Maffulli N, Ewen SW, Waterston SW, Reaper J, Barrass V. Tenocytes from ruptured and tendinopathic achilles tendons produce greater quantities of type III collagen than tenocytes from normal achilles tendons. An in vitro model of human tendon healing. *Am J Sports Med.* 2000;28(4):499-505.
374. Pingel J, Lu Y, Starborg T, et al. 3-D ultrastructure and collagen composition of healthy and overloaded human tendon: evidence of tenocyte and matrix buckling. *J Anat.* 2014;224(5):548-555. doi:10.1111/joa.12164.
375. Cho NS, Hwang JH, Lee YT, Chae SW. Tendinosis-like histologic and molecular changes of the Achilles tendon to repetitive stress: a pilot study in rats. *Clin Orthop Relat Res.* 2011;469(11):3172-3180. doi:10.1007/s11999-011-2000-1.
376. Kraggsnaes MS, Fredberg U, Stribolt K, Kjaer SG, Bendix K, Ellingsen T. Stereological quantification

- of immune-competent cells in baseline biopsy specimens from achilles tendons: results from patients with chronic tendinopathy followed for more than 4 years. *Am J Sports Med.* 2014;42(10):2435-2445. doi:10.1177/0363546514542329.
377. Dean BJ, Gettings P, Dakin SG, Carr AJ. Are inflammatory cells increased in painful human tendinopathy? A systematic review. *Br J Sports Med.* 2016;50(4):216-220. doi:10.1136/bjsports-2015-094754.
378. Pingel J, Wienecke J, Kongsgaard M, et al. Increased mast cell numbers in a calcaneal tendon overuse model. *Scand J Med Sci Sports.* 2013;23(6):e353-e360. doi:10.1111/sms.12089.
379. Arya S, Kulig K. Tendinopathy alters mechanical and material properties of the Achilles tendon. *J Appl Physiol (1985).* 2010;108(3):670-675. doi:10.1152/jappphysiol.00259.2009.
380. LaCroix AS, Duenwald-Kuehl SE, Lakes RS, Vanderby R Jr. Relationship between tendon stiffness and failure: a metaanalysis. *J Appl Physiol (1985).* 2013;115(1):43-51. doi:10.1152/jappphysiol.01449.2012.
381. Yuan T, Zhang J, Zhao G, Zhou Y, Zhang CQ, Wang JH. Creating an animal model of tendinopathy by inducing chondrogenic differentiation with kartogenin. *PLoS One.* 2016;11(2):e0148557. doi:10.1371/journal.pone.0148557.
382. de Mos M, Koevoet W, van Schie HT, et al. In vitro model to study chondrogenic differentiation in tendinopathy. *Am J Sports Med.* 2009;37(6):1214-1222. doi:10.1177/0363546508331137.
383. Giai Via A, Papa G, Oliva F, Maffulli N. Tendinopathy. *Curr Phys Med Rehabil Reports.* 2016;4(1):50-55. doi:10.1007/s40141-016-0112-y.
384. Lopes AD, Hespagnol Júnior LC, Yeung SS, Costa LO. What are the main running-related musculoskeletal injuries? A systematic review. *Sports Med.* 2012;42(10):891-905. doi:10.2165/11631170-000000000-00000.
385. Comin J, Cook JL, Malliaras P, et al. The prevalence and clinical significance of sonographic tendon abnormalities in asymptomatic ballet dancers: a 24-month longitudinal study. *Br J Sports Med.* 2013;47(2):89-92. doi:10.1136/bjsports-2012-091303.
386. Ryan M, Bisset L, Newsham-West R. Should we care about tendon structure? The disconnect between structure and symptoms in tendinopathy. *J Orthop Sports Phys Ther.* 2015;45(11):823-825. doi:10.2519/jospt.2015.0112.
387. Dean BJ, Franklin SL, Carr AJ. The peripheral neuronal phenotype is important in the pathogenesis of painful human tendinopathy: a systematic review. *Clin Orthop Relat Res.* 2013;471(9):3036-3046. doi:10.1007/s11999-013-3010-y.
388. Rio E, Moseley L, Purdam C, et al. The pain of tendinopathy: physiological or pathophysiological? *Sports Med.* 2014;44(1):9-23. doi:10.1007/s40279-013-0096-z.
389. Jewson JL, Lambert GW, Storr M, Gaida JE. The sympathetic nervous system and tendinopathy: a systematic review. *Sports Med.* 2015;45(5):727-743. doi:10.1007/s40279-014-0300-9.
390. Chang YJ, Kulig K. The neuromechanical adaptations to Achilles tendinosis. *J Physiol.* 2015;593(15):3373-3387. doi:10.1113/JP270220.
391. Soslowsky LJ, Thomopoulos S, Tun S, et al. Overuse activity injures the supraspinatus tendon in an animal model: a histologic and biomechanical study. *J Shoulder Elbow Surg.* 2000;9(2):79-84.
392. De Boer MD, Maganaris CN, Seynnes OR, Rennie MJ, Narici M V. Time course of muscular, neural and tendinous adaptations to 23 day unilateral lower-limb suspension in young men. *J Physiol.* 2007;583(Pt 3):1079-1091. doi:10.1113/jphysiol.2007.135392.
393. Reeves ND, Maganaris CN, Ferretti G, Narici MV. Influence of 90-day simulated microgravity on human tendon mechanical properties and the effect of resistive counter-measures. *J Appl Physiol (1985).* 2005;98(6):2278-2286. doi:10.1152/jappphysiol.01266.2004.
394. Jielile J, Asilehan B, Wupuer A, et al. Early ankle mobilization promotes healing in a rabbit model of Achilles tendon rupture. *Orthopedics.* 2016;39(1):e117-e126. doi:10.3928/01477447-20160106-01.
395. Bring D, Reno C, Renstrom P, Salo P, Hart D, Ackermann P. Prolonged immobilization compromises up-regulation of repair genes after tendon rupture in a rat model. *Scand J Med Sci Sports.* 2010;20(3):411-417. doi:10.1111/j.1600-0838.2009.00954.x.
396. Kangas J, Pajala A, Siira P, Hämäläinen M, Leppilähti J. Early functional treatment versus early immobilization in tension of the musculotendinous unit after Achilles rupture repair: a prospective, randomized, clinical study. *J Trauma.* 2003;54(6):1171-1180; discussion 1180-1181. doi:10.1097/01.TA.0000047945.20863.A2.
397. Cetti R, Henriksen LO, Jacobsen KS. A new treatment of ruptured Achilles tendons. a prospective randomized study. *Clin Orthop Relat Res.* 1994;(308):155-165.
398. Costa ML, Shepstone L, Darrach C, Marshall T, Donell ST. Immediate full-weight-bearing mobilisation for repaired Achilles tendon ruptures: a pilot study. *Injury.* 2003;34(11):874-876.
399. Huang J, Wang C, Ma X, Wang X, Zhang C, Chen L. Rehabilitation regimen after surgical treatment of acute Achilles tendon ruptures: a systematic review with meta-analysis. *Am J Sports Med.* 2015;43(4):1008-1016. doi:10.1177/0363546514531014.
400. Kangas J, Pajala A, Ohtonen P, Leppilähti J. Achilles tendon elongation after rupture repair: a randomized comparison of 2 postoperative regimens. *Am J Sports Med.* 2007;35(1):59-64. doi:10.1177/0363546506293255.
401. Cheung EV, Lazarus M, Taranta M. Immediate range of motion after distal biceps tendon repair. *J Shoulder Elbow Surg.* 2005;14(5):516-518. doi:10.1016/j.jse.2004.12.003.
402. Smith JRA, Amirfeyz R. Does immediate elbow mobilization after distal biceps tendon repair carry the risk of wound breakdown, failure of repair, or patient dissatisfaction? *J Shoulder Elbow Surg.* 2016;25(2):810-815. doi:10.1016/j.jse.2015.11.066.
403. Keener JD, Galatz LM, Stobbs-Cucchi G, Patton R, Yamaguchi K. Rehabilitation following arthroscopic rotator cuff repair: a prospective randomized trial of immobilization compared with early motion. *J Bone Joint Surg Am.* 2014;96(1):11-19. doi:10.1016/j.csm.2009.12.001.
404. Shen C, Tang ZH, Hu JZ, Zou GY, Xiao RC, Yan DX. Does immobilization after arthroscopic rotator cuff repair increase tendon healing? A systematic review and meta-analysis. *Arch Orthop Trauma Surg.* 2014;134(9):1279-1285. doi:10.1007/s00402-014-2028-2.
405. Gimbel JA, Van Kleunen JP, Lake SP, Williams GR, Soslowsky LJ. The role of repair tension on tendon to bone healing in an animal model of chronic rotator cuff tears. *J Biomech.* 2007;40(3):561-568. doi:10.1016/j.jbiomech.2006.02.010.
406. Thomopoulos S, Zampiakos E, Das R, Silva MJ, Gelberman RH. The effect of muscle loading on flexor tendon-to-bone healing in a canine model. *J Orthop Res.* 2008;26(12):1611-1617. doi:10.1002/jor.20689.

407. Hettrich CM, Gasinu S, Beamer BS, et al. The effect of mechanical load on tendon-to-bone healing in a rat model. *Am J Sports Med.* 2014;42(5):1233-1241. doi:10.1177/0363546514526138.
408. Thomopoulos S, Williams GR, Soslowky LJ. Tendon to bone healing: differences in biomechanical, structural, and compositional properties due to a range of activity levels. *J Biomech Eng.* 2003;125(1):106-113. doi:10.1115/1.1536660.
409. Uezono K, Ide J, Tokunaga T, Sakamoto H, Okamoto N, Mizuta H. Effect of immobilization on rotator cuff reconstruction with acellular dermal matrix grafts in an animal model. *J Shoulder Elbow Surg.* 2013;22(9):1290-1297. doi:10.1016/j.jse.2012.12.037.
410. Galloway MT, Lalley AL, Shearn JT. The role of mechanical loading in tendon development, maintenance, injury, and repair. *J Bone Joint Surg Am.* 2013;95(17):1620-1628. doi:10.2106/JBJS.L.01004.
411. Killian ML, Cavinatto L, Galatz LM, Thomopoulos S. The role of mechanobiology in tendon healing. *J Shoulder Elbow Surg.* 2012;21(2):228-237. doi:10.1016/j.jse.2011.11.002.
412. Andersson T, Eliasson P, Hammerman M, Sandberg O, Aspenberg P. Low-level mechanical stimulation is sufficient to improve tendon healing in rats. *J Appl Physiol (1985).* 2012;113(9):1398-1402. doi:10.1152/jappphysiol.00491.2012.
413. Starr HM, Snoddy M, Hammond KE, Seiler JG 3rd. Flexor tendon repair rehabilitation protocols: a systematic review. *J Hand Surg Am.* 2013;38(9):1712-1717.e1-14. doi:10.1016/j.jhsa.2013.06.025.
414. Boyer MI, Goldfarb CA, Gelberman RH. Recent progress in flexor tendon healing: The modulation of tendon healing with rehabilitation variables. *J Hand Ther.* 2005;18(2):80-85; quiz 86. doi:10.1197/j.jht.2005.02.009.
415. Freedman BR, Gordon JA, Soslowky LJ. The Achilles tendon: fundamental properties and mechanisms governing healing. *Muscles Ligaments Tendons J.* 2014;4(2):245-255. doi:10.11138/mltj/2014.4.2.245.
416. Peltz CD, Sarver JJ, Dourte LM, Würigler-Hauri CC, Williams GR, Soslowky LJ. Exercise following a short immobilization period is detrimental to tendon properties and joint mechanics in a rat rotator cuff injury model. *J Orthop Res.* 2010;28(7):841-845. doi:10.1002/jor.21059.
417. Silbernagel KG, Thomeé R, Thomeé P, Karlsson J. Eccentric overload training for patients with chronic Achilles tendon pain – a randomised controlled study with reliability testing of the evaluation methods. *Scand J Med Sci Sports.* 2001;11(4):197-206. doi:10.1034/j.1600-0838.2001.110402.x.
418. Malliaras P, Barton CJ, Reeves ND, Langberg H. Achilles and patellar tendinopathy loading programmes: a systematic review comparing clinical outcomes and identifying potential mechanisms for effectiveness. *Sports Med.* 2013;43(4):267-286. doi:10.1007/s40279-013-0019-z.
419. Kedia M, Williams M, Jain L, et al. The effects of conventional physical therapy and eccentric strengthening for insertional achilles tendinopathy. *Int J Sports Phys Ther.* 2014;9(4):488-497.
420. Visnes H, Hoksrud A, Cook J, Bahr R. No effect of eccentric training on jumper's knee in volleyball players during the competitive season: a randomized clinical trial. *Clin J Sport Med.* 2005;15(4):227-234. doi:10.1097/01.jsm.0000168073.82121.20.
421. Martinez-Silvestrini JA, Newcomer KL, Gay RE, Schaefer MP, Kortebein P, Arendt KW. Chronic lateral epicondylitis: comparative effectiveness of a home exercise program including stretching alone versus stretching supplemented with eccentric or concentric strengthening. *J Hand Ther.* 2005;18(4):411-419, quiz 420. doi:10.1197/j.jht.2005.07.007.
422. Tyler TF, Thomas GC, Nicholas SJ, McHugh MP. Addition of isolated wrist extensor eccentric exercise to standard treatment for chronic lateral epicondylitis: a prospective randomized trial. *J Shoulder Elbow Surg.* 2010;19(6):917-922. doi:10.1016/j.jse.2010.04.041.
423. Tyler TF, Nicholas SJ, Schmitt BM, Mullaney M, Hogan DE. Clinical outcomes of the addition of eccentrics for rehabilitation of previously failed treatments of golfers elbow. *Int J Sports Phys Ther.* 2014;9(3):365-370.
424. Cullinane FL, Boocock MG, Trevelyan FC. Is eccentric exercise an effective treatment for lateral epicondylitis? A systematic review. *Clin Rehabil.* 2014;28(1):3-19. doi:10.1177/0269215513491974.
425. Blume C, Wang-Price S, Trudelle-Jackson E, Ortiz A. Comparison of eccentric and concentric exercise interventions in adults with subacromial impingement syndrome. *Int J Sports Phys Ther.* 2015;10(4):441-455.
426. Habets B, van Cingel RE. Eccentric exercise training in chronic mid-portion Achilles tendinopathy: a systematic review on different protocols. *Scand J Med Sci Sports.* 2015;25(1):3-15. doi:10.1111/sms.12208.
427. Stevens M, Tan CW. Effectiveness of the Alfredson protocol compared with a lower repetition-volume protocol for mid-portion Achilles tendinopathy: a randomized controlled trial. *J Orthop Sports Phys Ther.* 2014;44(2):59-67. doi:10.2519/jospt.2014.4720.
428. Langberg H, Ellingsgaard H, Madsen T, et al. Eccentric rehabilitation exercise increases peritendinous type I collagen synthesis in humans with Achilles tendinosis. *Scand J Med Sci Sports.* 2007;17(1):61-66. doi:10.1111/j.1600-0838.2006.00522.x.
429. O'Neill S, Watson PJ, Barry S. Why are eccentric exercises effective for Achilles tendinopathy? *Int J Sports Phys Ther.* 2015;10(4):552-562.
430. Kjaer M, Heinemeier KM. Eccentric exercise: acute and chronic effects on healthy and diseased tendons. *J Appl Physiol (1985).* 2014;116(11):1435-1438. doi:10.1152/jappphysiol.01044.2013.
431. Ohberg L, Lorentzon R, Alfredson H. Neovascularisation in Achilles tendons with painful tendinosis but not in normal tendons: An ultrasonographic investigation. *Knee Surg Sports Traumatol Arthrosc.* 2001;9(4):233-238. doi:10.1007/s001670000189.
432. De Jonge S, Warnars JLF, De Vos RJ, et al. Relationship between neovascularization and clinical severity in Achilles tendinopathy in 556 paired measurements. *Scand J Med Sci Sports.* 2014;24(5):773-778. doi:10.1111/sms.12072.
433. Sugisaki N, Kawakami Y, Kanehisa H, Fukunaga T. Effect of muscle contraction levels on the force-length relationship of the human Achilles tendon during lengthening of the triceps surae muscle-tendon unit. *J Biomech.* 2011;44(11):2168-2171. doi:10.1016/j.jbiomech.2011.05.015.
434. Lindstedt SL, Reich TE, Keim P, LaStayo PC. Do muscles function as adaptable locomotor springs? *J Exp Biol.* 2002;205(Pt 15):2211-2216.
435. Ferenczi MA, Bershtitsky SY, Koubassova NA, et al. Why muscle is an efficient shock absorber. *PLoS One.* 2014;9(1):e85739. doi:10.1371/journal.pone.0085739.
436. Vogt M, Hoppeler HH. Eccentric exercise: mechanisms and effects when used as training regime or training adjunct. *J Appl Physiol (1985).* 2014;116(11):1446-1454. doi:10.1152/jappphysiol.00146.2013.

437. Peterson M, Butler S, Eriksson M, Svardsudd K. A randomized controlled trial of eccentric vs. concentric graded exercise in chronic tennis elbow (lateral elbow tendinopathy). *Clin Rehabil*. 2014;28(9):862-872. doi:10.1177/0269215514527595.
438. Mahieu NN, Mcnair P, Cools A, D'Haen C, Vandermeulen K, Witvrouw E. Effect of eccentric training on the plantar flexor muscle-tendon tissue properties. *Med Sci Sports Exerc*. 2008;40(1):117-123. doi:10.1249/mss.0b013e3181599254.
439. Fouré A, Nordez A, Cornu C. Effects of eccentric training on mechanical properties of the plantar flexor muscle-tendon complex. *J Appl Physiol* (1985). 2013;114(5):523-537. doi:10.1152/jappphysiol.01313.2011.
440. Kwon YH, Park JW. Different cortical activation patterns during voluntary eccentric and concentric muscle contractions: An fMRI study. *NeuroRehabilitation*. 2011;29(3):253-259. doi:10.3233/NRE-2011-0701.
441. Duclay J, Pasquet B, Martin A, Duchateau J. Specific modulation of corticospinal and spinal excitabilities during maximal voluntary isometric, shortening and lengthening contractions in synergist muscles. *J Physiol*. 2011;589(Pt 11):2901-2916. doi:10.1113/jphysiol.2011.207472.
442. Duclay J, Pasquet B, Martin A, Duchateau J. Specific modulation of spinal and cortical excitabilities during lengthening and shortening submaximal and maximal contractions in plantar flexor muscles. *J Appl Physiol* (1985). 2014;117(12):1440-1450. doi:10.1152/jappphysiol.00489.2014.
443. Duchateau J, Enoka RM. Neural control of lengthening contractions. *J Exp Biol*. 2016;219(Pt 2):197-204. doi:10.1242/jeb.123158.
444. Fang Y, Siemionow V, Sahgal V, Xiong F, Yue GH. Greater movement-related cortical potential during human eccentric versus concentric muscle contractions. *J Neurophysiol*. 2001;86(4):1764-1772.
445. Dartnall TJ, Nordstrom MA, Semmler JG. Adaptations in biceps brachii motor unit activity after repeated bouts of eccentric exercise in elbow flexor muscles. *J Neurophysiol*. 2011;105(3):1225-1235. doi:10.1152/jn.00854.2010.
446. Sato EJ, Killian ML, Choi AJ, et al. Skeletal muscle fibrosis and stiffness increase after rotator cuff tendon injury and neuromuscular compromise in a rat model. *J Orthop Res*. 2014;32(9):1111-1116. doi:10.1002/jor.22646.
447. Muth S, Barbe MF, Lauer R, McClure PW. The effects of thoracic spine manipulation in subjects with signs of rotator cuff tendinopathy. *J Orthop Sports Phys Ther*. 2012;42(12):1005-1016. doi:10.2519/jospt.2012.4142.
448. Joseph MF, Taft K, Moskwa M, Denegar CR. Deep friction massage to treat tendinopathy: a systematic review of a classic treatment in the face of a new paradigm of understanding. *J Sport Rehabil*. 2012;21(4):343-353.
449. Davidson CJ, Ganion LR, Gehlsen GM, Verhoestra B, Roepke JE, Sevier TL. Rat tendon morphologic and functional changes resulting from soft tissue mobilization. *Med Sci Sports Exerc*. 1997;29(3):313-319.
450. Imai K, Ikoma K, Chen Q, Zhao C, An KN, Gay RE. Biomechanical and histological effects of augmented soft tissue mobilization therapy on achilles tendinopathy in a rabbit model. *J Manipulative Physiol Ther*. 2015;38(2):112-118. doi:10.1016/j.jmpt.2014.12.003.
451. Desjardins-Charbonneau A, Roy JS, Dionne CE, Frémont P, MacDermid JC, Desmeules F. The efficacy of manual therapy for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Orthop Sport Phys Ther*. 2015;45(5):330-350. doi:10.2519/jospt.2015.5455.
452. Renan-Ordine R, Albuquerque-Sendín F, de Souza DP, Cleland JA, Fernández-de-Las-Peñas C. Effectiveness of myofascial trigger point manual therapy combined with a self-stretching protocol for the management of plantar heel pain: a randomized controlled trial. *J Orthop Sports Phys Ther*. 2011;41(2):43-50. doi:10.2519/jospt.2011.3504.
453. Jeremias Júnior SL, Camanho GL, Bassit AC, Forgas A, Ingham SJ, Abdalla RJ. Low-intensity pulsed ultrasound accelerates healing in rat calcaneus tendon injuries. *J Orthop Sports Phys Ther*. 2011;41(7):526-531. doi:10.2519/jospt.2011.3468.
454. Chang YP, Chiang HS, Shih KS, et al. Effects of therapeutic physical agents on Achilles tendon microcirculation. *J Orthop Sports Phys Ther*. 2015;45(7):563-569. doi:10.2519/jospt.2015.5681.
455. Dingemans R, Randsdorp M, Koes BW, Huisstede BM. Evidence for the effectiveness of electrophysical modalities for treatment of medial and lateral epicondylitis: a systematic review. *Br J Sports Med*. 2014;48(12):957-965. doi:10.1136/bjsports-2012-091513.
456. Ebenbichler GR, Erdogmus CB, Resch KL, et al. Ultrasound therapy for calcific tendinitis of the shoulder. *N Engl J Med*. 1999;340(20):1533-1538. doi:10.1056/NEJM199905203402002.
457. Desmeules F, Boudreault J, Roy JS, Dionne C, Frémont P, MacDermid JC. The efficacy of therapeutic ultrasound for rotator cuff tendinopathy: a systematic review and meta-analysis. *Phys Ther Sport*. 2015;16(3):276-284. doi:10.1016/j.ptsp.2014.09.004.
458. Tumilty S, Munn J, McDonough S, Hurley Da, Basford JR, Baxter GD. Low level laser treatment of tendinopathy: a systematic review with meta-analysis. *Photomed Laser Surg*. 2010;28(1):3-16. doi:10.1089/pho.2008.2470.
459. Haslerud S, Magnussen LH, Joensen J, Lopes-Martins RA, Bjordal JM. The efficacy of low-level laser therapy for shoulder tendinopathy: a systematic review and meta-analysis of randomized controlled trials. *Physiother Res Int*. 2015;20(2):108-125. doi:10.1002/pri.1606.
460. Bjordal JM, Lopes-Martins RA, Joensen J, et al. A systematic review with procedural assessments and meta-analysis of low level laser therapy in lateral elbow tendinopathy (tennis elbow). *BMC Musculoskelet Disord*. 2008;9:75. doi:10.1186/1471-2474-9-75.
461. Stergioulas A, Stergioula M, Aarskog R, Lopes-Martins RA, Bjordal JM. Effects of low-level laser therapy and eccentric exercises in the treatment of recreational athletes with chronic achilles tendinopathy. *Am J Sports Med*. 2008;36(5):881-887. doi:10.1177/0363546507312165.
462. Rowe V, Hemmings S, Barton C, Malliaras P, Maffulli N, Morrissey D. Conservative management of midportion Achilles tendinopathy: a mixed methods study, integrating systematic review and clinical reasoning. *Sports Med*. 2012;42(11):941-967. doi:10.2165/11635410-000000000-00000.
463. Tumilty S, McDonough S, Hurley DA, Baxter GD. Clinical effectiveness of low-level laser therapy as an adjunct to eccentric exercise for the treatment of Achilles' tendinopathy: a randomized controlled trial. *Arch Phys Med Rehabil*. 2012;93(5):733-739. doi:10.1016/j.apmr.2011.08.049.
464. Nogueira AC Jr, Júnior Mde J. The effects of laser treatment in tendinopathy: a systematic review. *Acta Ortop Bras*. 2015;23(1):47-49. doi:10.1590/1413-78522015230100513.

465. Tsai WC, Tang ST, Liang FC. Effect of therapeutic ultrasound on tendons. *Am J Phys Med Rehabil*. 2011;90(12):1068-1073. doi:10.1097/PHM.0b013e31821a70be.
466. Wood VT, Pinfildi CE, Neves MAI, Parizoto NA, Hochman B, Ferreira LM. Collagen changes and realignment induced by low-level laser therapy and low-intensity ultrasound in the calcaneal tendon. *Lasers Surg Med*. 2010;42(6):559-565. doi:10.1002/lsm.20932.
467. Desjardins-Charbonneau A, Roy JS, Dionne CE, Desmeules F. The efficacy of taping for rotator cuff tendinopathy: a systematic review and meta-analysis. *Int J Sports Phys Ther*. 2015;10(4):420-433.
468. Scott LA, Munteanu SE, Menz HB. Effectiveness of orthotic devices in the treatment of Achilles tendinopathy: a systematic review. *Sports Med*. 2015;45(1):95-110. doi:10.1007/s40279-014-0237-z.
469. Borkholder CD, Hill VA, Fess EE. The efficacy of splinting for lateral epicondylitis: a systematic review. *J Hand Ther*. 2004;17(2):181-199. doi:10.1197/j.jht.2004.02.007.
470. Garg R, Adamson GJ, Dawson PA, Shankwiler JA, Pink MM. A prospective randomized study comparing a forearm strap brace versus a wrist splint for the treatment of lateral epicondylitis. *J Shoulder Elbow Surg*. 2010;19(4):508-512. doi:10.1016/j.jse.2009.12.015.
471. MacLean CL, Davis IS, Hamill J. Short- and long-term influences of a custom foot orthotic intervention on lower extremity dynamics. *Clin J Sport Med*. 2008;18(4):338-343. doi:10.1097/MJT.0b013e31815fa75a.
472. MacLean CL, Van Emmerik R, Hamill J. Influence of custom foot orthotic intervention on lower extremity intralimb coupling during a 30-minute run. *J Appl Biomech*. 2010;26(4):390-399. doi:10.1016/j.clinbiomech.2006.01.005.
473. Järvinen TA, Järvinen TL, Kääriäinen M, et al. Muscle injuries: optimising recovery. *Best Pract Res Clin Rheumatol*. 2007;21(2):317-331. doi:10.1016/j.berh.2006.12.004.
474. Tidball JG, Villalta SA. Regulatory interactions between muscle and the immune system during muscle regeneration. *Am J Physiol Regul Integr Comp Physiol*. 2010;298(5):R1173-R1187. doi:10.1152/ajp-regu.00735.2009.
475. Orchard J, Best TM, Verrall GM. Return to play following muscle strains. *Clin J Sport Med*. 2005;15(6):436-441. doi:10.1097/01.jsm.0000188206.54984.65.
476. Heiderscheidt BC, Sherry MA, Silder A, Chumanov ES, Thelen DG. Hamstring strain injuries: recommendations for diagnosis, rehabilitation, and injury prevention. *J Orthop Sports Phys Ther*. 2010;40(2):67-81. doi:10.2519/jospt.2010.3047.
477. Serrano AL, Muñoz-Cánoves P. Regulation and dysregulation of fibrosis in skeletal muscle. *Exp Cell Res*. 2010;316(18):3050-3058. doi:10.1016/j.yexcr.2010.05.035.
478. Hwang PM, Sykes BD. Targeting the sarcomere to correct muscle function. *Nat Rev Drug Discov*. 2015;14(5):313-328. doi:10.1038/nrd4554.
479. Herzog W. The role of titin in eccentric muscle contraction. *J Exp Biol*. 2014;217(Pt 16):2825-2833. doi:10.1242/jeb.099127.
480. Rassier DE, Leite FS, Nocella M, Cornachione AS, Colombini B, Bagni MA. Non-crossbridge forces in activated striated muscles: a titin dependent mechanism of regulation? *J Muscle Res Cell Motil*. 2015;36(1):37-45. doi:10.1007/s10974-014-9397-6.
481. Cornachione AS, Leite FS, Bagni MA, Rassier DE. The increase in non-crossbridge forces after stretch of activated striated muscle is related to titin isoforms. *Am J Physiol Cell Physiol*. 2016;310(1):C19-26. doi:10.1152/ajpcell.00156.2015.
482. Krüger M, Kötter S. Titin, a central mediator for hypertrophic signaling, exercise-induced mechanosignaling and skeletal muscle remodeling. *Front Physiol*. 2016;7:76. doi:10.3389/fphys.2016.00076.
483. Ceafalan LC, Popescu BO, Hinescu ME. Cellular players in skeletal muscle regeneration. *Biomed Res Int*. 2014;2014:957014. doi:10.1155/2014/957014.
484. Cornelison DD. Context matters: in vivo and in vitro influences on muscle satellite cell activity. *J Cell Biochem*. 2008;105(3):663-669. doi:10.1002/jcb.21892.
485. Scott W, Stevens J, Binder-MacLeod SA. Human skeletal muscle fiber type classifications. *Phys Ther*. 2001;81(11):1810-1816.
486. Gouzi F, Maury J, Molinari N, et al. Reference values for vastus lateralis fiber size and type in healthy subjects over 40 years old: a systematic review and metaanalysis. *J Appl Physiol (1985)*. 2013;115(3):346-354. doi:10.1152/jap-physiol.01352.2012.
487. Campos GE, Luecke TJ, Wendeln HK, et al. Muscular adaptations in response to three different resistance-training regimens: specificity of repetition maximum training zones. *Eur J Appl Physiol*. 2002;88(1-2):50-60. doi:10.1007/s00421-002-0681-6.
488. Haizlip KM, Harrison BC, Leinwand LA. Sex-based differences in skeletal muscle kinetics and fiber-type composition. *Physiology (Bethesda)*. 2015;30(1):30-39. doi:10.1152/physiol.00024.2014.
489. Korthuis RJ. *Skeletal Muscle Circulation*. San Rafael, CA: Morgan & Claypool Life Sciences; 2011. doi:10.4199/C00035ED1V01Y201106ISP023.
490. Latroche C, Gitiaux C, Chrétien F, Desguerre I, Mounier R, Chazaud B. Skeletal muscle microvasculature: a highly dynamic lifeline. *Physiology (Bethesda)*. 2015;30(6):417-427. doi:10.1152/physiol.00026.2015.
491. Krans JL. The sliding filament theory of muscle contraction. *Nature Education*. 2010;3(9):66.
492. Lieber RL, Fridén J. Functional and clinical significance of skeletal muscle architecture. *Muscle Nerve*. 2000;23(11):1647-1666.
493. Fukunaga T, Kawakami Y, Kuno S, Funato K, Fukashiro S. Muscle architecture and function in humans. *J Biomech*. 1997;30(5):457-463. doi:10.1016/S0021-9290(96)00171-6.
494. Gans C, Gaunt AS. Muscle architecture in relation to function. *J Biomech*. 1991;24(SUPPL. 1):53-65. doi:10.1016/0021-9290(91)90377-Y.
495. Guillodo Y, Saraux A. Treatment of muscle trauma in sportspeople (from injury on the field to resumption of the sport). *Ann Phys Rehabil Med*. 2009;52(3):246-255. doi:10.1016/j.rehab.2008.12.014.
496. Delos D, Maak TG, Rodeo SA. Muscle injuries in athletes: Enhancing recovery through scientific understanding and novel therapies. *Sports Health*. 2013;5(4):346-352. doi:10.1177/1941738113480934.
497. Hurme T, Kalimo H, Lehto M, Järvinen M. Healing of skeletal muscle injury: an ultrastructural and immunohistochemical study. *Med Sci Sports Exerc*. 1991;23(7):801-810.
498. Mueller-Wohlfahrt HW, Haensel L, Mithoefer K, et al. Terminology and classification of muscle injuries in sport: the Munich consensus statement. *Br J Sports Med*. 2013;47(6):342-350. doi:10.1136/bjsports-2012-091448.
499. Butt U, Mehta S, Funk L, Monga P. Pectoralis major ruptures: a review of current management. *J Shoulder Elbow Surg*. 2015;24(4):655-662. doi:10.1016/j.jse.2014.10.024.

500. Fiorentino NM, Blemker SS. Musculotendon variability influences tissue strains experienced by the biceps femoris long head muscle during high-speed running. *J Biomech.* 2014;47(13):3325-3333. doi:10.1016/j.jbiomech.2014.08.010.
501. Rubin DA. Imaging diagnosis and prognostication of hamstring injuries. *AJR Am J Roentgenol.* 2012;199(3):525-533. doi:10.2214/AJR.12.8784.
502. Askling CM, Tengvar M, Saartok T, Thorstensson A. Acute first-time hamstring strains during high-speed running: a longitudinal study including clinical and magnetic resonance imaging findings. *Am J Sports Med.* 2007;35(2):197-206. doi:10.1177/0363546506294679.
503. Askling CM, Tengvar M, Saartok T, Thorstensson A. Proximal hamstring strains of stretching type in different sports: injury situations, clinical and magnetic resonance imaging characteristics, and return to sport. *Am J Sports Med.* 2008;36(9):1799-1804. doi:10.1177/0363546508315892.
504. Rigamonti E, Zordan P, Sciorati C, Rovere-Querini P, Brunelli S. Macrophage plasticity in skeletal muscle repair. *BioMed Res Int.* 2014;2014:560629. doi:10.1155/2014/560629.
505. Novak ML, Weinheimer-Haus EM, Koh TJ. Macrophage activation and skeletal muscle healing following traumatic injury. *J Pathol.* 2014;232(3):344-355. doi:10.1002/path.4301.
506. Shin EH, Caterson EJ, Jackson WM, Nesti LJ. Quality of healing: defining, quantifying, and enhancing skeletal muscle healing. *Wound Repair Regen.* 2014;22 Suppl 1:18-24. doi:10.1111/wrr.12163.
507. Arnold L, Henry A, Poron F, et al. Inflammatory monocytes recruited after skeletal muscle injury switch into antiinflammatory macrophages to support myogenesis. *J Exp Med.* 2007;204(5):1057-1069. doi:10.1084/jem.20070075.
508. Sato K, Li Y, Foster W, et al. Improvement of muscle healing through enhancement of muscle regeneration and prevention of fibrosis. *Muscle Nerve.* 2003;28(3):365-372. doi:10.1002/mus.10436.
509. Endo T. Molecular mechanisms of skeletal muscle development, regeneration, and osteogenic conversion. *Bone.* 2015;80:2-13. doi:10.1016/j.bone.2015.02.028.
510. Tidball JG, Welc SS. Macrophage-derived IGF-1 is a potent coordinator of myogenesis and inflammation in regenerating muscle. *Mol Ther.* 2015;23(7):1134-1135. doi:10.1038/mt.2015.97.
511. Lehto M, Duance VC, Restall D. Collagen and fibronectin in a healing skeletal muscle injury. An immunohistological study of the effects of physical activity on the repair of injured gastrocnemius muscle in the rat. *J Bone Joint Surg Br.* 1985;67(5):820-828.
512. Kääriäinen M, Kääriäinen J, Järvinen TL, Sievänen H, Kalimo H, Järvinen M. Correlation between biomechanical and structural changes during the regeneration of skeletal muscle after laceration injury. *J Orthop Res.* 1998;16(2):197-206. doi:10.1002/jor.1100160207.
513. Vaittinen S, Hurme T, Rantanen J, Kalimo H. Transected myofibres may remain permanently divided in two parts. *Neuromuscul Disord.* 2002;12(6):584-587. doi:10.1016/S0960-8966(01)00339-X.
514. Kääriäinen M, Liljamo T, Pelto-Huikko M, Heino J, Järvinen M, Kalimo H. Regulation of alpha7 integrin by mechanical stress during skeletal muscle regeneration. *Neuromuscul Disord.* 2001;11(4):360-369. doi:10.1016/S0960-8966(00)00193-0.
515. Äärimaa V, Kääriäinen M, Vaittinen S, et al. Restoration of myofiber continuity after transection injury in the rat soleus. *Neuromuscul Disord.* 2004;14(7):421-428. doi:10.1016/j.nmd.2004.03.009.
516. Rantanen J, Ranne J, Hurme T, Kalimo H. Denervated segments of injured skeletal muscle fibers are reinnervated by newly formed neuromuscular junctions. *J Neuropathol Exp Neurol.* 1995;54(2):188-194. doi:10.1097/00005072-199503000-00005.
517. Garg K, Corona BT, Walters TJ. Therapeutic strategies for preventing skeletal muscle fibrosis after injury. *Front Pharmacol.* 2015;6:87. doi:10.3389/fphar.2015.00087.
518. Narola J, Pandey SN, Glick A, Chen YW. Conditional expression of TGF- β 1 in skeletal muscles causes endomysial fibrosis and myofibers atrophy. *PLoS One.* 2013;8(11):e79356. doi:10.1371/journal.pone.0079356.
519. Weist MR, Wellington MS, Bermudez JE, et al. TGF- β 1 enhances contractility in engineered skeletal muscle. *J Tissue Eng Regen Med.* 2013;7(7):562-571. doi:10.1002/term.551.
520. Li Y, Huard J. Differentiation of muscle-derived cells into myofibroblasts in injured skeletal muscle. *Am J Pathol.* 2002;161(3):895-907. doi:10.1016/S0002-9440(10)64250-2.
521. Segawa M, Fukada S, Yamamoto Y, et al. Suppression of macrophage functions impairs skeletal muscle regeneration with severe fibrosis. *Exp Cell Res.* 2008;314(17):3232-3244. doi:10.1016/j.yexcr.2008.08.008.
522. Mann CJ, Perdiguero E, Kharraz Y, et al. Aberrant repair and fibrosis development in skeletal muscle. *Skelet Muscle.* 2011;1(1):21. doi:10.1186/2044-5040-1-21.
523. Chen X, Li Y. Role of matrix metalloproteinases in skeletal muscle: migration, differentiation, regeneration and fibrosis. *Cell Adhes Migr.* 2009;3(4):337-341. doi:10.4161/cam.3.4.9338.
524. Lieber RL, Ward SR. Cellular mechanisms of tissue fibrosis. 4. Structural and functional consequences of skeletal muscle fibrosis. *Am J Physiol Cell Physiol.* 2013;305(3):C241-C252. doi:10.1152/ajpcell.00173.2013.
525. Silder A, Reeder SB, Thelen DG. The influence of prior hamstring injury on lengthening muscle tissue mechanics. *J Biomech.* 2010;43(12):2254-2260. doi:10.1016/j.jbiomech.2010.02.038.
526. Opar DA, Williams MD, Shield AJ. Hamstring strain injuries: factors that lead to injury and re-injury. *Sports Med.* 2012;42(3):209-226. doi:10.2165/11594800-000000000-00000.
527. Stauber WT, Knack KK, Miller GR, Grimmer JG. Fibrosis and intercellular collagen connections from four weeks of muscle strains. *Muscle Nerve.* 1996;19(4):423-430. doi:10.1002/mus.880190402.
528. Stauber WT. Factors involved in strain-induced injury in skeletal muscles and outcomes of prolonged exposures. *J Electromyogr Kinesiol.* 2004;14(1):61-70. doi:10.1016/j.jelekin.2003.09.010.
529. Stauber WT, Smith CA, Miller GR, Stauber FD. Recovery from 6 weeks of repeated strain injury to rat soleus muscles. *Muscle Nerve.* 2000;23(12):1819-1825.
530. Fyfe JJ, Opar DA, Williams MD, Shield AJ. The role of neuromuscular inhibition in hamstring strain injury recurrence. *J Electromyogr Kinesiol.* 2013;23(3):523-530. doi:10.1016/j.jelekin.2012.12.006.
531. Opar DA, Williams MD, Timmins RG, Dear NM, Shield AJ. Rate of torque and electromyographic development during anticipated eccentric contraction is lower in previously strained hamstrings. *Am J Sports Med.* 2013;41(1):116-125. doi:10.1177/0363546512462809.
532. Silder A, Thelen DG, Heiderscheid BC. Effects of prior hamstring strain injury on strength, flexibility, and running mechanics. *Clin Biomech (Bristol, Avon).* 2010;25(7):681-686. doi:10.1016/j.clinbiomech.2010.04.015.

533. Reurink G, Almusa E, Goudswaard GJ, et al. No association between fibrosis on magnetic resonance imaging at return to play and hamstring reinjury risk. *Am J Sports Med.* 2015;43(5):1228-1234. doi:10.1177/0363546515572603.
534. Reurink G, Goudswaard GJ, Tol JL, et al. MRI observations at return to play of clinically recovered hamstring injuries. *Br J Sports Med.* 2014;48(18):1370-1376. doi:10.1136/bjsports-2013-092450.
535. Orchard JW, Best TM, Mueller-Wohlfahrt HW, et al. The early management of muscle strains in the elite athlete: best practice in a world with a limited evidence basis. *Br J Sports Med.* 2008;42(3):158-159. doi:10.1136/bjism.2008.046722.
536. Lempainen L, Banke IJ, Johansson K, et al. Clinical principles in the management of hamstring injuries. *Knee Surg Sports Traumatol Arthrosc.* 2015;23(8):2449-2456. doi:10.1007/s00167-014-2912-x.
537. Brooks NE, Myburgh KH. Skeletal muscle wasting with disuse atrophy is multi-dimensional: the response and interaction of myonuclei, satellite cells and signaling pathways. *Front Physiol.* 2014;5:99. doi:10.3389/fphys.2014.00099.
538. Clark BC. In vivo alterations in skeletal muscle form and function after disuse atrophy. *Med Sci Sports Exerc.* 2009;41(10):1869-1875. doi:10.1249/MSS.0b013e3181a645a6.
539. Dirks ML, Wall BT, Nilwik R, Weerts DH, Verdijk LB, van Loon LJ. Skeletal muscle disuse atrophy is not attenuated by dietary protein supplementation in healthy older men. *J Nutr.* 2014;144(8):1196-1203. doi: 10.3945/jn.114.194217.
540. Fox DK, Ebert SM, Bongers KS, et al. p53 and ATF4 mediate distinct and additive pathways to skeletal muscle atrophy during limb immobilization. *Am J Physiol Endocrinol Metab.* 2014;307(3):E245-261. doi:10.1152/ajpendo.00010.2014.
541. Franssen JC, Zuhl M, Kerksick CM, et al. Impact of creatine on muscle performance and phosphagen stores after immobilization. *Eur J Appl Physiol.* 2015;115(9):1877-1886. doi:10.1007/s00421-015-3172-2.
542. Gram M, Vigelsø A, Yokota T, Helge JW, Dela F, Hey-Mogensen M. Skeletal muscle mitochondrial H₂O₂ emission increases with immobilization and decreases after aerobic training in young and older men. *J Physiol.* 2015;593(17):4011-4027. doi:10.1113/JP270211.
543. Hvid LG. Early plasticity of human skeletal muscle in response to disuse. *Acta Physiol (Oxf).* 2014;210(3):460-461. doi:10.1111/apha.12222.
544. Kang C, Ji LL. Muscle immobilization and remobilization downregulates PGC-1 α signaling and the mitochondrial biogenesis pathway. *J Appl Physiol (1985).* 2013;115(11):1618-1625. doi:10.1152/jappphysiol.01354.2012.
545. Mallinson JE, Murton AJ. Mechanisms responsible for disuse muscle atrophy: potential role of protein provision and exercise as countermeasures. *Nutrition.* 2013;29(1):22-28. doi:10.1016/j.nut.2012.04.012.
546. Santos-Júnior FF, Pires Ade F, Ribeiro NM, et al. Sensorial, structural and functional response of rats subjected to hind limb immobilization. *Life Sci.* 2015;137:158-163. doi:10.1016/j.lfs.2015.07.020.
547. Wall BT, Dirks ML, Van Loon LJ. Skeletal muscle atrophy during short-term disuse: implications for age-related sarcopenia. *Ageing Res Rev.* 2013;12(4):898-906. doi:10.1016/j.arr.2013.07.003.
548. Wall BT, Dirks ML, Snijders T, Senden JM, Dolmans J, Van Loon LJ. Substantial skeletal muscle loss occurs during only 5 days of disuse. *Acta Physiol(Oxf).* 2014;210(3):600-611. doi:10.1111/apha.12190.
549. Järvinen MJ, Lehto MU. The effects of early mobilisation and immobilisation on the healing process following muscle injuries. *Sports Med.* 1993;15(2):78-89.
550. Tesch PA, von Walden F, Gustafsson T, Linnehan RM, Trappe TA. Skeletal muscle proteolysis in response to short-term unloading in humans. *J Appl Physiol (1985).* 2008;105(3):902-906. doi:10.1152/jappphysiol.90558.2008.
551. Hvid LG, Suetta C, Aagaard P, Kjaer M, Frandsen U, Ørtenblad N. Four days of muscle disuse impairs single fiber contractile function in young and old healthy men. *Exp Gerontol.* 2013;48(2):154-161. doi:10.1016/j.exger.2012.11.005.
552. Hvid LG, Suetta C, Nielsen JH, et al. Aging impairs the recovery in mechanical muscle function following 4 days of disuse. *Exp Gerontol.* 2014;52:1-8. doi:10.1016/j.exger.2014.01.012.
553. Facchini S, Romani M, Tinazzi M, Aglioti SM. Time-related changes of excitability of the human motor system contingent upon immobilisation of the ring and little fingers. *Clin Neurophysiol.* 2002;113(3):367-375. doi:10.1016/S1388-2457(02)00009-3.
554. Moissello C, Bove M, Huber R, et al. Short-term limb immobilization affects motor performance. *J Mot Behav.* 2008;40(2):165-176. doi:10.3200/JMBR.40.2.165-176.
555. Bassolino M, Bove M, Jacono M, Fadiga L, Pozzo T. Functional effect of short-term immobilization: kinematic changes and recovery on reaching-to-grasp. *Neuroscience.* 2012;215:127-134. doi:10.1016/j.neurosci.2012.04.019.
556. Clark BC, Manini TM, Hoffman RL, Russ DW. Restoration of voluntary muscle strength after 3 weeks of cast immobilization is suppressed in women compared with men. *Arch Phys Med Rehabil.* 2009;90(1):178-180. doi:10.1016/j.apmr.2008.06.032.
557. Christensen B, Dyrberg E, Aagaard P, et al. Effects of long-term immobilization and recovery on human triceps surae and collagen turnover in the Achilles tendon in patients with healing ankle fracture. *J Appl Physiol (1985).* 2008;105(2):420-426. doi:10.1152/jappphysiol.00201.2008.
558. Clark BC, Fernhall B, Ploutz-Snyder LL. Adaptations in human neuromuscular function following prolonged unweighting: I. Skeletal muscle contractile properties and applied ischemia efficacy. *J Appl Physiol (1985).* 2006;101(1):256-263. doi:10.1152/jappphysiol.01402.2005.
559. Thom JM, Thompson MW, Ruell PA, et al. Effect of 10-day cast immobilization on sarcoplasmic reticulum calcium regulation in humans. *Acta Physiol Scand.* 2001;172(2):141-147. doi:10.1046/j.1365-201X.2001.00853.x.
560. Clark BC, Issac LC, Lane JL, Damron LA, Hoffman RL. Neuromuscular plasticity during and following 3 wk of human forearm cast immobilization. *J Appl Physiol (1985).* 2008;105(3):868-878. doi:10.1152/jappphysiol.90530.2008.
561. Seki K, Kizuka T, Yamada H. Reduction in maximal firing rate of motoneurons after 1-week immobilization of finger muscle in human subjects. *J Electromyogr Kinesiol.* 2007;17(2):113-120. doi:10.1016/j.jelekin.2005.10.008.
562. Kaneko F, Murakami T, Onari K, Kurumadani H, Kawaguchi K. Decreased cortical excitability during motor imagery after disuse of an upper limb in humans. *Clin Neurophysiol.* 2003;114(12):2397-2403. doi:10.1016/S1388-2457(03)00245-1.
563. Zanette G, Manganotti P, Fiaschi A, Tamburin S. Modulation of motor cortex excitability after upper limb immobilization. *Clin Neurophysiol.* 2004;115(6):1264-1275. doi:10.1016/j.clinph.2003.12.033.

564. Wang Y, Pessin JE. Mechanisms for fiber-type specificity of skeletal muscle atrophy. *Curr Opin Clin Nutr Metab Care*. 2013;16(3):243-250. doi:10.1097/MCO.0b013e328360272d.
565. Riley DA, Bain JL, Thompson JL, et al. Decreased thin filament density and length in human atrophic soleus muscle fibers after spaceflight. *J Appl Physiol (1985)*. 2000;88(2):567-572.
566. Suetta C, Hvid LG, Justesen L, et al. Effects of aging on human skeletal muscle after immobilization and retraining. *J Appl Physiol (1985)*. 2009;107(4):1172-80. doi: 10.1152/jappphysiol.00290.2009.
567. Baehr LM, West DW, Marcotte G, et al. Age-related deficits in skeletal muscle recovery following disuse are associated with neuromuscular junction instability and ER stress, not impaired protein synthesis. *Aging (Albany NY)*. 2016;8(1):127-146. doi: 10.18632/aging.100879.
568. Yasuda N, Glover EI, Phillips SM, Isfort RJ, Tarnopolsky MA. Sex-based differences in skeletal muscle function and morphology with short-term limb immobilization. *J Appl Physiol (1985)*. 2005;99(3):1085-1092. doi:10.1152/jappphysiol.00247.2005.
569. LeBlanc AD, Schneider VS, Evans HJ, Pientok C, Rowe R, Spector E. Regional changes in muscle mass following 17 weeks of bed rest. *J Appl Physiol (1985)*. 1992;73(5):2172-2178.
570. Martin KS, Blemker SS, Peirce SM. Agent-based computational model investigates muscle-specific responses to disuse-induced atrophy. *J Appl Physiol (1985)*. 2015;118(10):1299-1309. doi:10.1152/jappphysiol.01150.2014.
571. Bloomfield SA. Changes in musculoskeletal structure and function with prolonged bed rest. *Med Sci Sports Exerc*. 1997;29(2):197-206.
572. Rittweger J, Felsenberg D. Recovery of muscle atrophy and bone loss from 90 days bed rest: results from a one-year follow-up. *Bone*. 2009;44(2):214-224. doi:10.1016/j.bone.2008.10.044.
573. Teixeira E, Duarte JA. Skeletal muscle loading changes its regenerative capacity. *Sports Med*. 2016;46(6):783-792. doi:10.1007/s40279-015-0462-0.
574. Ambrosio F, Kadi F, Lexell J, Fitzgerald GK, Boninger ML, Huard J. The effect of muscle loading on skeletal muscle regenerative potential: an update of current research findings relating to aging and neuromuscular pathology. *Am J Phys Med Rehabil*. 2009;88(2):145-155. doi:10.1097/PHM.0b013e3181951fc5.
575. Guilak F, Cohen DM, Estes BT, Gimble JM, Liedtke W, Chen CS. Control of stem cell fate by physical interactions with the extracellular matrix. *Cell Stem Cell*. 2009;5(1):17-26. doi:10.1016/j.stem.2009.06.016.
576. Engler AJ, Sen S, Sweeney HL, Discher DE. Matrix elasticity directs stem cell lineage specification. *Cell*. 2006;126(4):677-689. doi:10.1016/j.cell.2006.06.044.
577. Vigelsø A, Gram M, Wiuff C, Andersen JL, Helge JW, Dela F. Six weeks' aerobic retraining after two weeks' immobilization restores leg lean mass and aerobic capacity but does not fully rehabilitate leg strength in young and older men. *J Rehabil Med*. 2015;47(6):552-560. doi:10.2340/16501977-1961.
578. Cisterna B, Giagnacovo M, Costanzo M, et al. Adapted physical exercise enhances activation and differentiation potential of satellite cells in the skeletal muscle of old mice. *J Anat*. 2016;228(5):771-83. doi:10.1111/joa.12429.
579. Sherry MA, Best TM. A comparison of 2 rehabilitation programs in the treatment of acute hamstring strains. *J Orthop Sports Phys Ther*. 2004;34(3):116-125. doi:10.2519/jospt.2004.34.3.116.
580. Mills M, Frank B, Goto S, et al. Effect of restricted hip flexor muscle length on hip extensor muscle activity and lower extremity biomechanics in college-aged female soccer players. *Int J Sports Phys Ther*. 2015;10(7):946-954.
581. Gabbe BJ, Bennell KL, Finch CF. Why are older Australian football players at greater risk of hamstring injury? *J Sci Med Sport*. 2006;9(4):327-333. doi:10.1016/j.jsams.2006.01.004.
582. Malas FÜ, Özçakar L, Kaymak B, et al. Effects of different strength training on muscle architecture: clinical and ultrasonographic evaluation in knee osteoarthritis. *PM R*. 2013;5(8):655-662. doi:10.1016/j.pmrj.2013.03.005.
583. Butterfield TA, Leonard TR, Herzog W. Differential serial sarcomere number adaptations in knee extensor muscles of rats is contraction type dependent. *J Appl Physiol (1985)*. 2005;99(4):1352-1358. doi:10.1152/jappphysiol.00481.2005.
584. Kim SY, Ko JB, Farthing JP, Butcher SJ. Investigation of supraspinatus muscle architecture following concentric and eccentric training. *J Sci Med Sport*. 2015;18(4):378-382. doi:10.1016/j.jsams.2014.05.007.
585. Heinemeier KM, Olesen JL, Haddad F, et al. Expression of collagen and related growth factors in rat tendon and skeletal muscle in response to specific contraction types. *J Physiol*. 2007;582(Pt 3):1303-1316. doi:10.1113/jphysiol.2007.127639.
586. Moore DR, Phillips SM, Babraj JA, Smith K, Rennie MJ. Myofibrillar and collagen protein synthesis in human skeletal muscle in young men after maximal shortening and lengthening contractions. *Am J Physiol Endocrinol Metab*. 2005;288(6):E1153-E1159. doi:10.1152/ajpendo.00387.2004.
587. Proske U, Morgan DL, Brockett CL, Percival P. Identifying athletes at risk of hamstring strains and how to protect them. *Clin Exp Pharmacol Physiol*. 2004;31(8):546-550. doi:10.1111/j.1440-1681.2004.04028.x.
588. Sole G, Milosavljevic S, Nicholson HD, Sullivan SJ. Selective strength loss and decreased muscle activity in hamstring injury. *J Orthop Sports Phys Ther*. 2011;41(5):354-363. doi:10.2519/jospt.2011.3268.
589. Brockett CL, Morgan DL, Proske U. Predicting hamstring injury in elite athletes. *Med Sci Sports Exerc*. 2004;36(3):379-387. doi:10.1249/01.MSS.0000117165.75832.05.
590. Timmins RG, Shield AJ, Williams MD, Lorenzen C, Opar DA. Biceps femoris long head architecture: a reliability and retrospective injury study. *Med Sci Sports Exerc*. 2015;47(5):905-913. doi:10.1249/MSS.0000000000000507.
591. Timmins RG, Shield AJ, Williams MD, Lorenzen C, Opar DA. Architectural adaptations of muscle to training and injury: a narrative review outlining the contributions by fascicle length, pennation angle and muscle thickness. *Br J Sports Med*. 2016; pii: bjsports-2015-094881. doi:10.1136/bjsports-2015-094881.
592. Potier TG, Alexander CM, Seynnes OR. Effects of eccentric strength training on biceps femoris muscle architecture and knee joint range of movement. *Eur J Appl Physiol*. 2009;105(6):939-944. doi:10.1007/s00421-008-0980-7.
593. Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol (1985)*. 2007;103(5):1565-1575. doi:10.1152/jappphysiol.00578.2007.
594. Duclay J, Martin A, Duclay A, Cometti G, Pousson M. Behavior of fascicles and the myotendinous junction of

- human medial gastrocnemius following eccentric strength training. *Muscle Nerve*. 2009;39(6):819-827. doi:10.1002/mus.21297.
595. Aquino CF, Fonseca ST, Gonçalves GG, Silva PL, Ocarino JM, Mancini MC. Stretching versus strength training in lengthened position in subjects with tight hamstring muscles: a randomized controlled trial. *Man Ther*. 2010;15(1):26-31. doi:10.1016/j.math.2009.05.006.
 596. Philippou A, Bogdanis GC, Nevill AM, Maridaki M. Changes in the angle-force curve of human elbow flexors following eccentric and isometric exercise. *Eur J Appl Physiol*. 2004;93(1-2):237-244. doi:10.1007/s00421-004-1209-z.
 597. Reeves ND, Maganaris CN, Longo S, Narici MV. Differential adaptations to eccentric versus conventional resistance training in older humans. *Exp Physiol*. 2009;94(7):825-833. doi:10.1113/expphysiol.2009.046599.
 598. Brughelli M, Cronin J. Altering the length-tension relationship with eccentric exercise: implications for performance and injury. *Sports Med*. 2007;37(9):807-826. doi:10.2165/00007256-200737090-00004.
 599. Hyldahl RD, Olson T, Welling T, Groscost L, Parcell AC. Satellite cell activity is differentially affected by contraction mode in human muscle following a work-matched bout of exercise. *Front Physiol*. 2014;5:485. doi:10.3389/fphys.2014.00485.
 600. Farup J, Rahbek SK, Riis S, Vendelbo MH, Paoli FD, Vissing K. Influence of exercise contraction mode and protein supplementation on human skeletal muscle satellite cell content and muscle fiber growth. *J Appl Physiol* (1985). 2014;117(8):898-909. doi:10.1152/jappphysiol.00261.2014.
 601. Farup J, De Lisio M, Rahbek SK, et al. Pericyte response to contraction mode-specific resistance exercise training in human skeletal muscle. *J Appl Physiol* (1985). 2015;119(10):1053-1063. doi:10.1152/jappphysiol.01108.2014.
 602. Guilhem G, Doguet V, Hauraix H, et al. Muscle force loss and soreness subsequent to maximal eccentric contractions depend on the amount of fascicle strain in vivo. *Acta Physiol (Oxf)*. 2016;217(2):152-163. doi:10.1111/apha.12654.
 603. Goode AP, Reiman MP, Harris L, et al. Eccentric training for prevention of hamstring injuries may depend on intervention compliance: a systematic review and meta-analysis. *Br J Sports Med*. 2015;49(6):349-356. doi:10.1136/bjsports-2014-093466.
 604. van der Horst N, Smits DW, Petersen J, Goedhart EA, Backx FJ. The preventive effect of the nordic hamstring exercise on hamstring injuries in amateur soccer players: a randomized controlled trial. *Am J Sports Med*. 2015;43(6):1316-1323. doi:10.1177/0363546515574057.
 605. Ullrich B, Kleinöder H, Brüggemann GP. Moment-angle relations after specific exercise. *Int J Sports Med*. 2009;30(4):293-301. doi:10.1055/s-0028-1104589.
 606. Williams PE, Goldspink G. Changes in sarcomere length and physiological properties in immobilized muscle. *J Anat*. 1978;127(Pt 3):459-468.
 607. Pontén E, Fridén J. Immobilization of the rabbit tibialis anterior muscle in a lengthened position causes addition of sarcomeres in series and extra-cellular matrix proliferation. *J Biomech*. 2008;41(8):1801-1804. doi:10.1016/j.jbiomech.2008.03.006.
 608. Heslinga JW, te Kronnie G, Huijijng PA. Growth and immobilization effects on sarcomeres: a comparison between gastrocnemius and soleus muscles of the adult rat. *Eur J Appl Physiol Occup Physiol*. 1995;70(1):49-57. doi:10.1007/BF00601808.
 609. Ryan ED, Herda TJ, Costa PB, et al. Viscoelastic creep in the human skeletal muscle-tendon unit. *Eur J Appl Physiol*. 2010;108(1):207-211. doi:10.1007/s00421-009-1284-2.
 610. Magnusson SP. Passive properties of human skeletal muscle during stretch maneuvers. A review. *Scand J Med Sci Sports*. 1998;8(2):65-77. doi:10.1111/j.1600-0838.1998.tb00171.x.
 611. Kay AD, Blazeovich AJ. Moderate-duration static stretch reduces active and passive plantar flexor moment but not Achilles tendon stiffness or active muscle length. *J Appl Physiol* (1985). 2009;106(4):1249-1256. doi:10.1152/jappphysiol.91476.2008.
 612. Ylinen J, Kankainen T, Kautiainen H, Rezasoltani A, Kuukkanen T, Häkkinen A. Effect of stretching on hamstring muscle compliance. *J Rehabil Med*. 2009;41(1):80-84. doi:10.2340/16501977-0283.
 613. Weppeler CH, Magnusson SP. Increasing muscle extensibility: a matter of increasing length or modifying sensation? *Phys Ther*. 2010;90(3):438-449. doi:10.2522/ptj.20090012.
 614. Blazeovich AJ, Cannavan D, Waugh CM, et al. Range of motion, neuromechanical, and architectural adaptations to plantar flexor stretch training in humans. *J Appl Physiol* (1985). 2014;117(5):452-462. doi:10.1152/jappphysiol.00204.2014.
 615. Guissard N, Duchateau J. Effect of static stretch training on neural and mechanical properties of the human plantar-flexor muscles. *Muscle Nerve*. 2004;29(2):248-255. doi:10.1002/mus.10549.
 616. Herzog W, Scheele D, Conway PJ. Electromyographic responses of back and limb muscles associated with spinal manipulative therapy. *Spine (Phila Pa 1976)*. 1999;24(2):146-152; discussion 153.
 617. Suter E, McMorland G, Herzog W, Bray R. Conservative lower back treatment reduces inhibition in knee-extensor muscles: a randomized controlled trial. *J Manipulative Physiol Ther*. 2000;23(2):76-80.
 618. Galloway SD, Watt JM. Massage provision by physiotherapists at major athletics events between 1987 and 1998. *Br J Sports Med*. 2004;38(2):235-236. discussion 237. doi:10.1136/bjism.2002.003145.
 619. Haas C, Best TM, Wang Q, Butterfield TA, Zhao Y. In vivo passive mechanical properties of skeletal muscle improve with massage-like loading following eccentric exercise. *J Biomech*. 2012;45(15):2630-2636. doi:10.1016/j.jbiomech.2012.08.008.
 620. Ogai R, Yamane M, Matsumoto T, Kosaka M. Effects of petrissage massage on fatigue and exercise performance following intensive cycle pedalling. *Br J Sports Med*. 2008;42(10):834-838. doi:10.1136/bjism.2007.044396.
 621. Franklin NC, Ali MM, Robinson AT, Norkeviciute E, Phillips SA. Massage therapy restores peripheral vascular function after exertion. *Arch Phys Med Rehabil*. 2014;95(6):1127-1134. doi:10.1016/j.apmr.2014.02.007.
 622. Zainuddin Z, Newton M, Sacco P, Nosaka K. Effects of massage on delayed-onset muscle soreness, swelling, and recovery of muscle function. *J Athl Train*. 2005;40(3):174-180.
 623. Hilbert JE, Sforzo GA, Swensen T. The effects of massage on delayed onset muscle soreness. *Br J Sports Med*. 2003;37(1):72-75. doi:10.1136/bjism.37.1.72.
 624. Dawson LG, Dawson KA, Tiidus PM. Evaluating the influence of massage on leg strength, swelling, and pain following a half-marathon. *J Sports Sci Med*. 2004;3(YISI 1):37-43.
 625. Hoffman MD, Badowski N, Chin J, Stuempfle KJ. A random-

- ized controlled trial of massage and pneumatic compression for ultramarathon recovery. *J Orthop Sports Phys Ther.* 2016;46(5):320-326. doi:10.2519/jospt.2016.6455.
626. Major B, Rattazzi L, Brod S, Pilipović I, Leposavić G, D'Acquisto F. Massage-like stroking boosts the immune system in mice. *Sci Rep.* 2015;5:10913. doi:10.1038/srep10913.
627. Noto Y, Kudo M, Hirota K. Back massage therapy promotes psychological relaxation and an increase in salivary chromogranin A release. *J Anesth.* 2010;24(6):955-958. doi:10.1007/s00540-010-1001-7.
628. Weerapong P, Hume PA, Kolt GS. The mechanisms of massage and effects on performance, muscle recovery and injury prevention. *Sports Med.* 2005;35(3):235-256. doi:10.2165/00007256-200535030-00004.
629. Hubbard TJ, Denegar CR. Does cryotherapy improve outcomes with soft tissue injury? *J Athl Train.* 2004;39(3):278-279..
630. Bleakley C, McDonough S, MacAuley D. The use of ice in the treatment of acute soft-tissue injury: a systematic review of randomized controlled trials. *Am J Sports Med.* 2004;32(1):251-261. doi:10.1177/0363546503260757.
631. Martins CN, Moraes MD, Hauck M, et al. Effects of cryotherapy combined with therapeutic ultrasound on oxidative stress and tissue damage after musculoskeletal contusion in rats. *Physiotherapy.* 2016;102(4):377-383. doi: 10.1016/j.physio.2015.10.013.
632. Oliveira NM, Rainero EP, Salvini TF. Three intermittent sessions of cryotherapy reduce the secondary muscle injury in skeletal muscle of rat. *J Sports Sci Med.* 2006;5(2):228-234.
633. Vieira Ramos G, Pinheiro CM, Messa SP, et al. Cryotherapy reduces inflammatory response without altering muscle regeneration process and extracellular matrix remodeling of rat muscle. *Sci Rep.* 2016;6:18525. doi:10.1038/srep18525.
634. Shibaguchi T, Sugiura T, Fujitsu T, et al. Effects of icing or heat stress on the induction of fibrosis and/or regeneration of injured rat soleus muscle. *J Physiol Sci.* 2016;66(4):345-57. doi:10.1007/s12576-015-0433-0.
635. Silva MA, Carvalho TR, Cruz AC, et al. Effect of time-dependent cryotherapy on redox balance of quadriceps injuries. *Cryobiology.* 2016;72(1):1-6. doi:10.1016/j.cryobiol.2016.01.001.
636. Tomchuk D, Rubley MD, Holcomb WR, Guadagnoli M, Tarno JM. The magnitude of tissue cooling during cryotherapy with varied types of compression. *J Athl Train.* 2010;45(3):230-237. doi:10.4085/1062-6050-45.3.230.
637. Hurme T, Rantanen J, Kaliomo H. Effects of early cryotherapy in experimental skeletal muscle injury. *Scand J Med Sci Sports.* 1993;3(1):46-51. doi:10.1111/j.1600-0838.1993.tb00360.x.
638. Schaser KD, Disch AC, Stover JF, Lauffer A, Bail HJ, Mittlmeier T. Prolonged superficial local cryotherapy attenuates microcirculatory impairment, regional inflammation, and muscle necrosis after closed soft tissue injury in rats. *Am J Sports Med.* 2007;35(1):93-102. doi:10.1177/0363546506294569.
639. Deal DN, Tipton J, Rosencrance E, Curl WW, Smith TL. Ice reduces edema. A study of microvascular permeability in rats. *J Bone Joint Surg Am.* 2002;84-A(9):1573-1578.
640. Takagi R, Fujita N, Arakawa T, Kawada S, Ishii N, Miki A. Influence of icing on muscle regeneration after crush injury to skeletal muscles in rats. *J Appl Physiol (1985).* 2011;110(2):382-388. doi:10.1152/jappphysiol.01187.2010.
641. Oishi Y, Hayashida M, Tsukiashi S, et al. Heat stress increases myonuclear number and fiber size via satellite cell activation in rat regenerating soleus fibers. *J Appl Physiol (1985).* 2009;107(5):1612-1621. doi:10.1152/jappphysiol.91651.2008.
642. Kojima A, Goto K, Morioka S, et al. Heat stress facilitates the regeneration of injured skeletal muscle in rats. *J Orthop Sci.* 2007;12(1):74-82. doi:10.1007/s00776-006-1083-0.
643. Takeuchi K, Hatade T, Wakamiya S, Fujita N, Arakawa T, Miki A. Heat stress promotes skeletal muscle regeneration after crush injury in rats. *Acta Histochem.* 2014;116(2):327-334. doi:10.1016/j.acthis.2013.08.010.
644. Oishi Y, Roy RR, Ogata T, Ohira Y. Heat-stress effects on the myosin heavy chain phenotype of rat soleus fibers during the early stages of regeneration. *Muscle Nerve.* 2015;52(6):1047-1056. doi:10.1002/mus.24686.
645. Rice D, McNair PJ, Dalbeth N. Effects of cryotherapy on arthrogenic muscle inhibition using an experimental model of knee swelling. *Arthritis Rheum.* 2009;61(1):78-83. doi:10.1002/art.24168.
646. Thorsson O, Lilja B, Nilsson P, Westlin N. Immediate external compression in the management of an acute muscle injury. *Scand J Med Sci Sports.* 1997;7(3):182-190.
647. Baker RP, Field J, Gozzard C, Wyatt MC, Robertson Y. Does postoperative hand elevation reduce swelling? A randomized study. *J Hand Surg Eur Vol.* 2010;35(3):192-194. doi:10.1177/1753193408103720.
648. Palanca AA, Yang A, Bishop JA. The effects of limb elevation on muscle oxygen saturation: A near-infrared spectroscopy study in humans. *PM R.* 2016;8(3):221-224. doi:10.1016/j.pmrj.2015.07.015.
649. Yang Y, Yong-Ming L, Pei-Jian D, Jia L, Ying-Ze Z. Leg position influences early blood loss and functional recovery following total knee arthroplasty: A randomized study. *Int J Surg.* 2015;23(Pt A):82-86. doi:10.1016/j.ijssu.2015.09.053.
650. Li B, Wang G, Wang Y, Bai L. Effect of two limb positions on venous hemodynamics and hidden blood loss following total knee arthroplasty. *J Knee Surg.* 2016. doi:10.1055/s-0036-1579787.
651. Alves AN, Fernandes KP, Deana AM, Bussadori SK, Mesquita-Ferrari RA. Effects of low-level laser therapy on skeletal muscle repair: a systematic review. *Am J Phys Med Rehabil.* 2014;93(12):1073-1085. doi:10.1097/PHM.000000000000158.
652. Leal Junior EC, Lopes-Martins RA, Frigo L, et al. Effects of low-level laser therapy (LLLT) in the development of exercise-induced skeletal muscle fatigue and changes in biochemical markers related to postexercise recovery. *J Orthop Sports Phys Ther.* 2010;40(8):524-532. doi:10.2519/jospt.2010.3294.
653. Borsa PA, Larkin KA, True JM. Does phototherapy enhance skeletal muscle contractile function and postexercise recovery? A systematic review. *J Athl Train.* 2013;48(1):57-67. doi:10.4085/1062-6050-48.1.12.
654. Rantanen J, Thorsson O, Wollmer P, Hurme T, Kalimo H. Effects of therapeutic ultrasound on the regeneration of skeletal myofibers after experimental muscle injury. *Am J Sports Med.* 1999;27(1):54-59.
655. Markert CD, Merrick MA, Kirby TE, Devor ST. Nonthermal ultrasound and exercise in skeletal muscle regeneration. *Arch Phys Med Rehabil.* 2005;86(7):1304-1310. doi:10.1016/j.apmr.2004.12.037.
656. Karnes JL, Burton HW. Continuous therapeutic ultrasound accelerates repair of contraction-induced skeletal muscle damage in rats. *Arch Phys Med Rehabil.* 2002;83(1):1-4. doi:10.1053/apmr.2002.26254.