

FRONTIERS IN ORTHOPAEDIC SCIENCE

Interfacing Engineering Technology and
Rehabilitation: A New Frontier
for Physical Therapy

Independent Study Course 27.4.2

Randy D. Trumbower, PT, PhD

Emory University
Atlanta, Georgia
Georgia Institute of Technology
Atlanta, Georgia

Denise M. Peters, PT, PhD

Emory University
Atlanta, Georgia

Steven L. Wolf, PT, PhD, FAPTA

Emory University
Atlanta, Georgia
Atlanta VA Rehabilitation
Research & Development Center
Atlanta, Georgia



Orthopaedic Section, APTA, Inc.
Downloaded from www.orthopteam.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC
SECTION



APTA
American Physical Therapy Association

REFERENCES

1. Sahrman SA. The human movement system: our professional identity. *Phys Ther.* 2014;94(7):1034-1042. doi: 10.2522/ptj.20130319. Epub 2014 Mar 13.
2. Kigin CM, Rodgers MM, Wolf SL; PASS Steering Committee Members. The physical therapy and society summit (PASS) meeting: observations and opportunities. *Phys Ther.* 2010;90(11):1555-1567. doi: 10.2522/ptj.20100138. Epub 2010 Sep 9.
3. Thompson WR, Scott A, Loghmani MT, Ward SR, Warden SJ. Understanding mechanobiology: physical therapists as a force in mechanotherapy and musculoskeletal regenerative rehabilitation. *Phys Ther.* 2016;96(4):560-569. doi: 10.2522/ptj.20150224. Epub 2015 Dec 4.
4. Rothmuller C, Cafarelli E. Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans. *J Physiol.* 1995;485(Pt 3):857-864.
5. Bosco C, Cardinale M, Tsarpela O. Influence of vibration on mechanical power and electromyogram activity in human arm flexor muscles. *Eur J Appl Physiol Occup Physiol.* 1999;79(4):306-311.
6. Fritsch B, Reis J, Martinowich K, et al. Direct current stimulation promotes BDNF-dependent synaptic plasticity: potential implications for motor learning. *Neuron.* 2010;66(2):198-204. doi: 10.1016/j.neuron.2010.03.035.
7. Harkema S, Gerasimenko Y, Hodes J, et al. Effect of epidural stimulation of the lumbosacral spinal cord on voluntary movement, standing, and assisted stepping after motor complete paraplegia: a case study. *Lancet.* 2011;377(9781):1938-1947. doi:

- 10.1016/S0140-6736(11)60547-3. Epub 2011 May 19.
8. Thompson DM, Koppes AN, Hardy JG, Schmidt CE. Electrical stimuli in the central nervous system microenvironment. *Annu Rev Biomed Eng.* 2014;16:397-430. doi: 10.1146/annurev-bioeng-121813-120655.
 9. Nagasaka M, Kohzuki M, Fujii T, et al. Effect of low-voltage electrical stimulation on angiogenic growth factors in ischaemic rat skeletal muscle. *Clin Exp Pharmacol Physiol.* 2006;33(7):623-627.
 10. Benhardt HA, Cosgriff-Hernandez EM. The role of mechanical loading in ligament tissue engineering. *Tissue Eng Part B Rev.* 2009;15(4):467-475. doi: 10.1089/ten.TEB.2008.0687.
 11. Zhao M, Bai H, Wang E, Forrester JV, McCaig CD. Electrical stimulation directly induces pre-angiogenic responses in vascular endothelial cells by signaling through VEGF receptors. *J Cell Sci.* 2004;117(Pt 3):397-405. Epub 2003 Dec 16.
 12. Suhr F, Brixius K, de Marees M, et al. Effects of short-term vibration and hypoxia during high-intensity cycling exercise on circulating levels of angiogenic regulators in humans. *J Appl Physiol (1985).* 2007;103(2):474-483. Epub 2007 Apr 19.
 13. Cheung WH, Sun MH, Zheng YP, et al. Stimulated angiogenesis for fracture healing augmented by low-magnitude, high-frequency vibration in a rat model-evaluation of pulsed-wave doppler, 3-D power Doppler ultrasonography and micro-CT microangiography. *Ultrasound Med Biol.* 2012;38(12):2120-2129. doi: 10.1016/j.ultrasmedbio.2012.07.025. Epub 2012 Oct 11.
 14. Weinheimer-Haus EM, Judex S, Ennis WJ, Koh TJ. Low-intensity vibration improves angiogenesis and wound healing in diabetic mice. *PLoS ONE.* 2014;9(3):e91355. doi: 10.1371/journal.pone.0091355. eCollection 2014.
 15. Baxendale RH, Ferrell WR, Wood L. The effect of mechanical stimulation of knee joint afferents on quadriceps motor unit activity in the decerebrate cat. *Brain Res.* 1987;415(2):353-356.
 16. Dishman JD, Burke J. Spinal reflex excitability changes after cervical and lumbar spinal manipulation: a comparative study. *Spine J.* 2003;3(3):204-212.
 17. Ong KL, Lotke PA, Lau E, Manley MT, Kurtz SM. Prevalence and costs of rehabilitation and physical therapy after primary TJA. *J Arthroplasty.* 2015;30:1121-1126. doi: 10.1016/j.arth.2015.02.030. Epub 2015 Feb 28.
 18. Fritz JM, Kim M, Magel JS, Asche CV. Cost-effectiveness of primary care management with or without early physical therapy for acute low back pain: economic evaluation of a randomized clinical trial. *Spine (Phila Pa 1976).* 2016;Epub ahead of print.
 19. Betker AL, Szturm T, Moussavi Z. Center of mass approximation during walking as a function of trunk and swing leg acceleration. *Conf Proc IEEE Eng Med Biol Soc.* 2006;1:3435-3438.
 20. Bowden MG, Behrman AL, Woodbury M, Gregory CM, Veloza CA, Kautz SA. Advancing measurement of locomotor rehabilitation outcomes to optimize interventions and differentiate between recovery versus compensation. *J Neurol Phys Ther.* 2012;36(1):38-44. doi: 10.1097/NPT.0b013e3182472cf6.
 21. Patla AE, Shumway-Cook A. Dimensions of mobility: defining the complexity and difficulty associated with community mobility. *J Aging Phys Act.* 1999;7(1):7-19.
 22. Patel S, Park H, Bonato P, Chan L, Rodgers M. A review of wearable sensors and systems with application in rehabilitation. *J Neuroeng Rehabil.* 2012;9:21. doi: 10.1186/1743-0003-9-21.
 23. Cockerham K, Aro S, Liu W, et al. Application of MEMS technology and engineering in medicine: a new paradigm for facial muscle reanimation. *Expert Rev Med Devices.* 2008;5(3):371-381. doi: 10.1586/17434440.5.3.371.
 24. Brand O. Microsensor integration into systems-on-chip. *Proc IEEE.* 2006;94(6):1160-1176.
 25. Rampp A, Barth J, Schülein S, Gaßmann KG, Klucken J, Eskofier BM. Inertial sensor-based stride parameter calculation from gait sequences in geriatric patients. *IEEE Trans Biomed Eng.* 2015;62(4):1089-1097.
 26. Tao W, Liu T, Zheng R, Feng H. Gait analysis using wearable sensors. *Sensors (Basel)* 2012;12(2):2255-2283. doi: 10.3390/s120202255. Epub 2012 Feb 16.
 27. Toffola LD, Patel S, Ozsecen MY, Ramachandran R, Bonato P. A wearable system for long-term monitoring of knee kinematics. *Proc IEEE-EMBS Int Conf Biomed Health Inform.* 2012;188-191.
 28. Chen KH, Chen PC, Liu KC, Chan CT. Wearable sensor-based rehabilitation exercise assessment for knee osteoarthritis. *Sensors (Basel).* 2015;15(2):4193-4211. doi: 10.3390/s150204193.
 29. Pho RW, Lim SY, Pereira BP. Computer applications in orthopaedics. *Ann Acad Med Singapore.* 1990;19(5):691-698.
 30. Torrão JN, Dos Santos MP, Ferreira JA. Instrumented knee joint implants: innovations and promising concepts. *Expert Rev Med Devices.* 2015;12(5):571-584. doi:

- 10.1586/17434440.2015.1068114. Epub 2015 Jul 25.
31. Knothe Tate ML, Detamore M, Capadona JR, Woolley A, Knothe U. Engineering and commercialization of human-device interfaces, from bone to brain. *Biomaterials*. 2016;95:35-46. doi: 10.1016/j.biomaterials.2016.03.038. Epub 2016 Apr 13.
 32. Caplan AI. Mesenchymal stem cells and gene therapy. *Clin Orthop Relat Res*. 2000;(379 Suppl):S67-S70.
 33. Luyten FP, Dell'Accio F, De Bari C. Skeletal tissue engineering: opportunities and challenges. *Best Pract Res Clin Rheumatol*. 2001;15(5):759-769.
 34. Parikh SN. Gene therapy: principles and clinical applications in orthopedics. *Orthopedics*. 2004;27(3):294-303; quiz 304-305.
 35. Prange GB, Jannink MJ, Groothuis-Oudshoorn CG, Hermens HJ, Ijzerman MJ. Systematic review of the effect of robot-aided therapy on recovery of the hemiparetic arm after stroke. *J Rehabil Res Dev*. 2006;43(2):171-184.
 36. Kwakkel G, Kollen BJ, Krebs HI. Effects of robot-assisted therapy on upper limb recovery after stroke: a systematic review. *Neurorehabil Neural Repair*. 2008;22(2):111-121. Epub 2007 Sep 17.
 37. Hubbard IJ, Parsons MW, Neilson C, Carey LM. Task-specific training: evidence for and translation to clinical practice. *Occup Ther Int*. 2009;16:175-189. doi: 10.1002/oti.275.
 38. Bayona NA, Bitensky J, Salter K, Teasell R. The role of task-specific training in rehabilitation therapies. *Top Stroke Rehabil*. 2005;12(3):58-65.
 39. Zeilig G, Weingarden H, Zwecker M, Dudkiewicz I, Bloch A, Esquenazi A. Safety and tolerance of the ReWalk™ exoskeleton suit for ambulation by people with complete spinal cord injury: a pilot study. *J Spinal Cord Med*. 2012;35:96-101. doi: 10.1179/2045772312Y.0000000003. Epub 2012 Feb 7.
 40. Farris RJ, Quintero HA, Murray SA, Ha KH, Hartigan C, Goldfarb M. A preliminary assessment of legged mobility provided by a lower limb exoskeleton for persons with paraplegia. *IEEE Trans Neural Syst Rehabil Eng*. 2014;22(3):482-490. doi: 10.1109/TNSRE.2013.2268320. Epub 2013 Jun 18.
 41. Bejarano NC, Maggioni S, De Rijcke L, Cifuentes CA, Reinkensmeyer DJ. Robot-assisted rehabilitation therapy: recovery mechanisms and their implications for machine design. In: Pons JL, Raya R, Gonzalez J, eds. *Emerging Therapies in Neurorehabilitation II*. Switzerland: Springer International Publishing; 2016:197-223.
 42. Guadagnoli M, Morin MP, Dubrowski A. The application of the challenge point framework in medical education. *Med Educ*. 2012;46(5):447-453. doi: 10.1111/j.1365-2923.2011.04210.x.
 43. Basteris A, Nijenhuis SM, Stienen AH, Buurke JH, Prange GB, Amirabdollahian F. Training modalities in robot-mediated upper limb rehabilitation in stroke: a framework for classification based on a systematic review. *J Neuroeng Rehabil*. 2014;11:111. doi: 10.1186/1743-0003-11-111.
 44. Israel JF, Campbell DD, Kahn JH, Hornby TG. Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. *Phys Ther*. 2006;86(11):1466-1478.
 45. Hornby, TG, Campbell DD, Kahn JH, Demott T, Moore JL, Roth HR. Enhanced gait-related improvements after therapist- versus robotic-assisted locomotor training in subjects with chronic stroke: a randomized controlled study. *Stroke*. 2008;39(6):1786-1792. doi: 10.1161/STROKEAHA.107.504779. Epub 2008 May 8.
 46. Hidler J, Nichols D, Pelliccio M, et al. Multicenter randomized clinical trial evaluating the effectiveness of the lokomat in subacute stroke. *Neurorehabil Neural Repair*. 2009;23(1):5-13. doi: 10.1177/1545968308326632.
 47. Emken JL, Benitez R, Reinkensmeyer DJ. Human-robot cooperative movement training: learning a novel sensory motor transformation during walking with robotic assistance-as-needed. *J Neuroeng Rehabil*. 2007;4:8.
 48. Marchal-Crespo L, Reinkensmeyer DJ. Review of control strategies for robotic movement training after neurologic injury. *J Neuroeng Rehabil*. 2009;6:20. doi: 10.1186/1743-0003-6-20.
 49. Huang H, Wolf SL, He J. Recent developments in biofeedback for neuromotor rehabilitation. *J Neuroeng Rehabil*. 2006;3:11.
 50. Mirelman A, Bonato P, Deutsch JE. Effects of training with a robot-virtual reality system compared with a robot alone on the gait of individuals after stroke. *Stroke*. 2009;40(1):169-174. doi: 10.1161/STROKEAHA.108.516328. Epub 2008 Nov 6.
 51. Molier BI, Van Asseldonk EH, Hermens HJ, Jannink MJ. Nature, timing, frequency and type of augmented feedback; does it influence motor relearning of the hemiparetic arm after stroke? a systematic review. *Disabil Rehabil*. 2010;32(22):1799-1809. doi: 10.3109/09638281003734359.
 52. Nef T, Lum P. Improving backdrivability in geared rehabilitation robots. *Med Biol Eng Comput*.

- 2009;47(4):441-447. doi: 10.1007/s11517-009-0437-0. Epub 2009 Jan 30.
53. Bach-y-Rita P, W Kerckel S. Sensory substitution and the human-machine interface. *Trends Cogn Sci.* 2003;7(12):541-546.
54. Ward MP, Rajdev P, Ellison C, Irazoqui PP. Toward a comparison of microelectrodes for acute and chronic recordings. *Brain Res.* 2009;1282:183-200. doi: 10.1016/j.brainres.2009.05.052. Epub 2009 May 30.
55. Liu MM, Herzog W, Savelberg HH. Dynamic muscle force predictions from EMG: an artificial neural network approach. *J Electromyogr Kinesiol.* 1999;9(6):391-400.
56. Barrese JC, Rao N, Paroo K, et al. Failure mode analysis of silicon-based intracortical microelectrode arrays in non-human primates. *J Neural Eng.* 2013;10(6):066014. doi: 10.1088/1741-2560/10/6/066014. Epub 2013 Nov 12.
57. Moshayedi P, Ng G, Kwok JC, et al. The relationship between glial cell mechanosensitivity and foreign body reactions in the central nervous system. *Biomaterials.* 2014;35(13):3919-3925. doi: 10.1016/j.biomaterials.2014.01.038. Epub 2014 Feb 11.
58. Zuniga JM, Carson AM, Peck JM, Kalina T, Srivastava RM, Peck K. The development of a low-cost three-dimensional printed shoulder, arm, and hand prostheses for children. *Prosthet Orthot Int.* 2016;pii:0309364616640947.

NOTES