

FRONTIERS IN ORTHOPAEDIC SCIENCE


Regenerative Rehabilitation

Independent Study Course 27.4.3

Nana Takenaka-Ninagawa, PT, PhD
Center for iPS Cell Research and Application
Kyoto University
Kyoto, Japan

Akira Ito, PT, PhD
Department of Physical Therapy
Human Health Sciences
Graduate School of Medicine
Kyoto University
Kyoto, Japan

Tomoki Aoyama, MD, PhD
Department of Physical Therapy
Human Health Sciences
Graduate School of Medicine
Kyoto University
Kyoto, Japan



CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC
SECTION



APTA
American Physical Therapy Association

REFERENCES

1. Huard J, Bouchard JP, Roy R, et al. Human myoblast transplantation: preliminary results of 4 cases. *Muscle Nerve*. 1992;15(5):550-560.
2. Palermo AT, Labarge MA, Doyonnas R, Pomerantz J, Blau HM. Bone marrow contribution to skeletal muscle: a physiological response to stress. *Dev Biol*. 2005;279(2):336-344.
3. Bouchentouf M, Benabdallah BF, Mills P, Tremblay JP. Exercise improves the success of myoblast transplantation in mdx mice. *Neuromuscul Disord*. 2006;16(8):518-529. Epub 2006 Aug 21.
4. Huang C, Holfeld J, Schaden W, Orgill D, Ogawa R. Mechanotherapy: revisiting physical therapy and recruiting mechanobiology for a new era in medicine. *Trends Mol Med*. 2013;19(9):555-564. doi: 10.1016/j.molmed.2013.05.005. Epub 2013 Jun 18.
5. Thompson WR, Scott A, Loghmani MT, Ward SR, Warden SJ. Understanding mechanobiology: physical therapists as a force in mechanotherapy and musculoskeletal regenerative rehabilitation. *Phys Ther*. 2016;96(4):560-569. doi: 10.2522/ptj.20150224. Epub 2015 Dec 4.
6. Evans MJ, Kaufman MH. Establishment in culture of pluripotential cells from mouse embryos. *Nature*. 1981;292(5819):154-156.
7. Martin GR. Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. *Proc Natl Acad Sci U S A*. 1981;78(12):7634-7638.
8. Thomson JA, Itskovitz-Eldor J, Shapiro SS, et al. Embryonic stem cell lines derived from human blastocysts. *Science*. 1998;282(5391):1145-1147.
9. Takahashi K, Yamanaka S. Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell*. 2006;126(4):663-676. Epub 2006 Aug 10.
10. Takahashi K, Tanabe K, Ohnuki M, et al. Induction of pluripotent stem cells from adult human fibroblasts by defined factors. *Cell*. 2007;131(5):861-872.
11. Yu J, Vodyanik MA, Smuga-Otto K, et al. Induced pluripotent stem cell lines derived from human somatic cells. *Science*. 2007;318(5858):1917-1920. Epub 2007 Nov 20.
12. Park IH, Zhao R, West JA, et al. Reprogramming of human somatic cells to pluripotency with defined factors. *Nature*. 2008;451(7175):141-146. Epub 2007 Dec 23.
13. Caplan AI. Review: mesenchymal stem cells: cell-based reconstructive therapy in orthopedics. *Tissue Eng*. 2005;1197-80:1198-1211.
14. Patel DM, Shah J, Srivastava AS. Therapeutic potential of mesenchymal stem cells in regenerative medicine. *Stem Cells Int*. 2013;2013:496218. doi: 10.1155/2013/496218. Epub 2013 Mar 19.
15. Dominici M, Le Blanc K, Mueller I, et al. Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*. 2006;8(4):315-317.
16. Elahi KC, Klein G, Avci-Adali M, Sievert KD, MacNeil S, Aicher WK. Human mesenchymal stromal cells from different sources diverge in their expression of cell surface proteins and display distinct differentiation patterns. *Stem Cells Int*. 2016;2016:5646384. doi: 10.1155/2016/5646384. Epub 2015 Dec 6.
17. Martin I, De Boer J, Sensebe L, MSC Committee of the International Society for Cellular Therapy. A relativity concept in mesenchymal stromal cell manufacturing. *Cytotherapy*. 2016;18(5):613-620. doi: 10.1016/j.jcyt.2016.02.004.
18. Pittenger MF, Mackay AM, Beck SC, et al. Multilineage potential of adult human mesenchymal stem cells. *Science*. 1999;284(5411):143-147.
19. Judson RN, Zhang RH, Rossi FM. Tissue-resident mesenchymal stem/progenitor cells in skeletal muscle: collaborators or saboteurs? *FEBS J*. 2013;280(17):4100-4108. doi: 10.1111/febs.12370. Epub 2013 Jun 24.
20. Klimczak A, Kozłowska U. Mesenchymal stromal cells and tissue-specific progenitor cells: their role in tissue homeostasis. *Stem Cells Int*. 2016;2016:4285215. doi: 10.1155/2016/4285215. Epub 2015 Dec 28.
21. Pannérec A, Formicola L, Besson V, Marazzi G, Sassoon DA. Defining skeletal muscle resident progenitors and their cell fate potentials. *Development*. 2013;140(14):2879-2891. doi: 10.1242/dev.089326. Epub 2013 Jun 5.
22. Hernigou P, Homma Y, Flouzat Lachaniette CH, et al. Benefits of small volume and small syringe for bone marrow aspirations of mesenchymal stem cells. *Int Orthop*. 2013;37(11):2279-2287. doi: 10.1007/s00264-013-2017-z. Epub 2013 Jul 24.
23. Ong WK, Sugii S. Adipose-derived stem cells: fatty potentials for therapy. *Int J Biochem Cell Biol*. 2013;45(6):1083-1086. doi: 10.1016/j.bio-cel.2013.02.013. Epub 2013 Mar 1.
24. Asatrian G, Pham D, Hardy WR, James AW, Peault B. Stem cell technology for bone regeneration: current status and potential applications. *Stem Cells Cloning*. 2015;8:39-48. doi: 10.2147/SCCAA.S48423. eCollection 2015.
25. Crisan M, Yap S, Casteilla L, et al. A perivascular origin for mesenchymal stem cells in multiple human organs. *Cell Stem Cell*. 2008;3(3):301-313. doi: 10.1016/j.stem.2008.07.003.
26. Sakaguchi Y, Sekiya I, Yagishita K, Muneta T. Comparison of human stem cells derived from various mesenchymal tissues: superiority of synovium as a cell source. *Arthritis Rheum*. 2005;52(8):2521-2529.

27. Fan J, Varshney RR, Ren L, Cai D, Wang DA. Synovium-derived mesenchymal stem cells: a new cell source for musculoskeletal regeneration. *Tissue Eng Part B Rev.* 2009;15(1):75-86. doi: 10.1089/ten.teb.2008.0586.
28. Sekiya I, Muneta T, Horie M, Koga H. Arthroscopic transplantation of synovial stem cells improves clinical outcomes in knees with cartilage defects. *Clin Orthop Relat Res.* 2015;473(7):2316-2326. doi: 10.1007/s11999-015-4324-8. Epub 2015 Apr 30.
29. Vishnubalaji R, Al-Nbaheen M, Kadalmani B, Al-dahmash A, Ramesh T. Skin-derived multipotent stromal cells—an archrival for mesenchymal stem cells. *Cell Tissue Res.* 2012;350(1):1-12. doi: 10.1007/s00441-012-1471-z. Epub 2012 Aug 11.
30. Vangsness CT Jr, Sternberg H, Harris L. Umbilical cord tissue offers the greatest number of harvestable mesenchymal stem cells for research and clinical application: a literature review of different harvest sites. *Arthroscopy.* 2015;31(9):1836-1843. doi: 10.1016/j.arthro.2015.03.014.
31. Robinson SN, Simmons PJ, Yang H, Alousi AM, Marcos de Lima J, Shpall EJ. Mesenchymal stem cells in ex vivo cord blood expansion. *Best Pract Res Clin Haematol.* 2011;24(1):83-92. doi: 10.1016/j.beha.2010.11.001. Epub 2011 Feb 23.
32. Shibata KR, Aoyama T, Shima Y, et al. Expression of the p16INK4A gene is associated closely with senescence of human mesenchymal stem cells and is potentially silenced by DNA methylation during in vitro expansion. *Stem Cells.* 2007;25(9):2371-2382. Epub 2007 Jun 14.
33. Sensebe L, Bourin P, Tarte K. Good manufacturing practices production of mesenchymal stem/stromal cells. *Hum Gene Ther.* 2011;22(1):19-26. doi: 10.1089/hum.2010.197. Epub 2010 Dec 19.
34. Houd P, Ginty P, Chandra A, Williams DJ. Manufacturing models permitting roll out/scale out of clinically led autologous cell therapies: regulatory and scientific challenges for comparability. *Cytotherapy.* 2014;16(8):1033-1047. doi: 10.1016/j.jcyt.2014.03.005. Epub 2014 May 20.
35. Nakajima F, Tokunaga K, Nakatsuji N. Human leukocyte antigen matching estimations in a hypothetical bank of human embryonic stem cell lines in the Japanese population for use in cell transplantation therapy. *Stem Cells.* 2007;25(4):983-985. Epub 2006 Dec 21.
36. Nakatsuji N, Nakajima F, Tokunaga K. HLA-haplotype banking and iPS cells. *Nat Biotechnol.* 2008;26(7):739-740. doi: 10.1038/nbt0708-739.
37. Okita K, Matsumura Y, Sato Y, et al. A more efficient method to generate integration-free human iPS cells. *Nat Methods.* 2011;8(5):409-412. doi: 10.1038/nmeth.1591. Epub 2011 Apr 3.
38. Langer R, Vacanti JP. Tissue engineering. *Science.* 1993;260(5110):920-926.
39. Sart S, Tsai AC, Li Y, Ma T. Three-dimensional aggregates of mesenchymal stem cells: cellular mechanisms, biological properties, and applications. *Tissue Eng Part B Rev.* 2014;20(5):365-380. doi: 10.1089/ten.TEB.2013.0537. Epub 2013 Dec 13.
40. Badylak SF, Dziki JL, Sicari BM, Ambrosio F, Boninger ML. Mechanisms by which acellular biologic scaffolds promote functional skeletal muscle restoration. *Biomaterials.* 2016;103:128-136. doi: 10.1016/j.biomaterials.2016.06.047. Epub 2016 Jun 24.
41. Badylak SF, Freytes DO, Gilbert TW. Reprint of: Extracellular matrix as a biological scaffold material: structure and function. *Acta Biomater.* 2015;23 Suppl:S17-26. doi: 10.1016/j.actbio.2015.07.016.
42. Tabata Y. Biomaterial technology for tissue engineering applications. *J R Soc Interface.* 2009;6 Suppl 3:S311-324. doi: 10.1098/rsif.2008.0448.focus. Epub 2009 Mar 4.
43. Park H, Cannizzaro C, Vunjak-Novakovic G, Langer R, Vacanti CA, Farokhzad OC. Nanofabrication and microfabrication of functional materials for tissue engineering. *Tissue Eng.* 2007;13(8):1867-1877.
44. Bichara DA, O'Sullivan NA, Pomerantseva I, et al. The tissue-engineered auricle: past, present, and future. *Tissue Eng Part B Rev.* 2012;18(1):51-61. doi: 10.1089/ten.TEB.2011.0326. Epub 2011 Oct 4.
45. Gu BK, Choi DJ, Park SJ, Kim MS, Kang CM, Kim CH. 3-dimensional bioprinting for tissue engineering applications. *Biomater Res.* 2016;20:12. doi: 10.1186/s40824-016-0058-2. eCollection 2016.
46. Choi JW, Kim N. Clinical application of three-dimensional printing technology in craniofacial plastic surgery. *Arch Plast Surg.* 2015;42(3):267-277. doi: 10.5999/aps.2015.42.3.267. Epub 2015 May 14.
47. Foty RA, Steinberg MS. The differential adhesion hypothesis: a direct evaluation. *Dev Biol.* 2005;278(1):255-263.
48. Itoh M, Nakayama K, Noguchi R, et al. Scaffold-free tubular tissues created by a bio-3D printer undergo remodeling and endothelialization when implanted in rat aortae. *PLoS One.* 2015;10(9):e0136681. doi: 10.1371/journal.pone.0136681. eCollection 2015.
49. Otsuji TG, Bin J, Yoshimura A, et al. A 3D sphere culture system containing functional polymers for large-scale human pluripotent stem cell production. *Stem Cell Reports.* 2014;2(5):734-745. doi: 10.1016/j.stemcr.2014.03.012. eCollection 2014.
50. Kokubo T, Kim HM, Kawashita M, Nakamura T. Bioactive metals: preparation and properties. *J Mater Sci Mater Med.* 2004;15(2):99-107.
51. Kawai T, Takemoto M, Fujibayashi S, et al. Osteoinduction on acid and heat treated porous Ti metal samples in canine muscle. *PLoS ONE.* 2014;9(2):e88366. doi: 10.1371/journal.pone.0088366. eCollection 2014.
52. Taniguchi N, Fujibayashi S, Takemoto M, et al. Effect of pore size on bone ingrowth into porous titanium implants fabricated by additive manufacturing: An in vivo experiment. *Mater Sci Eng C Mater Biol Appl.*

- 2016;59:690-701. doi: 10.1016/j.msec.2015.10.069. Epub 2015 Oct 28.
53. Kuroda Y, Asada R, So K, et al. A pilot study of regenerative therapy using controlled release of recombinant human fibroblast growth factor for patients with pre-collapse osteonecrosis of the femoral head. *Int Orthop*. 2016;40(8):1747-1754. doi: 10.1007/s00264-015-3083-1. Epub 2015 Dec 29.
54. Yamamoto M, Tabata Y. Tissue engineering by modulated gene delivery. *Adv Drug Deliv Rev*. 2006;58(4):535-554. Epub 2006 Jun 9.
55. Hanna J, Wernig M, Markoulaki S, et al. Treatment of sickle cell anemia mouse model with iPS cells generated from autologous skin. *Science*. 2007;318(5858):1920-1923. Epub 2007 Dec 6.
56. Hernigou P, Trousselier M, Roubineau F, et al. Stem cell therapy for the treatment of hip osteonecrosis: a 30-year review of progress. *Clin Orthop Surg*. 2016;8(1):1-8. doi: 10.4055/cios.2016.8.1.1. Epub 2016 Feb 13.
57. Gangji V, De Maertelaer V, Hauzeur JP. Autologous bone marrow cell implantation in the treatment of non-traumatic osteonecrosis of the femoral head: Five year follow-up of a prospective controlled study. *Bone*. 2011;49(5):1005-1009. doi: 10.1016/j.bone.2011.07.032. Epub 2011 Jul 29.
58. Connolly JF, Shindell R. Percutaneous marrow injection for an ununited tibia. *Nebr Med J*. 1986;71(4):105-107.
59. Fayaz HC, Giannoudis PV, Vrahas MS, et al. The role of stem cells in fracture healing and nonunion. *Int Orthop*. 2011;35(11):1587-1597. doi: 10.1007/s00264-011-1338-z. Epub 2011 Aug 24.
60. Mamidi MK, Das AK, Zakaria Z, Bhonde R. Mesenchymal stromal cells for cartilage repair in osteoarthritis. *Osteoarthritis Cartilage*. 2016;24(8):1307-1316. doi: 10.1016/j.joca.2016.03.003. Epub 2016 Mar 10.
61. Yu H, Adesida AB, Jomha NM. Meniscus repair using mesenchymal stem cells - a comprehensive review. *Stem Cell Res Ther*. 2015;6:86. doi: 10.1186/s13287-015-0077-2.
62. Orozco L, Soler R, Morera C, Alberca M, Sanchez A, Garcia-Sancho J. Intervertebral disc repair by autologous mesenchymal bone marrow cells: a pilot study. *Transplantation*. 2011;92(7):822-828. doi: 10.1097/TP.0b013e3182298a15.
63. Vangsnest CT Jr, Farr J 2nd, Boyd J, Dellaero DT, Mills CR, LeRoux-Williams M. Adult human mesenchymal stem cells delivered via intra-articular injection to the knee following partial medial meniscectomy: a randomized, double-blind, controlled study. *J Bone Joint Surg Am*. 2014;96(2):90-98. doi: 10.2106/JBJS.M.00058.
64. Connell D, Datir A, Alyas F, Curtis M. Treatment of lateral epicondylitis using skin-derived tenocyte-like cells. *Br J Sports Med*. 2009;43(4):293-298. doi: 10.1136/bjism.2008.056457. Epub 2009 Feb 17.
65. Wang X, Wang Y, Gou W, Lu Q, Peng J, Lu S. Role of mesenchymal stem cells in bone regeneration and fracture repair: a review. *Int Orthop*. 2013;37(12):2491-2498. doi: 10.1007/s00264-013-2059-2. Epub 2013 Aug 15.
66. Licht S. Rehabilitation medicine: definition and origin. Twentieth John Stanley Coulter Memorial Lecture. *Arch Phys Med Rehabil*. 1970;51(11):619-624.
67. Daar AS, Greenwood HL. A proposed definition of regenerative medicine. *J Tissue Eng Regen Med*. 2007;1(13):179-184.
68. Torzilli PA, Bhargava M, Park S, Chen CT. Mechanical load inhibits IL-1 induced matrix degradation in articular cartilage. *Osteoarthritis Cartilage*. 2010;18(1):97-105. doi: 10.1016/j.joca.2009.07.012. Epub 2009 Sep 1.
69. Smith RL, Lindsey DP, Dhulipala L, Harris AH, Goodman SB, Maloney WJ. Effects of intermittent hydrostatic pressure and BMP-2 on osteoarthritic human chondrocyte metabolism in vitro. *J Orthop Res*. 2011;29(3):361-368. doi: 10.1002/jor.21250. Epub 2010 Sep 29.
70. Trindade MC, Shida J, Ikenoue T, et al. Intermittent hydrostatic pressure inhibits matrix metalloproteinase and pro-inflammatory mediator release from human osteoarthritic chondrocytes in vitro. *Osteoarthritis Cartilage*. 2004;12(9):729-735.
71. Korstjens CM, van der Rijt RH, Albers GH, Semeins CM, Klein-Nulend J. Low-intensity pulsed ultrasound affects human articular chondrocytes in vitro. *Med Biol Eng Comput*. 2008;46(12):1263-1270. doi: 10.1007/s11517-008-0409-9. Epub 2008 Oct 14.
72. Ito A, Aoyama T, Yamaguchi S, Zhang X, Akiyama H, Kuroki H. Low-intensity pulsed ultrasound inhibits messenger RNA expression of matrix metalloproteinase-13 induced by interleukin-1beta in chondrocytes in an intensity-dependent manner. *Ultrasound Med Biol*. 2012;38(10):1726-1733. doi: 10.1016/j.ultras-medbio.2012.06.005. Epub 2012 Aug 21.
73. Ambrosio F, Boninger ML, Brubaker CE, et al. Guest editorial: emergent themes from second annual symposium on regenerative rehabilitation, Pittsburgh, Pennsylvania. *J Rehabil Res Dev*. 2013;50(3):vii-xiv.
74. Liu YS, Lee OK. In search of the pivot point of mechanotransduction: mechanosensing of stem cells. *Cell Transplant*. 2014;23(1):1-11. doi: 10.3727/096368912X659925.
75. Tsimbouri PM. Adult stem cell responses to nanostimuli. *J Funct Biomater*. 2015;6(3):598-622. doi: 10.3390/jfb6030598.
76. Li YJ, Batra NN, You L, et al. Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation. *J Orthop Res*. 2004;22(6):1283-1289.
77. Luu YK, Capilla E, Rosen CJ, et al. Mechanical stimulation of mesenchymal stem cell proliferation and differentiation promotes osteogenesis while preventing dietary-induced obesity. *J Bone Miner Res*. 2009;24(1):50-61. doi: 10.1359/jbmr.080817.

78. Pap G, Eberhardt R, Sturmer I, et al. Development of osteoarthritis in the knee joints of Wistar rats after strenuous running exercise in a running wheel by intracranial self-stimulation. *Pathol Res Pract*. 1998;194(1):41-47.
79. Zhang SL, Liu HQ, Xu XZ, Zhi J, Geng JJ, Chen J. Effects of exercise therapy on knee joint function and synovial fluid cytokine levels in patients with knee osteoarthritis. *Mol Med Rep*. 2013;7(1):183-186. doi: 10.3892/mmr.2012.1168. Epub 2012 Nov 7.
80. Assis L, Milares LP, Almeida T, et al. Aerobic exercise training and low-level laser therapy modulate inflammatory response and degenerative process in an experimental model of knee osteoarthritis in rats. *Osteoarthritis Cartilage*. 2016;24(1):169-177. doi: 10.1016/j.joca.2015.07.020. Epub 2015 Aug 5.
81. Iijima H, Aoyama T, Ito A, et al. Exercise intervention increases expression of bone morphogenetic proteins and prevents the progression of cartilage-subchondral bone lesions in a post-traumatic rat knee model. *Osteoarthritis Cartilage*. 2016;24(6):1092-1102. doi: 10.1016/j.joca.2016.01.006. Epub 2016 Jan 19.
82. Iijima H, Ito A, Nagai M, et al. Physiological exercise loading suppresses post-traumatic osteoarthritis progression via an increase in bone morphogenetic proteins expression in an experimental rat knee model. *Osteoarthritis Cartilage*. In press. pii: S1063-4584(16)30468-X. doi: 10.1016/j.joca.2016.12.008. [Epub ahead of print]
83. Yamaguchi S, Aoyama T, Ito A, et al. The effect of exercise on the early stages of mesenchymal stromal cell-induced cartilage repair in a rat osteochondral defect model. *PLoS One*. 2016;11(3):e0151580. doi: 10.1371/journal.pone.0151580. eCollection 2016.
84. Ambrosio F, Ferrari RJ, Distefano G, et al. The synergistic effect of treadmill running on stem-cell transplantation to heal injured skeletal muscle. *Tissue Eng Part A*. 2010;16(3):839-849. doi: 10.1089/ten.TEA.2009.0113.
85. Yamaguchi S, Aoyama T, Ito A, et al. Effect of low-intensity pulsed ultrasound after mesenchymal stromal cell injection to treat osteochondral defects: an in vivo study. *Ultrasound Med Biol*. 2016;42(12):2903-2913. doi: 10.1016/j.ultrasmedbio.2016.07.021. Epub 2016 Sep 3.
86. Distefano G, Ferrari RJ, Weiss C, et al. Neuromuscular electrical stimulation as a method to maximize the beneficial effects of muscle stem cells transplanted into dystrophic skeletal muscle. *PLoS ONE*. 2013;8(3):e54922. doi: 10.1371/journal.pone.0054922. Epub 2013 Mar 19.
87. Ito A, Nagai M, Tajino J, et al. Culture temperature affects human chondrocyte messenger RNA expression in monolayer and pellet culture systems. *PLoS ONE*. 2015;10(5):e0128082. doi: 10.1371/journal.pone.0128082. eCollection 2015.
88. Ito A, Aoyama T, Iijima H, et al. Culture temperature affects redifferentiation and cartilaginous extracellular matrix formation in dedifferentiated human chondrocytes. *J Orthop Res*. 2015;33(5):633-639. doi: 10.1002/jor.22808. Epub 2015 Mar 5.
89. Sicari BM, Rubin JP, Dearth CL, et al. An acellular biologic scaffold promotes skeletal muscle formation in mice and humans with volumetric muscle loss. *Sci Transl Med*. 2014;6(234):234ra58. doi: 10.1126/scitranslmed.3008085.
90. Dziki J, Badylak S, Yabroudi M, et al. An acellular biologic scaffold treatment for volumetric muscle loss: results of a 13-patient cohort study. *NPJ Regen Med*. 2016;1:16008.
91. Reinold MM, Wilk KE, Macrina LC, Dugas JR, Cain EL. Current concepts in the rehabilitation following articular cartilage repair procedures in the knee. *J Orthop Sports Phys Ther*. 2006;36(10):774-794.
92. Edwards PK, Ackland T, Ebert JR. Clinical rehabilitation guidelines for matrix-induced autologous chondrocyte implantation on the tibiofemoral joint. *J Orthop Sports Phys Ther*. 2014;44(2):102-119. doi: 10.2519/jospt.2014.5055. Epub 2013 Oct 30.
93. Aoyama T. Rehabilitation program after cell therapy for treatment of femoral head osteonecrosis: a narrative review of literature. *Int J Phys Med Rehabil*. 2016;4(4):354. doi: 10.4172/2329-9096.1000354
94. Ambrosio F, Wolf SL, Delitto A, et al. The emerging relationship between regenerative medicine and physical therapeutics. *Phys Ther*. 2010;90(12):1807-1814. doi: 10.2522/ptj.20100030. Epub 2010 Oct 28.
95. Aoyama T, Fujita Y, Madoba K, et al. Rehabilitation program after mesenchymal stromal cell transplantation augmented by vascularized bone grafts for idiopathic osteonecrosis of the femoral head: a preliminary study. *Arch Phys Med Rehabil*. 2015;96(3):532-539. doi: 10.1016/j.apmr.2014.09.040. Epub 2014 Oct 31. 39.
96. Ishihara M, Sato M, Sato S, Kikuchi T, Mochida J, Kikuchi M. Usefulness of photoacoustic measurements for evaluation of biomechanical properties of tissue-engineered cartilage. *Tissue Eng*. 2005;11(7-8):1234-1243.
97. Gentile NE, Stearns KM, Brown EH, et al. Targeted rehabilitation after extracellular matrix scaffold transplantation for the treatment of volumetric muscle loss. *Am J Phys Med Rehabil*. 2014;93(11 Suppl 3):S79-87. doi: 10.1097/PHM.0000000000000145.
98. Han N, Yabroudi MA, Stearns-Reider K, et al. Electrodiagnostic evaluation of individuals implanted with extracellular matrix for the treatment of volumetric muscle injury: case series. *Phys Ther*. 2016;96(4):540-549. doi: 10.2522/ptj.20150133. Epub 2015 Nov 12.
99. Alliance for Regenerative Rehabilitation Research and Training (AR³T) web site. <http://www.ar3t.pitt.edu/>. Accessed December 19, 2016.