

FRONTIERS IN ORTHOPAEDIC SCIENCE

Telehealth and Virtual Reality
in Musculoskeletal Practice

Independent Study Course 27.4.4

Alan C. Lee, PT, PhD, DPT, CWS

Mount Saint Mary's University, Los Angeles
Physical Therapy Department
Los Angeles, California

Judith E. Deutsch, PT, PhD, FAPTA

Department of Rehabilitation and Movement Science
School of Health Professions
Rutgers University
Newark, New Jersey



Orthopaedic Section, APTA, Inc.
Downloaded from www.orthopteam.org at the Orthopaedic Section on September 26, 2018. For personal use only. No other uses without permission.
Copyright © 2017 Orthopaedic Section, APTA, Inc. All rights reserved.

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC
SECTION



APTA
American Physical Therapy Association

REFERENCES

1. Wolf SL. FiRST and foremost: advances in science and technology impacting neurologic physical therapy. *J Neurol Phys Ther.* 2013;37(4):147-148. doi: 10.1097/NPT.000000000000014.
2. Kigin CM, Rodgers MM, Wolf SL. The physical therapy and society summit (PASS) Meeting: observations and opportunities. *Phys Ther.* 2010;90(11):1555-1567. doi: 10.2522/ptj.20100138. Epub 2010 Sep 9.
3. 2014 House of Delegates Minutes. American Physical Therapy Association. <http://communities.apta.org/p.do/sd/sid=2721>. Accessed April 2, 2017.
4. Standards of Practice for Physical Therapy. American Physical Therapy Association. http://www.apta.org/uploadedFiles/APTAorg/About_Us/Policies/Practice/StandardsPractice.pdf#search=%22standards of physical therapy practice%22. Accessed December 23, 2014.
5. Core Ethics Documents. American Physical Therapy Association. <http://www.apta.org/Ethics/Core/>. Accessed December 23, 2014.
6. Guide to Physical Therapist Practice 3.0. American Physical Therapy Association. <http://guidetopt-practice.apta.org/>. Accessed December 23, 2014.
7. APTA Definitions and Guidelines on Telehealth. APTA Telehealth. http://www.apta.org/uploaded-Files/APTAorg/About_Us/Policies/BOD/Practice/TelehealthDefinitionsGuidelines.pdf. Accessed December 23, 2014.
8. Brennan D, Tindall L, Theodoros D, et al. A Blueprint for Telerehabilitation Guidelines. *Int J Telerehabil.* 2010;2(2):31-34.
9. FSBPT telehealth in physical therapy policy recommendations for appropriate regulation. Federation of State Boards of Physical Therapy. <https://www.fsbpt.org/FreeResources/RegulatoryResources/TelehealthinPhysicalTherapy.aspx>. Accessed June 11, 2015.
10. Doarn CR, Jacobs J, Bott DM, et al. Federal efforts to define and advance telehealth-A work in progress. *Telemed J EHealth.* 2014;20(5):409-418. doi: 10.1089/tmj.2013.0336. Epub 2014 Feb 6.

11. What is telemedicine? American Telemedicine Association. <http://thesource.americantelemed.org/resources/telemedicine-glossary>. Accessed April 2, 2017.
12. Telerehabilitation SIG. American Telemedicine Association. <http://www.americantelemed.org/main/membership/apta-members/apta-sigs/telerehabilitation-sig>. Accessed April 2, 2017.
13. Bashshur RL, Shannon GW. *History of Telemedicine: Evolution, Context, and Transformation*. New Rochelle, NY: Mary Ann Liebert, Inc.; 2009.
14. Antoniotti NM, Drude KP, Rowe N. Private payer telehealth reimbursement in the United States. *Telemed J EHealth*. 2014;20(6):5et 39-543. doi: 10.1089/tmj.2013.0256. Epub 2014 Mar 21.
15. Richardson JK. Tipping the scales of time. *Phys Ther*. 2000;80(11):1121-1124.
16. Bini SA, Mahajan J. Clinical outcomes of remote asynchronous telerehabilitation are equivalent to traditional therapy following total knee arthroplasty: A randomized control study. *J Telemed Telecare*. 2016. doi:10.1177/1357633X16634518.
17. Physician computer use affects patient's perception of care. Medscape Medical News. <http://www.medscape.com/viewarticle/855282>. April 2, 2017.
18. Russell TG, Buttrum P, Wootton R, Jull GA. Internet-based outpatient telerehabilitation for patients following total knee arthroplasty: a randomized controlled trial. *J Bone Joint Surg Am*. 2011;93(2):113-120. doi: 10.2106/JBJS.I.01375.
19. Tousignant M, Moffet H, Boissy P, Corriveau H, Cabana F, Marquis F. A randomized controlled trial of home telerehabilitation for post-knee arthroplasty. *J Telemed Telecare*. 2011;17(4):195-198. doi: 10.1258/jtt.2010.100602. Epub 2011 Mar 11.
20. Rogante M, Kairy D, Giacomozzi C, Grigioni M. A quality assessment of systematic reviews on telerehabilitation: what does the evidence tell us? *Ann 1st Super Sanita*. 2015;51(1):11-18. doi: 10.4415/ANN_15_01_04.
21. Gilman M, Stensland J. Telehealth and Medicare: payment policy, current use, and prospects for growth. *Medicare Medicaid Res Rev*. 2013;3(4):E1-E16. doi: 10.5600/mmrr.003.04.a04. eCollection 2013.
22. Medicare Telehealth Payment Eligibility Analyzer. Health Resources and Services Administration. <http://datawarehouse.hrsa.gov/tools/analyzers/geo/Telehealth.aspx>. Accessed April 13, 2016.
23. Calouro C, Kwong MW, Gutierrez M. An analysis of state telehealth laws and regulations for occupational therapy and physical therapy. *Int J Telerehabil*. 2014;6(1):17-23. doi: 10.5195/IJT.2014.6141. eCollection 2014.
24. State telemedicine gaps analysis: Coverage & reimbursement. American Telemedicine Association Web site. <http://americantelemed.org/policy-page/state-policy-resource-center>. Accessed April 2, 2017.
25. Palsbo SE. Medicaid payment for telerehabilitation. *Arch Phys Med Rehabil*. 2004;85(7):1188-1191.
26. Statutes and Regulations Physical Therapy and Occupational Therapy. Board of Physical & Occupational Therapy State of Alaska. <https://www.commerce.alaska.gov/web/portals/5/pub/PT-OT-Statutes.pdf>. Accessed April 13, 2016.
27. Scalvini S, Zanelli E, Comini L, et al. Home-based versus in-hospital cardiac rehabilitation after cardiac surgery: A nonrandomized controlled study. *Phys Ther*. 2013;93(8):1073-1083. doi: 10.2522/ptj.20120212. Epub 2013 Apr 18.
28. Comprehensive Care for Joint Replacement Model. Centers for Medicare & Medicaid Services. <https://innovation.cms.gov/initiatives/cjr>. Accessed April 11, 2016.
29. Jette AM. Toward systems science in rehabilitation. *Phys Ther*. 2016;96(3):270-271. doi: 10.2522/ptj.2016.96.3.270.
30. Wilson PN, Foreman N, Stanton D. Virtual reality, disability and rehabilitation. *Disabil Rehabil*. 1997;19(6):213-220.
31. Deutsch JE, Brettler A, Smith C, et al. Nintendo wii sports and wii fit game analysis, validation, and application to stroke rehabilitation. *Top Stroke Rehabil*. 2011;18(6):701-719. doi: 10.1310/tsr1806-701.
32. Levac D, Espy D, Fox E, Pradhan S. "Kinect-ing" with clinicians: a knowledge translation resource to support decision making about video game use in rehabilitation. *Phys Ther*. 2015;95(3):426-440. doi: 10.2522/ptj.20130618. Epub 2014 Sep 25.
33. Fluet GG, Deutsch JE. Virtual Reality for Sensorimotor Rehabilitation Post-Stroke: The Promise and Current State of the Field. *Curr Phys Med Rehabil Rep*. 2013;1(1):9-20.
34. Slater M, Wibur S. A framework for immersive virtual environments (FIVE): Speculations on the role of presence in virtual environments. *Presence* 1997;6(6):603-616.
35. Csikszentmihalyi M. *Beyond Boredom and Anxiety: Experiencing Flow in Work and Play*. San Francisco, CA: Jossey-Bass, Inc.;1975.
36. Rand D, Givon N, Weingarden H, Nota A, Zeilig G. Eliciting upper extremity purposeful movements using video games: a comparison with traditional therapy for stroke rehabilitation. *Neurore-*

- habil Neural Repair*. 2014;28(8):733-739. doi: 10.1177/1545968314521008. Epub 2014 Feb 10.
37. Staiano AE, Abraham AA, Calvert SL. Motivating effects of cooperative exergame play for overweight and obese adolescents. *J Diabetes Sci Technol*. 2012;6(4):812-819.
 38. Staiano AE, Abraham AA, Calvert SL. Competitive versus cooperative exergame play for African American adolescents' executive function skills: short-term effects in a long-term training intervention. *Dev Psychol*. 2012;48(2):337-342. doi: 10.1037/a0026938.
 39. Hoffman HG, Doctor JN, Patterson DR, et al. Virtual reality as an adjunctive pain control during burn wound care in adolescent patients. *Pain*. 2000;85(1-2):305-309.
 40. Hoffman HG, Patterson DR, Carrougher G. Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: a controlled study. *Clin J Pain*. 2000;16(3):244-250.
 41. Murray CD, Patchick E, Pettifer S, Caillette F, Howard T. Immersive virtual reality as a rehabilitative technology for phantom limb experience: a protocol. *Cyberpsychol Behav*. 2006;9(2):167-170.
 42. Jack D, Boian R, Merians S, et al. Virtual reality-enhanced stroke rehabilitation. *IEEE Trans Neural Syst Rehabil Eng*. 2001;9(3):308-318.
 43. da Silva Cameirao M, Bermudez I, Badia S, Duarte E, Verschure P. Virtual reality based rehabilitation speeds up functional recovery of the upper extremities after stroke: a randomized controlled pilot study in the acute phase of stroke using the rehabilitation gaming system. *Restor Neurol Neurosci*. 2011;29(5):287-298. doi: 10.3233/RNN-2011-0599.
 44. Levin MF, Weiss PL, Keshner EA. Emergence of virtual reality as a tool for upper limb rehabilitation: incorporation of motor control and motor learning principles. *Phys Ther*. 2015;95(3):415-425. doi: 10.2522/ptj.20130579. Epub 2014 Sep 11.
 45. Llorens, R, Noe E, Naranjo V, Borrego A, Larorr J, Alcaniz M. Tracking systems for virtual rehabilitation: objective performance vs. subjective experience. A practical scenario. *Sensors (Basel)*. 2015;15(3):6586-6606. doi: 10.3390/s150306586.
 46. Prosperini L, Fortuna D, Gianni C, Leonardi L, Marchetti MR, Pozzilli C. Home-based balance training using the Wii balance board: a randomized, crossover pilot study in multiple sclerosis. *Neurorehabil Neural Repair*. 2013;27(6):516-525. doi: 10.1177/1545968313478484. Epub 2013 Mar 11.
 47. Brichetto, G, Spallarossa P, de Carvalho ML, Battaglia MA. The effect of Nintendo® Wii® on balance in people with multiple sclerosis: a pilot randomized control study. *Mult Scler*. 2013;19(9):1219-1221. doi: 10.1177/1352458512472747. Epub 2013 Jan 15.
 48. Kramer A, Dettmers C, Gruber M. Exergaming with additional postural demands improves balance and gait in patients with multiple sclerosis as much as conventional balance training and leads to high adherence to home-based balance training. *Arch Phys Med Rehabil*. 2014;95(10):1803-1809. doi: 10.1016/j.apmr.2014.04.020. Epub 2014 May 10.
 49. Plow M, Finlayson M. Potential benefits of Nintendo Wii fit among people with multiple sclerosis: a longitudinal pilot study. *Int J MS Care*. 2011;13(1):21-30. doi: 10.7224/1537-2073-13.1.21.
 50. Mirelman, A, Maidan I, Herman T, Deutsch JE, Giladi N, Hausdorff JM. Virtual reality for gait training: can it induce motor learning to enhance complex walking and reduce fall risk in patients with Parkinson's disease? *J Gerontol A Biol Sci Med Sci*. 2011;66(2):234-240. doi: 10.1093/gerona/glq201. Epub 2010 Nov 24.
 51. Barry G, Galna B, Rochester L. The role of exergaming in Parkinson's disease rehabilitation: a systematic review of the evidence. *J Neuroeng Rehabil*. 2014;11:33. doi: 10.1186/1743-0003-11-33.
 52. Bower KJ, Clark RA, McGinley JL, Martin CL, Miller KJ. Clinical feasibility of the Nintendo Wii for balance training post-stroke: a phase II randomized controlled trial in an inpatient setting. *Clin Rehabil*. 2014;28(9):912-923. doi: 10.1177/0269215514527597. Epub 2014 Mar 25.
 53. Flynn S, Palma P, Bender A. Feasibility of using the Sony PlayStation 2 gaming platform for an individual poststroke: a case report. *J Neurol Phys Ther*. 2007;31(4):180-189. doi: 10.1097/NPT.0b013e31815d00d5.
 54. Proffitt R, Lange B, Sevick M. Usability of a Virtual Reality Tool for In-Home Stroke Rehabilitation: A Case Series. *Stroke*. 2015;46.
 55. Laver KE, George S, Thomas S, Deutsch JE, Crotty M. Virtual reality for stroke rehabilitation. *Stroke*. 2012;43:e20-21.
 56. Darter BJ, Wilken JM. Gait training with virtual reality-based real-time feedback: improving gait performance following transfemoral amputation. *Phys Ther*. 2011;91(9):1385-1394. doi: 10.2522/ptj.20100360. Epub 2011 Jul 14.
 57. Beurskens R, Wilken JM, Dingwell JB. Dynamic stability of individuals with transtibial amputation

- walking in destabilizing environments. *J Biomech.* 2014;47(7):1675-1681. doi: 10.1016/j.jbiomech.2014.02.033. Epub 2014 Mar 6.
58. McGough R, Paterson K, Bradshaw E, Bryant AL, Clark RA. Improving lower limb weight distribution asymmetry during the squat using Nintendo Wii Balance Boards and real-time feedback. *J Strength Cond Res.* 2012;26(1):47-52. doi: 10.1519/JSC.0b013e318220b515.
 59. Punt IM, Ziltener JL, Monnin D, Allet L. Wii Fit exercise therapy for the rehabilitation of ankle sprains: Its effect compared with physical therapy or no functional exercises at all. *Scand J Med Sci Sports.* 2016;26(7):816-823. doi: 10.1111/sms.12509. Epub 2015 Jun 16.
 60. Vernadakis N, Derri V, Tsitskari E, Antoniou P. The effect of Xbox Kinect intervention on balance ability for previously injured young competitive male athletes: a preliminary study. *Phys Ther Sport.* 2014;15(3):148-155. doi: 10.1016/j.ptsp.2013.08.004. Epub 2013 Sep 4.
 61. Baltaci G, Harput G, Haksever B, Ulusoy B, Ozer H. Comparison between Nintendo Wii Fit and conventional rehabilitation on functional performance outcomes after hamstring anterior cruciate ligament reconstruction: prospective, randomized, controlled, double-blind clinical trial. *Knee Surg Sports Traumatol Arthrosc.* 2013;21(4):880-887. doi: 10.1007/s00167-012-2034-2. Epub 2012 Apr 29.
 62. Fung V, Ho A, Shaffer J, Chung E, Gomez M. Use of Nintendo Wii Fit in the rehabilitation of outpatients following total knee replacement: a preliminary randomised controlled trial. *Physiotherapy.* 2012;98(3):183-188. doi: 10.1016/j.physio.2012.04.001. Epub 2012 Jul 10.
 63. Negus JJ, Cawthorne DP, Chen JS, Scholes CJ, Parker DA, March LM. Patient outcomes using Wii-enhanced rehabilitation after total knee replacement - the TKR-POWER study. *Contemp Clin Trials.* 2015;40:47-53. doi: 10.1016/j.cct.2014.11.007. Epub 2014 Nov 12.
 64. McPhail SM, O'Hara M, Gane E, Tonks P, Bullcock-Saxton J, Kuys SS. Nintendo Wii Fit as an adjunct to physiotherapy following lower limb fractures: preliminary feasibility, safety and sample size considerations. *Physiotherapy.* 2015;102(2):217-220. doi: 10.1016/j.physio.2015.04.006. Epub 2015 Jun 17.
 65. Deutsch JE, Borbely M, Filler J, Huhn K, Guarrera-Bowlby P. Use of a low-cost, commercially available gaming console (Wii) for rehabilitation of an adolescent with cerebral palsy. *Phys Ther.* 2008;88(10):1196-1207. doi: 10.2522/ptj.20080062. Epub 2008 Aug 8.
 66. Sims J, Cosby N, Saliba EN, Hertel J, Saliba SA. Exergaming and static postural control in individuals with a history of lower limb injury. *J Athl Train.* 2013;48(3):314-325. doi: 10.4085/1062-6050-48.2.04. Epub 2013 Feb 20.
 67. Monteiro-Junior RS, de Souza CP, Lattari E, et al. Wii-workouts on chronic pain, physical capabilities and mood of older women: a randomized controlled double blind trial. *CNS Neurol Disord Drug Targets.* 2015;14(9):1157-1164.
 68. Kim SS, Min WK, Kim JH, Lee BH. The effects of VR-based Wii Fit yoga on physical function in middle-aged female LBP patients. *J Phys Ther Sci.* 2014;26(4):549-552. doi: 10.1589/jpts.26.549. Epub 2014 Apr 23.
 69. Park JH, Lee SH, Ko DS. The effects of the Nintendo Wii exercise program on chronic work-related low back pain in industrial workers. *J Phys Ther Sci.* 2013;25(8):985-988. doi: 10.1589/jpts.25.985. Epub 2013 Sep 20.
 70. Galvin J, Levac D. Facilitating clinical decision-making about the use of virtual reality within paediatric motor rehabilitation: describing and classifying virtual reality systems. *Dev Neurorehabil.* 2011;14(2):112-122. doi: 10.3109/17518423.2010.535805.
 71. Bermudez ibadia S, Deutsch JE, Llorens R. Open Rehabilitation Initiative: design and formative evaluation. Proceedings from ICDVRAT, September 20-22, 2016; Los Angeles, California.