

PHYSICAL THERAPY MANAGEMENT OF CONCUSSION

The Basics of Concussion

Independent Study Course 28.1.1

Anne Mucha, PT, DPT, MS, NCS

UPMC Centers for Rehab Services and

Sports Medicine Concussion Program

Pittsburgh, PA

Cara Troutman-Enseki,
PT, DPT, OCS, SCS

University of Pittsburgh Medical Center

Rooney Sports Medicine Complex/

Centers for Rehab Services

Pittsburgh, PA

CONTINUING PHYSICAL THERAPY EDUCATION

ORTHOPAEDIC
SECTION



APTA
American Physical Therapy Association

REFERENCES

1. American Physical Therapy Association. The physical therapist's role in management of the person with concussion. www.apta.org/uploadedFiles/APTAorg/About_Us/Policies/Practice/ManagementConcussion.pdf. Accessed August 9, 2017.
2. American Physical Therapy Association. Mission statement of APTA. www.apta.org/uploadedFiles/APTAorg/About_Us/Policies/HOD/Goals/HOD.pdf. Accessed August 9, 2017.
3. Centers for Disease Control and Prevention, Heads up. www.cdc.gov/Concussion/. Accessed April 1, 2014.
4. Department of Veterans Affairs. VA/DoD clinical Practice Guideline for Management of Concussion/mTBI. www.dvbic.org/images/pdfs/Providers/VA-DoD-CPG-Concussion-mTBI.aspx.com. Accessed August 9, 2017
5. American Congress of Rehabilitation, Mild Traumatic Brain Injury Committee of the Head Injury Interdisciplinary Special Interest Group. Definition of mild traumatic brain injury. *J Head Trauma Rehabil.* 1993;8(3):86-87.
6. Meehan WP 3rd, d'Hemecourt P, Comstock RD. High school concussions in the 2008-2009 academic year: mechanism, symptoms, and management. *Am J Sports Med.* 2010;38(12):2405-2409.
7. Giza CC, Kutcher JS, Ashwal S, et al. Summary of evidence-based guideline update: evaluation and management of concussion in sports: report of the Guideline Development Subcommittee of the American Academy of Neurology. *Neurology.* 2013;80(24):2250-2257.
8. Langlois JA, Rutland-Brown W, Wald MM. The epidemiology and impact of traumatic brain injury: a brief overview. *J Head Trauma Rehabil.* 2006;21(5):375-378.
9. Bazarian JJ, McClung J, Cheng YT, Flesher W, Schneider SM. Emergency department management of mild traumatic brain injury in the USA. *Emerg Med J.* 2005;22(7):473-477.
10. Langlois JA, Sattin RW. Traumatic brain injury in the United States: research and programs of the Centers for Disease Control and Prevention (CDC). *J Head Trauma Rehabil.* 2005;20(3):187-188.
11. Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSB). DoD numbers for Traumatic Brain Injury Worldwide-Totals 2000-2016. Prepared by the Defense and Veterans Brain Injury Center (DVBIC).
12. Bryan MA, Rowhani-Rahbar A, Comstock RD, Rivara F, Seattle Sports Concussion Research Collaborative. Sports- and recreation-related concussions in US youth. *Pediatrics.* 2016;138(1). pii: e20154635. doi: 10.1542/peds.2015-4635. Epub 2016 Jun 20.
13. O'Connor KL, Baker MM, Dalton SL, Dompier TP, Broglio SP, Kerr ZY. Epidemiology of sport-related concussions in high school athletes: National Athletic Treatment, Injury, and Outcomes Network (NATION), 2011-2012 through 2013-2014. *J Athl Train.* 2017;52(3):175-185. doi: 10.4085/1062-6050-52.1.15.
14. Schallmo MS, Weiner JA, Hsu WK. Sport and sex-specific reporting trends in the epidemiology of concussions sustained by high school athletes. *J Bone Joint Surg Am.* 2017;99(15):1314-1320. doi: 10.2106/JBJS.16.01573.
15. Bazarian JJ, McClung J, Shah MN, Cheng YT, Flesher W, Kraus J. Mild traumatic brain injury in the United States, 1998-2000. *Brain Injury.* 2005;19(2):85-91.
16. Giza CC, Hovda DA. The neurometabolic cascade of concussion. *J Athl Train.* 2001;36(3):228-235.
17. Nelson NW, Davenport ND, Sponheim S, Anderson CR. Blast-related mild traumatic brain injury: neuropsychological evaluation and findings. In: Kobeissy H, ed. *Brain Neurotrauma: Molecular Neuropsychological and Rehabilitation Aspects.* Boca Raton, FL: CRC Press/Taylor & Francis; 2015.
18. Meehan WP 3rd, Zhang J, Mannix R, Whalen MJ. Increasing recovery time between injuries improves cognitive outcome after repetitive mild concussive brain injuries in mice. *Neurosurgery.* 2012;7(14):885-891.
19. Mannix R, Meehan WP, Feany M, et al. Genetic influences and neuropathological sequelae of repetitive brain injury. *Reply. Ann Neurol.* 2014;75(4):618. doi: 10.1002/ana.24056. Epub 2014 Apr 2.
20. Prins ML, Hales A, Reger M, Giza CC, Hovda DA. Repeat traumatic brain injury in the juvenile rat is associated with increased axonal injury and cognitive impairments. *Dev Neurosci.* 2010;32(5-6):510-518. doi: 10.1159/000316800. Epub 2010 Sep 8.
21. Vagozzi R, Signoretti S, Cristofori L, et al. Assessment of metabolic brain damage and recovery following mild traumatic brain injury: a multicentre, proton magnetic resonance spectroscopic study in concussed patients. *Brain.* 2010;133(11):3232-3242. doi: 10.1093/brain/awq200. Epub 2010 Aug 23.
22. McCrory P, Meeuwisse W, Dvorak J, et al. Consensus statement on concussion in sport-the 5th international conference on concussion in sport, Berlin 2016. *Br J Sports Med.* 2017;51(11):838-847. 10.1136/bjsports-2017-097699. [Epub ahead of print]
23. McCrory P, Meeuwisse WH, Aubry M, et al. Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport, Zurich, November 2012. *J Athl Train.* 2013;48(4):554-575.
24. Henry LC, Elbin RJ, Collins MW, Marchetti G, Kontos AP. Examining recovery trajectories after sport-related concussion with a multimodal clinical assessment approach. *Neurosurgery.* 2016;78(2):232-241. doi: 10.1227/NEU.0000000000001041.
25. Savola O, Hilbom M. Early predictors of post-concussion symptoms in patients with mild head injury. *Eur J Neurol.* 2003;10(2):175-181.

26. Ponsford, J, Willmott C, Rothwell A, et al. Impact of early intervention on outcome following mild head injury in adults. *J Neurol Neurosurg Psychiatry*. 2002;73(3):330-332.
27. Field M, Collins MW, Lovell MR, Maroon J. Does age play a role in recovery from sports-related concussion? A comparison of high school and collegiate athletes. *J Pediatr*. 2003;142(5):546-553.
28. Pellman EJ, Lovell MR, Viano DC, Casson IR. Concussion in professional football: recovery of NFL and high school athletes assessed by computerized neuropsychological testing-part 12. *Neurosurgery*. 2006;58(2):263-274.
29. Zemek RL, Yeates KO. Rates of persistent postconcussive symptoms. *JAMA*. 2017;317(13):1375-1376. doi: 10.1001/jama.2017.1327.
30. Lannsjo M, Backheden M, Johansson U, Af Geijerstam JL, Borg J. Does head CT scan pathology predict outcome after mild traumatic brain injury? *Eur J Neurol*. 2013;20(1):124-129. doi: 10.1111/j.1468-1331.2012.03813.x. Epub 2012 Jul 20.
31. Jacobs B, Beems T, Stulemeijer M, et al. Outcome prediction in mild traumatic brain injury: age and clinical variables are stronger predictors than CT abnormalities. *J Neurotrauma*. 2010;27(4):655-668. doi: 10.1089/neu.2009.1059.
32. Mosenthal AC, Livingston DH, Lavery RF, et al. The effect of age on functional outcome in mild traumatic brain injury: 6-month report of a prospective multi-center trial. *J Trauma*. 2004;56(5):1042-1048.
33. Daneshvar DH, Nowinski CJ, McKee AC, Cantu RC. The epidemiology of sport-related concussion. *Clin Sports Med*. 2011;30(1):1-17, vii. doi: 10.1016/j.csm.2010.08.006.
34. Lincoln AE, Caswell SV, Almquist JL, Dunn RE, Norris JB, Hinton RY. Trends in concussion incidence in high school sports: a prospective 11-year study. *Am J Sports Med*. 2011;39(5):958-963. doi: 10.1177/0363546510392326. Epub 2011 Jan 29.
35. Covassin T, Moran R, Elbin RJ. Sex differences in reported concussion injury rates and time loss from participation: an update of the national collegiate athletic association injury surveillance program from 2004-2005 through 2008-2009. *J Athl Train*. 2016;51(3):189-194. doi: 10.4085/1062-6050-51.3.05. Epub 2016 Mar 7.
36. Bazarian JJ, Blyth B, Mookerjee S, He H, McDermott MP. Sex differences in outcome after mild traumatic brain injury. *J Neurotrauma*. 2010;27(3):527-539. doi: 10.1089/neu.2009.1068.
37. Zuckerman SL, Apple RP, Odom MJ, Lee YM, Solomon GS, Sills AK. Effect of sex on symptoms and return to baseline in sport-related concussion. *J Neurosurg Pediatr*. 2014;13(1):72-81. doi: 10.3171/2013.9.PEDS13257. Epub 2013 Nov 8.
38. Dischinger PC, Ryb GE, Kufera JA, Auman KM. Early predictors of postconcussive syndrome in a population of trauma patients with mild traumatic brain injury. *J Trauma*. 2009;66(2):289-296, discussion 296-297. doi: 10.1097/TA.0b013e3181961da2.
39. Iverson, GL, Gardner AJ, Terry DP. Predictors of clinical recovery from concussion: a systemic review. *Br J Sports Med*. 2017;51(12):941-948. doi: 10.1136/bjsports-2017-097729.
40. Meehan WP 3rd, Mannix R, Monuteaux MC, Stein CJ, Bachur RG. Early symptom burden predicts recovery after sport-related concussion. *Neurology*. 2014;83(24):2204-2210. doi: 10.1212/WNL.000000000001073. Epub 2014 Nov 7.
41. Lau BC, Collins MW, Lovell MR. Cutoff scores in neurocognitive testing and symptom clusters that predict protracted recovery from concussions in high school athletes. *Neurosurgery*. 2012;70(2):371-379, discussion 379. doi: 10.1227/NEU.0b013e31823150f0.
42. Abrahams S, Fie SM, Patricios J, Posthumus M, September AV. Risk factors for sports concussion: an evidence-based systematic review. *Br J Sports Med*. 2014;48(2):91-97. doi: 10.1136/bjsports-2013-092734. Epub 2013 Sep 19.
43. Morgan CD, Zuckerman SL, Lee YM, et al. Predictors of postconcussion syndrome after sports-related concussion in young athletes: a matched case-control study. *J Neurosurg Pediatr*. 2015;15(6):589-598. doi: 10.3171/2014.10.PEDS14356. Epub 2015 Mar 6.
44. Corwin DJ, Zonfrillo MR, Master CL, et al. Characteristics of prolonged concussion recovery in a pediatric subspecialty referral population. *J Pediatr*. 2014;165(6):1207-1215. doi: 10.1016/j.jpeds.2014.08.034. Epub 2014 Sep 26.
45. Meares S, Shores EA, Taylor AJ, et al. Mild traumatic brain injury does not predict acute postconcussion syndrome. *J Neurol Neurosurg Psychiatry*. 2008;79(3):300-306. Epub 2007 Aug 16.
46. Ponsford J, Cameron P, Fitzgerald M, Grant M, Mikocka-Walus A, Schonberger M. Predictors of post-concussive symptoms 3 months after mild traumatic brain injury. *Neuropsychology*. 2012;26(3):304-313. doi: 10.1037/a0027888. Epub 2012 Apr 2.
47. Emery CA, Barlow KM, Brooks BL, et al. A systematic review of psychiatric, psychological, and behavioural outcomes following mild traumatic brain injury in children and adolescents. *Can J Psychiatry*. 2016;61(5):259-269. doi: 10.1177/0706743716643741.
48. Ellis MJ, Ritchie LJ, Koltek M, et al. Psychiatric outcomes after pediatric sports-related concussion. *J Neurosurg Pediatr*. 2015;16(6):709-718. doi: 10.3171/2015.5.PEDS15220. Epub 2015 Sep 11.
49. Miller JH, Gill C, Kuhn EN, et al. Predictors of delayed recovery following pediatric sports-related concussion: a case-control study. *J Neurosurg Pediatr*. 2016;17(4):491-496. doi: 10.3171/2015.8.PEDS14332. Epub 2015 Dec 18.
50. Collins MW, Lovell MR, McKeag DB. Current issues in managing sports-related concussion. *JAMA*. 1999;282(24):2283-2285.
51. Nelson LD, Guskiewicz KM, Marshall SW, et al. Multiple self-reported concussions are more prevalent in athletes with ADHD and learning disability. *Clin J Sport Med*. 2016;26(2):120-127. doi: 10.1097/JSM.000000000000207.
52. Asken BM, McCrea MA, Clugston JR, Snyder AR, Houck ZM, Bauer RM. "Playing through it": delayed

- reporting and removal from athletic activity after concussion predicts prolonged recovery. *J Athl Train*. 2016;51(4):329-335. doi: 10.4085/1062-6050-51.5.02. Epub 2016 Apr 25.
53. Meehan WP 3rd, Mannix RC, Straciolini A, Elbin RJ, Collins ME. Symptom severity predicts prolonged recovery after sport-related concussion, but age and amnesia do not. *J Pediatr*. 2013;163(3):721-725. doi: 10.1016/j.jpeds.2013.03.012. Epub 2013 Apr 26.
54. Lau BC, Kontos AP, Collins MW, Mucha A, Lovell MR. Which on field signs/symptoms predict protracted recovery from sport-related concussion among high school football players? *Am J Sports Med*. 2011;39(11):2311-2318. doi: 10.1177/0363546511410655. Epub 2011 Jun 28.
55. Bock S, Grim R, Barron TF, et al. Factors associated with delayed recovery in athletes with concussion treated at a pediatric neurology concussion clinic. *Childs Nerv Syst*. 2015;31(11):2111-2116. doi: 10.1007/s00381-015-2846-8. Epub 2015 Aug 5.
56. Collins MW, Iverson GL, Lovell MR, McKeag DB, Norwig J, Maroon J. On-field predictors of neuropsychological and symptom deficit following sports-related concussion. *Clin J Sport Med*. 2003;13(4):222-229.
57. Thomas DG, Collins MW, Saladino RA, Frank V, Raab J, Zuckerbraun NS. Identifying neurocognitive deficits in adolescents following concussion. *Acad Emerg Med*. 2011;18(3):246-254. doi: 10.1111/j.1553-2712.2011.01015.x.
58. Elbin RJ, Sufinko A, Schatz P, et al. Removal from play after concussion and recovery time. *Pediatrics*. 2016;138(3). pii: e20160910. doi: 10.1542/peds.2016-0910.
59. Zuckerman SL, Yengo-Kahn AM, Buckley TA, Solomon GS, Sillis AK, Kerr ZY. Predictors of postconcussion syndrome in collegiate student-athletes. *Neurosurg Focus*. 2016;40(4):E13. doi: 10.3171/2016.1.FOCUS15593.
60. Makdissi M, Darby D, Maruff P, Ugoni A, Brukner P, McCrory PR. Natural history of concussion in sport: markers of severity and implications for management. *Am J Sports Med*. 2010;38(3):464-471. doi: 10.1177/0363546509349491. Epub 2010 Jan 9.
61. Iverson GL, Brooks BL, Collins MW, Lovell MR. Tracking neuropsychological recovery following concussion in sport. *Brain Inj*. 2006;20(3):245-252.
62. Erlanger D, Feldman D, Kutner K, et al. Development and validation of a web-based neuropsychological test protocol for sports-related return-to-play decision-making. *Arch Clin Neuropsychol*. 2003;18(3):293-316.
63. Kontos AP, Elbin RJ, Lau B, et al. Posttraumatic migraine as a predictor of recovery and cognitive impairment after sport-related concussion. *Am J Sports Med*. 2013;41(7):1497-1504. doi: 10.1177/0363546513488751. Epub 2013 May 22.
64. Mihalik JP, Register-Mihalik J, Kerr ZY, Marshall SW, McCrea MC, Guskiewicz KM. Recovery of posttraumatic migraine characteristics in patients after mild traumatic brain injury. *Am J Sports Med*. 2013;41(7):1490-1496. doi: 10.1177/0363546513487982. Epub 2013 May 21.
65. Lau B, Lovell MR, Collins MW, Pardini J. Neurocognitive and symptom predictors of recovery in high school athletes. *Clin J Sport Med*. 2009;19(3):216-221. doi: 10.1097/JSM.0b013e31819d6edb.
66. Mihalik JP, Stump JE, Collins MW, Lovell MR, Field M, Maroon JC. Posttraumatic migraine characteristics in athletes following sports-related concussion. *J Neurosurg*. 2005;102(5):850-855.
67. Akerman S, Romero-Reyes M, Holland PR. Current and novel insights into the neurophysiology of migraine and its implications for therapeutics. *Pharmacol Ther*. 2017;172:151-170. doi: 10.1016/j.pharmthera.2016.12.005. Epub 2016 Dec 2.
68. van der Naalt J, Timmerman ME, de Koning ME, et al. Early predictors of outcome after mild traumatic brain injury (UPFRONT): an observational cohort study. *Lancet Neurol*. 2017;16(7):532-540. doi: 10.1016/S1474-4422(17)30117-5. Epub 2017 Jun 13.
69. Yang CC, Hua MS, Tu YK, Huang SJ. Early clinical characteristics of patients with persistent post-concussion symptoms: a prospective study. *Brain Inj*. 2009;23(4):299-306.
70. Yang CC, Tu YK, Hua MS, Huang SJ. The association between the postconcussion symptoms and clinical outcomes for patients with mild traumatic brain injury. *J Trauma*. 2007;62(3):657-663.
71. Ellis MJ, Cordingly D, Vis S, Reimer K, Leiter J, Russell K. Vestibulo-ocular dysfunction in pediatric sports-related concussion. *J Neurosurg Pediatr*. 2015;16(3):248-255. doi: 10.3171/2015.1.PEDS14524. Epub 2015 Jun 2.
72. Cowin DJ, Wiebe DJ, Zonfrillo MR, et al. Vestibular deficits following youth concussion. *J Pediatr*. 2015;166(5):1221-1225. doi: 10.1016/j.jpeds.2015.01.039. Epub 2015 Mar 5.
73. Pearce K, Sufinko A, Lau BC, Henry L, Collins MW, Kontos AP. Near point of convergence after a sport-related concussion: measurement reliability and relationship to neurocognitive impairment and symptoms. *Am J Sports Med*. 2015;43(12):3055-3061. doi: 10.1177/0363546515606430. Epub 2015 Oct 9.
74. Majerske CW, Mihalik JP, Ren D, et al. Concussion in sports: postconcussive activity levels, symptoms, and neurocognitive performance. *J Athl Train*. 2008;43(3):265-274. doi: 10.4085/1062-6050-43.3.265.
75. Collins MW, Kontos AP, Okonkwo DO, et al. Statements of agreement from the targeted evaluation and active management (TEAM) approaches to treating concussion meeting held in Pittsburgh, October 15-16, 2015. *Neurosurgery*. 2016;79(6):912-929.
76. Ellis MJ, Leddy JJ, Wiler B. Physiological, vestibulo-ocular and cervicogenic post-concussion disorders: an evidence-based classification system with directions for treatment. *Brain Inj*. 2015;29(2):238-248. doi: 10.3109/02699052.2014.965207. Epub 2014 Oct 14.
77. Collins MW, Kontos AP, Reynolds E, Murawski CD, Fu FH. A comprehensive, targeted approach to the clinical care of athletes following sport-related concussion. *Knee*

- Surg Sports Traumatol Arthrosc.* 2014;22(2):235-246. doi: 10.1007/s00167-013-2791-6. Epub 2013 Dec 12.
78. Kontos AP, Elbin RJ, Schatz P, et al. A revised factor structure for the post-concussion symptom scale: baseline and postconcussion factors. *Am J Sports Med.* 2012;40(10):2375-2384. Epub 2012 Aug 16.
79. Headache Classification Subcommittee of the International Headache Society. The International Classification of Headache Disorders. *Cephalgia.* 2004;24(suppl 1):9-160.
80. Vetvik KG, MacGregor EA. Sex differences in epidemiology, clinical features, and pathophysiology of migraine. *Lancet Neurol.* 2017;16(1):76-87. doi: 10.1016/S1474-4422(16)30293-9. Epub 2016 Nov 9.
81. Balaban CD, Jacob RG, Furman JM. Neurologic bases for comorbidity of balance disorders, anxiety disorders and migraine: neurotherapeutic implications. *Expert Rev Neurother.* 2011;11(3):379-394. doi: 10.1586/ern.11.19.
82. Minen MT, Boubour A, Walia H, Barr W. Post-concussive syndrome: a focus on post-traumatic headache and related cognitive, psychiatric, and sleep issues. *Curr Neurol Neurosci Rep.* 2016;16(11):100.
83. Jagoda AS, Cantrill SV, Wears RL, et al. Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting. *Ann Emerg Med.* 2002;40(2):231-249.
84. Hughes DG, Jackson A, Mason DL, Berry E, Hollis S, Yates DW. Abnormalities on magnetic resonance imaging seen acutely following mild traumatic brain injury: correlation with neuropsychological tests and delayed recovery. *Neuroradiology.* 2004;46(7):550-558. Epub 2004 Jun 8.
85. McCullough BJ, Jarvik JG. Diagnosis of concussion: the role of imagining now and in the future. *Phys Med Rehabil Clin N Am.* 2011;22(4):635-652. viii. doi: 10.1016/j.pmr.2011.08.005. Epub 2011 Sep 25.
86. Oman JA, Cooper RJ, Holmes JF, et al. Performance of a decision rule to predict need for computed tomography among children with blunt head trauma. *Pediatrics.* 2006;117(2):e238-246. Epub 2006 Jan 17.
87. Dunning J, Daly JP, Lomas JP, et al. Derivation of the children's head injury algorithm for the prediction of important clinical events decision rule for head injury in children. *Arch Dis Child.* 2006;91(11):885-891.
88. Osmond MH, Klassen TP, Wells GA, et al. CATCH: a clinical decision rule for the use of computed tomography in children with minor head injury. *CMAJ.* 2010;182(4):341-348. doi: 10.1503/cmaj.091421. Epub 2010 Feb 8.
89. Henry LC. Understanding concussive injuries using investigational imagining methods. *Prog Neurol Surg.* 2014;28:63-74. doi: 10.1159/000358763. Epub 2014 Jun 6.
90. Shahim P, Tegner Y, Wilson DH, et al. Blood biomarkers for brain injury in concussed professional ice hockey players. *JAMA Neurol.* 2014;71(6):684-692.
91. Kulbe JR, Geddes JW. Current status of fluid biomarkers in mild traumatic brain injury. *Exp Neurol.* 2016;275:334-352.
92. ICD-10, International Statistical Classification of Diseases and Related Health Problems 10th revision (ICD-10) Version for 2010, F07.2 Postconcussion syndrome, World Health Organization.
93. Donnell AJ, Kim MS, Silva MA, Vanderploeg RD. Incidence of postconcussion symptoms in psychiatric diagnostic groups, mild traumatic brain injury and comorbid conditions. *Clin Neuropsychol.* 2012;26(7):1092-1101.
94. Heitger MH, Jones RD, Macleod AD, Snell DL, Frampton CM, Anderson TJ. Impaired eye movements in post-concussion syndrome indicate suboptimal brain function beyond the influence of depression, malingering, or intellectual ability. *Brain* 2009;132(Pt 10):2850-2870. doi: 10.1093/brain/awp181. Epub 2009 Jul 16.
95. McLendon LA, Kralik SF, Grayson PA, Golomb MR. The controversial second impact syndrome: a review of the literature. *Pediatr Neurol.* 2016;62:9-17. doi: 10.1016/j.pediatrneurool.2016.03.009. Epub 2016 Apr 13.
96. Yi J, Padalino DJ, Chin LS, Montenegro P, Cantu RC. Chronic traumatic encephalopathy. *Curr Sports Med Rep.* 2013;12(1):28-32. doi: 10.1249/JCSR.0b013e31827ec9e3.
97. The National Collegiate Athletic Association. 2014-15 sports medicine handbook. Parsons J: United States of America; 2014.
98. University of Pittsburgh Medical Center. Infographic: after concussions when can athletes return to play. www.rethinkconcussions.com. Accessed on August 29, 2017.
99. Meehan WP 3rd, Mannix R. Pediatric concussions in United States emergency departments in the years 2002 to 2006. *J Pediatr.* 2010;157(6):889-893. doi: 10.1016/j.jpeds.2010.06.040. Epub 2010 Aug 13.
100. National Conference of State Legislatures. Traumatic brain injury legislation. www.ncsl.org/research/health/traumatic-brain-injury-legislation.aspx. Accessed May 21, 2017.
101. Council on Sports Medicine and Fitness. Reducing injury risk from body checking in boys' youth ice hockey. *Am Acad Pediatr.* 2014;133(6):1151-1157.
102. McGuire TA, Hetzel S, McCrea M, Brooks MA. Protective equipment and player characteristics associated with the incidence of sport-related concussion in high school football players: a multifactorial prospective study. *Am J Sports Med.* 2014;42(10):2470-2478. doi: 10.1177/0363546514541926. Epub 2014 Jul 24.
103. Reagan JC, Wright E. CAT of the month. Critically appraised tops. No strong evidence exists for the use of mouth guards to prevent concussions. *Tex Dent J.* 2013;130(6):532.
104. Eckner JT, Oh YK, Joshi MS, Richardson JK, Ashton-Miller JA. Effect of neck muscle strength and anticipatory cervical muscle activation on the kinematic response of the head to impulsive loads. *Am J Sports Med.* 2014;42(3):566-576. doi: 10.1177/0363546513517869. Epub 2014 Jan 31.
105. Collins CL, Fletcher EN, Fields SK, et al. Neck strength: a protective factor reducing risk for concussion in high school sports. *J Prim Prev.* 2014;35(5):309-319. doi: 10.1007/s10935-014-0355-2.