

THE SHOULDER

Evaluation and Treatment of the Rotator Cuff

Independent Study Course 28.2.2

Craig Garrison, PT, PhD, ATC, SCS
Texas Health Sports Medicine
Fort Worth, TX

Joseph Hannon, DPT, PhD, SCS, CSCS
Texas Health Sports Medicine
Fort Worth, TX

Dean Papalioidis, MD
Orthopedic Specialty Associates
Fort Worth, TX



*Glenohumeral
abduction*

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY**

APTA
American Physical Therapy Association

Joseph Hannon

REFERENCES

1. Millett PJ, van der Meijden OA, Gaskill T. Surgical anatomy of the shoulder. *Instr Course Lect.* 2012;61:87-95.
2. Clark JM, Harryman DT 2nd. Tendons, ligaments, and capsule of the rotator cuff. Gross and microscopic anatomy. *J Bone Joint Surg Am.* 1992;74(5):713-725.
3. Duncan Sports Therapy and Wellness. Duncan L. Rotator cuff: “the core” of the shoulder. <http://www.duncansportst.com/2015/03/rotator-cuff/2015>. Accessed February 16, 2018.
4. Mochizuki T, Sugaya H, Uomizu M, et al. Humeral insertion of the supraspinatus and infraspinatus. New anatomical findings regarding the footprint of the rotator cuff. *J Bone Joint Surg Am.* 2008;90(5):962-969. doi: 10.2106/JBJS.G.00427.
5. Williams PL, Warwick R, Dyson M, Bannister LH. *Gray's Anatomy.* 37th ed. Edinburgh: Churchill Livingstone; 1989:612-614.
6. Vosloo M, Keough N, De Beer MA. The clinical anatomy of the insertion of the rotator cuff tendons. *Eur J Orthop Surg Traumatol.* 2017;27(3):359-366. doi: 10.1007/s00590-017-1922-z. Epub 2017 Feb 16.
7. Curtis AS, Burbank KM, Tierney JJ, Scheller AD, Curran AR. The insertional footprint of the rotator cuff: an anatomic study. *Arthroscopy.* 2006;22(6):609. e1.
8. Glousman R, Jobe F, Tibone J, Moynes D, Antonelli D, Perry J. Dynamic electromyographic analysis of the throwing shoulder with glenohumeral instability. *J Bone Joint Surg Am.* 1988;70(2):220-226.
9. Boon J, de Beer M, Botha D, Maritz NG, Fouche AA. The anatomy of the subscapularis tendon insertion as applied to rotator cuff repair. *J Shoulder Elbow Surg.* 2004;13(2):165-169.
10. Pouliart N, Gagey O. Concomitant rotator cuff and capsuloligamentous lesions of the shoulder: a cadaver study. *Arthroscopy.* 2006;22(7):728-735.

11. Rahu M, Kolts I, Poldoja E, Kask K. Rotator cuff tendon connections with the rotator cable. *Knee Surg Sports Traumatol Arthrosc.* 2017;25(7):2047-2050. doi: 10.1007/s00167-016-4148-4. Epub 2016 May 2.
12. Burkhart SS. Fluoroscopic comparison of kinematic patterns in massive rotator cuff tears: A suspension bridge model. *Clin Orthop Rel Res.* 1992;(284):144-152.
13. Trumble T, Cornwall R, Budoff J. *Core Knowledge in Orthopaedics: Hand, Elbow, and Shoulder.* Philadelphia, PA: Mosby Elsevier; 2006.
14. Adams CR, DeMartino AM, Rego G, Denard PF, Burkhart SS. The rotator cuff and the superior capsule: Why we need both. *Arthroscopy.* 2016;32(12):2628-2637. doi: 10.1016/j.arthro.2016.08.011.
15. Terry GC, Chopp TM. Functional anatomy of the shoulder. *J Athl Train.* 2000;35(3):248-255.
16. Ishihara Y, Mihata T, Tamboli M, et al. Role of the superior shoulder capsule in passive stability of the glenohumeral joint. *J Shoulder Elbow Surg.* 2014;23(5):642-648. doi: 10.1016/j.jse.2013.09.025. Epub 2013 Dec 31.
17. Pouliart N, Somers K, Eid S, Gagey O. Variations in the superior capsuloligamentous complex and description of a new ligament. *J Shoulder Elbow Surg.* 2007;16(6):821-836.
18. Burkhart SS, Esch JC, Jolson RS. The rotator crescent and rotator cable: an anatomic description of the shoulder's "suspension bridge". *Arthroscopy.* 1993;9(6):611-616.
19. Burkhart SS. Reconciling the paradox of rotator cuff repair versus debridement: a unified biomechanical rationale for the treatment of rotator cuff tears. *Arthroscopy.* 1994;10(1):4-19.
20. Michener LA, McClure PW, Karduna AR. Anatomical and biomechanical mechanisms of subacromial impingement syndrome. *Clin Biomech (Bristol, Avon).* 2003;18(5):369-379.
21. Poldoja E, Rahu M, Kask K, Weyers I, Kolts I. Blood supply of the subacromial bursa and rotator cuff tendons on the bursal side. *Knee Surg Sports Traumatol Arthrosc.* 2017;25(7):2041-2046. doi: 10.1007/s00167-016-4379-4. Epub 2016 Nov 21.
22. Hunt SA, Kwon YW, Zuckerman JD. The rotator interval: anatomy, pathology, and strategies for treatment. *J Am Acad Orthop Surg.* 2007;15(4):218-227.
23. Itoigawa Y, Itoi E. Anatomy of the capsulolabral complex and rotator interval related to glenohumeral instability. *Knee Surg Sports Traumatol Arthrosc.* 2016;24(2):343-349. doi: 10.1007/s00167-015-3892-1. Epub 2015 Dec 24.
24. Fitzpatrick MJ, Powell SE, Tibone JE, Warren RF. The anatomy, pathology, and definitive treatment of rotator interval lesions: current concepts. *Arthroscopy.* 2003;19 Suppl 1:70-79.
25. Jost B, Koch PP, Gerber C. Anatomy and functional aspects of the rotator interval. *J Shoulder Elbow Surg.* 2000;9(4):336-341.
26. Boardman ND, Debski RE, Warner JJ, et al. Tensile properties of the superior glenohumeral and coracohumeral ligaments. *J Shoulder Elbow Surg.* 1996;5(4):249-254.
27. Ovesen J, Nielsen S. Experimental distal subluxation in the glenohumeral joint. *Arch Orthop Trauma Surg.* 1985;104(2):78-81.
28. Warner JJ, Deng XH, Warren RF, Torzilli PA. Static capsuloligamentous restraints to superior-inferior translation of the glenohumeral joint. *Am J Sports Med.* 1992;20(6):675-685.
29. Taylor SA, Khair MM, Gulotta LV, et al. Diagnostic glenohumeral arthroscopy fails to fully evaluate the biceps-labral complex. *Arthroscopy.* 2015;31(2):215-224. doi: 10.1016/j.arthro.2014.10.017. Epub 2014 Dec 10.
30. Taylor SA, Fabricant PD, Bansal M, et al. The anatomy and histology of the bicipital tunnel of the shoulder. *J Shoulder Elbow Surg.* 2015;24(4):511-519. doi: 10.1016/j.jse.2014.09.026. Epub 2014 Nov 18.
31. McGahan PJ, Patel H, Dickinson E, Leasure J, Montgomery W 3rd. The effect of biceps adhesions on glenohumeral range of motion: a cadaveric study. *J Shoulder Elbow Surg.* 2013;22(5):658-665. doi: 10.1016/j.jse.2012.07.003. Epub 2012 Sep 21.
32. Gans C. Fiber architecture and muscle function. *Exerc Sport Sci Rev.* 1982;10:160-207.
33. Lieber RL, Friden J. Functional and clinical significance of skeletal muscle architecture. *Muscle Nerve.* 2000;23(11):1647-1666.
34. Ward SR, Hentzen ER, Smallwood LH, et al. Rotator cuff muscle architecture: implications for glenohumeral stability. *Clin Orthop Rel Res.* 2006;448:157-163.
35. Karthikeyan S, Rai SB, Parsons H, Drew S, Smith CD, Griffin DR. Ultrasound dimensions of the rotator cuff in young healthy adults. *J Shoulder Elbow Surg.* 2014;23(8):1107-1112. doi: 10.1016/j.jse.2013.11.012. Epub 2014 Jan 16.
36. Mathewson MA, Kwan A, Eng CM, Lieber RL, Ward SR. Comparison of rotator cuff muscle architecture between humans and other selected vertebrate species. *J Exp Biol.* 2014;217(Pt 2):261-273. doi: 10.1242/jeb.083923. Epub 2013 Sep 26.
37. Abrams RA, Tsai AM, Watson B, Jamali A, Lieber RL. Skeletal muscle recovery after tenotomy and 7-day delayed muscle length restoration. *Muscle Nerve.* 2000;23(5):707-714.
38. Escamilla RF, Yamashiro K, Paulos L, Andrews JR. Shoulder muscle activity and function in common shoulder rehabilitation exercises. *Sports Med.*

- 2009;39(8):663-685. doi: 10.2165/00007256-200939080-00004.
39. Gausden EB, McCarthy MM, Kontaxis A, Corpus KT, Gulotta LV, Kelly AM. Subscapularis tendon loading during activities of daily living. *J Shoulder Elbow Surg.* 2017;26(2):331-336. doi: 10.1016/j.jse.2016.07.013. Epub 2016 Oct 5.
 40. Piepers I, Boudt P, Van Tongel A, De Wilde L. Evaluation of the muscle volumes of the transverse rotator cuff force couple in nonpathologic shoulders. *J Shoulder Elbow Surg.* 2014;23(7):e158-e162. doi: 10.1016/j.jse.2013.09.027. Epub 2013 Dec 15.
 41. Hsu JE, Reuther KE, Sarver JJ, et al. Restoration of anterior-posterior rotator cuff force balance improves shoulder function in a rat model of chronic massive tears. *J Orthop Res.* 2011;29(7):1028-1033. doi: 10.1002/jor.21361. Epub 2011 Feb 9.
 42. Bamman MM, Newcomer BR, Larson-Meyer DE, Weinsier RL, Hunter GR. Evaluation of the strength-size relationship in vivo using various muscle size indices. *Med Sci Sports Exerc.* 2000;32(7):1307-1313.
 43. Espinosa-Urbe AG, Negreros-Osuna AA, Gutierrez-de la O J, et al. An age- and gender-related three-dimensional analysis of rotator cuff transverse force couple volume ratio in 304 shoulders. *Surg Radiol Anat.* 2017;39(2):127-134. doi: 10.1007/s00276-016-1714-x. Epub 2016 Jun 16.
 44. Oh LS, Wolf BR, Hall MP, Levy BA, Marx RG. Indications for rotator cuff repair: a systematic review. *Clin Orthop Relat Res.* 2007;455:52-63.
 45. Mather RC 3rd, Koenig L, Acevedo D, et al. The societal and economic value of rotator cuff repair. *J Bone Joint Surg Am.* 2013;95(22):1993-2000. doi: 10.2106/JBJS.L.01495.
 46. Mall NA, Kim HM, Keener JD, et al. Symptomatic progression of asymptomatic rotator cuff tears: a prospective study of clinical and sonographic variables. *J Bone Joint Surg Am.* 2010;92(16):2623-2633. doi: 10.2106/JBJS.I.00506.
 47. Milgrom C, Schaffler M, Gilbert S, von Holsbeek M. Rotator-cuff changes in asymptomatic adults. The effect of age, hand dominance and gender. *J Bone Joint Surg Br.* 1995;77(2):296-298.
 48. Reilly P, Macleod I, Macfarlane R, Windley J, Emery RJ. Dead men and radiologists don't lie: a review of cadaveric and radiological studies of rotator cuff tear prevalence. *Ann R Coll Surg Engl.* 2006;88(2):116-121.
 49. Yamamoto A, Takagishi K, Osawa T, et al. Prevalence and risk factors of a rotator cuff tear in the general population. *J Shoulder Elbow Surg.* 2010;19(1):116-120. doi: 10.1016/j.jse.2009.04.006.
 50. Colvin AC, Egorova N, Harrison AK, Moskowitz A, Flatow EL. National trends in rotator cuff repair. *J Bone Joint Surg Am.* 2012;94(3):227-233. doi: 10.2106/JBJS.J.00739.
 51. Petri M. Current treatment options for rotator cuff tears. *Open Orthop J.* 2016;10:264-265. eCollection 2016.
 52. Rickert M, Georgousis H, Witzel U. The native tensile strength of the supraspinatus tendon. A biomechanical study. *Unfallchirurg.* 1998;101(4):265-270.
 53. Sano H, Ishii H, Yeadon A, Backman DS, Brunet JA, Uthoff HK. Degeneration at the insertion weakens the tensile strength of the supraspinatus tendon: a comparative mechanical and histologic study of the bone-tendon complex. *J Orthop Res.* 1997;15(5):719-726.
 54. Sørensen AK, Bak K, Krarup AL, et al. Acute rotator cuff tear: do we miss the early diagnosis? A prospective study showing a high incidence of rotator cuff tears after shoulder trauma. *J Shoulder Elbow Surg.* 2007;16(2):174-180. Epub 2006 Dec 13.
 55. Sher JS, Uribe JW, Posada A, Murphy BJ, Zlatkin MB. Abnormal findings on magnetic resonance images of asymptomatic shoulders. *J Bone Joint Surg Am.* 1995;77(1):10-15.
 56. Tempelhof S, Rupp S, Seil R. Age-related prevalence of rotator cuff tears in asymptomatic shoulders. *J Shoulder Elbow Surg.* 1999;8(4):296-299.
 57. Teunis T, Lubberts B, Reilly BT, Ring D. A systematic review and pooled analysis of the prevalence of rotator cuff disease with increasing age. *J Shoulder Elbow Surg.* 2014;23(12):1913-1921. doi: 10.1016/j.jse.2014.08.001.
 58. Yamaguchi K, Tetro AM, Blam O, Evanoff BA, Teefey SA, Middleton WD. Natural history of asymptomatic rotator cuff tears: a longitudinal analysis of asymptomatic tears detected sonographically. *J Shoulder Elbow Surg.* 2001;10(3):199-203.
 59. Maman E, Harris C, White L, Tomlinson G, Shashank M, Boynton E. Outcome of nonoperative treatment of symptomatic rotator cuff tears monitored by magnetic resonance imaging. *J Bone Joint Surg Am.* 2009;91(8):1898-1906. doi: 10.2106/JBJS.G.01335.
 60. Safran O, Schroeder J, Bloom R, Weil Y, Milgrom C. Natural history of nonoperatively treated symptomatic rotator cuff tears in patients 60 years old or younger. *Am J Sports Med.* 2011;39(4):710-714. doi: 10.1177/0363546510393944. Epub 2011 Feb 10.
 61. Braune C, von Eisenhart-Rothe R, Welsch F, Teufel M, Jaeger A. Mid-term results and quantitative comparison of postoperative shoulder function in traumatic and non-traumatic rotator cuff tears. *Arch Orthop Trauma Surg.* 2003;123(8):419-424. Epub 2003 Jun 27.
 62. Feng S, Guo S, Nobuhara K, Hashimoto J, Mimori K. Prognostic indicators for outcome following rotator cuff tear repair. *J Orthop Surg (Hong Kong).* 2003;11(2):110-116.

63. Fukuda H. Partial-thickness rotator cuff tears: a modern view on Codman's classic. *J Shoulder Elbow Surg.* 2000;9(2):163-168.
64. Kim SH, Ha KI, Park JH, Kang JS, Oh SK, Oh I. Arthroscopic versus mini-open salvage repair of the rotator cuff tear: outcome analysis at 2 to 6 years' follow-up. *Arthroscopy.* 2003;19(7):746-754.
65. Mall NA, Lee AS, Chahal J, et al. An evidenced-based examination of the epidemiology and outcomes of traumatic rotator cuff tears. *Arthroscopy.* 2013;29(2):366-376. doi: 10.1016/j.arthro.2012.06.024. Epub 2013 Jan 3.
66. Harris JD, Pedroza A, Jones GL, MOON (Multicenter Orthopedic Outcomes Network) Shoulder Group. Predictors of pain and function in patients with symptomatic, atraumatic full-thickness rotator cuff tears a time-zero analysis of a prospective patient cohort enrolled in a structured physical therapy program. *Am J Sports Med.* 2012;40(2):359-366. doi: 10.1177/0363546511426003. Epub 2011 Nov 17.
67. Teratani T. Comparison of the epidemiology and outcomes of traumatic and nontraumatic rotator cuff tears. *J Orthop.* 2017;14(1):166-170.
68. Loew M, Magosch P, Lichtenberg S, Habermeyer P, Porschke F. How to discriminate between acute traumatic and chronic degenerative rotator cuff lesions: an analysis of specific criteria on radiography and magnetic resonance imaging. *J Shoulder Elbow Surg.* 2015;24(11):1685-1693. doi: 10.1016/j.jse.2015.06.005. Epub 2015 Jul 31.
69. Tan M, Lam PH, Le BT, Murrell GA. Trauma versus no trauma: an analysis of the effect of tear mechanism on tendon healing in 1300 consecutive patients after arthroscopic rotator cuff repair. *J Shoulder Elbow Surg.* 2016;25(1):12-21. doi: 10.1016/j.jse.2015.06.023. Epub 2015 Aug 8.
70. Dabija DI, Gao C, Edwards TL, Kuhn JE, Jain NB. Genetic and familial predisposition to rotator cuff disease: a systematic review. *J Shoulder Elbow Surg.* 2017;26(6):1103-1112. doi: 10.1016/j.jse.2016.11.038. Epub 2017 Feb 2.
71. Harvie P, Ostlere S, Teh J, et al. Genetic influences in the aetiology of tears of the rotator cuff. Sibling risk of a full-thickness tear. *J Bone Joint Surg Br.* 2004;86(5):696-700.
72. Chaudhury S, Carr AJ. Lessons we can learn from gene expression patterns in rotator cuff tears and tendinopathies. *J Shoulder Elbow Surg.* 2012;21(2):191-199. doi: 10.1016/j.jse.2011.10.022.
73. Dunn WR, Kuhn JE, Sanders R, et al. Symptoms of pain do not correlate with rotator cuff tear severity: a cross-sectional study of 393 patients with a symptomatic atraumatic full-thickness rotator cuff tear. *J Bone Joint Surg Am.* 2014;96(10):793-800. doi: 10.2106/JBJS.L.01304.
74. Wylie JD, Suter T, Potter MQ, Granger Ek, Tashjian RZ. Mental health has a stronger association with patient-reported shoulder pain and function than tear size in patients with full-thickness rotator cuff tears. *J Bone Joint Surg Am.* 2016;98(4):251-256. doi: 10.2106/JBJS.O.00444.
75. Kuhn JE, Dunn WR, Ma B, et al. Interobserver agreement in the classification of rotator cuff tears. *Am J Sports Med.* 2007;35(3):437-441. Epub 2007 Jan 31.
76. Belangero PS, Ejnisman B, Arce G. A review of rotator cuff classifications in current use. In: Arce G, Bak K, Shea KP, et al. *Shoulder Concepts 2013: Consensus and Concerns.* New York, NY: Springer; 2013:5-13.
77. Ruotolo C, Fow JE, Nottage WM. The supraspinatus footprint: an anatomic study of the supraspinatus insertion. *Arthroscopy.* 2004;20(3):246-249.
78. DeOrio J, Cofield RH. Results of a second attempt at surgical repair of a failed initial rotator-cuff repair. *J Bone Joint Surg Am.* 1984;66(4):563-567.
79. Ellman H. Diagnosis and treatment of incomplete rotator cuff tears. *Clin Orthop Rel Res.* 1990;(254):64-74.
80. Harryman DT 2nd, Mack L, Wang K, Jackins SE, Richardson ML, Matsen FA 3rd. Repairs of the rotator cuff. Correlation of functional results with integrity of the cuff. *J Bone Joint Surg Am.* 1991;73(7):982-989.
81. Ellman H, Gartsman G. Rotator cuff disorders. In Ellman H, Gartsman G. *Arthroscopic Shoulder Surgery and Related Procedures.* Philadelphia, PA: Lea & Febiger; 1993:98-119.
82. Davidson J, Burkhart SS. The geometric classification of rotator cuff tears: a system linking tear pattern to treatment and prognosis. *Arthroscopy.* 2010;26(3):417-424. doi: 10.1016/j.arthro.2009.07.009. Epub 2009 Dec 29.
83. Oh JH, Kim SH, Ji HM, Jo KH, Bin SW, Gong HS. Prognostic factors affecting anatomic outcome of rotator cuff repair and correlation with functional outcome. *Arthroscopy.* 2009;25(1):30-39. doi: 10.1016/j.arthro.2008.08.010. Epub 2008 Oct 10.
84. Thomazeau H, Boukobza E, Morcet N, Chaperon J, Langlais F. Prediction of rotator cuff repair results by magnetic resonance imaging. *Clin Orthop Rel Res.* 1997;(344):275-283.
85. Warner JJ, Higgins L, Parsons I 4th, Dowdy P. Diagnosis and treatment of anterosuperior rotator cuff tears. *J Shoulder Elbow Surg.* 2001;10(1):37-46.
86. Fuchs B, Weishaupt D, Zanetti M, Hodler J, Gerber C. Fatty degeneration of the muscles of the rotator cuff: assessment by computed tomography versus magnetic resonance imaging. *J Shoulder Elbow Surg.* 1999;8(6):599-605.
87. Lansdown DA, Feeley BT. Evaluation and treatment of rotator cuff tears. *Phys Sportsmed.* 2012;40(2):73-86. doi: 10.3810/psm.2012.05.1967.

88. Yamaguchi K, Sher JS, Andersen WK, et al. Glenohumeral motion in patients with rotator cuff tears: a comparison of asymptomatic and symptomatic shoulders. *J Shoulder Elbow Surg.* 2000;9(1):6-11.
89. Goutallier D, Le Guilloux P, Postel JM, Radler C, Bernageau J, Ziber S. Acromio humeral distance less than six millimeter: its meaning in full-thickness rotator cuff tear. *Orthop Traumatol Surg Res.* 2011;97(3):246-251. doi: 10.1016/j.otsr.2011.01.010. Epub 2011 Apr 1.
90. Feeley BT, Gallo RA, Craig EV. Cuff tear arthropathy: current trends in diagnosis and surgical management. *J Shoulder Elbow Surg.* 2009;18(3):484-494. doi: 10.1016/j.jse.2008.11.003. Epub 2009 Feb 8.
91. Eubank BH, Mohtadi NG, Lafave MR, et al. Using the modified Delphi method to establish clinical consensus for the diagnosis and treatment of patients with rotator cuff pathology. *BMC Med Res Methodol.* 2016;16:56. doi: 10.1186/s12874-016-0165-8.
92. Nazarian LN, Jacobson JA, Benson CB, et al. Imaging algorithms for evaluating suspected rotator cuff disease: Society of Radiologists in Ultrasound consensus conference statement. *Radiology.* 2013;267(2):589-595. doi: 10.1148/radiol.13121947. Epub 2013 Feb 11.
93. Lu HY, Huang CY, Su CT, Lin CC. Predicting rotator cuff tears using data mining and Bayesian likelihood ratios. *PloS One.* 2014;9(4):e94917. doi: 10.1371/journal.pone.0094917. eCollection 2014.
94. Dunn WR, Kuhn JE, Sanders R, et al. 2013 Neer Award: predictors of failure of nonoperative treatment of chronic, symptomatic, full-thickness rotator cuff tears. *J Shoulder Elbow Surg.* 2016;25(8):1303-1311. doi: 10.1016/j.jse.2016.04.030.
95. MOON Shoulder Group, Unruh KP, Kuhn JE, et al. The duration of symptoms does not correlate with rotator cuff tear severity or other patient-related features: a cross-sectional study of patients with atraumatic, full-thickness rotator cuff tears. *J Shoulder Elbow Surg.* 2014;23(7):1052-1058. doi: 10.1016/j.jse.2013.10.001. Epub 2014 Jan 8.
96. Hegedus EJ, Goode A, Campbell S, et al. Physical examination tests of the shoulder: a systematic review with meta-analysis of individual tests. *Br J Sports Med.* 2008;42(2):80-92; discussion 92. Epub 2007 Aug 24.
97. Jain NB, Luz J, Higgins LD, et al. The diagnostic accuracy of special tests for rotator cuff tear: the ROW cohort study. *Am J Phys Med Rehabil.* 2017;96(3):176-183. doi: 10.1097/PHM.0000000000000566.
98. Gismervik SØ, Drogset JO, Granviken F, Ro M, Leivseth G. Physical examination tests of the shoulder: a systematic review and meta-analysis of diagnostic test performance. *BMC Musculoskelet Disord.* 2017;18(1):41. doi: 10.1186/s12891-017-1400-0.
99. Bishop J, Klepps S, Lo IK, Bird J, Gladstone JN, Flatow EL. Cuff integrity after arthroscopic versus open rotator cuff repair: a prospective study. *J Shoulder Elbow Surg.* 2006;15(3):290-299.
100. Galatz LM, Ball CM, Teefey SA, Middleton WD, Yamaguchi K. The outcome and repair integrity of completely arthroscopically repaired large and massive rotator cuff tears. *J Bone Joint Surg Am.* 2004;86-A(2):219-224.
101. Gerber C, Fuchs B, Hodler J. The results of repair of massive tears of the rotator cuff. *J Bone Joint Surg Am.* 2000;82(4):505-515.
102. Mellado J, Calmet J, Olona M, et al. Surgically repaired massive rotator cuff tears: MRI of tendon integrity, muscle fatty degeneration, and muscle atrophy correlated with intraoperative and clinical findings. *AJR Am J Roentgenol.* 2005;184(5):1456-1463.
103. Zanetti M, Jost B, Hodler J, Gerber C. MR imaging after rotator cuff repair: full-thickness defects and bursitis-like subacromial abnormalities in asymptomatic subjects. *Skeletal Radiol.* 2000;29(6):314-319.
104. Slabaugh MA, Nho SJ, Grumet RC, et al. Does the literature confirm superior clinical results in radiographically healed rotator cuffs after rotator cuff repair? *Arthroscopy.* 2010;26(3):393-403. doi: 10.1016/j.arthro.2009.07.023. Epub 2010 Jan 15.
105. Bell JE. Repair of symptomatic rotator cuff tears after failed nonoperative treatment is cost-effective: commentary on an article by Richard C. Mather III, MD, et al.: "The societal and economic value of rotator cuff repair." *J Bone Joint Surg Am.* 2013;95(22):e178. doi: 10.2106/JBJS.M.01223.
106. Lin JC, Weintraub N, Aragaki DR. Nonsurgical treatment for rotator cuff injury in the elderly. *J Am Med Dir Assoc.* 2008;9(9):626-632. doi: 10.1016/j.jamda.2008.05.003. Epub 2008 Sep 25.
107. van der Meijden OA, Westgard P, Chandler Z, Gaskill TR, Kokmeyer D, Millett PJ. Rehabilitation after arthroscopic rotator cuff repair: current concepts review and evidence-based guideline. *Int J Sports Phys Ther.* 2012;7(2):197-218.
108. Millett PJ, Wilcox RB 3rd, O'Holleran JD, Warner JJ. Rehabilitation of the rotator cuff: an evaluation-based approach. *J Am Acad Orthop Surg.* 2006;14(11):599-609.
109. Goldberg BA, Nowinski RJ, Matsen FA 3rd. Outcome of nonoperative management of full-thickness rotator cuff tears. *Clin Orthop Rel Res.* 2001;(382):99-107.
110. Zingg P, Jost B, Sukthankar A, Buhler M, Pfirrmann CW, Gerber C. Clinical and structural outcomes of nonoperative management of massive rotator cuff tears. *J Bone Joint Surg Am.* 2007;89(9):1928-1934.
111. Moosmayer S, Lund G, Seljom US, et al. Tendon repair compared with physiotherapy in the treatment of rotator cuff tears: a randomized controlled study in 103

- cases with a five-year follow-up. *J Bone Joint Surg Am.* 2014;96(18):1504-1514. doi: 10.2106/JBJS.M.01393.
112. Brophy RH, Dunn WR, Kuhn JE, MOON Shoulder Group. Shoulder activity level is not associated with the severity of symptomatic, atraumatic rotator cuff tears in patients electing nonoperative treatment. *Am J Sports Med.* 2014;42(5):1150-1154. doi: 10.1177/0363546514526854. Epub 2014 Mar 21.
 113. Kuhn JE, Dunn WR, Sanders R, et al. Effectiveness of physical therapy in treating atraumatic full-thickness rotator cuff tears: a multicenter prospective cohort study. *J Shoulder Elbow Surg.* 2013;22(10):1371-1379. doi: 10.1016/j.jse.2013.01.026. Epub 2013 Mar 27.
 114. Ainsworth R, Lewis JS. Exercise therapy for the conservative management of full thickness tears of the rotator cuff: a systematic review. *Br J Sports Med.* 2007;41(4):200-210. Epub 2007 Jan 30.
 115. Grant HJ, Arthur A, Pichora DR. Evaluation of interventions for rotator cuff pathology: a systematic review. *J Hand Ther.* 2004;17(2):274-299.
 116. Desmeules F, Côté CH, Frémont P. Therapeutic exercise and orthopedic manual therapy for impingement syndrome: a systematic review. *Clin J Sport Med.* 2003;13(3):176-182.
 117. Green S, Buchbinder R, Hetrick SE. Physiotherapy interventions for shoulder pain. *Cochrane Database Syst Rev.* 2003;(2):CD004258.
 118. Kuhn JE. Exercise in the treatment of rotator cuff impingement: a systematic review and a synthesized evidence-based rehabilitation protocol. *J Shoulder Elbow Surg.* 2009;18(1):138-160. doi: 10.1016/j.jse.2008.06.004. Epub 2008 Oct 2.
 119. Koester MC, Dunn WR, Kuhn JE, Spindler KP. The efficacy of subacromial corticosteroid injection in the treatment of rotator cuff disease: a systematic review. *J Am Acad Orthop Surg.* 2007;15(1):3-11.
 120. Buchbinder R, Green S, Youd JM. Corticosteroid injections for shoulder pain. *Cochrane Database Syst Rev.* 2003;(1):CD004016.
 121. Wei AS, Callaci JJ, Juknelis D, et al. The effect of corticosteroid on collagen expression in injured rotator cuff tendon. *J Bone Joint Surg Am.* 2006;88(6):1331-1338.
 122. Osti L, Buda M, Buono AD, Osti R, Massari L. Clinical evidence in the treatment of rotator cuff tears with hyaluronic acid. *Muscles Ligaments Tendons J.* 2016;5(4):270-275. doi: 10.11138/mltj/2015.5.4.270. eCollection 2015 Oct-Dec.
 123. Rha DW, Park GY, Kim YK, Kim MT, Lee SC. Comparison of the therapeutic effects of ultrasound-guided platelet-rich plasma injection and dry needling in rotator cuff disease: a randomized controlled trial. *Clin Rehabil.* 2013;27(2):113-122. doi: 10.1177/0269215512448388. Epub 2012 Oct 3.
 124. Balasubramaniam U, Dissanayake R, Annabell L. Efficacy of platelet-rich plasma injections in pain associated with chronic tendinopathy: a systematic review. *Phys Sportsmed.* 2015;43(3):253-261. doi: 10.1080/00913847.2015.1005544. Epub 2015 Jan 20.
 125. Würigler-Hauri CC, Dourte LM, Baradet TC, Williams GR, Soslowsky LJ. Temporal expression of 8 growth factors in tendon-to-bone healing in a rat supraspinatus model. *J Shoulder Elbow Surg.* 2007;16(5 Suppl):S198-S203.
 126. Tashjian RZ. Epidemiology, natural history, and indications for treatment of rotator cuff tears. *Clin Sports Med.* 2012;31(4):589-604. doi: 10.1016/j.csm.2012.07.001. Epub 2012 Aug 30.
 127. Hernigou P, Merouze G, Duffiet P, Chevalier N, Rouard H. Reduced levels of mesenchymal stem cells at the tendon-bone interface tuberosity in patients with symptomatic rotator cuff tear. *Int Orthop.* 2015;39(6):1219-1225. doi: 10.1007/s00264-015-2724-8. Epub 2015 Mar 12.
 128. Hernigou P, Flouzat Lachaniette CH, Delambre J, et al. Biologic augmentation of rotator cuff repair with mesenchymal stem cells during arthroscopy improves healing and prevents further tears: a case-controlled study. *Int Orthop.* 2014;38(9):1811-1818. doi: 10.1007/s00264-014-2391-1. Epub 2014 Jun 7.
 129. Stollsteimer GT, Savoie FH 3rd. Arthroscopic rotator cuff repair: current indications, limitations, techniques, and results. *Instr Course Lect.* 1998;47:59-65.
 130. Wolf BR, Dunn WR, Wright RW. Indications for repair of full-thickness rotator cuff tears. *Am J Sports Med.* 2007;35(6):1007-1016. Epub 2007 Mar 2.
 131. Lambers Heerspink FO, Dorrestijn O, van Raay JJ, Diercks RL. Specific patient-related prognostic factors for rotator cuff repair: a systematic review. *J Shoulder Elbow Surg.* 2014;23(7):1073-1080. doi: 10.1016/j.jse.2014.01.001. Epub 2014 Apr 13.
 132. Galatz LM, Griggs S, Cameron BD, Iannotti JP. Prospective longitudinal analysis of postoperative shoulder function: a ten-year follow-up study of full-thickness rotator cuff tears. *J Bone Joint Surg Am.* 2001;83-A(7):1052-1056.
 133. Cole BJ, ElAttrache NS, Anbari A. Arthroscopic rotator cuff repairs: an anatomic and biomechanical rationale for different suture-anchor repair configurations. *Arthroscopy.* 2007;23(6):662-669.
 134. Park MC, ElAttrache NS, Ahmad CS, Tibone JE. "Transosseous-equivalent" rotator cuff repair technique. *Arthroscopy.* 2006;22(12):1360. e1-5.
 135. Park MC, ElAttrache NS, Tibone JE, Ahmad CS, Jun BJ, Lee TQ. Part I: Footprint contact characteristics for a transosseous-equivalent rotator cuff repair technique compared with a double-row repair technique. *J Shoulder Elbow Surg.* 2007;16(4):461-468. Epub 2007 Feb 22.

136. Park MC, Tibone JE, ElAttrache NS, Ahmad CS, Jun BJ, Lee TQ. Part II: Biomechanical assessment for a footprint-restoring transosseous-equivalent rotator cuff repair technique compared with a double-row repair technique. *J Shoulder Elbow Surg.* 2007;16(4):469-476. Epub 2007 Feb 22.
137. Mazzocca AD, Millett PJ, Guanche CA, et al. Arthroscopic single-row versus double-row suture anchor rotator cuff repair. *Am J Sports Med.* 2005;33(12):1861-1868.
138. Quigley RJ, Gupta A, Oh JH, et al. Biomechanical comparison of single-row, double-row, and transosseous-equivalent repair techniques after healing in an animal rotator cuff tear model. *J Orthop Res.* 2013;31(8):1254-1260. doi: 10.1002/jor.22363. Epub 2013 Apr 9.
139. Tuoheti Y, Itoi E, Yamamoto N, et al. Contact area, contact pressure, and pressure patterns of the tendon-bone interface after rotator cuff repair. *Am J Sports Med.* 2005;33(12):1869-1874. Epub 2005 Sep 12.
140. Dines JS, Bedi A, ElAttrache NS, Dines DM. Single-row versus double-row rotator cuff repair: techniques and outcomes. *J Am Acad Orthop Surg.* 2010;18(2):83-93.
141. Nicholas SJ, Lee SJ, Mullaney MJ, et al. Functional outcomes after double-row versus single-row rotator cuff repair: A prospective randomized trial. *Orthop J Sports Med.* 2016;4(10):2325967116667398.
142. Bisson L, Zivaljevic N, Sanders S, Pula D. A cost analysis of single-row versus double-row and suture bridge rotator cuff repair methods. *Knee Surg Sports Traumatol Arthrosc.* 2015;23(2):487-493. doi: 10.1007/s00167-012-2338-2. Epub 2012 Dec 12.
143. Le B, Wu X, Lam PH, Murrell G. Factors predicting rotator cuff re-tear rate: an analysis of 1000 consecutive rotator cuff repairs. *Am J Sports Med.* 2014;42(5):1134-1142. doi: 10.1177/0363546514525336. Epub 2014 Apr 18.
144. Arai R, Sugaya H, Mochizuki T, Nimura A, Moriishi J, Akita K. Subscapularis tendon tear: an anatomic and clinical investigation. *Arthroscopy.* 2008;24(9):997-1004. doi: 10.1016/j.arthro.2008.04.076. Epub 2008 Jun 16.
145. Bennett WF. Subscapularis, medial, and lateral head coracohumeral ligament insertion anatomy: arthroscopic appearance and incidence of "hidden" rotator interval lesions. *Arthroscopy.* 2001;17(2):173-180.
146. Lafosse L, Jost B, Reiland Y, Audebert S, Toussaint B, Gobezie R. Structural integrity and clinical outcomes after arthroscopic repair of isolated subscapularis tears. *J Bone Joint Surg Am.* 2007;89(6):1184-1193.
147. Barth JR, Burkhart SS, De Beer JF. The bear-hug test: a new and sensitive test for diagnosing a subscapularis tear. *Arthroscopy.* 2006;22(10):1076-1084.
148. Denard PJ, Burkhart SS. Arthroscopic recognition and repair of the torn subscapularis tendon. *Arthrosc Tech.* 2013;2(4):e373-e379. doi: 10.1016/j.eats.2013.05.007. eCollection 2013.
149. Adams CR, Schoolfield JD, Burkhart SS. The results of arthroscopic subscapularis tendon repairs. *Arthroscopy.* 2008;24(12):1381-1389. doi: 10.1016/j.arthro.2008.08.004. Epub 2008 Oct 10.
150. Burkhart S, Lo J, Brady P, Denard PJ. *The Cowboy's Companion: A Trail Guide for the Arthroscopic Shoulder Surgeon.* Philadelphia, PA: Wolters Kluwer/Lippincott Williams & Wilkins; 2012.
151. Denard PJ, Jiwani AZ, Lädermann A, Burkhart SS. Long-term outcome of a consecutive series of subscapularis tendon tears repaired arthroscopically. *Arthroscopy.* 2012;28(11):1587-1591. doi: 10.1016/j.arthro.2012.02.031. Epub 2012 May 24.
152. Sethi PM, Rajaram A, Obopilwe E, Mazzocca AD. Partial articular-sided rotator cuff tears: in situ repair versus tear completion prior to repair. *Orthopedics.* 2013;36(6):771-777. doi: 10.3928/01477447-20130523-23.
153. Ono Y, Woodmass JM, Bois AJ, Boorman RS, Thornton GM, Lo IK. Arthroscopic repair of articular surface partial-thickness rotator cuff tears: transtendon technique versus repair after completion of the tear—a meta-analysis. *Adv Orthop.* 2016;2016:7468054. doi: 10.1155/2016/7468054. Epub 2016 Jul 4.
154. Ciampi P, Scotti C, Nonis A, et al. The benefit of synthetic versus biological patch augmentation in the repair of posterosuperior massive rotator cuff tears: a 3-year follow-up study. *Am J Sports Med.* 2014;42(5):1169-1175. doi: 10.1177/0363546514525592. Epub 2014 Mar 14.
155. Mori D, Funakoshi N, Yamashita F. Arthroscopic surgery of irreparable large or massive rotator cuff tears with low-grade fatty degeneration of the infraspinatus: patch autograft procedure versus partial repair procedure. *Arthroscopy.* 2013;29(12):1911-1921. doi: 10.1016/j.arthro.2013.08.032. Epub 2013 Oct 26.
156. Shea KP, Obopilwe E, Sperling JW, Iannotti JP. A biomechanical analysis of gap formation and failure mechanics of a xenograft-reinforced rotator cuff repair in a cadaveric model. *J Shoulder Elbow Surg.* 2012;21(8):1072-1079. doi: 10.1016/j.jse.2011.07.024. Epub 2011 Nov 1.
157. van der Meijden OA, Wijdicks CA, Gaskill TR, Hannson KS, Millett PJ. Biomechanical analysis of two tendon posterosuperior rotator cuff tear repairs: extended linked repairs and augmented repairs. *Arthroscopy.* 2013;29(1):37-45. doi: 10.1016/j.arthro.2012.07.012.
158. Mihata T, McGarry MH, Pirollo JM, Kinoshita M, Lee TQ. Superior capsule reconstruction to restore superior stability in irreparable rotator cuff tears: a biomechanical cadaveric study. *Am J Sports Med.* 2012;40(10):2248-2255. Epub 2012 Aug 10.
159. Mihata T, Lee TQ, Itami Y, Hasegawa A, Ohue M, Neo M. Arthroscopic superior capsule reconstruction

- for irreparable rotator cuff tears: a prospective clinical study in 100 consecutive patients with 1 to 8 years of follow-up. *Orthop J Sports Med.* 2016;4(3 suppl3):2325967116S00076.
160. Iannotti JP, Deutsch A, Green A, et al. Time to failure after rotator cuff repair. *J Bone Joint Surg Am.* 2013;95(11):965-971. doi: 10.2106/JBJS.L.00708.
 161. Miller BS, Downie BK, Kohen RB, et al. When do rotator cuff repairs fail? Serial ultrasound examination after arthroscopic repair of large and massive rotator cuff tears. *Am J Sports Med.* 2011;39(10):2064-2070. doi: 10.1177/0363546511413372. Epub 2011 Jul 7.
 162. Chang KV, Hung CY, Han DS, Chen WS, Wang TG, Chien KL. Early versus delayed passive range of motion exercise for arthroscopic rotator cuff repair: a meta-analysis of randomized controlled trials. *Am J Sports Med.* 2015;43(5):1265-1273. doi: 10.1177/0363546514544698. Epub 2014 Aug 20.
 163. Arndt J, Clavert P, Mielcarek P, et al. Immediate passive motion versus immobilization after endoscopic supraspinatus tendon repair: a prospective randomized study. *Orthop Traumatol Surg Res.* 2012;98(6 Suppl):S131-S138. doi: 10.1016/j.otsr.2012.05.003. Epub 2012 Sep 1.
 164. Düzgün I, Baltacı G, Atay OA. Comparison of slow and accelerated rehabilitation protocol after arthroscopic rotator cuff repair: pain and functional activity. *Acta Orthop Traumatol Turc.* 2011;45(1):23-33. doi: 10.3944/AOTT.2011.2386.
 165. Keener JD, Galatz LM, Stobbs-Cucchi G, Patton R, Yamaguchi K. Rehabilitation following arthroscopic rotator cuff repair: a prospective randomized trial of immobilization compared with early motion. *J Bone Joint Surg Am.* 2014;96(1):11-19. doi: 10.2106/JBJS.M.00034.
 166. Kim YS, Chung SW, Kim JY, Ok JH, Park I, Oh JH. Is early passive motion exercise necessary after arthroscopic rotator cuff repair? *Am J Sports Med.* 2012;40(4):815-821. doi: 10.1177/0363546511434287. Epub 2012 Jan 27.
 167. Thigpen CA, Shaffer MA, Gaunt BW, Leggin BG, Williams GR, Wilcox RB 3rd. The American Society of Shoulder and Elbow Therapists' consensus statement on rehabilitation following arthroscopic rotator cuff repair. *J Shoulder Elbow Surg.* 2016;25(4):521-535. doi: 10.1016/j.jse.2015.12.018.
 168. Conti M, Garofalo R, Delle Rose G, et al. Post-operative rehabilitation after surgical repair of the rotator cuff. *Chir Organi Mov.* 2009;93 Suppl 1:S55-63. doi: 10.1007/s12306-009-0003-9.
 169. Björkenheim JM, Paavolainen P, Ahovuo J, Slati P. Surgical repair of the rotator cuff and surrounding tissues: factors influencing the results. *Clin Orthop Rel Res.* 1988;(236):148-153.
 170. Gulotta LV, Nho SJ, Dodson CC, et al. Prospective evaluation of arthroscopic rotator cuff repairs at 5 years: part I-Functional outcomes and radiographic healing rates. *J Shoulder Elbow Surg.* 2011;20(6):934-940. doi: 10.1016/j.jse.2011.03.029. Epub 2011 Jun 29.
 171. Gerber C, Schneeberger AG, Hoppeler H, Meyer DC. Correlation of atrophy and fatty infiltration on strength and integrity of rotator cuff repairs: a study in thirteen patients. *J Shoulder Elbow Surg.* 2007;16(6):691-696. Epub 2007 Oct 10.
 172. Gladstone JN, Bishop JY, Lo IK, Flatow EL. Fatty infiltration and atrophy of the rotator cuff do not improve after rotator cuff repair and correlate with poor functional outcome. *Am J Sports Med.* 2007;35(5):719-728. Epub 2007 Mar 2.
 173. Mallon WJ, Misamore G, Snead DS, Denton P. The impact of preoperative smoking habits on the results of rotator cuff repair. *J Shoulder Elbow Surg.* 2004;13(2):129-132.
 174. Chen AL, Shapiro JA, Ahn AK, Zuckerman JD, Cuomo F. Rotator cuff repair in patients with type I diabetes mellitus. *J Shoulder Elbow Surg.* 2003;12(5):416-421.
 175. Beason DP, Abboud JA, Kuntz AF, Bassora R, Soslowsky LJ. Cumulative effects of hypercholesterolemia on tendon biomechanics in a mouse model. *J Orthop Res.* 2011;29(3):380-383. doi: 10.1002/jor.21255. Epub 2010 Oct 11.
 176. Beason DP, Tucker JJ, Lee CS, Edelstein L, Abboud JA, Soslowsky LJ. Rat rotator cuff tendon-to-bone healing properties are adversely affected by hypercholesterolemia. *J Shoulder Elbow Surg.* 2014;23(6):867-872. doi: 10.1016/j.jse.2013.08.018. Epub 2013 Dec 2.
 177. Dockery ML, Wright TW, LaStayo PC. Electromyography of the shoulder: an analysis of passive modes of exercise. *Orthopedics.* 1998;21(11):1181-1184.
 178. Long JL, Ruberte Thiele RA, Skendzel JG, et al. Activation of the shoulder musculature during pendulum exercises and light activities. *J Orthop Sport Phys Ther.* 2010;40(4):230-237. doi: 10.2519/jospt.2010.3095.
 179. McCann PD, Wootten ME, Kadaba MP, Bigliani LU. A kinematic and electromyographic study of shoulder rehabilitation exercises. *Clin Orthop Rel Res.* 1993;(288):179-188.
 180. Burkhart SS, Johnson TC, Wirth MA, Athanasiou KA. Cyclic loading of transosseous rotator cuff repairs: tension overload as a possible cause of failure. *Arthroscopy.* 1997;13(2):172-176.
 181. Ahmad S, Haber M, Bokor DJ. The influence of intraoperative factors and postoperative rehabilitation compliance on the integrity of the rotator cuff after arthroscopic repair. *J Shoulder Elbow Surg.* 2015;24(2):229-235. doi: 10.1016/j.jse.2014.06.050. Epub 2014 Sep 17.
 182. DeSantana JM, Santana-Filho VJ, Guerra DR, Sluka KA, Gurgel RQ, de Silva WM Jr. Hypoalgesic effect of

- the transcutaneous electrical nerve stimulation following inguinal herniorrhaphy: a randomized, controlled trial. *J Pain*. 2008;9(7):623-629. doi: 10.1016/j.jpain.2008.01.337. Epub 2008 Apr 3.
183. DeSantana JM, Sluka KA, Lauretti GR. High and low frequency TENS reduce postoperative pain intensity after laparoscopic tubal ligation: a randomized controlled trial. *Clin J Pain*. 2009;25(1):12-19. doi: 10.1097/AJP.0b013e31817d1070.
 184. Osbahr DC, Cawley PW, Speer KP. The effect of continuous cryotherapy on glenohumeral joint and subacromial space temperatures in the postoperative shoulder. *Arthroscopy*. 2002;18(7):748-754.
 185. Gerber C, Schneeberger AG, Perren SM, Nyffeler RW. Experimental rotator cuff repair. A preliminary study. *J Bone Joint Surg Am*. 1999;81(9):1281-1290.
 186. Gaunt BW, McCluskey GM, Uhl TL. An electromyographic evaluation of subdividing active-assistive shoulder elevation exercises. *Sports Health*. 2010;2(5):424-432.
 187. Ballantyne BT, O'Hare SJ, Paschall J, et al. Electromyographic activity of selected shoulder muscles in commonly used therapeutic exercises. *Phys Ther*. 1993;73(10):668-677; discussion 677-82.
 188. Decker MJ, Hintermeister RA, Faber KJ, Hawkins RJ. Serratus anterior muscle activity during selected rehabilitation exercises. *Am J Sports Med*. 1999;27(6):784-791.
 189. Hintermeister RA, Lange GW, Schultheis JM, Bey MJ, Hawkins RJ. Electromyographic activity and applied load during shoulder rehabilitation exercises using elastic resistance. *Am J Sports Med*. 1998;26(2):210-220.
 190. Uhl TL, Muir TA, Lawson L. Electromyographical assessment of passive, active assistive, and active shoulder rehabilitation exercises. *PM&R*. 2010;2(2):132-141. doi: 10.1016/j.pmrj.2010.01.002.
 191. Sonnabend DH, Watson EM. Structural factors affecting the outcome of rotator cuff repair. *J Shoulder Elbow Surg*. 2002;11(3):212-218.
 192. Nho SJ, Brown BS, Lyman S, Adler RS, Attchek DW, MacGillivray JD. Prospective analysis of arthroscopic rotator cuff repair: prognostic factors affecting clinical and ultrasound outcome. *J Shoulder Elbow Surg*. 2009;18(1):13-20. doi: 10.1016/j.jse.2008.05.045. Epub 2008 Sep 16.
 193. Reinold MM, Wilk KE, Fleisig GS, et al. Electromyographic analysis of the rotator cuff and deltoid musculature during common shoulder external rotation exercises. *J Orthop Sports Phys Ther*. 2004;34(7):385-394.
 194. Carpenter J, Thomopoulos S, Flanagan C, DeBano CM, Soslowky LJ. Rotator cuff defect healing: a biomechanical and histologic analysis in an animal model. *J Shoulder Elbow Surg*. 1998;7(6):599-605.
 195. St Pierre P, Olson EJ, Elliott JJ, O'Hair KC, McKinney LA, Ryan J. Tendon-healing to cortical bone compared with healing to a cancellous trough. A biomechanical and histological evaluation in goats. *J Bone Joint Surg Am*. 1995;77(12):1858-1866.
 196. Rockwood CA Jr, Williams GR Jr, Burkhead WZ Jr. Debridement of degenerative, irreparable lesions of the rotator cuff. *J Bone Joint Surg Am*. 1995;77(6):857-866.
 197. Gartsman GM. Massive, irreparable tears of the rotator cuff. Results of operative debridement and subacromial decompression. *J Bone Joint Surg Am*. 1997;79(5):715-721.
 198. Walch G, Edwards TB, Boulahia A, Nove-Josserand L, Neyton L, Szabo I. Arthroscopic tenotomy of the long head of the biceps in the treatment of rotator cuff tears: clinical and radiographic results of 307 cases. *J Shoulder Elbow Surg*. 2005;14(3):238-246.
 199. Boileau P, Baqué F, Valerio L, Ahrens P, Chuinard C, Trojani C. Isolated arthroscopic biceps tenotomy or tenodesis improves symptoms in patients with massive irreparable rotator cuff tears. *J Bone Joint Surg Am*. 2007;89(4):747-757.
 200. Cuff DJ, Pupello DR, Santoni BG. Partial rotator cuff repair and biceps tenotomy for the treatment of patients with massive cuff tears and retained overhead elevation: midterm outcomes with a minimum 5 years of follow-up. *J Shoulder Elbow Surg*. 2016;25(11):1803-1809. doi: 10.1016/j.jse.2016.04.001. Epub 2016 Jun 6.
 201. Strauss EJ, Salata MJ, Kercher J, et al. Multimedia article. The arthroscopic management of partial-thickness rotator cuff tears: A systematic review of the literature. *Arthroscopy*. 2011;27(4):568-580. doi: 10.1016/j.arthro.2010.09.019.
 202. Henn RE, Kang L, Tashjian RZ, Green A. Patients' preoperative expectations predict the outcome of rotator cuff repair. *J Bone Joint Surg Am*. 2007;89(9):1913-1919.
 203. Mondloch MV, Cole DC, Frank JW. Does how you do depend on how you think you'll do? A systematic review of the evidence for a relation between patients' recovery expectations and health outcomes. *CMAJ*. 2001;165(2):174-179.
 204. Tashjian RZ, Deloach J, Green A, Porucznik CA, Powell AP. Minimal clinically important differences in ASES and simple shoulder test scores after nonoperative treatment of rotator cuff disease. *J Bone Joint Surg Am*. 2010;92(2):296-303. doi: 10.2106/JBJS.H.01296.
 205. Makhni EC, Steinhaus ME, Morrow ZS, et al. Outcomes assessment in rotator cuff pathology: what are we measuring? *J Shoulder Elbow Surg*. 2015;24(12):2008-2015. doi: 10.1016/j.jse.2015.08.007. Epub 2015 Oct 21.