

THE SHOULDER

Management and Treatment of Anterior Shoulder Instability

Independent Study Course 28.2.5

Charles A. Thigpen, PT, PhD, ATC
ATI Physical Therapy | Greenville, SC

Program in Observational Clinical Research in Orthopedics
Center for Effectiveness in Orthopedic Research | Greenville, SC

Arnold School of Public Health | University of South Carolina | Columbia, SC

Lane N. Rush, MD
Steadman Hawkins Clinic of the Carolinas | Greenville, SC

Sarah Golden, BS
ATI Physical Therapy | Greenville, SC

Richard J. Hawkins MD, FRCS(C)
Steadman Hawkins Clinic of the Carolinas | Greenville, SC

Michael J. Kissenberth, MD
Steadman Hawkins Clinic of the Carolinas | Greenville, SC



*Glenohumeral
abduction*

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY**

APTA
American Physical Therapy Association

REFERENCES

1. Simonet WT, Melton LJ 3rd, Cofield RH, Ilstrup DM. Incidence of anterior shoulder dislocation in Olmsted County, Minnesota. *Clin Orthop Relat Res.* 1984;(186):186-191.
2. Kroner K, Lind T, Jensen J. The epidemiology of shoulder dislocations. *Arch Orthop Trauma Surg.* 1989;108:288-290.
3. Nordqvist A, Petersson CJ. Incidence and causes of shoulder girdle injuries in an urban population. *J Shoulder Elbow Surg.* 1995;4:107-112.
4. Thigpen CA, Shanley E, Hawkins RJ. Postoperative rehabilitation after arthroscopic anterior shoulder stabilization. In: Davies GJ, Provencher MT, Reider B, eds. *Orthopaedic Rehabilitation of the Athlete: Getting Back in the Game.* Philadelphia, PA: Elsevier/Saunders; 2015.
5. Thigpen CA, Shanley E, Hawkins RJ. Nonoperative rehabilitation following anterior capsulolabral injury. In: Davies GJ, Provencher MT, Reider B, eds. *Orthopaedic Rehabilitation of the Athlete: Getting Back in the Game.* Philadelphia, PA: Elsevier/Saunders; 2015.
6. Owens BD, Agel J, Mountcastle SB, Cameron KL, Nelson BJ. Incidence of glenohumeral instability in collegiate athletics. *Am J Sports Med.* 2009;37(9):1750-1754. doi: 10.1177/0363546509334591. Epub 2009 Jun 25.
7. Kerr ZY, Collins CL, Pommering TL, Fields SK, Comstock RD. Dislocation/separation injuries among

- US high school athletes in 9 selected sports: 2005-2009. *Clin J Sport Med*. 2011;21(2):101-108. doi: 10.1097/JSM.0b013e31820bd1b6.
8. Zacchilli MA, Owens BD. Epidemiology of shoulder dislocations presenting to emergency departments in the United States. *J Bone Joint Surg Am*. 2010;92(3):542-549. doi: 10.2106/JBJS.I.00450.
 9. Arciero RA, Wheeler JH, Ryan JB, McBride JT. Arthroscopic Bankart repair versus nonoperative treatment for acute, initial anterior shoulder dislocations. *Am J Sports Med*. 1994;22(5):589-594.
 10. Rowe MC, Sakellarides TH. Factors related to recurrences of anterior dislocations of the shoulder. *Clin Orthop*. 1961;20:40-48.
 11. Owens BD, Duffey ML, Nelson BJ, DeBerardino TM, Taylor DC, Mountcastle SB. The incidence and characteristics of shoulder instability at the United States Military Academy. *Am J Sports Med*. 2007;35(7):1168-1173.
 12. Hawkins RJ, Mohtadi NG. Controversy in anterior shoulder instability. *Clin Orthop Relat Res*. 1991;(272):152-161.
 13. Bankart ASB. The pathology and treatment of recurrent shoulder dislocation of the shoulder. *Br J Surg*. 1939;26:23-29.
 14. Longo UG, Huijsmans PE, Maffulli N, Denaro V, De Beer JF. Video analysis of the mechanisms of shoulder dislocation in four elite rugby players. *J Orthop Sci*. 2011;16(4):389-397. doi: 10.1007/s00776-011-0087-6. Epub 2011 May 13.
 15. Cresswell TR, Smith RB. Bilateral anterior shoulder dislocations in bench pressing: an unusual cause. *Br J Sports Med*. 1998;32(1):71-72.
 16. Lo IK, Nonweiler B, Woolfrey M, Litchfield R, Kirkley A. An evaluation of the apprehension, relocation, and surprise tests for anterior shoulder instability. *Am J Sports Med*. 2004;32(2):301-307.
 17. Hurwitz S. Medical aspects of adolescents participating in sports. *West J Med*. 1974;121(5):443-447.
 18. Bonza JE, Fields SK, Yard EE, Dawn Comstock R. Shoulder injuries among United States high school athletes during the 2005-2006 and 2006-2007 school years. *J Athl Training*. 2009;44(1):76-83. doi: 10.4085/1062-6050-44.1.76.
 19. Kim DS, Yoon YS, Yi CH. Prevalence comparison of accompanying lesions between primary and recurrent anterior dislocation in the shoulder. *Am J Sports Med*. 2010;38(10):2071-2076. doi: 10.1177/0363546510371607. Epub 2010 Aug 13.
 20. Pouliart N, Marmor S, Gagey O. Simulated capsulolabral lesion in cadavers: dislocation does not result from a bankart lesion only. *Arthroscopy*. 2006;22(7):748-754. doi: 10.1016/j.arthro.2006.04.077.
 21. Shin SJ, Yun YH, Kim DJ, Yoo JD. Treatment of traumatic anterior shoulder dislocation in patients older than 60 years. *Am J Sports Med*. 2012;40(4):822-827. doi: 10.1177/0363546511434522. Epub 2012 Jan 27.
 22. Levine WN, Arroyo JS, Pollock RG, Flatow EL, Bigliani LU. Open revision stabilization surgery for recurrent anterior glenohumeral instability. *Am J Sports Med*. 2000;28:156-160.
 23. Rowe CR, Zarins B. Recurrent transient subluxation of the shoulder. *J Bone Joint Surg Am*. 1981;63:863-872.
 24. Halder AM, Kuhl SG, Zobitz ME, Larson D, An KN. Effects of the glenoid labrum and glenohumeral abduction on stability of the shoulder joint through concavity-compression: an in vitro study. *J Bone Joint Surg Am*. 2001;83-A(7):1062-1069.
 25. Cameron KL, Duffey ML, DeBerardino TM, Stoneman PD, Jones CJ, Owens BD. Association of generalized joint hypermobility with a history of glenohumeral joint instability. *J Athl Train*. 2010;45(3):253-258. doi: 10.4085/1062-6050-45.3.253.
 26. Matsen F, Harryman D, Sidles. Mechanics of glenohumeral instability. *Clin Sports Med*. 1991;10:783-788.
 27. Lippitt S, Matsen F. Mechanisms of glenohumeral joint stability. *Clin Orthop Relat Res*. 1993;(291):20-28.
 28. Price CI, Franklin P, Rodgers H, Curless RH, Johnson GR. Active and passive scapulohumeral movement in healthy persons: a comparison. *Arch Phys Med Rehabil*. 2000;81(1):28-31.
 29. Price CI, Rodgers H, Franklin P, Curless RH, Johnson GR. Glenohumeral subluxation, scapula resting position, and scapula rotation after stroke: a noninvasive evaluation. *Arch Phys Med Rehabil*. 2001;82(7):955-960.
 30. Cofield R, Nessler JP, Weinstabl R. Diagnosis of shoulder instability by examination under anesthesia. *Clin Orthop Relat Res*. 1993;(291):45-53.
 31. Cofield RH, Irving JF. Evaluation and classification of shoulder instability with special references to examination under anesthesia. *Clin Orthop Relat Res*. 1987;223:32-43.
 32. Bigliani LU, Kelkar R, Flatow EL, Pollock RG, Mow VC. Glenohumeral stability. Biomechanical properties of passive and active stabilizers. *Clin Orthop Relat Res*. 1996;(330):13-30.
 33. Halder AM, Halder CG, Zhao KD, O'Driscoll SW, Morrey BF, An KN. Dynamic inferior stabilizers of the shoulder joint. *Clin Biomech (Bristol, Avon)*. 2001;16(2):138-143.
 34. Halder AM, Itoi E, An KN. Anatomy and biomechanics of the shoulder. *Orthop Clin North Am*. 2000;31(2):159-176.
 35. Halder AM, Zhao KD, Odriscoll SW, Morrey BF, An KN. Dynamic contributions to superior shoulder stability. *J Orthop Res*. 2001;19(2):206-212.

36. Ludewig PM, Reynolds JF. The association of scapular kinematics and glenohumeral joint pathologies. *J Orthop Sports Phys Ther.* 2009;39(2):90-104. doi: 10.2519/jospt.2009.2808.
37. Warner JJ, Micheli LJ, Arslanian LE, Kennedy J, Kennedy R. Scapulothoracic motion in normal shoulders and shoulders with glenohumeral instability and impingement syndrome. A study using Moire topographic analysis. *Clin Orthop Relat Res.* 1992;(285):191-199.
38. Satterwhite YE. Evaluation and management of recurrent anterior shoulder instability. *J Athl Train.* 2000;35(3):273-277.
39. Yocum LA. Assessing the shoulder. History, physical examination, differential diagnosis, and special tests used. *Clin Sports Med.* 1983;2(2):281-289.
40. Tokish JM, Decker MJ, Ellis HB, Torry MR, Hawkins RJ. The belly-press test for the physical examination of the subscapularis muscle: electromyographic validation and comparison to the lift-off test. *J Shoulder Elbow Surg.* 2003;12(5):427-430.
41. Gerber C, Krushell RJ. Isolated rupture of the tendon of the subscapularis muscle. Clinical features in 16 cases. *J Bone Joint Surg Br.* 1991;73(3):389-394.
42. Hawkins RJ, Schutte JP, Janda DH, Huckell GH. Translation of the glenohumeral joint with the patient under anesthesia. *J Shoulder Elbow Surg.* 1996;5(4):286-292.
43. Ozaki R, Nakagawa S, Mizuno N, Mae T, Yoneda M. Hill-sachs lesions in shoulders with traumatic anterior instability: evaluation using computed tomography with 3-dimensional reconstruction. *Am J Sports Med.* 2014;42(11):2597-2605. doi: 10.1177/0363546514549543. Epub 2014 Sep 17.
44. Rerko MA, Pan X, Donaldson C, Jones GL, Bishop JY. Comparison of various imaging techniques to quantify glenoid bone loss in shoulder instability. *J Shoulder Elbow Surg.* 2013;22(4):528-534. doi: 10.1016/j.jse.2012.05.034. Epub 2012 Jun 27.
45. Miller SL, Cleeman E, Auerbach J, Flatow EL. Comparison of intra-articular lidocaine and intravenous sedation for reduction of shoulder dislocations: a randomized, prospective study. *J Bone Joint Surg Am.* 2002;84-A(12):2135-2139.
46. Orlinsky M, Shon S, Chiang C, Chan L, Carter P. Comparative study of intra-articular lidocaine and intravenous meperidine/diazepam for shoulder dislocations. *J Emerg Med.* 2002;22(3):241-245.
47. Kosnik J, Shamsa F, Raphael E, Huang R, Malachias Z, Georgiadis GM. Anesthetic methods for reduction of acute shoulder dislocations: a prospective randomized study comparing intraarticular lidocaine with intravenous analgesia and sedation. *Am J Emerg Med.* 1999;17(6):566-570.
48. Matthews DE, Roberts T. Intraarticular lidocaine versus intravenous analgesic for reduction of acute anterior shoulder dislocations. A prospective randomized study. *Am J Sports Med.* 1995;23(1):54-58.
49. Beattie TF, Steedman DJ, McGowan A, Robertson CE. A comparison of the Milch and Kocher techniques for acute anterior dislocation of the shoulder. *Injury.* 1986;17(5):349-352.
50. Hovelius L. Anterior dislocation of the shoulder in teenagers and young adults. Five-year prognosis. *J Bone Joint Surg Am.* 1987;69(3):393-399.
51. Hovelius L, Augustini BG, Fredin H, Johansson O, Norlin R, Thorling J. Primary anterior dislocation of the shoulder in young patients. A ten-year prospective study. *J Bone Joint Surg Am.* 1996;78(11):1677-1684.
52. Hovelius L, Olofsson A, Sandstrom B, et al. Nonoperative treatment of primary anterior shoulder dislocation in patients forty years of age and younger. A prospective twenty-five-year follow-up. *J Bone Joint Surg Am.* 2008;90(5):945-952. doi: 10.2106/JBJS.G.00070.
53. Kiviluoto O, Pasila M, Jaroma H, Sundholm A. Immobilization after primary dislocation of the shoulder. *Acta Orthop Scand.* 1980;51(6):915-919.
54. Buss DD, Lynch GP, Meyer CP, Huber SM, Freehill MQ. Nonoperative management for in-season athletes with anterior shoulder instability. *Am J Sports Med.* 2004;32(6):1430-1433.
55. Itoi E, Hatakeyama Y, Urayama M, Pradhan RL, Kido T, Sato K. Position of immobilization after dislocation of the shoulder. A cadaveric study. *J Bone Joint Surg Am.* 1999;81(3):385-390.
56. Miller BS, Sonnabend DH, Hatrick C, et al. Should acute anterior dislocations of the shoulder be immobilized in external rotation? A cadaveric study. *J Shoulder Elbow Surg.* 2004;13(6):589-592.
57. Itoi E, Sashi R, Minagawa H, Shimizu T, Wakabayashi I, Sato K. Position of immobilization after dislocation of the glenohumeral joint. A study with use of magnetic resonance imaging. *J Bone Joint Surg Am.* 2001;83-A(5):661-667.
58. Itoi E, Hatakeyama Y, Kido T, et al. A new method of immobilization after traumatic anterior dislocation of the shoulder: a preliminary study. *J Shoulder Elbow Surg.* 2003;12(5):413-415.
59. Oh JH, Jo KH, Kim WS, Gong HS, Han SG, Kim YH. Comparative evaluation of the measurement properties of various shoulder outcome instruments. *Am J Sports Med.* 2009;37(6):1161-1168. doi: 10.1177/0363546508330135. Epub 2009 Apr 29.
60. Plancher KD, Lipnick SL. Analysis of evidence-based medicine for shoulder instability. *Arthroscopy.* 2009;25(8):897-908. doi: 10.1016/j.arthro.2009.03.017.

61. Kirkley A, Griffin S, McLintock H, Ng L. The development and evaluation of a disease-specific quality of life measurement tool for shoulder instability. The Western Ontario Shoulder Instability Index (WOSI). *Am J Sports Med.* 1998;26(6):764-772.
62. Kocher MS, Horan MP, Briggs KK, Richardson TR, O'Holleran J, Hawkins RJ. Reliability, validity, and responsiveness of the American Shoulder and Elbow Surgeons subjective shoulder scale in patients with shoulder instability, rotator cuff disease, and glenohumeral arthritis. *J Bone Joint Surg Am.* 2005;87(9):2006-2011.
63. Michener LA, McClure PW, Sennett BJ. American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section: reliability, validity, and responsiveness. *J Shoulder Elbow Surg.* 2002;11:587-594.
64. Leggin BG, Michener LA, Shaffer MA, Brenneman SK, Iannotti JP, Williams GR Jr. The Penn Shoulder Score: reliability and validity. *J Orthop Sports Phys Ther.* 2006;36:138-151.
65. Michener LA, Snyder AR, Leggin BG. Responsiveness of the numeric pain rating scale in patients with shoulder pain and the effect of surgical status. *J Sport Rehabil.* 2011;20(1):115-128.
66. Osbahr DC, Cawley PW, Speer KP. The effect of continuous cryotherapy on glenohumeral joint and subacromial space temperatures in the postoperative shoulder. *Arthroscopy.* 2002;18(7):748-754.
67. Dockery ML, Wright TW, LaStayo PC. Electromyography of the shoulder: an analysis of passive modes of exercise. *Orthopedics.* 1998;21(11):1181-1184.
68. Uhl TL, Muir TA, Lawson L. Electromyographical assessment of passive, active assistive, and active shoulder rehabilitation exercises. *PM R.* 2010;2(2):132-141. doi: 10.1016/j.pmrj.2010.01.002.
69. Gaunt BW, McCluskey GM, Uhl TL. An electromyographic evaluation of subdividing active-assistive shoulder elevation exercises. *Sports Health.* 2010;2(5):424-432.
70. Blasier RB, Goldberg RE, Rothman ED. Anterior shoulder instability: contribution of rotator cuff forces and capsular ligaments in a cadaver model. *J Shoulder Elbow Surg.* 1992;1:140-150.
71. Weiser WM, Lee TQ, McMaster WC, McMahan PJ. Effects of a simulated scapular protraction on anterior glenohumeral stability. *Am J Sports Med.* 1999;27(6):801-805.
72. Smith J, Dahm DL, Kotajarvi BR, et al. Electromyographic activity in the immobilized shoulder girdle musculature during ipsilateral kinetic chain exercises. *Arch Phys Med Rehabil.* 2007;88(11):1377-1383. doi: 10.1016/j.apmr.2007.07.028.
73. Wise MB, Uhl TL, Mattacola CG, Nitz AJ, Kibler WB. The effect of limb support on muscle activation during shoulder exercises. *J Shoulder Elbow Surg.* 2004;13(6):614-620.
74. Borstad JD, Mathiowetz KM, Minday LE, Prabhu B, Christopherson DE, Ludewig PM. Clinical measurement of posterior shoulder flexibility. *Man Ther.* 2007;12(4):386-389. doi: 10.1016/j.math.2006.07.014.
75. McClure P, Balaicuis J, Heiland D, Broersma ME, Thorndike CK, Wood A. A randomized controlled comparison of stretching procedures for posterior shoulder tightness. *J Orthop Sports Phys Ther.* 2007;37(3):108-114. doi: 10.2519/jospt.2007.2337.
76. Borstad JD, Ludewig PM. Comparison of three stretches for the pectoralis minor muscle. *J Shoulder Elbow Surg.* 2006;15(3):324-330. doi: 10.1016/j.jse.2005.08.011.
77. Wang CH, McClure P, Pratt NE, Nobilini R. Stretching and strengthening exercises: their effect on three-dimensional scapular kinematics. *Arch Phys Med Rehabil.* 1999;80(8):923-929.
78. Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. *J Orthop Sports Phys Ther.* 2003;33(3):109-117.
79. Blackburn TA, McLeod WD, White B, Wofford L. EMG analysis of posterior rotator cuff exercises. *J Athl Train.* 1990;25(1):40-47.
80. Moseley JB Jr, Jobe FW, Pink M, Perry J, Tibone J. EMG Analysis of the scapular muscles during a shoulder rehabilitation program. *Am J Sports Med.* 1992;20(2):128-134.
81. Ballantyne BT, O'Hare SJ, Paschall JL, et al. Electromyographic activity of selected shoulder muscles in commonly used therapeutic exercises. *Phys Ther.* 1993;73(10):668-677; discussion 677-682.
82. Reinold MM, Wilk KE, Fleisig GS, et al. Electromyographic analysis of the rotator cuff and deltoid musculature during common shoulder external rotation exercises. *J Orthop Sports Phys Ther.* 2004;34(7):385-394.
83. Illyes A, Kiss RM. Electromyographic analysis in patients with multidirectional shoulder instability during pull, forward punch, elevation and overhead throw. *Knee Surg Sports Traumatol Arthrosc.* 2007;15(5):624-631. doi: 10.1007/s0167-006-0163-1. Epub 2006 Sep 5.
84. Kibler WB, Chandler TJ, Shapiro R, Conuel M. Muscle activation in coupled scapulohumeral motions in the high performance tennis serve. *Br J Sports Med.* 2007;41(11):745-749. doi: 10.1136/bjism.2007.037333.
85. Lister JL, Del Rossi G, Ma F, et al. Scapular stabilizer activity during bodyblade, cuff weights, and theraband use. *J Sport Rehabil.* 2007;16(1):50-67.

86. Reinold MM, Macrina LC, Wilk KE, et al. Electromyographic analysis of the supraspinatus and deltoid muscles during 3 common rehabilitation exercises. *J Athl Train.* 2007;42(4):464-469.
87. Jaggi A, Malone AA, Cowan J, Lambert S, Bayley I, Cairns MC. Prospective blinded comparison of surface versus wire electromyographic analysis of muscle recruitment in shoulder instability. *Physiother Res Int.* 2009;14(1):17-29. doi: 10.1002/pri.407.
88. Maenhout A, Van Praet K, Pizzi L, Van Herzele M, Cools A. Electromyographic analysis of knee push up plus variations: what's the influence of the kinetic chain on scapular muscle activity? *Br J Sports Med.* 2010;44(14):1010-1015. doi: 10.1136/bjism.2009.062810. Epub 2009 Sep 14.
89. Decker MJ, Hintermeister RA, Faber KJ, Hawkins RJ. Serratus anterior muscle activity during selected rehabilitation exercises. *Am J Sports Med.* 1999;27(6):784-791.
90. Decker MJ, Tokish JM, Ellis HB, Torry MR, Hawkins RJ. Subscapularis muscle activity during selected rehabilitation exercises. *Am J Sports Med.* 2003;31(1):126-134.
91. Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. *J Orthop Sports Phys Ther.* 2003;33:247-258.
92. Hintermeister RA, Lange GW, Schultheis JM, Bey MJ, Hawkins RJ. Electromyographic activity and applied load during shoulder rehabilitation exercises using elastic resistance. *Am J Sports Med.* 1998;26(2):210-220.
93. Ludewig PM, Hoff MS, Osowski EE, Meschke SA, Rundquist PJ. Relative balance of serratus anterior and upper trapezius muscle activity during push-up exercises. *Am J Sports Med.* 2004;32(2):484-493.
94. Townsend H, Jobe FW, Pink M, Perry J. Electromyographic analysis of the glenohumeral muscles during a baseball rehabilitation program. *Am J Sports Med.* 1991;19(3):264-272.
95. Malliou PC, Giannakopoulos K, Beneka AG, Gioftsidou A, Godolias G. Effective ways of restoring muscular imbalances of the rotator cuff muscle group: a comparative study of various training methods. *Br J Sports Med.* 2004;38(6):766-772.
96. Goldbeck T, Davies G. Test-Retest reliability of the closed kinetic chain upper extremity stability test: a clinical field test. *J Sport Rehabil.* 2000;(9):35-45.
97. Goldbeck T, Davies G. Test-retest reliability of the closed kinetic chain upper extremity stability test: a clinical field test. *J Sport Rehabil.* 2000;(9):35-45.
98. Ellenbecker TS. Rehabilitation of shoulder and elbow injuries in tennis players. *Clin Sports Med.* 1995;(14):87-109.
99. Ellenbecker TS, Mattalino AJ. Glenohumeral joint range of motion and rotator cuff strength following arthroscopic anterior stabilization with thermal capsulorrhaphy. *J Orthop Sports Phys Ther.* 1999;29(3):160-167.
100. Axe MJ, Snyder-Mackler L, Konin JG, Strube MJ. Development of a distance-based interval throwing program for Little League-aged athletes. *Am J Sports Med.* 1996;24(5):594-602.
101. Weise K, Sitler MR, Tierney R, Swanik KA. Effectiveness of glenohumeral-joint stability braces in limiting active and passive shoulder range of motion in collegiate football players. *J Athl Train.* 2004;39(2):151-155.
102. Chu JC, Kane EJ, Arnold BL, Gansneder BM. The effect of a neoprene shoulder stabilizer on active joint-reposition sense in subjects with stable and unstable shoulders. *J Athl Train.* 2002;37(2):141-145.
103. Ulkar B, Kunduracioglu B, Cetin C, Guner RS. Effect of positioning and bracing on passive position sense of shoulder joint. *Br J Sports Med.* 2004;38(5):549-552.
104. McLaughlin HL, MacLellan DI. Recurrent anterior dislocation of the shoulder. II. A comparative study. *J Trauma.* 1967;7(2):191-201.
105. Rowe CR. Prognosis in dislocations of the shoulder. *J Bone Joint Surg Am.* 1956;38-A(5):957-977.
106. Postacchini F, Gumina S, Cinotti G. Anterior shoulder dislocation in adolescents. *J Shoulder Elbow Surg.* 2000;9(6):470-474.
107. Marans HJ, Angel KR, Schemitsch EH, Wedge JH. The fate of traumatic anterior dislocation of the shoulder in children. *J Bone Joint Surg Am.* 1992;74(8):1242-1244.
108. Simonet WT, Cofield RH. Prognosis in anterior shoulder dislocation. *Am J Sports Med.* 1984;12(1):19-24.
109. Hayes K, Callanan M, Walton J, Paxinos A, Murrell GA. Shoulder instability: management and rehabilitation. *J Orthop Sports Phys Ther.* 2002;32(10):497-509.
110. Gibson K, Growse A, Korda L, Wray E, MacDermid JC. The effectiveness of rehabilitation for nonoperative management of shoulder instability: a systematic review. *J Hand Ther.* 2004;17(2):229-242.
111. Gibson K, Growse A, Korda L, Wray E, MacDermid JC. The effectiveness of rehabilitation for nonoperative management of shoulder instability: a systematic review. *J Hand Ther.* 2004;17(2):229-242.
112. Kirkley A, Werstine R, Ratjek A, Griffin S. Prospective randomized clinical trial comparing the effectiveness of immediate arthroscopic stabilization versus immobilization and rehabilitation in first traumatic anterior dislocations of the shoulder: long-term evaluation. *Arthroscopy.* 2005;21(1):55-63.
113. Bottoni CR, Wilckens JH, DeBerardino TM, et al. A prospective, randomized evaluation of arthroscopic

- stabilization versus nonoperative treatment in patients with acute, traumatic, first-time shoulder dislocations. *Am J Sports Med.* 2002;30(4):576-580.
114. Pollack KM, Canham-Chervak M, Gazal-Carvalho C, Jones BH, Baker SP. Interventions to prevent softball related injuries: a review of the literature. *Inj Prev.* 2005;11(5):277-281.
 115. Freedman KB, Smith AP, Romeo AA, Cole BJ, Bach BR Jr. Open Bankart repair versus arthroscopic repair with transglenoid sutures or bioabsorbable tacks for recurrent anterior instability of the shoulder: a meta-analysis. *Am J Sports Med.* 2004;32(6):1520-1527.
 116. Hovelius L, Sandstrom B, Sundgren K, Saebo M. One hundred eighteen Bristow-Latarjet repairs for recurrent anterior dislocation of the shoulder prospectively followed for fifteen years: study I—clinical results. *J Shoulder Elbow Surg.* 2004;13(5):509-516.
 117. Jolles BM, Pelet S, Farron A. Traumatic recurrent anterior dislocation of the shoulder: two- to four-year follow-up of an anatomic open procedure. *J Shoulder Elbow Surg.* 2004;13(1):30-34.
 118. Sachs RA, Williams B, Stone ML, Paxton L, Kuney M. Open Bankart repair: correlation of results with postoperative subscapularis function. *Am J Sports Med.* 2005;33(10):1458-1462.
 119. Greis PE, Dean M, Hawkins RJ. Subscapularis tendon disruption after Bankart reconstruction for anterior instability. *J Shoulder Elbow Surg.* 1996;5(3):219-222.
 120. Speer KP, Deng X, Torzilli PA, Altchek DA, Warren RF. Strategies for an anterior capsular shift of the shoulder. A biomechanical comparison. *Am J Sports Med.* 1995;23(3):264-269.
 121. Fabbriani C, Milano G, Demontis A, Fadda S, Ziranu F, Mulas PD. Arthroscopic versus open treatment of Bankart lesion of the shoulder: a prospective randomized study. *Arthroscopy.* 2004;20(5):456-462.
 122. Kim SH, Ha KI, Kim SH. Bankart repair in traumatic anterior shoulder instability: open versus arthroscopic technique. *Arthroscopy.* 2002;18(7):755-763.
 123. Bottoni CR, Smith EL, Berkowitz MJ, Towle RB, Moore JH. Arthroscopic versus open shoulder stabilization for recurrent anterior instability: a prospective randomized clinical trial. *Am J Sports Med.* 2006;34(11):1730-1737.
 124. Mologne TS, McBride MT, Lapoint JM. Assessment of failed arthroscopic anterior labral repairs. Findings at open surgery. *Am J Sports Med.* 1997;25(6):813-817.
 125. Uhorchak JM, Arciero RA, Huggard D, Taylor DC. Recurrent shoulder instability after open reconstruction in collision and contact sports. *Am J Sports Med.* 2000;28(6):794-799.
 126. Dewing CB, Horan MP, Millett PJ. Two-year outcomes of open shoulder anterior capsular reconstruction for instability from severe capsular deficiency. *Arthroscopy.* 2012;28(1):43-51. doi: 10.1016/j.arthro.2011.07.002. Epub 2011 Oct 5.
 127. Levine WN, Rieger K, McCluskey GM 3rd. Arthroscopic treatment of anterior shoulder instability. *Instr Course Lect.* 2005;54:87-96.
 128. Mazzocca AD, Brown FM Jr, Carreira DS, Hayden J, Romeo AA. Arthroscopic anterior shoulder stabilization of collision and contact athletes. *Am J Sports Med.* 2005;33(1):52-60.
 129. Larrain MV, Montenegro HJ, Mauas DM, Collazo CC, Pavon F. Arthroscopic management of traumatic anterior shoulder instability in collision athletes: analysis of 204 cases with a 4- to 9-year follow-up and results with the suture anchor technique. *Arthroscopy.* 2006;22(12):1283-1289.
 130. Ide J, Maeda S, Takagi K. Arthroscopic Bankart repair using suture anchors in athletes: patient selection and postoperative sports activity. *Am J Sports Med.* 2004;32(8):1899-1905.
 131. Rhee YG, Ha JH, Cho NS. Anterior shoulder stabilization in collision athletes: arthroscopic versus open Bankart repair. *Am J Sports Med.* 2006;34(6):979-985.
 132. Roberts SN, Taylor DE, Brown JN, Hayes MG, Saies A. Open and arthroscopic techniques for the treatment of traumatic anterior shoulder instability in Australian rules football players. *J Shoulder Elbow Surg.* 1999;8(5):403-409.
 133. Allain J, Goutallier D, Glorion C. Long-term results of the Latarjet procedure for the treatment of anterior instability of the shoulder. *J Bone Joint Surg Am.* 1998;80(6):841-852.
 134. Di Giacomo G, Costantini A, de Gasperis N, et al. Coracoid graft osteolysis after the Latarjet procedure for anteroinferior shoulder instability: a computed tomography scan study of twenty-six patients. *J Shoulder Elbow Surg.* 2011;20(6):989-995. doi: 10.1016/j.jse.2010.11.016. Epub 2011 Mar 9.
 135. Di Giacomo G, Itoi E, Burkhart SS. Evolving concept of bipolar bone loss and the Hill-Sachs lesion: from “engaging/non-engaging” lesion to “on-track/off-track” lesion. *Arthroscopy.* 2014;30(1):90-98. doi: 10.1016/j.arthro.2013.10.004.
 136. Omori Y, Yamamoto N, Koishi H, et al. Measurement of the glenoid track in vivo as investigated by 3-dimensional motion analysis using open MRI. *Am J Sports Med.* 2014;42(6):1290-1295. doi: 10.1177/0363546514527406. Epub 2014 Mar 28.
 137. Yamamoto N, Itoi E, Abe H, et al. Contact between the glenoid and the humeral head in abduction, external rotation, and horizontal extension: a new concept of glenoid track. *J Shoulder Elbow Surg.* 2007;16(5):649-656.

138. Burkhart SS, Debeer JF, Tehrany AM, Parten PM. Quantifying glenoid bone loss arthroscopically in shoulder instability. *Arthroscopy*. 2002;18(5):488-491.
139. Shaha JS, Cook JB, Song DJ, et al. Redefining "critical" bone loss in shoulder instability: functional outcomes worsen with "subcritical" bone loss. *Am J Sports Med*. 2015;43(7):1719-1725. doi: 10.1177/0363546515578250. Epub 2015 Apr 16.
140. Boileau P, Villalba M, Hery JY, Balg F, Ahrens P, Neyton L. Risk factors for recurrence of shoulder instability after arthroscopic Bankart repair. *J Bone Joint Surg Am*. 2006;88(8):1755-1763.
141. Itoi E, Lee SB, Berglund LJ, Berge LL, An KN. The effect of a glenoid defect on anteroinferior stability of the shoulder after Bankart repair: a cadaveric study. *J Bone Joint Surg Am*. 2000;82(1):35-46.
142. Montgomery WH Jr, Wahl M, Hettrich C, Itoi E, Lippitt SB, Matsen FA 3rd. Anteroinferior bone-grafting can restore stability in osseous glenoid defects. *J Bone Joint Surg Am*. 2005;87(9):1972-1977.
143. Wolf E, Pollack ME. Hill-Sachs "Remplissage": an arthroscopic solution for the engaging Hill-Sachs lesion. *Arthroscopy*. 2004;20(Suppl 1):e14-e15.
144. Edwards TB, G W. The Latarjet procedure for recurrent anterior shoulder instability: rationale and technique. *Oper Tech Sports Med*. 2002;10(1):25-32.
145. Burkhart SS, De Beer JF, Barth JR, Cresswell T, Roberts C, Richards DP. Results of modified Latarjet reconstruction in patients with anteroinferior instability and significant bone loss. *Arthroscopy*. 2007;23(10):1033-1041.
146. Dumont GD, Fogerty S, Rosso C, Lafosse L. The arthroscopic Latarjet procedure for anterior shoulder instability: 5-year minimum follow-up. *Am J Sports Med*. 2014;42(11):2560-2566. doi: 10.1177/0363546514544682. Epub 2014 Aug 12.
147. Provencher MT, Frank RM, Golijanin P, et al. Distal tibia allograft glenoid reconstruction in recurrent anterior shoulder instability: clinical and radiographic outcomes. *Arthroscopy*. 2017;33(5):891-897. doi: 10.1016/j.arthro.2016.09.029. Epub 2016 Dec 22.
148. Hill AM, Jones IT, Hansen U, et al. Treatment of ligament laxity by electrothermal shrinkage or surgical plication: a morphologic and mechanical comparison. *J Shoulder Elbow Surg*. 2007;16(1):95-100.
149. Wetzler MJ, Bartolozzi AR, Gillespie MJ, et al. Fatigue properties of suture anchors in anterior shoulder reconstructions: Mitek GII. *Arthroscopy*. 1996;12(6):687-693.
150. Hurd WJ, Kaplan KM, ElAttrache NS, Jobe FW, Morrey BF, Kaufman KR. A profile of glenohumeral internal and external rotation motion in the uninjured high school baseball pitcher, part II: strength. *J Athl Train*. 2011;46(3):289-295.
151. McClure PW, Michener LA. Staged approach for rehabilitation classification: shoulder disorders (STAR-Shoulder). *Phys Ther*. 2015;95(5):791-800. doi: 10.2522/ptj.20140156. Epub 2014 Dec 11.
152. Michener LA, Snyder AR, Leggin BG. Responsiveness of the numeric pain rating scale in patients with shoulder pain and the effect of surgical status. *J Sport Rehabil*. 2011;20(1):115-128.
153. Leggin BG, Michener LA, Shaffer MA, Brenneman SK, Ianotti JP, Williams GR Jr. The Penn Shoulder Score: reliability and validity. *J Orthop Sports Phys Ther*. 2006;36(3):138-151.
154. Myers JB, Laudner KG, Pasquale MR, Bradley JP, Lephart SM. Glenohumeral range of motion deficits and posterior shoulder tightness in throwers with pathologic internal impingement. *Am J Sports Med*. 2006;34(3):385-391.
155. McMaster. Shoulder torque changes in the swimming athlete. *Am J Sports Med*. 1992;20(3):323-327.
156. Tate A, Harrington S, Bunes M, Murray S, Trout C, Meisel C. Investigation of in-water and dry-land training programs for competitive swimmers in the United States. *J Sport Rehabil*. 2015;24(4):353-362. doi: 10-1123/jsr.2014-0205. Epub 2014 Oct 30.
157. Tate A, Turner GN, Knab SE, Jorgensen C, Strittmatter A, Michener LA. Risk factors associated with shoulder pain and disability across the lifespan of competitive swimmers. *J Athl Train*. 2012;47(2):149-158.
158. Struyf F, Tate A, Kuppens K, Feijen S, Michener LA. Musculoskeletal dysfunctions associated with swimmers' shoulder. *Br J Sports Med*. 2017;51(10):775-780. doi: 10.1136/bjsports-2016-096847. Epub 2017 Feb 11.
159. McClure P, Tate AR, Kareha S, Irwin D, Zlupko E. A clinical method for identifying scapular dyskinesis, part 1: reliability. *J Athl Train*. 2009;44(2):160-164. doi: 10.4085/1062-6050-44.2.160.
160. Tate AR, McClure P, Kareha S, Irwin D, Barbe MF. A clinical method for identifying scapular dyskinesis, part 2: validity. *J Athl Train*. 2009;44(2):165-173. doi: 10.4085/1062-6050-44.2.165.
161. Seitz AL, McClure PW, Finucane S, et al. The scapular assistance test results in changes in scapular position and subacromial space but not rotator cuff strength in subacromial impingement. *J Orthop Sports Phys Ther*. 2012;42(5):400-412. doi: 10.2519/jospt.2012.3579. Epub 2012 Jan 27.
162. Seitz AL, McClure PW, Lynch SS, Ketchum JM, Michener LA. Effects of scapular dyskinesis and scapular assistance test on subacromial space during static arm elevation. *J Shoulder Elbow Surg*. 2011;21(5):631-640. doi: 10.1016/j.jse.2011.01.008. Epub 2011 Mar 27.
163. Tate AR, McClure PW, Kareha S, Irwin D. Effect of the Scapula Reposition Test on shoulder impingement

- symptoms and elevation strength in overhead athletes. *J Orthop Sports Phys Ther.* 2008;38(1):4-11.
164. Moore SD, Uhl TL, Kibler WB. Improvements in shoulder endurance following a baseball-specific strengthening program in high school baseball players. *Sports Health.* 2013;5(3):233-238. doi: 10.1177/1941738113477604.
 165. Lo IK, Nonweiler B, Woolfrey M, Litchfield R, Kirkley A. An evaluation of the apprehension, relocation, and surprise tests for anterior shoulder instability. *Am J Sports Med.* 2004;32(2):301-307.
 166. Park HB, Yokota A, Gill HS, El Rassi G, McFarland EG. Diagnostic accuracy of clinical tests for the different degrees of subacromial impingement syndrome. *J Bone Joint Surg Am.* 2005;87(7):1446-1455.
 167. Michener LA, Walsworth MK, Doukas WC, Murphy KP. Reliability and diagnostic accuracy of 5 physical examination tests and combination of tests for subacromial impingement. *Arch Phys Med Rehabil.* 2009;90(11):1898-1903. doi: 10.1016/j.apmr.2009.05.015.
 168. Warby SA, Pizzari T, Ford JJ, Hahne AJ, Watson L. The effect of exercise-based management for multidirectional instability of the glenohumeral joint: a systematic review. *J Shoulder Elbow Surg.* 2014;23(1):128-142. doi: 10.1016/j.jse.2013.08.006.
 169. Watson L, Warby S, Balster S, Lenssen R, Pizzari T. The treatment of multidirectional instability of the shoulder with a rehabilitation program: Part 1. *Shoulder Elbow.* 2016;8(4):271-278. doi: 10.1177/1758573216652086. Epub 2016 Jun 1.
 170. Warby SA, Ford JJ, Hahne AJ, et al. Comparison of 2 exercise rehabilitation programs for multidirectional instability of the glenohumeral joint: a randomized controlled trial. *Am J Sports Med.* 2018;46(1):87-97. doi: 10.1177/1758573216652086. Epub 2016 Jun 1.
 171. Wolf EM, Arianjam A. Hill-Sachs remplissage, an arthroscopic solution for the engaging Hill-Sachs lesion: 2- to 10-year follow-up and incidence of recurrence. *J Shoulder Elbow Surg.* 2014;23(6):814-820. doi: 10.1016/j.jse.2013.09.009. Epub 2013 Dec 2.
 172. Boileau P, O'Shea K, Vargas P, Pinedo M, Old J, Zumstein M. Anatomical and functional results after arthroscopic Hill-Sachs remplissage. *J Bone Joint Surg Am.* 2012;94(7):618-626. doi: 10.2106/JBJS.K.00101.
 173. Merolla G, Paladini P, Di Napoli G, Campi F, Porcellini G. Outcomes of arthroscopic Hill-Sachs remplissage and anterior Bankart repair: a retrospective controlled study including ultrasound evaluation of posterior capsulotenodesis and infraspinatus strength assessment. *Am J Sports Med.* 2015;43(2):407-414. doi: 10.1177/0363546514559706. Epub 2014 Dec 11.
 174. Gaunt BW, Shaffer MA, Sauers EL, et al. The American Society of Shoulder and Elbow Therapists' consensus rehabilitation guideline for arthroscopic anterior capsulolabral repair of the shoulder. *J Orthop Sports Phys Ther.* 2010;40(3):155-168. doi: 10.2519/jospt.2010.3186.
 175. Ward DS, Bar-Or O. Use of the Borg scale in exercise prescription for overweight youth. *Can J Sport Sci.* 1990;15(2):120-125.
 176. Kibler WB, Sciascia AD, Uhl TL, Tambay N, Cunningham T. Electromyographic analysis of specific exercises for scapular control in early phases of shoulder rehabilitation. *Am J Sports Med.* 2008;36(9):1789-1798. doi: 10.1177/0363546508316281. Epub 2008 May 9.
 177. Minning S, Eliot CA, Uhl TL, Malone TR. EMG analysis of shoulder muscle fatigue during resisted isometric shoulder elevation. *J Electromyogr Kinesiol.* 2007;17(2):153-159.
 178. Wise MB, Uhl TL, Mattacola CG, Nitz AJ, Kibler WB. The effect of limb support on muscle activation during shoulder exercises. *J Shoulder Elbow Surg.* 2004;13(6):614-620.
 179. Bailey L, Thigpen C, Hawkins R, Beattie P, Shanley E. Effectiveness of manual therapy and stretching for baseball players with shoulder range of motion deficits. *Sports Health.* 2017;9(3):230-237. doi: 10.1177/1941738117702835. Epub 2017 Apr 12.
 180. Bailey LB, Shanley E, Hawkins R, et al. Mechanisms of shoulder range of motion deficits in asymptomatic baseball players. *Am J Sports Med.* 2015;43(11):2783-2793. doi: 10.1177/0363546515602446. Epub 2015 Sep 24.
 181. Falsone SA, Gross MT, Guskiewicz KM, Schneider RA. One-Arm Hop Test: reliability and effects of arm dominance. *J Orthop Sports Phys Ther.* 2002;32(3):98-103.
 182. Davies G, Kraushar D, Brinks K, Jennings J. Neuromuscular static and dynamic stability of the shoulder: the key to functional performance. In: Manske R, ed. *Post-Surgical Orthopedic Rehabilitation: Knee and Shoulder.* St. Louis, MO: Mosby; 2006.
 183. Manske R, Davies G. Post-rehabilitation outcomes of muscle power (torque acceleration energy) in patients with selected shoulder conditions. *J Sport Rehabil.* 2003;12:181-198.