

THE LUMBOPELVIC COMPLEX: ADVANCES IN EVALUATION AND TREATMENT

Acute and Subacute Low Back Pain With Mobility Deficits:
Lumbosacral Segmental/Somatic Dysfunction

Independent Study Course 28.3.1

Muhammad Alrwaily, PT, MS, PhD, COMT

Division of Physical Therapy
School of Medicine
West Virginia University
Morgantown, WV

Department of Physical Therapy
King Fahad Special Hospital
Dammam, Saudi Arabia

Michael Timko, PT, MS, FAAOMPT

Division of Physical Therapy
School of Medicine
West Virginia University
Morgantown, WV

Department of Physical Therapy
School of Health and Rehabilitation Sciences
University of Pittsburgh
Pittsburgh, PA

CONTINUING PHYSICAL THERAPY EDUCATION



REFERENCES

1. Deyo RA, Phillips WR. Low back pain. A primary care challenge. *Spine (Phila Pa 1976)*. 1996;21(24):2826-2832.
2. Hoy D, Brooks P, Blyth F, Buchbinder R. The Epidemiology of low back pain. *Best Pract Res Clin Rheumatol*. 2010;24(6):769-781. doi: 10.1016/j.berh.2010.10.002.
3. Manchikanti L, Singh V, Falco FJ, Benyamin RM, Hirsch JA. Epidemiology of low back pain in adults. *Neuromodulation*. 2014;17 Suppl 2:3-10. doi: 10.1111/ner.12018.
4. Shekelle PG, Markovich M, Louie R. An epidemiologic study of episodes of back pain care. *Spine (Phila Pa 1976)*. 1995;20(15):1668-1673.
5. Freburger JK, Holmes GM, Agans RP, et al. The rising prevalence of chronic low back pain. *Arch Intern Med*. 2009;169(3):251-258. doi: 10.1001/archinternmed.2008.543.
6. Eriksen J, Ekholm O, Sjogren P, Rasmussen NK. Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population. *Pain*. 2004;108(1-2):154-162.
7. Itz CJ, Geurts J, van Kleef M, Nelemans P. Clinical course of non-specific low back pain: a systematic review of prospective cohort studies set in primary care. *Eur J Pain*. 2013;17(1):5-15. doi: 10.1002/j.1532-2149.2012.00170.x. Epub 2012 May 28.
8. van Tulder M, Becker A, Bekkering T, et al. Chapter 3. European guidelines for the management of acute nonspecific low back pain in primary care. *Eur Spine J*. 2006;15 Suppl 2:S169-191.

9. Di Fabio RP, Boissonnault W. Physical therapy and health-related outcomes for patients with common orthopaedic diagnoses. *J Orthop Sports Phys Ther.* 1998;27(3):219-230.
10. Jette AM, Delitto A. Physical therapy treatment choices for musculoskeletal impairments. *Phys Ther.* 1997;77(2):145-154.
11. Hoy D, Bain C, Williams G, et al. A systematic review of the global prevalence of low back pain. *Arthritis Rheum.* 2012;64(6):2028-2037. doi: 10.1002/art.34347. Epub 2012 Jan 9.
12. Bone and Joint Initiative USA. The Burden of Musculoskeletal Diseases in the United States (BMUS). 2014 - 18; 3rd ed. <http://www.boneandjointburden.org/>.
13. Becker A, Held H, Redaelli M, et al. Low back pain in primary care: costs of care and prediction of future health care utilization. *Spine (Phila Pa 1976).* 2010;35(18):1714-1720.
14. Delitto A, George SZ, Van Dillen LR, et al. Low back pain. *J Orthop Sports Phys Ther.* 2012;42(4):A1-57. doi: 10.2519/jospt.2012.0301. Epub 2012 Mar 30.
15. Qaseem A, Wilt TJ, McLean RM, Forciea MA, Clinical Guidelines Committee of the American College of Physicians. Noninvasive treatments for acute, subacute, and chronic low back pain: A Clinical Practice Guideline from the American College of Physicians. *Ann Intern Med.* 2017;166(7):514-530. doi: 10.7326/M16-2367. Epub 2017 Feb 14.
16. Suri P, Rainville J, Fitzmaurice GM, et al. Acute low back pain is marked by variability: An internet-based pilot study. *BMC Musculoskelet Disord.* 2011;12:220. doi: 10.1186/1471-2474-12-220.
17. Alrwaily M, Timko M, Schneider M, et al. Treatment-based classification system for low back pain: revision and update. *Phys Ther.* 2016;96(7):1057-1066. doi: 10.2522/ptj.20150345. Epub 2015 Dec 4.
18. Fritz JM, Delitto A, Erhard RE. Comparison of classification-based physical therapy with therapy based on clinical practice guidelines for patients with acute low back pain: a randomized clinical trial. *Spine (Phila Pa 1976).* 2003;28(13):1363-1371; discussion 1372.
19. Downie A, Williams CM, Henschke N, et al. Red flags to screen for malignancy and fracture in patients with low back pain: systematic review. *BMJ.* 2013;347:f7095.
20. Henschke N, Maher CG, Refshauge KM, et al. Prevalence of and screening for serious spinal pathology in patients presenting to primary care settings with acute low back pain. *Arthritis Rheum.* 2009;60(10):3072-3080. doi: 10.1002/art.24853.
21. Henschke N, Maher CG, Refshauge KM. A systematic review identifies five “red flags” to screen for vertebral fracture in patients with low back pain. *J Clin Epidemiol.* 2008;61(2):110-118. doi: 10.1016/j.jclinepi.2007.04.013. Epub 2007 Aug 27.
22. Henschke N, Maher CG, Ostelo RW, de Vet HC, Macaskill P, Irwig L. Red flags to screen for malignancy in patients with low-back pain. *Cochrane Database Syst Rev.* 2013;2:CD008686. doi: 10.1002/14651858.CD008686.pub2.
23. Delitto A, Erhard RE, Bowling RW. A treatment-based classification approach to low back syndrome: identifying and staging patients for conservative treatment. *Phys Ther.* 1995;75(6):470-485; discussion 485-479.
24. Hill JC, Dunn KM, Lewis M, et al. A primary care back pain screening tool: identifying patient subgroups for initial treatment. *Arthritis Rheum.* 2008;59(5):632-641. doi: 10.1002/art.23563.
25. Linton SJ, Boersma K. Early identification of patients at risk of developing a persistent back problem: the predictive validity of the Örebro Musculoskeletal Pain Questionnaire. *Clin J Pain.* 2003;19(2):80-86.
26. Waddell G, Newton M, Henderson I, Somerville D, Main CJ. A Fear-Avoidance Beliefs Questionnaire (FABQ) and the role of fear-avoidance beliefs in chronic low back pain and disability. *Pain.* 1993;52(2):157-168.
27. Hill JC, Whitehurst DG, Lewis M, et al. Comparison of stratified primary care management for low back pain with current best practice (STarT Back): a randomised controlled trial. *Lancet.* 2011;378(9802):1560-1571. doi: 10.1016/S0140-6736(11)60937-9. Epub 2011 Sep 28.
28. Alrwaily M, Timko M, Schneider M, et al. Treatment-based classification system for patients with low back pain: the movement control approach. *Phys Ther.* 2017;97(12):1147-1157. doi:10.193/ptj/pzx087.
29. Murphy DR. Taking a thorough and efficient history. In Murphy DR, ed. *Clinical Reasoning in Spine Pain: Primary Management of Low Back Disorders Using the CRISP Protocol. Volume I.* 1st ed. Pawtucket, RI: CRISP Education and Reserach, LLC; 2013:59-65.
30. Fritz JM, Irrgang JJ. A comparison of a modified Oswestry Low Back Pain Disability Questionnaire and the Quebec Back Pain Disability Scale. *Phys Ther.* 2001;81(2):776-788.
31. Roland M, Fairbank J. The Roland–Morris Disability Questionnaire and the Oswestry Disability Questionnaire. *Spine (Phila Pa 1976).* 2000;25(24):3115-3124.
32. Ostelo RW, Deyo RA, Stratford P, et al. Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. *Spine (Phila Pa 1976).* 2008;33(1):90-94. doi: 10.1097/BRS.0b013e31815e3a10.
33. May S, Littlewood C, Bishop A. Reliability of procedures used in the physical examination of non-specific

- low back pain: a systematic review. *Aust J Physiother*. 2006;52(2):91-102.
34. Menz HB, Dufour AB, Riskowski JL, Hillstrom HJ, Hannan MT. Foot posture, foot function and low back pain: the Framingham Foot Study. *Rheumatology (Oxford)*. 2013;52(12):2275-2282. doi: 10.1093/rheumatology/ket298. Epub 2013 Sep 17.
 35. Betsch M, Schneppendahl J, Dor L, et al. Influence of foot positions on the spine and pelvis. *Arthritis Care Res (Hoboken)*. 2011;63(12):1758-1765. doi: 10.1002/acr.20601.
 36. Pinto RZ, Souza TR, Trede RG, Kirkwood RN, Figueiredo EM, Fonseca ST. Bilateral and unilateral increases in calcaneal eversion affect pelvic alignment in standing position. *Man Ther*. 2008;13(6):513-519.
 37. Khamis S, Yizhar Z. Effect of feet hyperpronation on pelvic alignment in a standing position. *Gait Posture*. 2007;25(1):127-134.
 38. Roncarati A, McMullen W. Correlates of low back pain in a general population sample: a multidisciplinary perspective. *J Manipulative Physiol Ther*. 1988;11(3):158-164.
 39. Kendall JC, Bird AR, Azari MF. Foot posture, leg length discrepancy and low back pain—their relationship and clinical management using foot orthoses—an overview. *Foot (Edinb)*. 2014;24(2):75-80. doi: 10.1016/j.foot.2014.03.004. Epub 2014 Mar 19.
 40. Childs JD, Piva SR, Erhard RE, Hicks G. Side-to-side weight-bearing asymmetry in subjects with low back pain. *Man Ther*. 2003;8(3):166-169.
 41. Childs JD, Piva SR, Erhard RE. Immediate improvements in side-to-side weight bearing and iliac crest symmetry after manipulation in patients with low back pain. *J Manipulative Physiol Ther*. 2004;27(5):306-313.
 42. Laslett M. Manual correction of an acute lumbar lateral shift: maintenance of correction and rehabilitation: a case report with video. *J Man Manip Ther*. 2009;17(2):78-85.
 43. Kendall HO, Kendall FP, Wadsworth GE. Muscles, testing and function. *Am J Phys Med Rehabil*. 1973;52(1):43.
 44. Razmjou H, Kramer JF, Yamada R. Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain. *J Orthop Sports Phys Ther*. 2000;30(7):368-383; discussion 384-369.
 45. Tissot F, Messing K, Stock S. Studying the relationship between low back pain and working postures among those who stand and those who sit most of the working day. *Ergonomics*. 2009;52(11):1402-1418. doi: 10.1080/00140130903141204.
 46. Mitchell T, O'Sullivan PB, Burnett AF, Straker L, Smith A. Regional differences in lumbar spinal posture and the influence of low back pain. *BMC Musculoskelet Disord*. 2008;9:152. doi: 10.1186/1471-2474-9-152.
 47. Funao H, Tsuji T, Hosogane N, et al. Comparative study of spinopelvic sagittal alignment between patients with and without degenerative spondylolisthesis. *Eur Spine J*. 2012;21(11):2181-2187. doi: 10.1007/s00586-012-2374-0. Epub 2012 May 26.
 48. Truszcynska A, Drzal-Grabiec J, Pliszewski M, Rapala K, Tarnowski A. Posture of patients with lumbar spinal canal stenosis. *J Back Musculoskelet Rehabil*. 2015;28(1):75-79.
 49. Suk KS, Lee HM, Moon SH, Kim NH. Lumbosacral scoliotic list by lumbar disc herniation. *Spine (Phila Pa 1976)*. 2001;26(6):667-671.
 50. Laslett M. Manual correction of an acute lumbar lateral shift: maintenance of correction and rehabilitation: a case report with video. *J Man Manip Ther*. 2009;17(2):78-85.
 51. MassoudArab A, Reza Nourbakhsh M, Mohammadifar A. The relationship between hamstring length and gluteal muscle strength in individuals with sacroiliac joint dysfunction. *J Man Manip Ther*. 2011;19(1):5-10. doi: 10.1179/106698110X12804993426848.
 52. Rainville J, Jouve C, Finno M, Limke J. Comparison of four tests of quadriceps strength in L3 or L4 radiculopathies. *Spine (Phila Pa 1976)*. 2003;28(21):2466-2471.
 53. Baima J, Krivickas L. Evaluation and treatment of peroneal neuropathy. *Curr Rev Musculoskelet Med*. 2008;1(2):147-153. doi: 10.1007/s12178-008-9023-6.
 54. Roussel NA, Nijs J, Truijen S, Smeuninx L, Stassijns G. Low back pain: clinimetric properties of the Trendelenburg test, active straight leg raise test, and breathing pattern during active straight leg raising. *J Manipulative Physiol Ther*. 2007;30(4):270-278.
 55. Cibulka MT, Koldehoff R. Clinical usefulness of a cluster of sacroiliac joint tests in patients with and without low back pain. *J Orthop Sports Phys Ther*. 1999;29(2):83-89; discussion 90-82.
 56. Saur PM, Ensink FB, Frese K, Seeger D, Hildebrandt J. Lumbar range of motion: reliability and validity of the inclinometer technique in the clinical measurement of trunk flexibility. *Spine (Phila Pa 1976)*. 1996;21(11):1332-1338.
 57. Fritz JM, Cleland JA, Childs JD. Subgrouping patients with low back pain: evolution of a classification approach to physical therapy. *J Orthop Sports Phys Ther*. 2007;37(6):290-302.
 58. Thomas JS, Gibson GE. Coordination and timing of spine and hip joints during full body reaching tasks. *Hum Mov Sci*. 2007;26(1):124-140.
 59. Hicks GE, Fritz JM, Delitto A, Mishock J. Interrater reliability of clinical examination measures for identification of lumbar segmental instability. *Arch Phys Med Rehabil*. 2003;84(12):1858-1864.
 60. Kilpikoski S, Airaksinen O, Kankaanpää M, Leminen P, Videman T, Alen M. Interexaminer reliability of low

- back pain assessment using the McKenzie method. *Spine (Phila Pa 1976)*. 2002;27(8):E207-E214.
61. Laslett M, April CN, McDonald B, Young SB. Diagnosis of sacroiliac joint pain: validity of individual provocation tests and composites of tests. *Man Ther*. 2005;10(3):207-218.
 62. Fryer G, McPherson HC, O'Keefe P. The effect of training on the inter-examiner and intra-examiner reliability of the seated flexion test and assessment of pelvic anatomical landmarks with palpation. *Int J Osteopath Med*. 2005;8(4):131-138.
 63. Stam J, Tan KM. Tendon reflex variability and method of stimulation. *Electroencephalogr Clin Neurophysiol*. 1987;67(5):463-467.
 64. Rabin A, Gerszten PC, Karausky P, Bunker CH, Potter DM, Welch WC. The sensitivity of the seated straight-leg raise test compared with the supine straight-leg raise test in patients presenting with magnetic resonance imaging evidence of lumbar nerve root compression. *Arch Phys Med Rehabil*. 2007;88(7):840-843.
 65. Cook C, Hegedus EJ. *Orthopedic Physical Examination Tests: An Evidence-Based Approach*. New York, NY: Pearson Publishing; 2008.
 66. Jonsson B, Stromqvist B. The straight leg raising test and the severity of symptoms in lumbar disc herniation. A preoperative evaluation. *Spine (Phila Pa 1976)*. 1995;20(1):27-30.
 67. Martin RL, Sekiya JK. The interrater reliability of 4 clinical tests used to assess individuals with musculoskeletal hip pain. *J Orthop Sports Phys Ther*. 2008;38(2):71-77. doi: 10.2519/jospt.2008.2677. Epub 2007 Sep 21.
 68. Ombregt L. *A System of Orthopaedic Medicine*. 3rd ed. Edinburgh, UK: Churchill Livingstone Elsevier; 2013.
 69. Cliborne AV, Wainner RS, Rhon DI, et al. Clinical hip tests and a functional squat test in patients with knee osteoarthritis: reliability, prevalence of positive test findings, and short-term response to hip mobilization. *J Orthop Sports Phys Ther*. 2004;34(11):676-685.
 70. Hirabayashi H, Takahashi J, Hashidate H, et al. Characteristics of L3 nerve root radiculopathy. *Surg Neurol*. 2009;72(1):36-40; discussion 40. doi: 10.1016/j.surneu.2008.08.073. Epub 2009 Jan 15.
 71. Flynn T, Fritz J, Whitman J, et al. A clinical prediction rule for classifying patients with low back pain who demonstrate short-term improvement with spinal manipulation. *Spine (Phila Pa 1976)*. 2002;27(24):2835-2843.
 72. Laslett M. Evidence-based diagnosis and treatment of the painful sacroiliac joint. *J Man Manip Ther*. 2008;16(3):142-152.
 73. Flynn TW, Smith B, Chou R. Appropriate use of diagnostic imaging in low back pain: a reminder that unnecessary imaging may do as much harm as good. *J Orthop Sports Phys Ther*. 2011;41(11):838-846. doi: 10.2519/jospt.2011.3618. Epub 2011 Jun 3.
 74. Cleland JA, Fritz JM, Kulig K, et al. Comparison of the effectiveness of three manual physical therapy techniques in a subgroup of patients with low back pain who satisfy a clinical prediction rule: a randomized clinical trial. *Spine (Phila Pa 1976)*. 2009;34(25):2720-2729. doi: 10.1097/BRS.0b013e3181b48809.
 75. Childs JD, Fritz JM, Flynn TW, et al. A clinical prediction rule to identify patients with low back pain most likely to benefit from spinal manipulation: a validation study. *Ann Intern Med*. 2004;141(12):920-928.
 76. Fritz JM, Childs JD, Flynn TW. Pragmatic application of a clinical prediction rule in primary care to identify patients with low back pain with a good prognosis following a brief spinal manipulation intervention. *BMC Fam Pract*. 2005;6(1):29.
 77. Fortin JD, Falco FJ. The Fortin finger test: an indicator of sacroiliac pain. *Am J Orthop (Belle Mead NJ)*. 1997;26(7):477-480.
 78. Vleeming A, de Vries HJ, Mens JM, van Wingerden JP. Possible role of the long dorsal sacroiliac ligament in women with peripartum pelvic pain. *Acta Obstet Gynecol Scand*. 2002;81(5):430-436.
 79. Petersen T, Laslett M, Thorsen H, Manniche C, Ekdahl C, Jacobsen S. Diagnostic classification of non-specific low back pain. A new system integrating patho-anatomic and clinical categories. *Physiother Theory Pract*. 2003;19(4):213-237.
 80. Bishop MD, Torres-Cueco R, Gay CW, Lluch-Girbés E, Beneciuk JM, Bialosky JE. What effect can manual therapy have on a patient's pain experience? *Pain Manag*. 2015;5(6):455-464. doi: 10.2217/pmt.15.39. Epub 2015 Sep 24.
 81. Cleland JA, Childs JD, Palmer JA, Eberhart S. Slump stretching in the management of non-radicular low back pain: a pilot clinical trial. *Man Ther*. 2006;11(4):279-286.
 82. George SZ. Differential diagnosis and treatment for a patient with lower extremity symptoms. *J Orthop Sports Phys Ther*. 2000;30(8):468-472.
 83. George SZ. Characteristics of patients with lower extremity symptoms treated with slump stretching: a case series. *J Orthop Sports Phys Ther*. 2002;32(8):391-398.
 84. Weber M, Hasler P, Gerber H. Sacral insufficiency fractures as an unsuspected cause of low back pain. *Rheumatology (Oxford)*. 1999;38(1):90-91.
 85. Isdale AH. Sacral insufficiency fractures: an unsuspected cause of low back pain. *Rheumatology (Oxford)*. 1999;38(1):90.
 86. Dasgupta B, Shah N, Brown H, Gordon TE, Tanqueray AB, Mellor JA. Sacral insufficiency fractures: an

- unsuspected cause of low back pain. *Br J Rheumatol*. 1998;37(7):789-793.
87. Boissonnault WG, Bass C. Pathological origins of trunk and neck pain: part II - disorders of the cardiovascular and pulmonary systems. *J Orthop Sports Phys Ther*. 1990;12(5):208-215.
 88. Mechelli F, Preboski Z, Boissonnault WG. Differential diagnosis of a patient referred to physical therapy with low back pain: abdominal aortic aneurysm. *J Orthop Sports Phys Ther*. 2008;38(9):551-557. doi: 10.2519/jospt.2008.2719. Epub 2008 Sep 1.
 89. Johnson AW, Weiss CB Jr, Stento K, Wheeler DL. Stress fractures of the sacrum. An atypical cause of low back pain in the female athlete. *Am J Sports Med*. 2001;29(4):498-508.
 90. Kasai Y, Morishita K, Kawakita E, Kondo T, Uchida A. A new evaluation method for lumbar spinal instability: passive lumbar extension test. *Phys Ther*. 2006;86(12):1661-1667.
 91. Boissonnault WG, Bass C. Pathological origins of trunk and neck pain: part I - pelvic and abdominal visceral disorders. *J Orthop Sports Phys Ther*. 1990;12(5):1-207.
 92. Stowell T, Cioffredi W, Greiner A, Cleland J. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. *J Orthop Sports Phys Ther*. 2005;35(11):755-764.
 93. Ross MD, Bayer E. Cancer as a cause of low back pain in a patient seen in a direct access physical therapy setting. *J Orthop Sports Phys Ther*. 2005;35(10):651-658.
 94. Erhard RE, Egloff BP. Patient with metastatic adenocarcinoma imitating lumbar herniated nucleus pulposis. *J Manipulative Physiol Ther*. 2004;27(9):569-573.
 95. Deyo RA, Weinstein JN. Low back pain. *N Engl J Med*. 2001;344(5):363-370.
 96. Boissonnault WG, Ross MD. Physical therapists referring patients to physicians: a review of case reports and series. *J Orthop Sports Phys Ther*. 2012;42(5):446-454. doi: 10.2519/jospt.2012.3890. Epub 2012 Jan 25.
 97. Lavy C, James A, Wilson-MacDonald J, Fairbank J. Cauda equina syndrome. *BMJ*. 2009;338:b936. doi: 10.1136/bmj.b936.
 98. O'Laughlin SJ, Kokosinski E. Cauda equina syndrome in a pregnant woman referred to physical therapy for low back pain. *J Orthop Sports Phys Ther*. 2008;38(11):721. doi: 10.2519/jospt.2008.0411.
 99. Rudwaleit M, Metter A, Listing J, Sieper J, Braun J. Inflammatory back pain in ankylosing spondylitis: a reassessment of the clinical history for application as classification and diagnostic criteria. *Arthritis Rheum*. 2006;54(2):569-578.
 100. Woolf CJ. Central sensitization: implications for the diagnosis and treatment of pain. *Pain*. 2011;152(3 Suppl):S2-15. doi: 10.1016/j.pain.2010.09.030. Epub 2010 Oct 18.
 101. Smart KM, Blake C, Staines A, Thacker M, Doody C. Mechanisms-based classifications of musculoskeletal pain: part 1 of 3: symptoms and signs of central sensitisation in patients with low back (\pm leg) pain. *Man Ther*. 2012;17(4):336-344. doi: 10.1016/j.math.2012.03.013. Epub 2012 Apr 23.
 102. Gore M, Sadosky A, Stacey BR, Tai KS, Leslie D. The burden of chronic low back pain: clinical comorbidities, treatment patterns, and health care costs in usual care settings. *Spine (Phila Pa 1976)*. 2012;37(11):E668-677. doi: 10.1097/BRS.0b013e318241e5de.
 103. Ritzwoller DP, Crounse L, Shetterly S, Rublee D. The association of comorbidities, utilization and costs for patients identified with low back pain. *BMC Musculoskelet Disord*. 2006;7:72.
 104. Hestbaek L, Leboeuf-Yde C, Manniche C. Is low back pain part of a general health pattern or is it a separate and distinctive entity? A critical literature review of comorbidity with low back pain. *J Manipulative Physiol Ther*. 2003;26(4):243-252.
 105. Hudon C, Fortin M, Vanasse A. Cumulative Illness Rating Scale was a reliable and valid index in a family practice context. *J Clin Epidemiol*. 2005;58(6):603-608.
 106. Fortin M, Bravo G, Hudon C, Vanasse A, Lapointe L. Prevalence of multimorbidity among adults seen in family practice. *Ann Fam Med*. 2005;3(3):223-228.
 107. Groll DL, To T, Bombardier C, Wright JG. The development of a comorbidity index with physical function as the outcome. *J Clin Epidemiol*. 2005;58(6):595-602.
 108. Groll DL, Heyland DK, Caeser M, Wright JG. Assessment of long-term physical function in acute respiratory distress syndrome (ARDS) patients: comparison of the Charlson Comorbidity Index and the Functional Comorbidity Index. *Am J Phys Med Rehabil*. 2006;85(7):574-581.
 109. Bjelland I, Dahl AA, Haug TT, Neckelmann D. The validity of the Hospital Anxiety and Depression Scale. An updated literature review. *J Psychosom Res*. 2002;52(2):69-77.
 110. Swinkels-Meewis E, Swinkels R, Verbeek A, Vlaeyen J, Oostendorp R. Psychometric properties of the Tampa Scale for kinesiophobia and the fear-avoidance beliefs questionnaire in acute low back pain. *Man Ther*. 2003;8(1):29-36.
 111. Sullivan MJ, Bishop SR, Pivik J. The pain catastrophizing scale: development and validation. *Psychol Assess*. 1995;7(4):524-532.