

THE LUMBOPELVIC COMPLEX: ADVANCES IN EVALUATION AND TREATMENT

Low Back Pain in the Geriatric Population

Independent Study Course 28.3.4

Jacqueline Osborne, DPT, GCS, CEEAA

Raine Osborne, DPT, OCS, FAAOMPT

Lauren Nielsen, DPT, OCS, FAAOMPT

Robert H. Rowe, PT, DPT, DMT, MHS, FAAOMPT

Brooks Institute of Higher Learning

Brooks Rehabilitation Hospital

Jacksonville, FL

CONTINUING PHYSICAL THERAPY EDUCATION



REFERENCES

1. United Nations, Department of Economics and Social Affairs, Population Division. World Population Ageing: 2009. http://www.un.org/esa/population/publications/WPA2009/WPA2009_WorkingPaper.pdf. Accessed May 5, 2017.
2. Administration for Community Living, U.S. Department of Health and Human Services. A Profile of Older Americans: 2016. https://www.gaging.org/documents/A_Profile_of_Older_Americans__2016.pdf. Accessed March 16, 2018.
3. National Council on Aging. Healthy Aging Fact Sheet: 2016. <https://www.ncoa.org/wp-content/uploads/Healthy-Aging-Fact-Sheet-final.pdf>. Accessed June 1, 2017.
4. Federal Interagency Forum on Aging-Related Statistics. *Older Americans 2016: Key Indicators of Well-Being*. Washington, DC: U.S. Government Printing Office; August 2016.
5. Centers for Medicare and Medicaid Services. Chronic Conditions. <https://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/> Chronic-Conditions/CC_Main.html. Accessed June 1, 2017.
6. Makris UE, Fraenkel L, Han L, Leo-Summers L, Gill TM. Epidemiology of restricting low back pain in community-living older persons. *J Am Geriatr Soc.* 2011;59(4):610-614. doi: 10.1111/j.1532-5415.2011.03329.x. Epub 2011 Mar 15.
7. Briggs AM, Cross MJ, Hoy DG, et al. Musculoskeletal health conditions represent a global threat to healthy aging: A report for the 2015 World Health Organization world report on ageing and health. *Gerontologist.* 2016;56 Suppl 2:S243-S255. doi: 10.1093/geront/gnw002.
8. Takai Y, Yamamoto-Mitani N, Okamoto Y, Koyama K, Honda A. Literature review of pain prevalence among older residents of nursing homes. *Pain Manag Nurs.* 2010;11(4):209-223. doi: 10.1016/j.pmn.2010.08.006.
9. Gould L, Abadir P, Brem H, et al. Chronic wound repair and healing in older adults: current status and future research. *Wound Repair Regen.* 2015;23(1):1-13. doi: 10.1111/wrr.12245. Epub 2015 Feb 13.

10. Thomas Hess C. Checklist for factors affecting wound healing. *Adv Skin Wound Care*. 2011;24(4):192. doi: 10.1097/01.ASW.0000396300.04173.ec.
11. Mackichan F, Adamson J, Gooberman-Hill R. 'Living within you limits': activity restriction in older people experiencing chronic pain. *Age Ageing*. 2013;42(6):702-708. doi: 10.1093/ageing/aft119. Epub 2013 Aug 26.
12. The American Geriatrics Society Panel on Persistent Pain in Older Persons. The management of persistent pain in older persons. *J Am Geriatr Soc*. 2002;50(6 Suppl):S205-S224.
13. Paek T, Ferreira ML, Sun C, Lin CW, Tiedemann A, Maher CG. Are older adults missing from low back pain clinical trials? A systematic review and meta-analysis. *Arthritis Care Res (Hoboken)*. 2014;66(8):1220-1226. doi: 10.1002/acr.22261.
14. Rundell SD, Gold LS, Hansen RN, Bresnahan BW. Impact of co-morbidities on resource use and adherence to guidelines among commercially insured adults with new visits for back pain. *J Eval Clin Pract*. 2017;23(6):1218-1226. doi: 10.1111/jep.12763. Epub 2017 May 16.
15. Jesus-Moraleida FR, Silva JP, Pereira DS, et al. Exercise therapy for older adults with low-back pain. *Cochrane Database Syst Rev*. 2016;4:CD012140.
16. Molton IR, Terrill AL. Overview of persistent pain in older adults. *Am Psychol*. 2014;69(2):197-207. doi: 10.1037/a0035794.
17. Leeuw M, Goossens JB, Linton SJ, et al. The fear-avoidance model of musculoskeletal pain: current states of scientific evidence. *J Behav Med*. 2007;30(1):77-94.
18. Makris UE, Abrams RC, Gurland B, Reid MC. Management of persistent pain in the older adult patient. a clinical review. *JAMA*. 2014;312(8):825-836. doi: 10.1001/jama.2014.9405.
19. Tomioka K, Kurumatani N, Hosoi H. Association between social participation and 3-year change in instrumental activities of daily living in community-dwelling elderly adults. *J Am Geriatr Soc*. 2017;65(1):107-113. doi: 10.1111/jgs.14447. Epub 2016 Sep 27.
20. Whitlock EL, Diaz-Ramirez LG, Glymour MM, Boscardin WJ, Covinsky KE, Smith AK. Association between persistent pain and memory decline and dementia in a longitudinal cohort of elders. *JAMA Intern Med*. 2017;177(8):1146-1153. doi:10.1001/jamainternmed.2017.1622
21. Vlaeyen JWS, Crombez G, Linton SJ. The fear-avoidance model of pain. *Pain*. 2016;157(8):1588-1589. doi: 10.1097/j.pain.0000000000000574.
22. Beneciuk JM, Bishop MD, Fritz JM, et al. The STarT back screening tool and individual psychological measures: evaluation of prognostic capabilities for low back pain clinical outcomes in outpatient physical therapy settings. *Phys Ther*. 2013;93(3):321-333. doi: 10.2522/ptj.20120207. Epub 2012 Nov 2.
23. Ng SK, Cicuttini FM, Wang Y, Wluka AE, Fitzgibbon B, Urquhart DM. Negative beliefs about low back pain are associated with persistent high intensity low back pain. *Psychol Health Med*. 2017;22(7):790-799. doi: 10.1080/13548506.2016.1220602. Epub 2016 Aug 12.
24. Camacho-Soto A, Sowa GA, Perera S, Weiner DK. Fear avoidance beliefs predict disability in older adults with chronic low back pain. *PM R*. 2012;4(7):493-497. doi: 10.1016/j.pmrj.2012.01.017. Epub 2012 Apr 18.
25. Vincent HK, Seay AN, Montero C, Conrad BP, Hurley RW, Vincent KR. Kinesiophobia and fear-avoidance beliefs in overweight older adults with chronic low-back pain: relationship to walking endurance-part II. *Am J Phys Med Rehabil*. 2013;92(5):439-445. doi: 10.1097/PHM.0b013e318287633c.
26. Wong AY, Karppinen J, Samartzis D. Low back pain in older adults: risk factors, management options and future directions. *Scoliosis Spinal Disord*. 2017;12:14. doi: 10.1186/s13013-017-0121-3. eCollection 2017.
27. Beneciuk JM, George SZ. Pragmatic implementation of a stratified primary care model for low back pain management in outpatient physical therapy settings: two-phase, sequential preliminary study. *Phys Ther*. 2015;95(8):1120-1134. doi: 10.2522/ptj.20140418. Epub 2015 Apr 9.
28. George SZ, Beneciuk JM. Psychological predictors of recovery from low back pain: a prospective study. *BMC Musculoskelet Disord*. 2015;16:49. doi: 10.1186/s12891-015-0509-2.
29. Delitto A, George SZ, Van Dillen L, et al. Low back pain. *J Orthop Sports Phys Ther*. 2012;42(4):A1-A57. doi: 10.2519/jospt.2012.0301. Epub 2012 Mar 30.
30. Ouchida KM, Lachs MS. Not for doctors only: ageism in healthcare. *Generations*. 2015;39(3):46-57.
31. Bergman YS, Bodner E. Ageist attitudes block young adults' ability for compassion toward incapacitated older adults. *Int Psychogeriatr*. 2015;27(9):1541-1550. doi: 10.1017/S1041610215000198. Epub 2015 Feb 20.
32. Butler RN. Dispelling ageism: the cross-cutting intervention. *Sage Publications*. 1989;503:138-147.
33. Levy SR, Macdonald JL. Progress on understanding ageism. *J Soc Issues*. 2016;72(1):5-25.
34. Raynor B. Ageism in Action? Ageism Inaction! *Generations*. 2015;39(3):58-63.
35. Makris UE, Higashi RT, Marks EG, et al. Ageism, negative attitudes, and competing co-morbidities--why older adults may not seek care for restricting back pain: a qualitative study. *BMC Geriatr*. 2015;15:39. doi: 10.1186/s12877-015-0042-z.
36. Achenbaum WA. A History of Ageism Since 1969. *Generations*. 2015;39(3):10-16.
37. Davis MM, Bond LA, Howard A, Sarkisian CA. Primary care clinician expectations regarding aging. *Gerontologist*. 2011;51(6):856-866.

38. Blackwood J, Sweet C. The influence of ageism, experience, and relationships with older adults on physical therapy students' perception of geriatrics. *Gerontol Geriatr Educ.* 2017;38(2):219-231. doi: 10.1080/02701960.2015.1079709. Epub 2015 Aug 7.
39. Brunton RJ, Scott G. Do we fear ageing? a multidimensional approach to ageing anxiety. *Educ Gerontol.* 2015;41(11):786-799.
40. Sarkisian CA, Hays RD, Mangione CM. Do older adults expect to age successfully? The association between expectations regarding aging and beliefs regarding healthcare seeking among older adults. *J Am Geriatr Soc.* 2002;50(11):1837-1843.
41. Nelson TD. Promoting healthy aging by confronting ageism. *Am Psychol.* 2016;71(4):276-282. doi: 10.1037/a0040221.
42. Blomqvist K, Edberg AK. Living with persistent pain: experiences of older people receiving home care. *J Adv Nurs.* 2002;40(3):297-306.
43. Cornally N, McCarthy G. Chronic pain: the help-seeking behavior, attitudes, and beliefs of older adults living in the community. *Pain Manag Nurs.* 2011;12(4):206-217.
44. Gammons V, Caswell G. Older people and barriers to self-reporting of chronic pain. *Br J Nurs.* 2014;23(5):274-278.
45. Makris UE, Higashi RT, Marks EG, et al. Physical, emotional, and social impacts of restricting back pain in older adults: a qualitative study. *Pain Med.* 2017;18(7):1225-1235. doi: 10.1093/pmt/pnw196.
46. Makris UE, Fraenkel L, Han L, Leo-Summers L, Gill TM. Restricting back pain and subsequent mobility disability in community-living older persons. *J Am Geriatr Soc.* 2014;62(11):2142-2147. doi: 10.1111/jgs.13089. Epub 2014 Nov 3.
47. Meyer T, Cooper J, Raspe H. Disabling low back pain and depressive symptoms in the community-dwelling elderly: a prospective study. *Spine (Phila Pa 1976).* 2007;32(21):2380-2386.
48. Barry LC, Allore HG, Bruce ML, Gill TM. Longitudinal association between depressive symptoms and disability burden among older persons. *J Gerontol A Biol Sci Med. Sci.* 2009;64(12):1325-1332. doi: 10.1093/gerona/glp135. Epub 2009 Sep 23.
49. Paulo T RS, Tribess S, Sasaki JE, et al. A cross-sectional study of the relationship of physical activity with depression and cognitive deficit in older adults. *J Aging Phys Act.* 2016;24(2):311-321.
50. Partnership for Health in Aging Workgroup on Interdisciplinary Team Training in Geriatrics. Position statement on interdisciplinary team training in geriatrics: an essential component of quality health care for older adults. *J Am Geriatr Soc.* 2014;62(5):961-965. doi: 10.1111/jgs.12822. Epub 2014 Apr 16.
51. Kogan AC, Wilber K, Mosqueda L. Person-centered care for older adults with chronic conditions and functional impairment: a systematic literature review. *J Am Geriatr Soc.* 2016;64(1):e1-e7. doi: 10.1111/jgs.13873. Epub 2015 Dec 2.
52. Stewart C, Schofield P, Elliot AM, Torrance N, Levaille S. What do we mean by "older adults' persistent pain self-management"? A concept analysis. *Pain Med.* 2014;15(2):214-224. doi: 10.1111/pme.12251. Epub 2013 Oct 9.
53. Dionyssiotis Y. Analyzing the problem of falls among older people. *Int J Gen Med.* 2012;5:805-813. doi: 10.2147/IJGM.S32651. Epub 2012 Sep 28.
54. Abdulla A, Adams N, Bone M, et al. Guidance on the management of pain in older people. *Age Aging.* 2013;42 Suppl 1:i1-i57.
55. Taylor LJ, Harris J, Epps CD, Herr K. Psychometric evaluation of selected pain intensity scales for use with cognitively impaired and cognitively intact older adults. *Rehabil Nurs.* 2005;30(2):55-61.
56. Ware LJ, Epps CD, Herr K, Packard A. Evaluation of the revised faces pain scale, verbal descriptor scale, numeric rating scale, and Iowa pain thermometer in older minority adults. *Pain Manag Nurs.* 2006;7(3):117-125.
57. Ware LJ, Herr KA, Booker SS, et al. Psychometric evaluation of the revised Iowa pain thermometer (IPT-R) in a sample of diverse cognitively intact and impaired older adults: a pilot study. *Pain Manag Nurs.* 2015;16(4):475-482. doi: 10.1016/j.pmn.2014.09.004.
58. Wong AY, Samartzis D. Low back pain in older adults – the need for specific outcome and psychometric tools. *J Pain Res.* 2016;9:989-991.
59. Hicks GE, Manal TJ. Psychometric properties of commonly used low back disability questionnaires: are they useful for older adults with low back pain? *Pain Med.* 2009;10(1):85-94. doi: 10.1111/j.1526-4637.2008.00548.x.
60. Chiarotto A, Maxwell LJ, Terwee CB, Wells GA, Tugwell P, Ostelo RW. Roland-Morris Disability Questionnaire and Oswestry Disability Index: which has better measurement properties for measuring physical functioning in nonspecific low back pain? Systematic review and meta-analysis. *Phys Ther.* 2016;96(10):1620-1637. Epub 2016 Apr 14.
61. Davidson M, Keating JL. A comparison of five low back disability questionnaires: reliability and responsiveness. *Phys Ther.* 2002;82(1):8-24.
62. Comer CM, Conaghan PG, Tennant A. Internal construct validity of the Swiss Spinal Stenosis questionnaire: Rasch analysis of a disease-specific outcome measure for lumbar spinal stenosis. *Spine (Phila Pa 1976).* 2011;36(23):1969-1976. doi: 10.1097/BRS.0b013e-3181fc9daf.

63. Cleland JA, Whitman JM, Houser JL, Wainner RS, Childs JD. Psychometric properties of selected tests in patients with lumbar spinal stenosis. *Spine J.* 2012;12(10):921-931. doi: 10.1016/j.spinee.2012.05.004. Epub 2012 Jun 28.
64. Fritz S, Lusardi M. White paper: "walking speed: the sixth vital sign." *J Geriatr Phys Ther.* 2009;32(2):46-49.
65. Montero-Odasso M, Schapira M, Soriano ER, et al. Gait velocity as a single predictor of adverse events in healthy seniors aged 75 years and older. *J Gerontol A Biol Sci Med Sci.* 2005;60(10):1304-1309.
66. Studenski S, Perera S, Wallace D, et al. Physical performance measures in the clinical setting. *J Am Geriatr Soc.* 2003;51(3):314-322.
67. Hardy SE, Perera S, Roumani YF, Chandler JM, Studenski SA. Improvement in usual gait speed predicts better survival in older adults. *J Am Geriatr Soc.* 2007;55(11):1727-1734.
68. Ostir GV, Kuo YF, Berges IM, Markides KS, Ottenbacher KJ. Measures of lower body function and risk of mortality over 7 years of follow-up. *Am J Epidemiol.* 2007;166(5):599-605.
69. Studenski S, Perera S, Patel K, et al. Gait speed and survival in older adults. *JAMA.* 2011;305(1):50-58. doi: 10.1001/jama.2010.1923.
70. Cesari M, Kritchevsky SB, Newman AB, et al. Added value of physical performance measures in predicting adverse health-related events: results from the Health, Aging and Body Composition Study. *J Am Geriatr Soc.* 2009;57(2):251-259. doi: 10.1111/j.1532-5415.2008.02126.x.
71. Bohannon RW. Reference values for the five-repetition sit-to-stand test: a descriptive meta-analysis of data from elders. *Percept Mot Skills.* 2006;103(1):215-222.
72. Zhang F, Ferrucci L, Culham E, Metter EJ, Guralnik J, Deshpande N. Performance on five times sit-to-stand task as a predictor of subsequent falls and disability in older persons. *J Aging Health.* 2013;25(3):478-492. doi: 10.1177/0898264313475813. Epub 2013 Feb 13.
73. Lusardi MM, Fritz S, Middleton A, et al. Determining risk of future falls in community-dwelling older adults: a systematic review and meta-analysis using posttest probability. *J Geriatr Phys Ther.* 2017;40(1):1-36.
74. Kahraman BO, Sengul YS, Kahraman T, Kalemci O. Developing a reliable core stability assessment battery for patients with nonspecific low back pain. *Spine (Phila Pa 1976).* 2016;41(14):E844-E850. doi: 10.1097/BRS.0000000000001403.
75. Sheikh JI, Yesavage JA. Geriatric depression scale (GDS): recent evidence and development of a shorter version. *Clin Gerontol.* 1986;5:165-172.
76. Conradsson M, Rosendahl E, Littbrand H, Gustafson Y, Olofsson B, Lovheim H. Usefulness of the geriatric depression scale 15-item version among very old people with and without cognitive impairment. *Aging Ment Health.* 2013;17(5):638-645. doi: 10.1080/13607863.2012.758231. Epub 2013 Jan 23.
77. Nasreddine ZS, Phillips NA, Bédirian V, et al. The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *J Am Geriatr Soc.* 2005;53(4):695-699.
78. Symonds TL, Burton AK, Tillotson KM, Main CJ. Do attitudes and beliefs influence work loss due to low back trouble? *Occup Med (Lond).* 1996;46(1):25-32.
79. Teixeira LF, Pereira LS, Silva SL, Dias JM, Dias RC. Factors associated with attitudes and beliefs of elders with acute low back pain: data from the study Back Complaints in the Elders (BACE). *Braz J Phys Ther.* 2016;20(6):553-560. doi: 10.1590/bjpt-rbf.2014.0188. Epub 2016 Sep 15.
80. Beales D, Smith A, O'Sullivan P, Hunter M, Straker L. Back pain beliefs are related to the impact of low back pain in baby boomers in the Busselton Healthy Aging Study. *Phys Ther.* 2015;95(2):180-189. doi: 10.2522/ptj.20140064. Epub 2014 Sep 25.
81. Ambady N, Koo J, Rosenthal R, Winograd CH. Physical therapists' nonverbal communication predicts geriatric patients' health outcomes. *Psychol Aging.* 2002;17(3):443-452.
82. Dean E, Greig A, Murphy S, et al. Raising the priority of lifestyle-related noncommunicable diseases in physical therapy curricula. *Phys Ther.* 2016;96(7):940-948. doi: 10.2522/ptj.20150141. Epub 2015 Dec 17.
83. Tlarska D, Strugala M, Szewczyzak M, et al. Is independence of older adults safe considering the risk of falls? *BMC Geriatr.* 2017;17(1):66. doi: 10.1186/s12877-017-0461-0.
84. Ambrose AF, Paul G, Hausdorff JM. Risk factors for falls among older adults: a review of the literature. *Maturitas.* 2013;75(1):51-61. doi: 10.1016/j.maturitas.2013.02.009. Epub 2013 Mar 22.
85. Sherrington C, Whitney JC, Lord SR, Herbert RD, Cumming RG, Close JC. Effective exercise for the prevention of falls: a systematic review and meta-analysis. *J Am Geriatr Soc.* 2008;56(12):2234-2243.
86. Ng TP, Nyunt MS, Feng L, et al. Nutritional, physical, cognitive, and combination interventions and frailty reversal among older adults: a randomized controlled trial. *Am J Med.* 2015;128(11):1225-1236. e1. doi: 10.1016/j.amjmed.2015.06.017. Epub 2015 Jul 6.
87. Middleton LE, Mitnitski A, Fallah N, Kirkland SA, Rockwood K. Changes in cognition and mortality in relation to exercise in late life: a population based study. *PLoS One.* 2008;3(9):e3124. doi: 10.1371/journal.pone.0003124.

88. Denkinger MD, Lukas A, Nikolaus T, Hauer K. Factors associated with fear of falling and associated activity restriction in community-dwelling older adults: a systematic review. *Am J Geriatr Psychiatry*. 2015;23(1):72-86. doi: 10.1016/j.jagp.2014.03.002. Epub 2014 Mar 15.
89. Avin KG, Hanke TA, Kirk-Sanchez N, et al. Management of falls in community-dwelling older adults: clinical guidance statement from the Academy of Geriatric Physical Therapy of the American Physical Therapy Association. *Phys Ther*. 2015;95(6):815-834. doi: 10.2522/ptj.20140415. Epub 2015 Jan 8.
90. Enthoven W, Geuze J, Scheele J, et al. Prevalence and “red flags” regarding specified causes of back pain in the older adults presenting in general practice. *Phys Ther*. 2016;96(3):305-312. doi: 10.2522/ptj.20140525. Epub 2015 Jul 16.
91. Nobre-Carvalho A, Caballero-Villarraso J, Grande-Pérez P, Siles-Cadilla J, Gosálbez-Pequeño B. Cauda equina syndrome in elderly patient. *Eur Geriatr Med*. 2016;7(5):459-461.
92. Cromwell MS, Gill NW. Medical screening and evacuation: cauda equina syndrome in a combat zone. *J Orthop Sports Phys Ther*. 2009;39(7):541-549. doi: 10.2519/jospt.2009.2999.
93. Tromp AM, Pluijm SM, Smith JH, Deeg DJ, Bouter LM, Lips P. Fall-risk screening test: a prospective study on predictors for falls in community-dwelling elderly. *J Clin Epidemiol*. 2001;54(8):837-844.
94. Mechelli F, Preboski Z, Boissonnault WG. Differential diagnosis of patient referred to physical therapy with low back pain: abdominal aortic aneurysm. *J Orthop Sports Phys Ther*. 2008;38(9):551-557. doi: 10.2519/jospt.2008.2719. Epub 2008 Sep 1.
95. Henschke N, Maher CG, Ostelo RW, de Vet HC, Macaskill P, Irwig L. Red flags to screen for malignancy in patients with low-back pain. *Cochrane Database Syst Rev*. 2013;(2):CD008686. doi:10.1002/14651858.CD008686.pub2.
96. Downie A, Williams C, Henschke N, et al. Red flags to screen for malignancy and fracture in patients with low back pain: systematic review. *BMJ*. 2013;347:f7095. doi: 10.1136/bmj.f7095.
97. Leerar PJ, Boissonnault W, Domholdt E, Roddey T. Documentation of red flags by physical therapists for patients with low back pain. *J Man Manip Ther*. 2007;15(1):42-49.
98. Sions JM, Elliott JM, Pohlig RT, Hicks GE. Trunk muscle characteristics of the multifidi, erector spinae, psoas, and quadratus lumborum in older adults with and without chronic low back pain. *J Orthop Sports Phys Ther*. 2017;47(3):173-179. doi: 10.2519/jospt.2017.7002. Epub 2017 Feb 3.
99. Manogharan S, Kongsted A, Ferreira ML, Hancock MJ. Do older adults with chronic low back pain differ from younger adults in regards to baseline characteristics and prognosis? *Eur J Pain*. 2017;21(5):866-873. doi: 10.1002/ejp.989. Epub 2017 Mar 14.
100. Alrwaily M, Timko M, Schneider M, et al. Treatment-based classification system for low back pain: revision and update. *Phys Ther*. 2016;96(7):1057-1066. doi: 10.2522/ptj.20150345. Epub 2015 Dec 4.
101. Rodeghero JR, Cook CE, Cleland JA, Mintkin PE. Risk stratification of patients with low back pain seen in physical therapy practice. *Man Ther*. 2015;20(6):855-860. doi: 10.1016/j.math.2015.04.007. Epub 2015 Apr 15.
102. Stewart C, Schofield P, Elliot AM, Torrance N, Levaille S. What do we mean by “Older adults’ persistent pain self-management?” A concept analysis. *Pain Med*. 2014;15(2):214-224. doi: 10.1111/pme.12251. Epub 2013 Oct 9.
103. Nelson ME, Rejeski WJ, Blair SN, et al. Physical activity and public health in older adults: recommendation from the American College of Sports Medicine and the American Heart Association. *Med Sci Sport Exer*. 2007;39(8):1435-1445.
104. American Geriatrics Society Panel on Exercise and Osteoarthritis. Exercise prescription for older adults with osteoarthritis pain: consensus practice recommendations. A supplement to the AGS Clinical Practice Guidelines on the management of chronic pain in older adults. *J Am Geriatr Soc*. 2001;49(6):808-823.
105. Jordan JL, Holden MA, Mason EE, Foster NE. Interventions to improve adherence to exercise for chronic musculoskeletal pain in adults. *Cochrane Database Syst Rev*. 2010;(1):CD005956. doi: 10.1002/14651858.CD005956.pub2.
106. Hahne AJ, Ford JJ, Richards MC, et al. Who benefits most from individualized physiotherapy or advice for low back disorders? A pre-planned effect modifier analysis of a randomized controlled trial. *Spine (Phila Pa 1976)*. 2017;42(21):E1215-E1224. doi: 10.1097/BRS.0000000000002148.
107. Gellhorn AC, Chan L, Martin B, Friedly J. Management patterns in acute low back pain: the role of physical therapy. *Spine (Phila Pa 1976)*. 2012;37(9):775-782. doi: 10.1097/BRS.0.b013e3181d79a09.
108. Fritz JM, Childs JD, Wainner RS, Flynn TW. Primary care referral of patients with low back pain to physical therapy: impact on future health care utilization and costs. *Spine (Phila Pa 1976)*. 2012;37(25):2114-2121. doi: 10.1097/BRS.0.b013e31825d32f5.
109. Childs JD, Fritz JM, Wu SS, et al. Implications of early and guideline adherent physical therapy for low back pain on utilization and costs. *BMC Health Serv Res*. 2015;15(1):150.

110. Fritz JM, Brennan GP, Hunter SJ. Physical therapy or advanced imaging as first management strategy following a new consultation for low back pain in primary care: associations with future health care utilization and charges. *Health Serv Res*. 2015;50(6):1927-1940. doi: 10.1111/1475-6773.12301. Epub 2015 Mar 16.
111. Saragiotto BT, Maher CG, Yamato TP, et al. Motor control exercise for chronic non-specific low-back pain. *Cochrane Database Syst Rev*. 2016;(1):CD012004. doi:10.1002/14651858.CD012004.
112. Kuss K, Becker A, Quint S, Leonhardt C. Activating therapy modalities in older individual with chronic nonspecific low back pain: systematic review. *Physiotherapy*. 2015;101(4):310-318. doi: 10.1016/j.physio.2015.04.009. Epub 2015 Jun 17.
113. Learman KE, Showalter C, O'Halloran B, Cook CE. Thrust and nonthrust manipulation for older adults with low back pain: an evaluation of pain and disability. *J Manipulative Physiol Ther*. 2013;36(5):284-291. doi: 10.1016/j.jmpt.2013.05.007. Epub 2013 Jun 12.
114. Channell MK, Wang Y, McLaughlin MH, Ciesielski J, Pomerantz SC. Osteopathic manipulative treatment for older patients: a national survey of osteopathic physicians. *J Am Osteopath Assoc*. 2016;116(3):136-143. doi: 10.7556/jaoa.2016.030.
115. Beissner K, Henderson CR Jr, Papaleontiou M, Olkhovskaya Y, Wigglesworth J, Reid MC. Physical therapists' use of cognitive-behavioral therapy for older adults with chronic pain: a nationwide survey. *Phys Ther*. 2009;89(5):456-469. doi: 10.2522/ptj.20080163. Epub 2009 Mar 6.
116. Ehde DM, Dillworth TM, Turner JA. Cognitive-behavioral therapy for individuals with chronic pain: efficacy, innovations, and directions for research. *Am Psychol*. 2014;69(2):153-166. doi: 10.1037/a0035747.
117. Beissner K, Parker SJ, Henderson CR Jr, Pal A, Iannone L, Reid MC. A cognitive-behavioral plus exercise intervention for older adults with chronic back pain: race/ethnicity effect? *J Aging Phys Act*. 2012;20(2):246-265.
118. Reid MC, Otis J, Barry LC, Kerns RD. Cognitive-behavioral therapy for chronic low back pain in older persons: a preliminary study. *Pain Med*. 2003;4(3):223-230.
119. Main CJ, George SZ. Psychosocial influences on low back pain: why should you care. *Phys Ther*. 2011;91(5):609-613. doi: 10.2522/ptj.2011.91.5.609
120. Main CJ, George SZ. Psychologically informed practice for management of low back pain: future directions in practice and research. *Phys Ther*. 2011;91(5):820-824. doi: 10.2522/ptj.20110060. Epub 2011 Mar 30.
121. Magel J, Fritz JM, Greene T, Kjaer P, Marcus RL, Brennan GP. Outcomes of patients with acute low back pain stratified by the STarT back screening tool: secondary analysis of a randomized trial. *Phys Ther*. 2017;97(3):330-337. doi: 10.2522/ptj.20160298.
122. Russek L, McManus C. A practical guide to integrating behavioral and psychologically informed approaches into physical therapist management of patients with chronic pain. *Orthop Phys Ther Pract*. 2015;27(1):8-16.
123. Park J, Hughes AK. Nonpharmacological approaches to the management of chronic pain in community-dwelling older adults: a review of empirical evidence. *J Am Geriatr Soc*. 2012;60(3):555-568. doi: 10.1111/j.1532-5415.2011.03846.x. Epub 2012 Jan 30.
124. Bishop MD, Bialosky JE, Penza CW, Beneciuk JM, Alappattu MJ. The influence of clinical equipoise and patient preferences on outcomes of conservative manual interventions for spinal pain: an experimental study. *J Pain Res*. 2017;10:965-972. doi: 10.2147/JPR.S130931. eCollection 2017.
125. Bishop MD, Bialosky JE, Cleland JA. Patient expectations of benefit from common interventions for low back pain and effects on outcome: secondary analysis of a clinical trial of manual therapy interventions. *J Man Manip Ther*. 2011;19(1):20-25. doi: 10.1179/106698110X12804993426929.
126. Mortazavi SS, Shati M, Keshtkar A, et al. Defining polypharmacy in the elderly: a systematic review protocol. *BMJ Open*. 2016;6(3):e010989. doi:10.1136/bmjopen-2015-010989
127. American Geriatrics Society Panel on Pharmacological Management of Persistent Pain in Older Persons. Pharmacological management of persistent pain in older persons. *J Am Geriatr Soc*. 2009;57(8):1331-1346. doi: 10.1111/j.1532-5415.2009.02376.x. Epub 2009 Jul 2.
128. Qaseem A, Wilt TJ, McLean RM, Forciea MA, Clinical Guidelines Committee of the American College of Physicians. Noninvasive treatments for acute, subacute, and chronic low back pain: A clinical practice guideline from the American College of Physicians. *Ann Intern Med*. 2017;166(7):514-530. doi: 10.7326/M16-2367. Epub 2017 Feb 14.
129. Chiarotto A, Deyo RA, Terwee CB, et al. Core outcome domains for clinical trials in non-specific low back pain. *Eur Spine J*. 2015;24(6):1127-1142. doi: 10.1007/s00586-015-3892-3. Epub 2015 Apr 5.
130. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol*. 2015;36(4):811-816. doi: 10.3174/ajnr.A4173. Epub 2014 Nov 27.
131. Reitz C, Brickman AM, Brown TR, et al. Linking hippocampal structure and function to memory performance in an aging population. *Arch Neurol*. 2009;66(11):1385-1392. doi: 10.1001/archneurol.2009.214.

132. Addison O, LaStayo PC, Dibble LE, Marcus RL. Inflammation, aging, and adiposity: implications for physical therapists. *J Geriatr Phys Ther.* 2012;35(2):86-94. doi: 10.1519/JPT.0b013e3182312b14.
133. Kauffman TL, Barr JO, Moran ML. *Geriatric Rehabilitation Manual*. 2nd ed. Philadelphia, PA: Churchill Livingstone Elsevier; 2007.
134. Bogduk N. *Clinical Anatomy of the Lumbar Spine and Sacrum*. 4th ed. Philadelphia, PA: Churchill Livingstone Elsevier; 2005.
135. Shigemoto K, Kubo S, Mori S, Yamada S, Akiyoshi T, Miyazaki T. Muscle weakness and neuromuscular junctions in aging and disease. *Geriatr Gerontol Int.* 2010;10 Suppl 1:S137-S147.
136. Shaffer S, Harrison A. Aging of the somatosensory system: a translational perspective. *Phys Ther.* 2007;87(2):193-207.
137. Zeevi N, Pachter J, McCullough LD, Wolfson L, Kuchel GA. The blood-brain barrier: geriatric relevance of a critical brain-body interface. *J Am Geriatr Soc.* 2010;58(9):1749-1757. doi: 10.1111/j.1532-5415.2010.03011.x.
138. Lacraz G, Rouleau AJ, Couture V, et al. Increased stiffness in aged skeletal muscle impairs muscle progenitor cell proliferative activity. *PLoS One.* 2015;10(8):e0136217. doi: 10.1371/journal.pone.0136217. eCollection 2015.
139. Miller MS, Bedrin NG, Callahan DM, et al. Age-related slowing of myosin actin cross-bridge kinetics is sex specific and predicts decrements in whole skeletal muscle performance in humans. *J Appl Physiol (1985).* 2013;115(7):1004-1014. doi: 10.1152/japplphysiol.00563.2013. Epub 2013 Jul 25.
140. Dahlqvist JR, Vissing CR, Hedermann G, Thomassen C, Vissing J. Fat replacement of paraspinal muscles with aging in healthy adults. *Med Sci Sports Exerc.* 2017;49(3):595-601. doi: 10.1249/MSS.0000000000001119.
141. Shahidi B, Parra CL, Berry DB, et al. Contribution of lumbar spine pathology and age to paraspinal muscle size and fatty infiltration. *Spine (Phila Pa 1976).* 2017;42(8):616-623. doi: 10.1097/BRS.0000000000001848.
142. Jones TE, Stephenson KW, King JG, Knight KR, Marshall TL, Scott WB. Sarcopenia - mechanisms and treatments. *J Geriatr Phys Ther.* 2009;32(2):83-89.
143. Perry SB, Downey PA. Fracture risk and prevention: a multidimensional approach. *Phys Ther.* 2012;92(1):164-178. doi: 10.2522/ptj.20100383. Epub 2011 Sep 15.
144. Lord SR. Visual risk factors for falls in older people. *Age Ageing.* 2006;35 Suppl 2:ii42-ii45.
145. Howarth A, Shone GR. Ageing and the auditory system. *Postgrad Med J.* 2006;82(965):166-171.
146. Iwasaki S, Yamasoba T. Dizziness and imbalance in the elderly: age-related decline in the vestibular system. *Aging Dis.* 2015;6(1):38-47. doi: 10.14336/AD.2014.0128. eCollection 2015 Feb.
147. Reuben DB, Lee M, Davis JW, et al. Development and validation of a geriatrics attitudes scale for primary care residents. *J Am Geriatr Soc.* 1998;46(11):1425-1430.
148. Cherry KE, Palmore E. Relating to Older People Evaluation (ROPE): a measure of self-reported ageism. *Educ Gerontol.* 2008;34(10):849-861.