



Role of a Movement System Approach in Physical Therapy Management of Musculoskeletal Pain

Independent Study
Course 29.1.2

Carrie Hall, PT, MHS

Movement Systems Physical Therapy, P.S.
University of Washington
Seattle, WA

Diane D. Allen, PT, PhD

University of California San Francisco
San Francisco State University
San Francisco, CA

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY** 

 **APTA**
American Physical Therapy Association

REFERENCES

1. American Physical Therapy Association. Vision Statement for the Physical Therapy Profession and Guiding Principles to Achieve the Vision. <http://www.apta.org/Vision/>. Accessed April 18, 2018.
2. Saladin L, Voight M. Introduction to the Movement System as the Foundation for Physical Therapist Practice, Education, and Research. *Int J Sports Phys Ther*. 2017;12(6):858-861.
3. Sahrmann SA. *Diagnosis and Treatment of Movement Impairment Syndromes*. St. Louis, MO: Mosby; 2002.
4. Scheets PK, Sahrmann SA, Norton BJ. Diagnosis for physical therapy for patients with neuromuscular conditions. *Neurol Report*. 1999;23(4):158-169.
5. Harris-Hayes M, Sahrmann SA, Norton BJ, Salsich GB. Diagnosis and management of a patient with knee pain using the movement system impairment classification system. *J Orthop Sports Phys Ther*. 2008;38(4):203-213.
6. Sahrmann SA, Azevedo DC, Van Dillen LR. Diagnosis and treatment of movement system impairment syndromes. *Braz J Phys Ther*. 2017;21(6):391-399. doi: 10.1016/j.bjpt.2017.08.001. Epub 2017 Sep 27.
7. APTA House of Delegates. Guiding Principles to Achieve the Vision HOD P06-13-19-23. Alexandria, VA: American Physical Therapy Association; 2013.
8. American Physical Therapy Association. Physical Therapist Practice and the Human Movement System. An American Physical Therapy Association White Paper. Alexandria, VA: American Physical Therapy Association; 2015.
9. World Health Organization. International Classification of Functioning, Disability and Health: ICF. Geneva, Switzerland: World Health Organization; 2001.
10. Cott CA, Finch E, Gasner D, Yoshida K, Thomas SG, Verrier MC. The movement continuum theory of physical therapy. *Physiother Can*. 1995;47(2):87-95.
11. Allen DD. Proposing 6 dimensions within the construct of movement in the Movement Continuum Theory. *Phys Ther*. 2007;87:888-898.
12. American Physical Therapy Association. Guide to Physical Therapist Practice. <http://guidetoptpractice.apta.org/>. Accessed February 22, 2015.
13. Carragee EJ, Alamin TF, Miller JL, Carragee JM. Discographic, MRI and psychosocial determinants of low back pain disability and remission: a prospective study in subjects with benign persistent back pain. *Spine J*. 2005;5(1):24-35.
14. Bigos SJ, Battie MC, Spengler DM, et al. A longitudinal, prospective study of industrial back injury reporting. *Clin Orthop Relat Res*. 1992;(279):21-34.
15. Wand BM, Bird C, McAuley JH, Dore CJ, MacDowell M, De Souza LH. Early intervention for the management of acute low back pain: a single randomized controlled trial of biopsychosocial education, manual therapy and exercise. *Spine (Phila Pa 1976)*. 2004;29(2):2350-2356.
16. World Health Organization. International statistical classification of diseases and related health problems. ICD-10. Geneva, Switzerland: World Health Organization; 2011.
17. Devin CJ, McCullough KA, Morris BJ, Yates AJ, Kang JD. Hip-spine syndrome. *J Am Acad Orthop Surg*. 2012;20(7):434-442. doi: 10.5435/JAAOS-20-07-434.
18. Register B, Pennock AT, Ho CP, Strickland CD, Lawand A, Philippon MJ. Prevalence of abnormal hip findings in asymptomatic participants: a prospective, blinded study. *Am J Sports Med*. 2012;40(12):2720-2724. doi: 10.1177/0363546512462124. Epub 2012 Oct 25.
19. Benedeti F, Lanotte M, Lopiano L, Colloca L. When words are painful: unraveling the mechanisms of the nocebo effect. *Neuroscience*. 2007;147(2):260-271.
20. Kennedy WP. The nocebo reaction. *Med World*. 1961;95:203-205.
21. Wells RE, Kaptchuk TJ. To tell the truth, the whole truth, may do patients harm: the problem of the nocebo effect for informed consent. *Am J Bioeth*. 2012;12(3):22-29. doi: 10.1080/15265161.2011.652798.
22. Holloway RG, Gramling R, Kelly AG. Estimating and communicating prognosis in advanced neurologic disease. *Neurology*. 2013;80(8):764-772. doi: 10.1212/WNL.0b013e318282509c.
23. Colloca L, Finiss D. Nocebo effects, patient-client communication, and therapeutic outcomes. *JAMA*. 2012;307(6):567-568. doi: 10.1001/jama.2012.115.
24. Bingel U, Placebo Competence Team. Avoiding nocebo effects to optimize treatment outcome. *JAMA*. 2014;312(7):693-694. doi: 10.1001/jama.2014.8342.
25. Moseley GL, Butler DS. *Explain Pain Supercharged*. South Australia: Noigroup Publications; 2017.
26. Nagi SZ. Disability concepts revisited: implications for prevention. In: Pope AM, Tarlov AR, eds. *Disability in America: Toward a National Agenda for Prevention*. Washington, DC: Institute of Medicine, National Academy Press; 1991.
27. Verbrugge LM, Jette AM. The Disablement Process. *Soc Sci Med*. 1994;38(1):1-14.
28. Darlow B, Dowell A, Baxter GD, Mathieson F, Perry M, Dean S. The enduring impact of what clinicians say to people with low back pain. *Ann Fam Med*. 2013;11(6):527-534. doi: 10.1370/afm.1518.

29. Allen DD, Cott CA. Evaluating rehabilitation outcomes from the client's perspective by identifying the gap between current and preferred movement ability. *Disabil Rehabil.* 2010;32(6):452-461. doi: 10.3109/09638280903171493.
30. Allen DD. Validity and reliability of the Movement Ability Measure: a self-report instrument proposed for assessing movement across diagnoses and ability levels. *Phys Ther.* 2007;87:899-916.
31. Cott CA. Client-centred rehabilitation: client perspectives. *Disabil Rehabil.* 2004;26(24):1411-1422.
32. Jewell DV. *Guide to Evidence-Based Physical Therapy Practice.* Sudbury, MA: Jones and Bartlett Learning; 2008.
33. Mitra S. The capability approach and disability. *J Disabil Policy Studies.* 2006;16(4):236-247.
34. Allen DD, Wagner JM. Assessing the gap between current movement ability and preferred movement ability as a measure of disability. *Phys Ther.* 2011;91:1789-1803. doi: 10.2522/ptj.20100393. Epub 2011 Oct 14.
35. Allen DD. Responsiveness of the Movement Ability Measure: a self-report instrument proposed for assessing the effectiveness of physical therapy intervention. *Phys Ther.* 2007;87(7):917-924.
36. Pinto-Carral A, Fernández-Villa T, Molina de la Torre AJ. Patient-reported mobility: a systematic review. *Arch Phys Med Rehabil.* 2016;97(7):1182-1194. doi: 10.1016/j.apmr.2016.01.025. Epub 2016 Feb 18.
37. Allen DD, Talavera C, Baxter S, Topp K. Gaps between patients' reported current and preferred abilities versus clinicians' emphases during an episode of care: Any agreement? *Qual Life Res.* 2015;24(5):1137-1143. doi: 10.1007/s11136-014-0888-0. Epub 2014 Dec 13.
38. Allen DD, Talavera C, Baxter S, Topp K. Patient versus Clinician Focus of Care: Who's Minding the Gap? [abstract]. *IV STEP Conference, American Physical Therapy Association.* Columbus, OH: Online: <https://u.osu.edu/ivstep/poster/abstracts/001-allen-et-al/>; presented July 16, 2016.
39. Shumway-Cook A, Woollacott M. *Motor Control: Translating Research into Clinical Practice.* 4th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2012.
40. Hislop HJ. Tenth Mary McMillan Lecture: The not-so-impossible dream. *Phys Ther.* 1975;55(10):1069-1080.
41. McGill SM, Brown S. Creep response of the lumbar spine to prolonged full flexion. *Clin Biomech (Bristol, Avon).* 1992;7(1):43-46. doi: 10.1016/0268-0033(92)90007-Q.
42. Light KE, Nuzik S, Personius W, Barstrom A. Low-load prolonged stretch vs high-load brief stretch in treating knee contractures. *Phys Ther.* 1984;64(3):330-333.
43. Tipton CM, James SL, Mergner W, Tchong T. Influence of exercise on strength of medial collateral ligaments of dogs. *Am J Physiol.* 1970;218(3):894-902.
44. Moritani H, Devries HA. Neural factors versus hypertrophy in the time course of muscle strength gain. *Am J Phys Med.* 1979;58(3):115-130.
45. Grover SM. Shaping effective communication skills and therapeutic relationships at work: the foundation of collaboration. *AAOHN J.* 2005;53(4):177-182; quiz 186-187.
46. O'Keeffe M, Cullinane P, Hurley J, et al. What influences patient-therapist interactions in musculoskeletal physical therapy? Qualitative systematic review and meta-synthesis. *Phys Ther.* 2016;96(5):609-622. doi: 10.2522/ptj.20150240. Epub 2015 Oct 1.
47. Boissonnault JS, Evans K, Tuttle N, Hetzel SJ, Boissonnault WG. Reliability of the ECHOWS tool for assessment of patient interviewing skills. *Phys Ther.* 2016;96(4):443-455.
48. Davis CM. *Patient Practitioner Interaction. An Experiential Manual for Developing the Art of Health Care.* 5th ed. Thorofare, NJ: Slack Inc; 2011.
49. Bliss M. William Osler: a life in medicine. *BMJ.* 2000;321:1087.
50. Fisher B, Woll S. Considerations in the restoration of motor control. In: Montgomery J, ed. *Clinics in Physical Therapy: Physical Therapy for Traumatic Brain Injury.* New York, NY: Churchill Livingstone, Inc; 1995:55-78.
51. Ling S, Fisher BE. Functional recovery using observational movement analysis and task specific training in an individual with chronic severe upper extremity hemiparesis. *J Neurol Phys Ther.* 2004;28(2):91-99.
52. Schenkman M, Deutsch JE, Gill-Body KM. An integrated framework for decision making in neurologic physical therapist practice. *Phys Ther.* 2006;86(12):1681-1702.
53. Costa LC, Maher CG, McAuley JH, Hancock MJ, Smeets RJ. Self-efficacy is more important than fear of movement in mediating the relationship between pain and disability in chronic low back pain. *Eur J Pain.* 2011;15(2):213-219. doi: 10.1016/j.ejpain.2010.06.01 pub 2010 Jul 23.
54. Gay L, Girolami GL, Zadai C, Saladin L. Movement System Diagnosis and Practice. In: APTA, ed: American Physical Therapy Association Learning Center; 2018.
55. American Physical Therapy Association. Movement System. <http://www.apta.org/MovementSystem/>. Accessed May 22, 2018.
56. Ludewig PM, Lawrence RL, Braman JP. What's in a name? Using movement system diagnoses versus pathoanatomic diagnoses. *J Orthop Sports Phys Ther.* 2013;43:280-283. doi: 10.2519/jospt.2013.0104. Epub 2013 Apr 30.
57. Sahrman SA. The human movement system: our professional identity. *Phys Ther.* 2014;94:1034-1042.
58. O'Sullivan PB, Caneiro JP, O'Keeffe M, et al. Cognitive functional therapy: an integrated behavioral approach for

the targeted management of disabling low back pain. *Phys Ther.* 2018;98(5):408-423. doi: 10.1093/ptj/pzy022.

59. Karayannis NV, Jull GA, Hodges PW. Physiotherapy movement based classification approaches to low back pain: comparison of subgroups through review and developer/ expert survey. *BMC Musculoskelet Disord.* 2012;13:24. doi: 10.1186/1471-2474-13-24.
60. Haldorsen EM. The right treatment to the right patient at the right time. *Occup Environ Med.* 2003;60:235-236.
61. Manske RC, Lehecka BJ. Evidence-based medicine/ practice in sports physical therapy. *Int J Sports Phys Ther.* 2012;7(5):461-473.
62. Cleland JA, Noteboom JT, Whitman JM, et al. A primer on selected aspects of evidence-based practice relating to questions of treatment. Part 1: asking questions, finding evidence, and determining validity. *J Orthop Sports Phys Ther.* 2008;38(8):476-484.
63. Bunzli S, Smith A, Schütze R, Lin I, O'Sullivan P. Making sense of low back pain and pain-related fear. *J Orthop Sports Phys Ther.* 2017;47(9):628-636. doi: 10.2519/jospt.2017.7434. Epub 2017 Jul 13.
64. McEwen BE, Stellar E. Stress and the individual: mechanisms leading to disease. *Arch Intern Med.* 1993;153(18):2093-2101.
65. Peterson S. Telerehabilitation booster sessions and remote patient monitoring in the management of chronic low back pain: A case series. *Physiother Theory Pract.* 2018;34(5):393-402.