



A Movement System Approach to the Hip

Independent Study
Course 29.1.3

Carrie Hall, PT, MHS

Movement Systems Physical Therapy, P.S.
University of Washington
Seattle, WA

CONTINUING PHYSICAL THERAPY EDUCATION



REFERENCES

1. Kotlarsky P, Haber R, Bialik V, Eidelman M. Developmental dysplasia of the hip: What has changed in the last 20 years? *World J Orthop.* 2015;6(11):886-901. doi: 10.5312/wjo.v6.i11.886. eCollection 2015 Dec 18.
2. Siebenrock KA, Behning A, Mamisch TC, Schwab JM. Growth plate alteration precedes cam-type deformity in elite basketball players. *Clin Orthop Relat Res.* 2013;471(4):1084-1091. doi: 10.1007/s11999-012-2740-6. Epub 2012 Dec 18.
3. Mayhew PM, Thomas CD, Clement JG, et al. Relation between age, femoral neck cortical stability, and hip fracture risk. *Lancet.* 2005;366(9480):129-135.
4. Ganz R, Leunig M, Leunig-Ganz K, Harris WH. The etiology of osteoarthritis of the hip: an integrated mechanical concept. *Clin Orthop Relat Res.* 2008;466(2):264-272. doi: 10.1007/s11999-007-0060-z. Epub 2008 Jan 10.
5. Washburn SL. Tools and human evolution. *Sci Am.* 1960;203:63-75.
6. Rosenberg K, Trevathan W. Birth, obstetrics and human evolution. *BJOG.* 2002;109(11):1199-1206.
7. Neumann DA. *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation.* 2nd ed. St. Louis, MO: Elsevier; 2013.
8. Furnes O, Lie SA, Espehaug B, Vollset SE, Engesaeter LB, Havelin LI. Hip disease and the prognosis of total hip replacements. A review of 53,698 primary total hip replacements reported to the Norwegian Arthroplasty Register 1987-99. *J Bone Joint Surg Br.* 2001;83(4):579-586.
9. Leunig M, Beck M, Dora C, Ganz R. [Femoroacetabular impingement: trigger for the development of coxarthrosis]. *Orthopade.* 2006;35(1):77-84.
10. Anda S, Svenningsen S, Dale LG, Benum P. The acetabular sector angle of the adult hip determined by computed tomography. *Acta Radiol Diagn (Stockh).* 1986;27:443-447.
11. Genda E, Iwasaki N, Li G, MacWilliams BA, Barrance PJ, Chao EY. Normal hip joint contact pressure distribution in single-leg standing--effect of gender and anatomic parameters. *J Biomech.* 2001;34(7):895-905.
12. Albers CE, Steppacher SD, Schwab JM, Tannast M, Siebenrock KA. Relative femoral neck lengthening improves pain and hip function in proximal femoral deformities with a high-riding trochanter. *Clin Orthop Relat Res.* 2015;473(4):1378-1387. doi: 10.1007/s11999-014-4032-9.
13. Tannast M, Hanke MS, Zheng G, Steppacher SD, Siebenrock KA. What are the radiographic reference values for acetabular under- and overcoverage? *Clin Orthop Relat Res.* 2015;473(4):1234-1246. doi: 10.1007/s11999-014-4038-3.
14. Wylie JD, Kapron AL, Peters CL, Aoki SK, Maak TG. Relationship between the lateral center-edge angle and 3-dimensional acetabular coverage. *Orthop J Sports Med.* 2017;5:2325967117700589. doi: 10.1177/2325967117700589. eCollection 2017 Apr.
15. Leunig M, Podeszwa D, Beck M, Werlen S, Ganz R. Magnetic resonance arthrography of labral disorders in hips with dysplasia and impingement. *Clin Orthop Relat Res.* 2004;(418):74-80.
16. McCarthy JC, Noble PC, Schuck MR, Wright J, Lee J. The Otto E. Aufranc Award: The role of labral lesions to development of early degenerative hip disease. *Clin Orthop Relat Res.* 2001;(393):25-37.
17. Tannast M, Murphy SB, Langlotz F, Anderson SE, Siebenrock KA. Estimation of pelvic tilt on anteroposterior X-rays—a comparison of six parameters. *Skeletal Radiol.* 2006;35(30):149-155.
18. Romanò CL, Frigo C, Randelli G, Pedotti A. Analysis of the gait of adults who had residua of congenital dysplasia of the hip. *J Bone Joint Surg Am.* 1996;78(10):1468-1479.
19. Lewis CL, Sahrmann SA. Acetabular labral tears. *Phys Ther.* 2006;86(1):110-121.
20. Tannast M, Siebenrock KA, Anderson SE. Femoroacetabular impingement: radiographic diagnosis—what the radiologist should know. *AJR Am J Roentgenol.* 2007;188(6):1540-1552.
21. Musielak B, Jóźwiak M, Rychlik M, Chen BP, Idzior M, Grzegorzewski A. Does hemipelvis structure and position influence acetabulum orientation? *BMC Musculoskelet Disord.* 2016;17:131. doi: 10.1186/s12891-016-0982-2.
22. Larson CM, Moreau-Gaudry A, Kelly BT, et al. Are normal hips being labeled as pathologic? A CT-based method for defining normal acetabular coverage. *Clin Orthop Relat Res.* 2015;473:1247-1254. doi: 10.1007/s11999-014-4055-2.
23. Lubovsky O, Peleg E, Joskowicz L, Liebergall M, Khouri A. Acetabular orientation variability and symmetry based on CT scans of adults. *Int J Comput Assist Radiol Surg.* 2010;5(5):449-454. doi: 10.1007/s11548-010-0521-9. Epud 2010 Aug 3.
24. Peterson JB, Doan J, Bomar JD, Wenger DR, Pennock AT, Upasani VV. Sex differences in cartilage topography and orientation of the developing acetabulum: implications for hip preservation surgery. *Clin Orthop Relat Res.* 2015;473(8):2489-2494. doi: 10.1007/s11999-014-4109-5.

25. Goudie ST, Deakin AH, Deep K. Natural acetabular orientation in arthritic hips. *Bone Joint Res.* 2015;4(1):6-10. doi: 10.1302/2046-3758.41.2000286.
26. Higgins SW, Spratley EM, Boe RA, Hayes CW, Jiranek WA, Wayne JS. A novel approach for determining three-dimensional acetabular orientation: results from two hundred subjects. *J Bone Joint Surg Am.* 2014;96(21):1776-1784. doi: 10.2106/JBJS.L.01141.
27. Boulay C, Bollini G, Legaye J, et al. Pelvic incidence: a predictive factor for three-dimensional acetabular orientation-a preliminary study. *Anat Res Int.* 2014;2014:594650. doi: 10.1155/2014/594650. Epub 2014 Mar 18.
28. Hagio K, Sugano N, Nishii T, et al. A novel system of four-dimensional motion analysis after total hip arthroplasty. *J Orthop Res.* 2004;22(3):665-670.
29. Masquefa T, Verdier N, Gille O, et al. Change in acetabular version after lumbar pedicle subtraction osteotomy to correct post-operative flat back: EOS® measurements of 38 acetabula. *Orthop Traumatol Surg Res.* 2015;101(6):655-659. doi: 10.1016/j.otsr.2015.07.013. Epub 2015 Sep 9.
30. Legaye J, Duval-Beaupere G, Barrau A, et al. Relationship between sacral pelvic incidence and acetabular orientation. *Hip Int.* 2011;21(1):87-97.
31. Siebenrock KA, Schoeniger R, Ganz R. Anterior femoro-acetabular impingement due to acetabular retroversion. Treatment with periacetabular osteotomy. *J Bone Joint Surg Am.* 2003;85-A(2):278-286.
32. Tönnis D, Heinecke A. Acetabular and femoral anteversion: relationship with osteoarthritis of the hip. *J Bone Joint Surg Am.* 1999;81(12):1747-1770.
33. Tan V, Seldes RM, Katz MA, Freedhand AM, Klimkiewicz JJ, Fitzgerald RH. Contribution of acetabular labrum to articulating surface area and femoral head coverage in adult hip joints: an anatomic study in cadavers. *Am J Orthop (Belle Mead NJ).* 2001;30(11):809-812.
34. Ferguson SJ, Bryant JT, Ganz R, Ito K. An in vitro investigation of the acetabular labral seal in hip joint mechanics. *J Biomech.* 2003;36(2):171-178.
35. Ferguson SJ, Bryant JT, Ganz R, Ito K. The acetabular labrum seal: a poroelastic finite element model. *Clin Biomech (Bristol, Avon).* 2000;15(6):463-468.
36. Ferguson SJ, Bryant JT, Ganz R, Ito K. The influence of the acetabular labrum on hip joint cartilage consolidation: a poroelastic finite element model. *J Biomech.* 2000;33(8):953-960.
37. Crawford MJ, Dy CJ, Alexander JW, et al. The 2007 Frank Stinchfield Award. The biomechanics of the hip labrum and the stability of the hip. *Clin Orthop Relat Res.* 2007;465:16-22.
38. Bolia I, Chahla J, Locks R, Briggs K, Philippon MJ. Microinstability of the hip: a previously unrecognized pathology. *Muscles Ligaments Tendons J.* 2016;6930:354-360. doi: 10.11138/mltj/2016.6.3.354. eCollection 2016 Jul-Sep.
39. McCarthy J, Noble P, Aluisio FV, Schuck M, Wright J, Lee JA. Anatomy, pathologic features, and treatment of acetabular labral tears. *Clin Orthop Relat Res.* 2003;(406):38-47.
40. Petersen W, Petersen F, Tillmann B. Structure and vascularization of the acetabular labrum with regard to the pathogenesis and healing of labral lesions. *Arch Orthop Trauma Surg.* 2003;123(6):283-288.
41. Kim YT, Azuma H. The nerve endings of the acetabular labrum. *Clin Orthop Relat Res.* 1995;(320):176-181.
42. Lee AJ, Armour P, Thind D, Coates MH, Kang AC. The prevalence of acetabular labral tears and associated pathology in a young asymptomatic population. *Bone Joint J.* 2015;97-B(5):623-627.
43. Silvis ML, Mosher TJ, Smetana BS, et al. High prevalence of pelvic and hip magnetic resonance imaging findings in asymptomatic collegiate and professional hockey players. *Am J Sports Med.* 2011;39(4):715-721. doi: 10.1177/0363546510388931. Epub 2011 Jan 13.
44. Briggs K, Philippon M, Ho C, McNamara S. Prevalence of acetabular labral tears in asymptomatic young athletes. *Br J Sports Med.* 2017;51:303.
45. Wehren LE, Magaziner J. Hip fracture: risk factors and outcomes. *Curr Osteoporos Rep.* 2003;1(2):78-85.
46. Singleton MC, LeVeau BF. The hip joint: structure, stability, and stress; a review. *Phys Ther.* 1975;55(9):957-973.
47. Frankel VH, Nordin M. *Basic Biomechanics of the Skeletal System.* Philadelphia, PA: Lea & Febiger; 1980.
48. Toogood PA, Skalak A, Cooperman DR. Proximal femoral anatomy in the normal human population. *Clin Orthop Relat Res.* 2009;467(4):876-885. doi: 10.1007/s11999-008-0473-3. Epub 2008 Aug 29.
49. Clohisy JC, Nunley RM, Carlisle JC, Schoenecker PL. Incidence and characteristics of femoral deformities in the dysplastic hip. *Clin Orthop Relat Res.* 2009;467(1):128-134. doi: 10.1007/s11999-008-0481-3. Epub 2008 Nov 26.
50. Beck M, Kalhor M, Leunig M, Ganz R. Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br.* 2005;87(7):1012-1018.
51. Maquet P. Importance of the position of the greater trochanter. *Acta Orthop Belg.* 1990;56(1 Pt B):307-322.
52. Key JA. The classic: Epiphyseal coxa vara or displacement of the capital epiphysis of the femur in adolescence. 1926. *Clin Orthop Relat Res.* 2013;471(7):2087-2117. doi: 10.1007/s11999-013-2913-y.
53. Tubby AH. Coxa valga (Collum valgum). *Proc R Soc Med.* 1908;1(Surg Sect):107-142.

54. Shim JS, Kim HT, Mubarak SJ, Wenger DR. Genu valgum in children with coxa vara resulting from hip disease. *J Pediatr Orthop.* 1997;17(2):225-229.
55. Riegger-Krugh C, Keysor JJ. Skeletal malalignments of the lower quarter: correlated and compensatory motions and postures. *J Orthop Sports Phys Ther.* 1996;23(2):164-170.
56. Fabry G, MacEwen GD, Shands AR. Torsion of the femur. A follow-up study in normal and abnormal conditions. *J Bone Joint Surg Am.* 1973;55(8):1726-1738.
57. Svenningsen S, Apalset K, Terjesen T, Anda S. Regression of femoral anteversion. A prospective study of intoeing children. *Acta Orthop Scand.* 1989;60(2):170-173.
58. Crane L. Femoral torsion and its relation to toeing-in and toeing-out. *J Bone Joint Surg Am.* 1959;41-A(3):421-428.
59. McDonough MW. Angular and axial deformities of the legs of children. *Clin Podiatry.* 1984;1(3):601-620.
60. Nepple JJ, Smith MV. Biomechanics of the hip capsule and capsule management strategies in hip arthroscopy. *Sports Med Arthrosc Rev.* 2015;23(4):164-168. doi: 10.1097/JSA.0000000000000089.
61. Domb BG, Philippon MJ, Giordano BD. Arthroscopic capsulotomy, capsular repair, and capsular plication of the hip: relation to atraumatic instability. *Arthroscopy.* 2013;29(1):162-173. doi: 10.1016/j.arthro.2012.04.057. Epub 2012 Aug 15.
62. Telleria JJ, Lindsey DP, Giori NJ, Safran MR. An anatomic arthroscopic description of the hip capsular ligaments for the hip arthroscopist. *Arthroscopy.* 2011;27:628-636. doi: 10.1016/j.arthro.2011.01.007.
63. Harris JD, Slikker W, Gupta AK, McCormick FM, Nho SJ. Routine complete capsular closure during hip arthroscopy. *Arthrosc Tech.* 2013;2(2):e89-94. doi: 10.1016/j.eats.2012.11.007. Print 2013 May.
64. Myers CA, Register BC, Lertwanich P, et al. Role of the acetabular labrum and the iliofemoral ligament in hip stability: an in vitro biplane fluoroscopy study. *Am J Sports Med.* 2011;39 Suppl:85S-91S. doi: 10.1177/0363546511412161.
65. O'Donnell JM, Devitt BM, Arora M. The role of the ligamentum teres in the adult hip: redundant or relevant? A review. *J Hip Preserv Surg.* 2018;5(1):15-22. doi: 10.1093/jhps/hnx046. eCollection 2018 Jan.
66. Nepple JJ, Clohisy JC. The dysplastic and unstable hip: a responsible balance of arthroscopic and open approaches. *Sports Med Arthrosc Rev.* 2015;23(4):180-186. doi: 10.1097/JSA.0000000000000096.
67. Shu B, Safran MR. Hip instability: anatomic and clinical considerations of traumatic and atraumatic instability. *Clin Sports Med.* 2011;30(2):349-367. doi: 10.1016/j.csm.2010.12.008.
68. Russek LN, Errico DM. Prevalence, injury rate and symptom frequency in generalized joint laxity and joint hypermobility syndrome in a "healthy" college population. *Clin Rheumatol.* 2016;35(4):1029-1039. doi: 10.1007/s10067-015-2951-9. Epub 2015 May 1.
69. Naal FD, Hatzung G, Müller A, Impellizzeri F, Leunig M. Validation of a self-reported Beighton score to assess hypermobility in patients with femoroacetabular impingement. *Int Orthop.* 2014;38(11):2245-2250. doi: 10.1007/s00264-014-2424-9. Epub 2014 Jul 5.
70. Beighton P. Hypermobility scoring. *Br J Rheumatol.* 1988;27(2):163.
71. Zhang K, de Sa D, Yu H, Choudur HN, Simunovic N, Ayeni OR. Hip capsular thickness correlates with range of motion limitations in femoroacetabular impingement. *Knee Surg Sports Traumatol Arthrosc.* 2018;26(10):3178-3187. doi: 10.1007/s00167-018-4915-5. Epub 2018 Mar 24.
72. Devitt BM, Smith BN, Staph R, Tacey M, O'Donnell JM. Generalized joint hypermobility is predictive of hip capsular thickness. *Orthop J Sports Med.* 2017;5:2325967117701882. doi: 10.1177/2325967117701882. eCollection 2017 Apr.
73. Weidner J, Büchler L, Beck M. Hip capsule dimensions in patients with femoroacetabular impingement: a pilot study. *Clin Orthop Relat Res.* 2012;470(12):3306-3312. doi: 10.1007/s11999-012-2485-2.
74. Leunig M, Beaulé PE, Ganz R. The concept of femoroacetabular impingement: current status and future perspectives. *Clin Orthop Relat Res.* 2009;467(3):616-622. doi: 10.1007/s11999-008-0646-0. Epub 2008 Dec 10.
75. Nepple JJ, Riggs CN, Ross JR, Clohisy JC. Clinical presentation and disease characteristics of femoroacetabular impingement are sex-dependent. *J Bone Joint Surg Am.* 2014;96(20):1683-1689. doi: 10.2106/JBJS.M.01320.
76. Agricola R, Heijboer MP, Ginai AZ, et al. A cam deformity is gradually acquired during skeletal maturation in adolescent and young male soccer players: a prospective study with minimum 2-year follow-up. *Am J Sports Med.* 2014;42(4):798-806. doi: 10.1177/0363546514524364. Epub 2014 Feb 28.
77. Gosvig KK, Jacobsen S, Sonne-Holm S, Gebuhr P. The prevalence of cam-type deformity of the hip joint: a survey of 4151 subjects of the Copenhagen Osteoarthritis Study. 2008;49(4):436-441. doi: 10.1080/02841850801935567.
78. Frank JM, Harris JD, Erickson BJ, et al. Prevalence of femoroacetabular impingement imaging findings in asymptomatic volunteers: a systematic review. *Arthroscopy.* 2015;31(6):1199-1204. doi: 10.1016/j.arthro.2014.11.042. Epub 2015 Jan 28.
79. Gosvig KK, Jacobsen S, Sonne-Holm S, Palm H, Troelsen A. Prevalence of malformations of the hip

- joint and their relationship to sex, groin pain, and risk of osteoarthritis: a population-based survey. *J Bone Joint Surg Am.* 2010;92(5):1162-1169. doi: 10.2106/JBJS.H.01674.
80. Murphy SB, Kijewski PK, Millis MB, Harless A. Acetabular dysplasia in the adolescent and young adult. *Clin Orthop Relat Res.* 1990;(261):214-223.
 81. Mao C, Liang Y, Ding C, et al. The consistency between measurements of the femoral neck anteversion angle in DDH on three-dimensional CT and MRI. *Acta Radiol.* 2016;57(6):716-720. doi: 10.1177/0284185115603244. Epub 2015 Sep 18.
 82. Nakahara I, Takao M, Sakai T, Miki H, Nishii T, Sugano N. Three-dimensional morphology and bony range of movement in hip joints in patients with hip dysplasia. *Bone Joint J.* 2014;96-B(5):580-589. doi: 10.1302/0301-620X.96B5.32503.
 83. Nunley RM, Prather H, Hunt D, Schoenecker PL, Clohisy JC. Clinical presentation of symptomatic acetabular dysplasia in skeletally mature patients. *J Bone Joint Surg Am.* 2011;93 Suppl 2:17-21. doi: 10.2106/JBJS.J.01735.
 84. Czuppon S, Prather H, Hunt DM, et al. Gender-dependent differences in hip range of motion and impingement testing in asymptomatic college freshman athletes. *PM R.* 2017;9(7):660-667. doi: 10.1016/j.pmrj.2016.10.022. Epub 2016 Nov 10.
 85. Philippon MJ. The role of arthroscopic thermal capsulorrhaphy in the hip. *Clin Sports Med.* 2001;20(4):817-829.
 86. Mitchell RJ, Gerrie BJ, McCulloch PC, et al. Radiographic evidence of hip microinstability in elite ballet. *Arthroscopy.* 2016;32:1038-1044.e1. doi: 10.1016/j.arthro.2015.12.049. Epub 2016 Mar 2.
 87. Sahrmann SA. *Diagnosis and Treatment of Movement Impairment Syndromes*. St. Louis, MO: Mosby, Inc.; 2002.
 88. Flatman JG. Hip diseases with referred pain to the knee. *JAMA.* 1975;234(9):967-968.
 89. Gannon JM, Gustilo RB. Treat the hip and not the knee: a report of four cases. *Orthopedics.* 1992;15(4):474-477.
 90. Lesher JM, Dreyfuss P, Hager N, Kaplan M, Furman M. Hip joint pain referral patterns: a descriptive study. *Pain Med.* 2008;9(1):22-25. doi: 10.1111/j.1526-4637.2006.00153.x.
 91. Takahashi Y, Sato A, Nakamura SI, Suseki K, Takahashi K. Regional correspondence between the ventral portion of the lumbar intervertebral disc and the groin mediated by a spinal reflex. A possible basis of discogenic referred pain. *Spine (Phila Pa 1976).* 1998;23(17):1853-1858; discussion 1859.
 92. Inman VT, Saunders JB. Referred pain from skeletal structures. *J Nerv Ment Dis.* 1944;99(5):660-667.
 93. Clark JM, Haynor DR. Anatomy of the abductor muscles of the hip as studied by computed tomography. *J Bone Joint Surg Am.* 1987;69(7):1021-1031.
 94. Kumagai M, Shiba N, Higuchi F, Nishimura H, Inoue A. Functional evaluation of hip abductor muscles with use of magnetic resonance imaging. *J Orthop Res.* 1997;15(6):888-893.
 95. Walters J, Solomons M, Davies J. Gluteus minimus: observations on its insertion. *J Anat.* 2001;198(Pt 2):239-242.
 96. Dalstra M, Huiskes R. Load transfer across the pelvic bone. *J Biomech.* 1995;28(6):715-724.
 97. Stansfield BW, Nicol AC. Hip joint contact forces in normal subjects and subjects with total hip prostheses: walking and stair and ramp negotiation. *Clin Biomech (Bristol, Avon).* 2002;17(2):130-139.
 98. Bergmann G, Graichen F, Rohlmann A. Hip joint loading during walking and running, measured in two patients. *J Biomech.* 1993;26(8):969-990.
 99. Neumann DA, Soderberg GL, Cook TM. Comparison of maximal isometric hip abductor muscle torques between hip sides. *Phys Ther.* 1988;68(4):496-502.
 100. Ferber R, Noehren B, Hamill J, Davis IS. Competitive female runners with a history of iliotibial band syndrome demonstrate atypical hip and knee kinematics. *J Orthop Sports Phys Ther.* 2010;40(2):52-58. doi: 10.2519/jospt.2010.3028.
 101. Eng CM, Arnold AS, Lieberman DE, Biewener AA. The capacity of the human iliotibial band to store elastic energy during running. *J Biomech.* 2015;48(12):3341-3348. doi: 10.1016/j.jbiomech.2015.06.017. Epub 2015 Jun 27.
 102. Kram R, Taylor CR. Energetics of running: a new perspective. *Nature.* 1990;346(6281):265-267.
 103. Marsh RL, Ellerby DJ, Carr JA, Henry HT, Buchanan CI. Partitioning the energetics of walking and running: swinging the limbs is expensive. *Science.* 2004;303(5654):80-83.
 104. Modica JR, Kram R. Metabolic energy and muscular activity required for leg swing in running. *J Appl Physiol (1985).* 2005;98(6):2126-2131.
 105. Hurd WJ, Chmielewski TL, Axe MJ, Davis I, Snyder-Mackler L. Differences in normal and perturbed walking kinematics between male and female athletes. *Clin Biomech (Bristol, Avon).* 2004;19(5):465-472.
 106. Ferber R, Davis IM, Williams DS 3rd. Gender differences in lower extremity mechanics during running. *Clin Biomech (Bristol, Avon).* 2003;18(4):350-357.
 107. Lephart SM, Ferris CM, Riemann BL, Myers JB, Fu FH. Gender differences in strength and lower extremity kinematics during landing. *Clin Orthop Relat Res.* 2002;(401):162-169.
 108. Pollard CD, Sigward SM, Powers CM. Gender differences in hip joint kinematics and kinetics

- during side-step cutting maneuver. *Clin J Sport Med.* 2007;17(1):38-42.
109. Pohtila JF. Kinesiology of hip extension at selected angles of pelvifemoral extension. *Arch Phys Med Rehabil.* 1969;50(5):241-250.
 110. Joseph J, Williams PL. Electromyography of certain hip muscles. *J Anat.* 1957;91(2):286-294.
 111. Karlsson E, Jonsson B. Function of the gluteus maximus muscle. An electromyographic study. *Acta Morphol Neerl Scand.* 1965;6:161-169.
 112. Stern JT, Paré EB, Schwartz JM. New perspectives on muscle use during locomotion: electromyographic studies of rapid and complex behaviors. *J Am Osteopath Assoc.* 1980;80(4):287-291.
 113. Marzke MW, Longhill JM, Rasmussen SA. Gluteus maximus muscle function and the origin of hominid bipedality. *Am J Phys Anthropol.* 1988;77(4):519-528.
 114. Zimmermann CL, Cook TM, Bravard MS, et al. Effects of stair-stepping exercise direction and cadence on EMG activity of selected lower extremity muscle groups. *J Orthop Sports Phys Ther.* 1994;19(3):173-180.
 115. Lieberman DE, Raichlen DA, Pontzer H, Bramble DM, Cutright-Smith E. The human gluteus maximus and its role in running. *J Exp Biol.* 2006;209(Pt 11):2143-2155.
 116. Fischer FJ, Houtz SJ. Evaluation of the function of the gluteus maximus muscle. An electromyographic study. *Am J Phys Med.* 1968;47(4):182-191.
 117. Vakos JP, Nitz AJ, Threlkeld AJ, Shapiro R, Horn T. Electromyographic activity of selected trunk and hip muscles during a squat lift. Effect of varying the lumbar posture. *Spine (Phila Pa 1976).* 1994;19(6):687-695.
 118. Millington PJ, Myklebust BM, Shambes GM. Biomechanical analysis of the sit-to-stand motion in elderly persons. *Arch Phys Med Rehabil.* 1992;73(7):609-617.
 119. Noe DA, Mostardi RA, Jackson ME, Porterfield JA, Askew MJ. Myoelectric activity and sequencing of selected trunk muscles during isokinetic lifting. *Spine (Phila Pa 1976).* 1992;17(2):225-229.
 120. Snijders CJ, Vleeming A, Stoeckart R. Transfer of lumbosacral load to iliac bones and legs Part 1: Biomechanics of self-bracing of the sacroiliac joints and its significance for treatment and exercise. *Clin Biomech (Bristol, Avon).* 1993;8(6):285-294. doi: 10.1016/0268-0033(93)90002-Y.
 121. Isear JA, Erickson JC, Worrell TW. EMG analysis of lower extremity muscle recruitment patterns during an unloaded squat. *Med Sci Sports Exerc.* 1997;29(4):532-539.
 122. Caterisano A, Moss RF, Pellingen TK, et al. The effect of back squat depth on the EMG activity of 4 superficial hip and thigh muscles. *J Strength Cond Res.* 2002;16(3):428-432.
 123. Montgomery WH, Pink M, Perry J. Electromyographic analysis of hip and knee musculature during running. *Am J Sports Med.* 1994;22(2):272-278.
 124. Nilsson J, Thorstensson A, Halbertsma J. Changes in leg movements and muscle activity with speed of locomotion and mode of progression in humans. *Acta Physiol Scand.* 1985;123(4):457-475.
 125. Skyrme AD, Cahill DJ, Marsh HP, Ellis H. Psoas major and its controversial rotational action. *Clin Anat.* 1999;12(4):264-265.
 126. MacDonald DA, Moseley GL, Hodges PW. The lumbar multifidus: does the evidence support clinical beliefs? *Man Ther.* 2006;11(4):254-263.
 127. Hodges PW, Richardson CA. Contraction of the abdominal muscles associated with movement of the lower limb. *Phys Ther.* 1997;77(2):132-142; discussion 142-134.
 128. Dostal WF, Soderberg GL, Andrews JG. Actions of hip muscles. *Phys Ther.* 1986;66(3):351-361.
 129. Németh G, Ohlsén H. Moment arms of hip abductor and adductor muscles measured in vivo by computed tomography. *Clin Biomech (Bristol, Avon).* 1989;4(3):133-136.
 130. Hoy MG, Zajac FE, Gordon ME. A musculoskeletal model of the human lower extremity: the effect of muscle, tendon, and moment arm on the moment-angle relationship of musculotendon actuators at the hip, knee, and ankle. *J Biomech.* 1990;23(2):157-169.
 131. Neumann DA. Kinesiology of the hip: a focus on muscular actions. *J Orthop Sports Phys Ther.* 2010;40:82-94. doi: 10.2519/jospt.2010.3025.
 132. Delp SL, Hess WE, Hungerford DS, Jones LC. Variation of rotation moment arms with hip flexion. *J Biomech.* 1999;32(5):493-501.
 133. Mansour JM, Pereira JM. Quantitative functional anatomy of the lower limb with application to human gait. *J Biomech.* 1987;20(1):51-58.
 134. Lindsay DM, Maitland M, Lowe RC, Kane TJ. Comparison of isokinetic internal and external hip rotation torques using different testing positions. *J Orthop Sports Phys Ther.* 1992;16(1):43-50.
 135. Bloom N, Cornbleet S. Hip rotator strength in healthy young adults measured in hip flexion and extension by using a hand-held dynamometer. *PM R.* 2014;6(12):1137-1142. doi: 10.1016/j.pmrj.2014.06.002. Epub 2014 Jun 17.
 136. Roy RR, Kim JA, Monti RJ, Zhong H, Edgerton VR. Architectural and histochemical properties of cat hip 'cuff' muscles. *Acta Anat (Basel).* 1997;159(2-3):136-146.
 137. Falla D, Jull G, Hodges PW. Feedforward activity of the cervical flexor muscles during voluntary arm movements is delayed in chronic neck pain. *Exp Brain Res.* 2004;157(1):43-48.

138. Hungerford B, Gilleard W, Hodges P. Evidence of altered lumbopelvic muscle recruitment in the presence of sacroiliac joint pain. *Spine (Phila Pa 1976)*. 2003;28(14):1593-1600.
139. Retchford TH, Crossley KM, Grimaldi A, Kemp JL, Cowan SM. Can local muscles augment stability in the hip? A narrative literature review. *J Musculoskelet Neuronal Interact*. 2013;13(1):1-12.
140. Standring S. *Gray's Anatomy: The Anatomical Basis of Clinical Practice*, 40th ed. Edinburgh, UK: Churchill Livingston Elsevier; 2008.
141. Friederich JA, Brand RA. Muscle fiber architecture in the human lower limb. *J Biomech*. 1990;23(1):91-95.
142. Ward SR, Winters TM, Blemker SS. The architectural design of the gluteal muscle group: implications for movement and rehabilitation. *J Orthop Sports Phys Ther*. 2010;40(2):95-102. doi: 10.2519/jospt.2010.3302.
143. Beck M, Sledge JB, Gautier E, Dora CF, Ganz R. The anatomy and function of the gluteus minimus muscle. *J Bone Joint Surg Br*. 2000;82(3):358-363.
144. Gottschalk F, Kourosh S, Leveau B. The functional anatomy of tensor fasciae latae and gluteus medius and minimus. *J Anat*. 1989;166:179-189.
145. Semciw AI, Pizzari T, Green RA. Are there functionally independent segments within gluteus minimus and gluteus medius? An EMG investigation. Paper presented at: XIXth Congress of the International Society for Electrophysiology and Kinesiology (ISEK). July 19-21, 2012; Brisbane, Australia.
146. Andersson EA, Nilsson J, Thorstensson A. Intramuscular EMG from the hip flexor muscles during human locomotion. *Acta Physiol Scand*. 1997;161(3):361-370.
147. Lewis CL, Sahrmann SA, Moran DW. Anterior hip joint force increases with hip extension, decreased gluteal force, or decreased iliopsoas force. *J Biomech*. 2007;40(16):3725-3731.
148. de Silva V, Swain M, Broderick C, McKay D. Does high level youth sports participation increase the risk of femoroacetabular impingement? A review of the current literature. *Pediatr Rheumatol Online J*. 2016;14(1):16. doi: 10.1186/s12969-016-0077-5.
149. Mokkink LB, Terwee CB, Knol DL, et al. The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: a clarification of its content. *BMC Med Res Methodol*. 2010;10:22. doi: 10.1186/1471-2288-10-22.
150. Harris-Hayes M, McDonough CM, Leunig M, Lee CB, Callaghan JJ, Roos EM. Clinical outcomes assessment in clinical trials to assess treatment of femoroacetabular impingement: use of patient-reported outcome measures. *J Am Acad Orthop Surg*. 2013;21 Suppl 1:S39-46. doi: 10.5435/JAAOS-21-07-S39.
151. Ahmad MA, Xypnitos FN, Giannoudis PV. Measuring hip outcomes: common scales and checklists. *Injury*. 2011;42:259-264. doi: 10.1016/j.injury.2010.11.052. Epub 2010 Dec 15.
152. Allen DD. Responsiveness of the movement ability measure: a self-report instrument proposed for assessing the effectiveness of physical therapy intervention. *Phys Ther*. 2007;87(7):917-924.
153. Dover G, Amar V. Development and validation of the Athlete Fear Avoidance Questionnaire. *J Athl Train*. 2015;50(6):634-642. doi: 10.4085/1062-6050-49.3.75. Epub 2015 Mar 20
154. Nicholas MK, Linton SJ, Watson PJ, Main CJ, "Decades of the Flags" Working Group. Early identification and management of psychological risk factors ("yellow flags") in patients with low back pain: a reappraisal. *Phys Ther*. 2011;91(5):737-753. doi: 10.2522/ptj.20100224. Epub 2011 Mar 30.
155. American Physical Therapy Association. Guide to Physical Therapist Practice 3.0. <http://guidetoptpractice.apta.org/>. Accessed May 17, 2018.
156. Browder DA, Childs JD, Cleland JA, Fritz JM. Effectiveness of an extension-oriented treatment approach in a subgroup of subjects with low back pain: a randomized clinical trial. *Phys Ther*. 2007;87(12):1608-1618; discussion 1577-1609.
157. Nadler SF, Malanga GA, Feinberg JH, Prybicien M, Stitik TP, DePrince M. Relationship between hip muscle imbalance and occurrence of low back pain in collegiate athletes: a prospective study. *Am J Phys Med Rehabil*. 2001;80(8):572-577.
158. Wainner RS, Whitman JM, Cleland JA, Flynn TW. Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther*. 2007;37(11):658-660.
159. Offierski CM, MacNab I. Hip-spine syndrome. *Spine (Phila Pa 1976)*. 1983;8(3):316-321.
160. Carey TS, Crompton RH. The metabolic costs of 'bent-hip, bent-knee' walking in humans. *J Hum Evol*. 2005;48(1):25-44.
161. Allen BC, Peters CL, Brown NA, Anderson AE. Acetabular cartilage thickness: accuracy of three-dimensional reconstructions from multidetector CT arthrograms in a cadaver study. *Radiology*. 2010;255(2):544-552. doi: 10.1148/radiol.10081876.
162. Harris-Hayes M, Wendl PM, Sahrmann SA, Van Dillen LR. Does stabilization of the tibiofemoral joint affect passive prone hip rotation range of motion measures in unimpaired individuals? A preliminary report. *Physiother Theory Pract*. 2007;23(6):315-323.
163. Boykin RE, Anz AW, Bushnell BD, Kocher MS, Stubbs AJ, Philippon MJ. Hip instability. *J Am Acad Orthop Surg*. 2011;19(6):340-349.
164. Reiman MP, Goode AP, Cook CE, Hölmich P, Thorborg K. Diagnostic accuracy of clinical tests for the diagnosis

- of hip femoroacetabular impingement/labral tear: a systematic review with meta-analysis. *Br J Sports Med.* 2015;49(12):811. doi: 10.1136/bjsports-2014-094302. Epub 2014 Dec 16.
165. Clohisy JC, Knaus ER, Hunt DM, Lesser JM, Hayes M, Prather H. Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res.* 2009;467(3):638-644.
166. Cyriax J. *Textbook of Orthopedic Medicine*. 8th ed. Kent, UK: Bailliere Tindall; 1981.
167. Mathiessen A, Conaghan PG. Synovitis in osteoarthritis: current understanding with therapeutic implications. *Arthritis Res Ther.* 2017;19(1):18. doi: 10.1186/s13075-017-1229-9.
168. Sutlive TG, Lopez HP, Schnitker DE, et al. Development of a clinical prediction rule for diagnosing hip osteoarthritis in individuals with unilateral hip pain. *J Orthop Sports Phys Ther.* 2008;38(9):542-550. doi: 10.2519/jospt.2008.2753. Epub 2008 Sep 1.
169. Bijl D, Dekker J, van Baar ME, et al. Validity of Cyriax's concept capsular pattern for the diagnosis of osteoarthritis of hip and/or knee. *Scand J Rheumatol.* 1998;27(5):347-351.
170. Klässbo M, Harms-Ringdahl K, Larsson G. Examination of passive ROM and capsular patterns in the hip. *Physiother Res Int.* 2003;8(1):1-12.
171. Wingstrand H, Wingstrand A, Krantz P. Intracapsular and atmospheric pressure in the dynamics and stability of the hip. A biomechanical study. *Acta Orthop Scand.* 1990;61(3):231-235.
172. Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. *J Orthop Sports Phys Ther.* 2003;33(6):326-330.
173. Kendall FP, McCreary EK, Provance PG, Rodgers MM, Romani WA. *Muscles, Testing and Function with Posture and Pain*. 5th ed. Baltimore, MD: Lippincott Williams & Wilkins; 2005.
174. Ayotte NW, Stetts DM, Keenan G, Greenway EH. Electromyographical analysis of selected lower extremity muscles during 5 unilateral weight-bearing exercises. *J Orthop Sports Phys Ther.* 2007;37(2):48-55.
175. McBeth JM, Earl-Boehm JE, Cobb SC, Huddleston WE. Hip muscle activity during 3 side-lying hip-strengthening exercises in distance runners. *J Athl Train.* 2012;47(1):15-23.
176. Philippon MJ, Decker MJ, Giphart JE, Torry MR, Wahoff MS, LaPrade RF. Rehabilitation exercise progression for the gluteus medius muscle with consideration for iliopsoas tendinitis: an in vivo electromyography study. *Am J Sports Med.* 2011;39(8):1777-1785. doi: 10.1177/0363546511406848. Epub 2011 May 12.
177. Chan O, Del Buono A, Best TM, Maffulli N. Acute muscle strain injuries: a proposed new classification system. *Knee Surg Sports Traumatol Arthrosc.* 2012;20(11):2356-2362. doi: 10.1007/s00167-012-2118-z. Epub 2012 Jul 7.
178. Hölmich P. Long-standing groin pain in sportspeople falls into three primary patterns, a "clinical entity" approach: a prospective study of 207 patients. *Br J Sports Med.* 2007;41(4):247-252; discussion 252.
179. Kingzett-Taylor A, Tirman PF, Feller J, et al. Tendinosis and tears of gluteus medius and minimus muscles as a cause of hip pain: MR imaging findings. *AJR Am J Roentgenol.* 1999;173(4):1123-1126.
180. Nicholas SJ, Tyler TF. Adductor muscle strains in sport. *Sports Med.* 2002;32(5):339-344.
181. Heiderscheit BC, Sherry MA, Silder A, Chumanov ES, Thelen DG. Hamstring strain injuries: recommendations for diagnosis, rehabilitation, and injury prevention. *J Orthop Sports Phys Ther.* 2010;40(2):67-81. doi: 10.2519/jospt.2010.3047.
182. Tyler TF, Fukunaga T, Gellert J. Rehabilitation of soft tissue injuries of the hip and pelvis. *Int J Sports Phys Ther.* 2014;9(6):785-797.
183. Lee D. *The Pelvic Girdle*. 4th ed. New York, NY: Elsevier, Inc.; 2011.
184. Lewis CL, Khuu A, Loverro KL. Gait alterations in Femoroacetabular Impingement Syndrome differ by sex. *J Orthop Sports Phys Ther.* 2018;48(8):649-658. doi: 10.2519/jospt.2018.7913. Epub 2018 May 22.
185. Cohen RG, Nutt JG, Horak FB. Errors in postural preparation lead to increased choice reaction times for step initiation in older adults. *J Gerontol A Biol Sci Med Sci.* 2011;66(6):705-713. doi: 10.1093/gerona/glr054. Epub 2011 Apr 15.
186. Dhital A, Pey T, Stanford MR. Visual loss and falls: a review. *Eye (Lond).* 2010;24(9):1437-1446. doi: 10.1038/eye.2010.60. Epub 2010 May 7.
187. Daly RM, Rosengren BE, Alwis G, Ahlborg HG, Sernbo I, Karlsson MK. Gender specific age-related changes in bone density, muscle strength and functional performance in the elderly: a 10 year prospective population-based study. *BMC Geriatr.* 2013;13:71. doi: 10.1186/1471-2318-13-71.
188. Mertz KJ, Lee DC, Sui X, Powell KE, Blair SN. Falls among adults: the association of cardiorespiratory fitness and physical activity with walking-related falls. *Am J Prev Med.* 2010;39(1):15-24. doi: 10.1016/j.amepre.2010.03.013.
189. Kabeshova A, Annweiler C, Fantino B, et al. A regression tree for identifying combinations of fall risk factors associated to recurrent falling: a cross-sectional elderly population-based study. *Aging Clin Exp Res.* 2014;26(3):331-336. doi: 10.1007/s40520-014-0232-0. Epub 2014 Apr 30.

190. Quach L, Yang FM, Berry SD, et al. Depression, antidepressants, and falls among community-dwelling elderly people: the MOBILIZE Boston study. *J Gerontol A Biol Sci Med Sci*. 2013;68(12):1575-1581. doi: 10.1093/gerona/glt084. Epub 2013 Jul 1.
191. Freeland KN, Thompson AN, Zhao Y, Leal JE, Mauldin PD, Moran WP. Medication use and associated risk of falling in a geriatric outpatient population. *Ann Pharmacother*. 2012;46(9):1188-1192. doi: 10.1345/aph.1Q689. Epub 2012 Aug 7.
192. Letts L, Moreland J, Richardson J, et al. The physical environment as a fall risk factor in older adults: Systematic review and meta-analysis of cross-sectional and cohort studies. *Aust Occup Ther J*. 2010;57(1):51-64. doi: 10.1111/j.1440-1630.2009.00787.x.
193. Delbaere K, Close JC, Heim J, et al. A multifactorial approach to understanding fall risk in older people. *J Am Geriatr Soc*. 2010;58(9):1679-1685. doi: 10.1111/j.1532-5415.2010.03017.x.
194. Mayer D. Bayes' theorem, predictive values, post-test probabilities, and interval likelihood ratios. In: Mayer D. *Essential Evidence-Based Medicine*. New York, NY: Cambridge University Press; 2009:261-276.
195. Lusardi MM, Fritz S, Middleton A, et al. Determining risk of falls in community dwelling older adults: a systematic review and meta-analysis using posttest probability. *J Geriatr Phys Ther*. 2017;40(1):1-36.
196. Hardcastle P, Nade S. The significance of the Trendelenburg test. *J Bone Joint Surg Br*. 1985;67(5):741-746.
197. Woerman AL, Binder-Macleod SA. Leg length discrepancy assessment: accuracy and precision in five clinical methods of evaluation*. *J Orthop Sports Phys Ther*. 1984;5(5):230-239.
198. Gross RH. Leg length discrepancy: how much is too much? *Orthopedics*. 1978;1(4):307-310.
199. Friberg O. Clinical symptoms and biomechanics of lumbar spine and hip joint in leg length inequality. *Spine (Phila Pa 1976)*. 1983;8(6):643-651.
200. Blake RL, Ferguson H. Limb length discrepancies. *J Am Podiatr Med Assoc*. 1992;82(1):33-38.
201. Etner JL, Landers DM. Motor performance and motor learning as a function of age and fitness. *Res Q Exerc Sport*. 1998;69(2):136-146.
202. Terjesen T, Benum P, Rossvoll I, Svenningsen S, Fløystad Isern AE, Nordbø T. Leg-length discrepancy measured by ultrasonography. *Acta Orthop Scand*. 1991;62(2):121-124.
203. Hanada E, Kirby RL, Mitchell M, Swuste JM. Measuring leg-length discrepancy by the "iliac crest palpation and book correction" method: reliability and validity. *Arch Phys Med Rehabil*. 2001;82(7):938-942.
204. Beattie P, Isaacson K, Riddle DL, Rothstein JM. Validity of derived measurements of leg-length differences obtained by use of a tape measure. *Phys Ther*. 1990;70(3):150-157.
205. Gogia PP, Braatz JH. Validity and reliability of leg length measurements. *J Orthop Sports Phys Ther*. 1986;8(4):185-188.
206. Young RS, Andrew PD, Cummings GS. Effect of simulating leg length inequality on pelvic torsion and trunk mobility. *Gait Posture*. 2000;11(3):217-223.
207. Davids JR, Benfanti P, Blackhurst DW, Allen BL. Assessment of femoral anteversion in children with cerebral palsy: accuracy of the trochanteric prominence angle test. *J Pediatr Orthop*. 2002;22(2):173-178.
208. Ruwe PA, Gage JR, Ozonoff MB, DeLuca PA. Clinical determination of femoral anteversion. A comparison with established techniques. *J Bone Joint Surg Am*. 1992;74(6):820-830.
209. Souza RB, Powers CM. Concurrent criterion-related validity and reliability of a clinical test to measure femoral anteversion. *J Orthop Sports Phys Ther*. 2009;39(8):586-592. doi: 10.2519/jospt.2009.2996.
210. Bui KL, Ilaslan H, Recht M, Sundaram M. Iliopsoas injury: an MRI study of patterns and prevalence correlated with clinical findings. *Skeletal Radiol*. 2008;37(3):245-249.
211. Opar DA, Williams MD, Shield AJ. Hamstring strain injuries: factors that lead to injury and re-injury. *Sports Med*. 2012;42(3):209-226. doi: 10.2165/11594800-00000000-00000.
212. Foote CJ, Maizlin ZV, Shrouder J, Grant MM, Bedi A, Ayeni OR. The association between avulsions of the reflected head of the rectus femoris and labral tears: a retrospective study. *J Pediatr Orthop*. 2013;33(3):227-231. doi: 10.1097/BPO.0b013e3182880978.
213. Filler AG. Piriformis and related entrapment syndromes: diagnosis & management. *Neurosurg Clin N Am*. 2008;19(4):609-622, vii. doi: 10.1016/j.nec.2008.07.029.
214. Hall C. The hip. In: Brody LT, Hall CM, eds. *Therapeutic Exercise: Moving Toward Function*. 4th ed. Philadelphia, PA: Wolters Kluwer; 2018:569-573.
215. Enseki K, Harris-Hayes M, White DM, et al. Nonarthritic hip joint pain. *J Orthop Sports Phys Ther*. 2014;44(6):A1-32. doi: 10.2519/jospt.2014.0302.
216. Cibulka MT, White DM, Woehrle J, et al. Hip pain and mobility deficits--hip osteoarthritis: clinical practice guidelines linked to the international classification of functioning, disability, and health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2009;39(4):A1-25. doi: 10.2519/jospt.2009.0301
217. Smith MV, Panchal HB, Ruberte Thiele RA, Sekiya JK. Effect of acetabular labrum tears on hip stability and labral strain in a joint compression model.

- Am J Sports Med.* 2011;39 Suppl:103S-110S. doi: 10.1177/0363546511400981.
218. Mason JB. Acetabular labral tears in the athlete. *Clin Sports Med.* 2001;20(4):779-790.
 219. Hicks MR, Cao TV, Campbell DH, Standley PR. Mechanical strain applied to human fibroblasts differentially regulates skeletal myoblast differentiation. *J Appl Physiol (1985).* 2012;113(3):465-472. doi: 10.1152/japplphysiol.01545.2011. Epub 2012 Jun 7.
 220. Almekinders LC, Banes AJ, Ballenger CA. Effects of repetitive motion on human fibroblasts. *Med Sci Sports Exerc.* 1993;25(5):603-607.
 221. Ross JR, Nepple JJ, Philippon MJ, Kelly BT, Larson CM, Bedi A. Effect of changes in pelvic tilt on range of motion to impingement and radiographic parameters of acetabular morphologic characteristics. *Am J Sports Med.* 2014;42(10):2402-2409 doi: 10.1177/0363546514541229. Epub 2014 Jul 24..
 222. Hannan MT, Felson DT, Pincus T. Analysis of the discordance between radiographic changes and knee pain in osteoarthritis of the knee. *J Rheumatol.* 2000;27(6):1513-1517.
 223. American Physical Therapy Association. Movement System. <http://www.apta.org/MovementSystem/>. Accessed November 13, 2018.
 224. Moseley L, Butler D. *Explain Pain Supercharged*. Australia: Noigroup Publications; 2017.
 225. Harris-Hayes M, Holtzman GW, Earley JA, Van Dillen LR. Development and preliminary reliability testing of an assessment of patient independence in performing a treatment program: standardized scenarios. *J Rehabil Med.* 2010;42(3):221-227. doi: 10.2340/16501977-0505.
 226. Costa LaC, Maher CG, McAuley JH, Hancock MJ, Smeets RJ. Self-efficacy is more important than fear of movement in mediating the relationship between pain and disability in chronic low back pain. *Eur J Pain.* 2011;15(2):213-219. doi: 10.1016/j.ejpain.2010.06.014. Epub 2010 Jul 23.
 227. Austin AB, Souza RB, Meyer JL, Powers CM. Identification of abnormal hip motion associated with acetabular labral pathology. *J Orthop Sports Phys Ther.* 2008;38(9):558-565 doi: 10.2519/jospt.2008.2790. Epub 2008 Sep 1..
 228. MacMahon J, Chaudhari A, Adriacchi T. Biomechanical injury predictors for marathon runners: striding towards iliotibial band syndrome injury prevention [abstract]. International Symposium of Biomechanics in Sports; 2000; Hong Kong.
 229. Fredericson M, Cunningham CL, Chaudhari AM, Dowdell BC, Oestreicher N, Sahrmann SA. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med.* 2000;10(3):169-175.
 230. Williams PE, Goldspink G. Changes in sarcomere length and physiological properties in immobilized muscle. *J Anat.* 1978;127(Pt 3):459-468.
 231. Chang WD, Chen FC, Lee CL, Lin HY, Lai PT. Effects of Kinesio Taping versus McConnell Taping for Patellofemoral Pain Syndrome: a systematic review and meta-analysis. *Evid Based Complement Alternat Med.* 2015;2015:471208. doi: 10.1155/2015/471208. Epub 2015 Jun 21.
 232. Hernando MF, Cerezal L, Pérez-Carro L, Canga A, González RP. Evaluation and management of ischiofemoral impingement: a pathophysiologic, radiologic, and therapeutic approach to a complex diagnosis. *Skeletal Radiol.* 2016;45(6):771-787. doi: 10.1007/s00256-016-2354-2. Epub 2016 Mar 3.
 233. Sutter R, Pfirrmann CW. Atypical hip impingement. *AJR Am J Roentgenol.* 2013;201(3):W437-442. doi: 10.2214/AJR.13.10692.
 234. Ali AM, Teh J, Whitwell D, Ostlere S. Ischiofemoral impingement: a retrospective analysis of cases in a specialist orthopaedic centre over a four-year period. *Hip Int.* 2013;23(3):263-268. doi: 10.5301/hipint.5000021. Epub 2013 May 27.
 235. López-Sánchez MC, Armesto Pérez V, Montero Furelos L, Vázquez-Rodríguez TR, Calvo Arrojo G, Díaz Román TM. Ischiofemoral impingement: hip pain of infrequent cause. *Reumatol Clin.* 2013;9(3):186-187. doi: 10.1016/j.reuma.2012.06.005. Epub 2012 Sep 25.
 236. Ramazzina I, Bernazzoli B, Braghieri V, Costantino C. Groin pain in athletes and non-interventional rehabilitative treatment: a systematic review. *J Sports Med Phys Fitness.* 2018. doi: 10.23736/S0022-4707.18.08879-5. [Epub ahead of print]
 237. Bui KL, Ilaslan H, Recht M, Sundaram M. Iliopsoas injury: an MRI study of patterns and prevalence correlated with clinical findings. *Skeletal Radiol.* 2008;37(3):245-249.
 238. Tsukada S, Niga S, Nihei T, Imamura S, Saito M, Hatanaka J. Iliopsoas disorder in athletes with groin pain: prevalence in 638 consecutive patients assessed with MRI and clinical results in 134 patients with signal intensity changes in the iliopsoas. *JBJS Open Access.* 2018;3(1):e0049. doi: 10.2106/JBJS.OA.17.00049. eCollection 2018 Mar 29.
 239. Rio E, Kidgell D, Purdam C, et al. Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sports Med.* 2015;49(19):1277-1283. doi: 10.1136/bjsports-2014-094386. Epub 2015 May 15.
 240. Miller MI, Medeiros JM. Recruitment of internal oblique and transversus abdominis muscles during the eccentric phase of the curl-up exercise. *Phys Ther.* 1987;67(8):1213-1217.

241. Brody L, Hall C. *Therapeutic Exercise Moving Toward Function*. 4th ed. Philadelphia, PA: Wolters Kluwer; 2018.
242. Lewis CL, Sahrman SA. Muscle activation and movement patterns during prone hip extension exercise in women. *J Athl Train*. 2009;44(3):238-248. doi: 10.4085/1062-6050-44.3.238.
243. Lewis CL, Sahrman SA, Moran DW. Effect of hip angle on anterior hip joint force during gait. *Gait Posture*. 2010;32(4):603-607. doi: 10.1016/j.gaitpost.2010.09.001. Epub 2010 Oct 8.
244. Lewis CL, Garibay EJ. Effect of increased pushoff during gait on hip joint forces. *J Biomech*. 2015;48(1):181-185. doi: 10.1016/j.jbiomech.2014.10.033. Epub 2014 Nov 12.
245. Lewis CL, Khuu A, Marinko LN. Postural correction reduces hip pain in adult with acetabular dysplasia: A case report. *Man Ther*. 2015;20(3):508-512. doi: 10.1016/j.math.2015.01.014. Epub 2015 Feb 4.
246. Kalisvaart MM, Safran MR. Microinstability of the hip-it does exist: etiology, diagnosis and treatment. *J Hip Preserv Surg*. 2015;2(2):123-135. doi: 10.1093/jhps/hnv017. Epub 2015 Apr 20.