



# Movement Systems Impairment Approach to Diagnosis and Treatment of Knee Pain

Independent Study  
Course 29.1.4

**Sylvia L. Czuppon, PT, DPT, OCS**  
**Suzanne L. Cornbleet, PT, DPT**  
**Gregory Holtzman, PT, DPT, SCS**

Washington University in St. Louis – School of Medicine  
Program in Physical Therapy  
St. Louis, MO

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF  
**ORTHOPAEDIC**  
**PHYSICAL THERAPY** 

 **APTA**  
American Physical Therapy Association

## REFERENCES

1. Thorstensson CA, Gooberman-Hill R, Adamson J, Williams S, Dieppe P. Help-seeking behaviour among people living with chronic hip or knee pain in the community. *BMC Musculoskelet Disord.* 2009;10:153. doi: 10.1186/1471-2474-10-153.
2. Collins NJ, Barton CJ, van Middelkoop M, et al. 2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and manual therapy) to treat patellofemoral pain: recommendations from the 5th International Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. *Br J Sports Med.* 2018;52(18):1170-1178. doi: 10.1136/bjsports-2018-099397. Epub 2018 Jun 20.
3. McAlindon TE, Bannuru RR, Sullivan MC, et al. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage.* 2014;22(3):363-388. doi: 10.1016/j.joca.2014.01.003. Epub 2014 Jan 24.
4. American Geriatrics Society Panel on Exercise and Osteoarthritis. Exercise prescription for older adults with osteoarthritis pain: consensus practice recommendations. A supplement to the AGS Clinical Practice Guidelines on the management of chronic pain in older adults. *J Am Geriatr Soc.* 2001;49(6):808-823.
5. Hewett TE, Myer GD, Ford KR, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med.* 2005;33(4):492-501.
6. Noehren B, Davis I, Hamill J. ASB clinical biomechanics award winner 2006 prospective study of the biomechanical factors associated with iliotibial band syndrome. *Clin Biomech (Bristol, Avon).* 2007;22(9):951-956.
7. Cerejo R, Dunlop DD, Cahue S, Channin D, Song J, Sharma L. The influence of alignment on risk of knee osteoarthritis progression according to baseline stage of disease. *Arthritis Rheum.* 2002;46(10):2632-2636.
8. Willson JD, Davis IS. Lower extremity mechanics of females with and without patellofemoral pain across activities with progressively greater task demands. *Clin Biomech (Bristol, Avon).* 2008;23(2):203-211.
9. Webster KE, Hewett TE. Meta-analysis of meta-analyses of anterior cruciate ligament injury reduction training programs. *J Orthop Res.* 2018;36(10):2696-2708. doi: 10.1002/jor.24043. Epub 2018 Jun 13.
10. Salsich GB, Graci V, Maxam DE. The effects of movement pattern modification on lower extremity kinematics and pain in women with patellofemoral pain. *J Orthop Sports Phys Ther.* 2012;42(12):1017-1024. doi: 10.2519/jospt.2012.4231. Epub 2012 Sep 5.
11. Harris-Hayes M, Sahrman SA, Norton BJ, Salsich GB. Diagnosis and management of a patient with knee pain using the movement system impairment classification system. *J Orthop Sports Phys Ther.* 2008;38(4):203-213. doi: 10.2519/jospt.2008.2584. Epub 2007 Nov 21.
12. Guermazi A, Niu J, Hayashi D, et al. Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). *BMJ.* 2012;345:e5339. doi: 10.1136/bmj.e5339.
13. Mueller MJ, Maluf KS. Tissue adaptation to physical stress: a proposed "Physical Stress Theory" to guide physical therapist practice, education, and research. *Phys Ther.* 2002;82(4):383-403.
14. Sahrman SA. *Diagnosis and Treatment of Movement Impairment Syndromes.* St. Louis, MO: Mosby, Inc; 2002.
15. Sahrman S. *Movement System Impairment Syndromes of the Extremities, Cervical and Thoracic Spines.* St. Louis, MO: Elsevier Health Sciences; 2014.
16. Khoo-Summers LC, Prather H, Hunt DM, Van Dillen LR. Predictors of first position turnout in collegiate dancers: the role of tibiofemoral external rotation and hip external rotation. *Am J Phys Med Rehabil.* 2013;92(2):136-142. doi: 10.1097/PHM.0b013e3182465dff.

17. Tate AR, McClure PW, Kareha S, Irwin D. Effect of the Scapula Reposition Test on shoulder impingement symptoms and elevation strength in overhead athletes. *J Orthop Sports Phys Ther.* 2008;38(1):4-11.
18. Rabin A, Irrgang JJ, Fitzgerald GK, Eubanks A. The intertester reliability of the Scapular Assistance Test. *J Orthop Sports Phys Ther.* 2006;36(9):653-660.
19. Kibler WB, Sciascia A, Dome D. Evaluation of apparent and absolute supraspinatus strength in patients with shoulder injury using the scapular retraction test. *Am J Sports Med.* 2006;34(10):1643-1647.
20. Graci V, Salsich GB. Trunk and lower extremity segment kinematics and their relationship to pain following movement instruction during a single-leg squat in females with dynamic knee valgus and patellofemoral pain. *J Sci Med Sport.* 2015;18(3):343-347. doi: 10.1016/j.jsams.2014.04.011. Epub 2014 Apr 26.
21. Powers CM, Witvrouw E, Davis IS, Crossley KM. Evidence-based framework for a pathomechanical model of patellofemoral pain: 2017 patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester, UK: part 3. *Br J Sports Med.* 2017;51(24):1713-1723. doi: 10.1136/bjsports-2017-098717. Epub 2017 Nov 6.
22. Bell-Jenje T, Olivier B, Wood W, Rogers S, Green A, McKinnon W. The association between loss of ankle dorsiflexion range of movement, and hip adduction and internal rotation during a step down test. *Man Ther.* 2016;21:256-261. doi: 10.1016/j.math.2015.09.010. Epub 2015 Sep 21.
23. Lack S, Barton C, Malliaras P, Twycross-Lewis R, Woledge R, Morrissey D. The effect of anti-pronation foot orthoses on hip and knee kinematics and muscle activity during a functional step-up task in healthy individuals: a laboratory study. *Clin Biomech (Bristol, Avon).* 2014;29(2):177-182. doi: 10.1016/j.clinbiomech.2013.11.015. Epub 2013 Dec 1.
24. Neumann DA. *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation*, 3rd ed. St.Louis, MO: Elsevier; 2017.
25. Huberti HH, Hayes WC. Patellofemoral contact pressures. The influence of q-angle and tendofemoral contact. *J Bone Joint Surg Am.* 1984;66(5):715-724.
26. Standring S. ed. *Gray's Anatomy. The Anatomical Basis of Clinical Practice*, 41st ed. St. Louis, MO: Elsevier; 2017.
27. Desio SM, Burks RT, Bachus KN. Soft tissue restraints to lateral patellar translation in the human knee. *Am J Sports Med.* 1998;26(1):59-65.
28. Amis AA, Firer P, Mountney J, Senavongse W, Thomas NP. Anatomy and biomechanics of the medial patellofemoral ligament. *Knee.* 2003;10(3):215-220.
29. Philippot R, Boyer B, Testa R, Farizon F, Moyon B. The role of the medial ligamentous structures on patellar tracking during knee flexion. *Knee Surg Sports Traumatol Arthrosc.* 2012;20(2):331-336. doi: 10.1007/s00167-011-1598-6. Epub 2011 Jul 12.
30. Hinckel BB, Gobbi RG, Kaleka CC, Camanho GL, Arendt EA. Medial patellofemoral ligament and medial patellomeniscal ligament: anatomy, imaging, biomechanics, and clinical review. *Knee Surg Sports Traumatol Arthrosc.* 2018;26(3):685-696. doi: 10.1007/s00167-017-4469-y. Epub 2017 Mar 13.
31. Makris EA, Hadidi P, Athanasiou KA. The knee meniscus: structure-function, pathophysiology, current repair techniques, and prospects for regeneration. *Biomaterials.* 2011;32(30):7411-7431. doi: 10.1016/j.biomaterials.2011.06.037. Epub 2011 Jul 18.
32. Mace J, Bhatti W, Anand S. Infrapatellar fat pad syndrome: a review of anatomy, function, treatment and dynamics. *Acta Orthop Belg.* 2016;82(1):94-101.
33. Markolf KL, Mensch JS, Amstutz HC. Stiffness and laxity of the knee--the contributions of the supporting structures. A quantitative in vitro study. *J Bone Joint Surg Am.* 1976;58(5):583-594.
34. Markolf KL, Graff-Radford A, Amstutz HC. In vivo knee stability. A quantitative assessment using an instrumented clinical testing apparatus. *J Bone Joint Surg Am.* 1978;60(5):664-674.
35. Lundberg M, Messner K. Decrease in valgus stiffness after medial knee ligament injury. A 4-year clinical and mechanical follow-up study in 38 patients. *Acta Orthop Scand.* 1994;65(6):615-619.
36. Zhang LQ, Wang G. Dynamic and static control of the human knee joint in abduction-adduction. *J Biomech.* 2001;34(9):1107-1115.
37. Powers CM, Shellock FG, Pfaff M. Quantification of patellar tracking using kinematic MRI. *J Magn Reson Imaging.* 1998;8(3):724-732.
38. Mossberg KA, Smith LK. Axial rotation of the knee in women. *J Orthop Sports Phys Ther.* 1983;4(4):236-240.
39. Osternig LR, Bates BT, James SL. Patterns of tibial rotary torque in knees of healthy subjects. *Med Sci Sports Exerc.* 1980;12(3):195-199.
40. Shoemaker SC, Markolf KL. In vivo rotatory knee stability. Ligamentous and muscular contributions. *J Bone Joint Surg Am.* 1982;64(2):208-216.
41. Gollehon DL, Torzilli PA, Warren RF. The role of the posterolateral and cruciate ligaments in the stability of the human knee. A biomechanical study. *J Bone Joint Surg Am.* 1987;69(2):233-242.



42. Delp SL, Hess WE, Hungerford DS, Jones LC. Variation of rotation moment arms with hip flexion. *J Biomech.* 1999;32(5):493-501.
43. Kendall FP, McCreary EK. *Muscles: Testing and Function*, 3rd ed. Baltimore, MD: Williams & Wilkins; 1983.
44. Elias JJ, Kilambi S, Goerke DR, Cosgarea AJ. Improving vastus medialis obliquus function reduces pressure applied to lateral patellofemoral cartilage. *J Orthop Res.* 2009;27(5):578-583. doi: 10.1002/jor.20791.
45. Goh JC, Lee PY, Bose K. A cadaver study of the function of the oblique part of vastus medialis. *J Bone Joint Surg Br.* 1995;77(2):225-231.
46. Nyland J, Lachman N, Kocabay Y, Brosky J, Altun R, Caborn D. Anatomy, function, and rehabilitation of the popliteus musculotendinous complex. *J Orthop Sports Phys Ther.* 2005;35(3):165-179.
47. Irrgang JJ, Snyder-Mackler L, Wainner RS, Fu FH, Harner CD. Development of a patient-reported measure of function of the knee. *J Bone Joint Surg Am.* 1998;80(8):1132-1145.
48. Gelberman RH, Cohen MS, Desai SS, Griffin PP, Salamon PB, O'Brien TM. Femoral anteversion. A clinical assessment of idiopathic intoeing gait in children. *J Bone Joint Surg Br.* 1987;69(1):75-79.
49. Loudon JK, Goist HL, Loudon KL. Genu recurvatum syndrome. *J Orthop Sports Phys Ther.* 1998;27(5):361-367.
50. Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. *J Orthop Sports Phys Ther.* 2003;33(11):677-685.
51. Powers CM. The influence of abnormal hip mechanics on knee injury: a biomechanical perspective. *J Orthop Sports Phys Ther.* 2010;40(2):42-51. doi: 10.2519/jospt.2010.3337.
52. Lee TQ, Yang BY, Sandusky MD, McMahan PJ. The effects of tibial rotation on the patellofemoral joint: assessment of the changes in in situ strain in the peripatellar retinaculum and the patellofemoral contact pressures and areas. *J Rehabil Res Dev.* 2001;38(5):463-469.
53. Poulsen MR, Johnson DL. Meniscal injuries in the young, athletically active patient. *Phys Sportsmed.* 2011;39(1):123-130. doi: 10.3810/psm.2011.02.1870.
54. Paterno MV, Schmitt LC, Ford KR, et al. Biomechanical measures during landing and postural stability predict second anterior cruciate ligament injury after anterior cruciate ligament reconstruction and return to sport. *Am J Sports Med.* 2010;38(10):1968-1978. doi: 10.1177/0363546510376053. Epub 2010 Aug 11.
55. Stergiou N, Ristanis S, Moraiti C, Georgoulis AD. Tibial rotation in anterior cruciate ligament (ACL)-deficient and ACL-reconstructed knees: a theoretical proposition for the development of osteoarthritis. *Sports Med.* 2007;37(7):601-613.
56. Kwak SD, Ahmad CS, Gardner TR, et al. Hamstrings and iliotibial band forces affect knee kinematics and contact pattern. *J Orthop Res.* 2000;18(1):101-108.
57. Winslow J, Yoder E. Patellofemoral pain in female ballet dancers: correlation with iliotibial band tightness and tibial external rotation. *J Orthop Sports Phys Ther.* 1995;22(1):18-21.
58. Dill KE, Begalle RL, Frank BS, Zinder SM, Padua DA. Altered knee and ankle kinematics during squatting in those with limited weight-bearing-lunge ankle-dorsiflexion range of motion. *J Athl Train.* 2014;49(6):723-732. doi: 10.4085/1062-6050-49.3.29.
59. Bennell KL, Talbot RC, Wajswelner H, Techovanich W, Kelly DH, Hall AJ. Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion. *Aust J Physiother.* 1998;44(3):175-180.
60. Powden CJ, Hoch JM, Hoch MC. Reliability and minimal detectable change of the weight-bearing lunge test: A systematic review. *Man Ther.* 2015;20(4):524-532. doi: 10.1016/j.math.2015.01.004. Epub 2015 Jan 29.
61. Netter FH. *Atlas of Human Anatomy*, 6th ed. St. Louis, MO: Elsevier; 2014.
62. Lavine R. Iliotibial band friction syndrome. *Curr Rev Musculoskelet Med.* 2010;3(1-4):18-22. doi: 10.1007/s12178-010-9061-8.
63. Bolgia LA, Malone TR, Umberger BR, Uhl TL. Hip strength and hip and knee kinematics during stair descent in females with and without patellofemoral pain syndrome. *J Orthop Sports Phys Ther.* 2008;38(1):12-18. doi: 10.2519/jospt.2008.2462. Epub 2007 Nov 21.
64. Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. *J Orthop Sports Phys Ther.* 2005;35(12):793-801.
65. Cichanowski HR, Schmitt JS, Johnson RJ, Niemuth PE. Hip strength in collegiate female athletes with patellofemoral pain. *Med Sci Sports Exerc.* 2007;39(8):1227-1232.
66. Noehren B, Barrance PJ, Pohl MP, Davis IS. A comparison of tibiofemoral and patellofemoral alignment during a neutral and valgus single leg squat: an MRI study. *Knee.* 2012;19(4):380-386. doi: 10.1016/j.knee.2011.05.012. Epub 2011 Jul 1.
67. Graci V, Van Dillen LR, Salsich GB. Gender differences in trunk, pelvis and lower limb kinematics during a single leg squat. *Gait Posture.* 2012;36(3):461-466. doi: 10.1016/j.gaitpost.2012.04.006. Epub 2012 May 14.
68. Nakagawa TH, Moriya ET, Maciel CD, Serrao AF. Frontal plane biomechanics in males and females

- with and without patellofemoral pain. *Med Sci Sports Exerc.* 2012;44(9):1747-1755. doi: 10.1249/MSS.0b013e318256903a.
69. McKenzie K, Galea V, Wessel J, Pierrynowski M. Lower extremity kinematics of females with patellofemoral pain syndrome while stair stepping. *J Orthop Sports Phys Ther.* 2010;40(10):625-632. doi: 10.2519/jospt.2010.3185.
  70. Willy RW, Scholz JP, Davis IS. Mirror gait retraining for the treatment of patellofemoral pain in female runners. *Clin Biomech (Bristol, Avon).* 2012;27(10):1045-1051. doi: 10.1016/j.clinbiomech.2012.07.011. Epub 2012 Aug 20.
  71. Salsich GB, Yemm B, Steger-May K, Lang CE, Van Dillen LR. A feasibility study of a novel, task-specific movement training intervention for women with patellofemoral pain. *Clin Rehabil.* 2018;32(2):179-190. doi: 10.1177/0269215517723055. Epub 2017 Jul 27.
  72. Kisner C, Colby LA. *Therapeutic Exercise Foundations and Techniques.* Philadelphia, PA: FA Davis; 2002.
  73. Falvey EC, Clark RA, Franklyn-Miller A, Bryant AL, Briggs C, McCrory PR. Iliotibial band syndrome: an examination of the evidence behind a number of treatment options. *Scand J Med Sci Sports.* 2010;20(4):580-587. doi: 10.1111/j.1600-0838.2009.00968.x. Epub 2009 Aug 23.
  74. Wilhelm M, Matthijs O, Browne K, et al. Deformation response of the iliotibial band-tensor fascia lata complex to clinical-grade longitudinal tension loading in-vitro. *Int J Sports Phys Ther.* 2017;12(1):16-24.
  75. Umehara J, Ikezoe T, Nishishita S, et al. Effect of hip and knee position on tensor fasciae latae elongation during stretching: An ultrasonic shear wave elastography study. *Clin Biomech (Bristol, Avon).* 2015;30(10):1056-1059. doi: 10.1016/j.clinbiomech.2015.09.007. Epub 2015 Sep 12.
  76. Park JH, Kang SY, Choung SD, Jeon HS, Kwon OY. Effects of tibial rotation on Ober's test and patellar tracking. *Knee.* 2016;23(4):600-603. doi: 10.1016/j.knee.2015.09.012. Epub 2016 May 28.
  77. Reiman MP, Bolgla LA, Loudon JK. A literature review of studies evaluating gluteus maximus and gluteus medius activation during rehabilitation exercises. *Physiother Theory Pract.* 2012;28(4):257-268. doi: 10.3109/09593985.2011.604981. Epub 2011 Oct 18.
  78. Distefano LJ, Blackburn JT, Marshall SW, Padua DA. Gluteal muscle activation during common therapeutic exercises. *J Orthop Sports Phys Ther.* 2009;39(7):532-540. doi: 10.2519/jospt.2009.2796.
  79. Selkowitz DM, Beneck GJ, Powers CM. Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes. *J Orthop Sports Phys Ther.* 2013;43(2):54-64. doi: 10.2519/jospt.2013.4116. Epub 2012 Nov 16.
  80. Macadam P, Cronin J, Contreras B. An Examination of the gluteal muscle activity associated with dynamic hip abduction and hip external rotation exercise: a systematic review. *Int J Sports Phys Ther.* 2015;10(5):573-591.
  81. Bloom N, Cornbleet SL. Hip rotator strength in healthy young adults measured in hip flexion and extension by using a hand-held dynamometer. *PM R.* 2014;6(12):1137-1142. doi: 10.1016/j.pmrj.2014.06.002. Epub 2014 Jun 17.
  82. Dostal WF, Soderberg GL, Andrews JG. Actions of hip muscles. *Phys Ther.* 1986;66(3):351-361.
  83. Berry JW, Lee TS, Foley HD, Lewis CL. Resisted Side stepping: the effect of posture on hip abductor muscle activation. *J Orthop Sports Phys Ther.* 2015;45(9):675-682. doi: 10.2519/jospt.2015.5888. Epub 2015 Jul 10.
  84. Herrington L. Effect of a SERF strap on pain and knee-valgus angle during unilateral squat and step landing in patellofemoral patients. *J Sport Rehabil.* 2013;22(1):27-32.
  85. Greuel H, Herrington L, Liu A, Jones RK. Does the Powers strap modify lower limb biomechanics during running? *Gait Posture.* 2017;57:141-146. doi: 10.1016/j.gaitpost.2017.06.001. Epub 2017 Jun 3.
  86. McConnell J. The management of chondromalacia patellae: a long term solution. *Aust J Physiother.* 1986;32(4):215-223. doi: 10.1016/S0004-9514(14)60654-1.
  87. Novacheck TF. The biomechanics of running. *Gait Posture.* 1998;7(1):77-95.
  88. Souza RB. An evidence-based videotaped running biomechanics analysis. *Phys Med Rehabil Clin N Am.* 2016;27(1):217-236. doi: 10.1016/j.pmr.2015.08.006. Epub 2015 Oct 20.
  89. Lian O, Refsnes PE, Engebretsen L, Bahr R. Performance characteristics of volleyball players with patellar tendinopathy. *Am J Sports Med.* 2003;31(3):408-413.
  90. Insall J, Salvati E. Patella position in the normal knee joint. *Radiology.* 1971;101(1):101-104.
  91. Escala JS, Mellado JM, Olona M, Gine J, Sauri A, Neyret P. Objective patellar instability: MR-based quantitative assessment of potentially associated anatomical features. *Knee Surg Sports Traumatol Arthrosc.* 2006;14(3):264-272.
  92. Neyret P, Robinson AH, Le Coultre B, Lapra C, Chambat P. Patellar tendon length--the factor in patellar instability? *Knee.* 2002;9(1):3-6.
  93. Ward SR, Terk MR, Powers CM. Patella alta: association with patellofemoral alignment and changes in contact area during weight-bearing. *J Bone Joint Surg Am.* 2007;89(8):1749-1755.
  94. Shabshin N, Schweitzer ME, Morrison WB, Parker L. MRI criteria for patella alta and baja. *Skeletal Radiol.* 2004;33(8):445-450.

95. Witvrouw E, Bellemans J, Lysens R, Danneels L, Cambier D. Intrinsic risk factors for the development of patellar tendinitis in an athletic population. A two-year prospective study. *Am J Sports Med.* 2001;29(2):190-195.
96. Rudavsky A, Cook J. Physiotherapy management of patellar tendinopathy (jumper's knee). *J Physiother.* 2014;60(3):122-129. doi: 10.1016/j.jphys.2014.06.022. Epub 2014 Aug 3.
97. Fong CM, Blackburn JT, Norcross MF, McGrath M, Padua DA. Ankle-dorsiflexion range of motion and landing biomechanics. *J Athl Train.* 2011;46(1):5-10. doi: 10.4085/1062-6050-46.1.5.
98. Norkin CC, White DJ. *Measurement of Joint Motion a Guide to Goniometry.* Philadelphia, PA: FA Davis Company; 2009.
99. Kulig K, Joiner DG, Chang YJ. Landing limb posture in volleyball athletes with patellar tendinopathy: a pilot study. *Int J Sports Med.* 2015;36(5):400-406. doi: 10.1055/s-0034-1395586. Epub 2015 Jan 21.
100. Dierks TA, Manal KT, Hamill J, Davis I. Lower extremity kinematics in runners with patellofemoral pain during a prolonged run. *Med Sci Sports Exerc.* 2011;43(4):693-700. doi: 10.1249/MSS.0b013e3181f744f5.
101. Heiderscheit BC, Chumanov ES, Michalski MP, Wille CM, Ryan MB. Effects of step rate manipulation on joint mechanics during running. *Med Sci Sports Exerc.* 2011;43(2):296-302. doi: 10.1249/MSS.0b013e3181e3bedf4.
102. Davis IS, Futrell E. Gait retraining: altering the fingerprint of gait. *Phys Med Rehabil Clin N Am.* 2016;27(1):339-355. doi: 10.1016/j.pmr.2015.09.002.
103. Gokeler A, Benjaminse A, Hewett TE, et al. Feedback techniques to target functional deficits following anterior cruciate ligament reconstruction: implications for motor control and reduction of second injury risk. *Sports Med.* 2013;43(11):1065-1074. doi: 10.1007/s40279-013-0095-0.
104. Gokeler A, Benjaminse A, Welling W, Alferink M, Eppinga P, Otten B. The effects of attentional focus on jump performance and knee joint kinematics in patients after ACL reconstruction. *Phys Ther Sport.* 2015;16(2):114-120. doi: 10.1016/j.ptsp.2014.06.002. Epub 2014 Jul 2.
105. Pourahmadi MR, Ebrahimi Takamjani I, Hesampour K, Shah-Hosseini GR, Jamshidi AA, Shamsi MB. Effects of static stretching of knee musculature on patellar alignment and knee functional disability in male patients diagnosed with knee extension syndrome: A single-group, pretest-posttest trial. *Man Ther.* 2016;22:179-189. doi: 10.1016/j.math.2015.12.005. Epub 2015 Dec 22.
106. Holtzman GW, Harris-Hayes M. Treatment of patella alta with taping, exercise, mobilization, and functional activity modification: a case report. *Physiother Theory Pract.* 2012;28(1):71-83. doi: 10.3109/09593985.2011.566910. Epub 2011 Jul 3.
107. Hengeveld E, Banks K, eds. *Maitland's Peripheral Manipulation.* Oxford, UK: Elsevier/Butterworth Heinemann; 2005.
108. Kaltenborn FM, Evjenth O. *Manual Mobilization of the Joints: The Kaltenborn Method of Joint Examination and Treatment. Vol. 1.* Oslo, Norway: Olaf Norlis bokhandel; 1999.
109. Rutland M, O'Connell D, Brismee JM, Sizer P, Apte G, O'Connell J. Evidence-supported rehabilitation of patellar tendinopathy. *N Am J Sports Phys Ther.* 2010;5(3):166-178.
110. Lavagnino M, Arnoczky SP, Dodds J, Elvin N. Infrapatellar straps decrease patellar tendon strain at the site of the jumper's knee lesion: a computational analysis based on radiographic measurements. *Sports Health.* 2011;3(3):296-302.
111. Cameron MH. *Physical Agents in Rehabilitation: An Evidence-Based Approach to Practice.* St. Louis, MO: Elsevier; 2018.
112. Teng HL, Powers CM. Hip-extensor strength, trunk posture, and use of the knee-extensor muscles during running. *J Athl Train.* 2016;51(7):519-524. doi: 10.4085/1062-6050-51.8.05. Epub 2016 Aug 11.
113. Alter MJ. *Science of Flexibility.* Champaign, IL: Human Kinetics; 2004.
114. Clinch J, Deere K, Sayers A, et al. Epidemiology of generalized joint laxity (hypermobility) in fourteen-year-old children from the UK: a population-based evaluation. *Arthritis Rheum.* 2011;63(9):2819-2827. doi: 10.1002/art.30435.
115. Shultz SJ, Nguyen AD, Levine BJ. The relationship between lower extremity alignment characteristics and anterior knee joint laxity. *Sports Health.* 2009;1(1):54-60.
116. Loudon JK, Jenkins W, Loudon KL. The relationship between static posture and ACL injury in female athletes. *J Orthop Sports Phys Ther.* 1996;24(2):91-97.
117. Myer GD, Ford KR, Paterno MV, Nick TG, Hewett TE. The effects of generalized joint laxity on risk of anterior cruciate ligament injury in young female athletes. *Am J Sports Med.* 2008;36(6):1073-1080. doi: 10.1177/0363546507313572. Epub 2008 Mar 7.
118. Ramesh R, Von Arx O, Azzopardi T, Schranz PJ. The risk of anterior cruciate ligament rupture with generalised joint laxity. *J Bone Joint Surg Br.* 2005;87(6):800-803.
119. Lehman GJ, Lennon D, Tresidder B, Rayfield B, Poschar M. Muscle recruitment patterns during the prone leg extension. *BMC Musculoskelet Disord.* 2004;5:3.
120. Farrokhi S, Pollard CD, Souza RB, Chen YJ, Reischl S, Powers CM. Trunk position influences the kinematics,



- kinetics, and muscle activity of the lead lower extremity during the forward lunge exercise. *J Orthop Sports Phys Ther.* 2008;38(7):403-409. doi: 10.2519/jospt.2008.2634. Epub 2008 Apr 15.
121. Lewis CL, Garibay EJ. Effect of increased pushoff during gait on hip joint forces. *J Biomech.* 2015;48(1):181-185. doi: 10.1016/j.jbiomech.2014.10.033. Epub 2014 Nov 12.
  122. Dragoo JL, Johnson C, McConnell J. Evaluation and treatment of disorders of the infrapatellar fat pad. *Sports Med.* 2012;42(1):51-67.
  123. Binkley JM, Stratford PW, Lott SA, Riddle DL. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. North American Orthopaedic Rehabilitation Research Network. *Phys Ther.* 1999;79(4):371-383.
  124. Manske RC, Davies GJ. Examination of the patellofemoral joint. *Int J Sports Phys Ther.* 2016;11(6):831-853.
  125. Pal S, Draper CE, Fredericson M, et al. Patellar maltracking correlates with vastus medialis activation delay in patellofemoral pain patients. *Am J Sports Med.* 2011;39(3):590-598. doi: 10.1177/0363546510384233. Epub 2010 Nov 12.
  126. Powers CM, Landel R, Perry J. Timing and intensity of vastus muscle activity during functional activities in subjects with and without patellofemoral pain. *Phys Ther.* 1996;76(9):946-955; discussion 956-967.
  127. Callaghan MJ, McCarthy CJ, Oldham JA. Electromyographic fatigue characteristics of the quadriceps in patellofemoral pain syndrome. *Man Ther.* 2001;6(1):27-33.
  128. Liao TC, Yin L, Powers CM. The influence of isolated femur and tibia rotations on patella cartilage stress: a sensitivity analysis. *Clin Biomech (Bristol, Avon).* 2018;54:125-131. doi: 10.1016/j.clinbiomech.2018.03.003. Epub 2018 Mar 12.
  129. Souza RB, Draper CE, Fredericson M, Powers CM. Femur rotation and patellofemoral joint kinematics: a weight-bearing magnetic resonance imaging analysis. *J Orthop Sports Phys Ther.* 2010;40(5):277-285. doi: 10.2519/jospt.2010.3215.
  130. Tennant S, Williams A, Vedi V, Kinmont C, Gedroyc W, Hunt DM. Patello-femoral tracking in the weight-bearing knee: a study of asymptomatic volunteers utilising dynamic magnetic resonance imaging: a preliminary report. *Knee Surg Sports Traumatol Arthrosc.* 2001;9(3):155-162.
  131. Crossley KM, Stefanik JJ, Selfe J, et al. 2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. *Br J Sports Med.* 2016;50(14):839-843. doi: 10.1136/bjsports-2016-096384. Epub 2016 Jun 24.
  132. Balcarek P, Oberthur S, Hopfensitz S, et al. Which patellae are likely to redislocate? *Knee Surg Sports Traumatol Arthrosc.* 2014;22(10):2308-2314. doi: 10.1007/s00167-013-2650-5. Epub 2013 Sep 5.
  133. Lewallen L, McIntosh A, Dahm D. First-time patellofemoral dislocation: risk factors for recurrent instability. *J Knee Surg.* 2015;28(4):303-309. doi: 10.1055/s-0034-1398373. Epub 2015 Jan 29.
  134. Orchard JW, Fricker PA, Abud AT, Mason BR. Biomechanics of iliotibial band friction syndrome in runners. *Am J Sports Med.* 1996;24(3):375-379.
  135. Fairclough J, Hayashi K, Toumi H, et al. The functional anatomy of the iliotibial band during flexion and extension of the knee: implications for understanding iliotibial band syndrome. *J Anat.* 2006;208(3):309-316.
  136. Fairclough J, Hayashi K, Toumi H, et al. Is iliotibial band syndrome really a friction syndrome? *J Sci Med Sport.* 2007;10(2):74-76; discussion 77-78.
  137. Fitzgerald GK, McClure PW. Reliability of measurements obtained with four tests for patellofemoral alignment. *Phys Ther.* 1995;75(2):84-90; discussion 90-82.
  138. Watson CJ, Propps M, Galt W, Redding A, Dobbs D. Reliability of McConnell's classification of patellar orientation in symptomatic and asymptomatic subjects. *J Orthop Sports Phys Ther.* 1999;29(7):378-385; discussion 386-393.
  139. Wilson T. The measurement of patellar alignment in patellofemoral pain syndrome: are we confusing assumptions with evidence? *J Orthop Sports Phys Ther.* 2007;37(6):330-341.
  140. Herrington LC. The inter-tester reliability of a clinical measurement used to determine the medial-lateral orientation of the patella. *Man Ther.* 2002;7(3):163-167.
  141. Herrington L, Law J. The effect of hip adduction angle on patellar position measured using real time ultrasound scanning. *Knee.* 2012;19(5):709-712. doi: 10.1016/j.knee.2012.01.002. Epub 2012 Feb 4.
  142. Gajdosik RL, Sandler MM, Marr HL. Influence of knee positions and gender on the Ober test for length of the iliotibial band. *Clin Biomech (Bristol, Avon).* 2003;18(1):77-79.
  143. Wang TG, Jan MH, Lin KH, Wang HK. Assessment of stretching of the iliotibial tract with Ober and modified Ober tests: an ultrasonographic study. *Arch Phys Med Rehabil.* 2006;87(10):1407-1411.
  144. Willett GM, Keim SA, Shostrom VK, Lomneth CS. An anatomic investigation of the Ober test. *Am J Sports Med.* 2016;44(3):696-701. doi: 10.1177/0363546515621762. Epub 2016 Jan 11.

145. Insall J, Goldberg V, Salvati E. Recurrent dislocation and the high-riding patella. *Clin Orthop Relat Res*. 1972;88:67-69.
146. Monk AP, Doll HA, Gibbons CL, et al. The patho-anatomy of patellofemoral subluxation. *J Bone Joint Surg Br*. 2011;93(10):1341-1347. doi: 10.1302/0301-620X.93B10.27205.
147. Van Haver A, De Roo K, De Beule M, et al. The effect of trochlear dysplasia on patellofemoral biomechanics: a cadaveric study with simulated trochlear deformities. *Am J Sports Med*. 2015;43(6):1354-1361. doi: 10.1177/0363546515572143. Epub 2015 Mar 4.
148. Jungmann PM, Tham SC, Liebl H, et al. Association of trochlear dysplasia with degenerative abnormalities in the knee: data from the Osteoarthritis Initiative. *Skeletal Radiol*. 2013;42(10):1383-1392. doi: 10.1007/s00256-013-1664-x. Epub 2013 Jun 26.
149. Loudon JK. Biomechanics and pathomechanics of the patellofemoral joint. *Int J Sports Phys Ther*. 2016;11(6):820-830.
150. Harilainen A, Lindroos M, Sandelin J, Tallroth K, Kujala UM. Patellofemoral relationships and cartilage breakdown. *Knee Surg Sports Traumatol Arthrosc*. 2005;13(2):142-144.
151. Karst GM, Willett GM. Onset timing of electromyographic activity in the vastus medialis oblique and vastus lateralis muscles in subjects with and without patellofemoral pain syndrome. *Phys Ther*. 1995;75(9):813-823.
152. Sheehy P, Burdett RG, Irrgang JJ, VanSwearingen J. An electromyographic study of vastus medialis oblique and vastus lateralis activity while ascending and descending steps. *J Orthop Sports Phys Ther*. 1998;27(6):423-429.
153. Mirzabeigi E, Jordan C, Gronley JK, Rockowitz NL, Perry J. Isolation of the vastus medialis oblique muscle during exercise. *Am J Sports Med*. 1999;27(1):50-53.
154. Malone T, Davies G, Walsh WM. Muscular control of the patella. *Clin Sports Med*. 2002;21(3):349-362.
155. Hanten WP, Schulthies SS. Exercise effect on electromyographic activity of the vastus medialis oblique and vastus lateralis muscles. *Phys Ther*. 1990;70(9):561-565.
156. Irish SE, Millward AJ, Wride J, Haas BM, Shum GL. The effect of closed-kinetic chain exercises and open-kinetic chain exercise on the muscle activity of vastus medialis oblique and vastus lateralis. *J Strength Cond Res*. 2010;24(5):1256-1262. doi: 10.1519/JSC.0b013e3181cf749f.
157. Peng HT, Kernozek TW, Song CY. Muscle activation of vastus medialis obliquus and vastus lateralis during a dynamic leg press exercise with and without isometric hip adduction. *Phys Ther Sport*. 2013;14(1):44-49. doi: 10.1016/j.ptsp.2012.02.006. Epub 2012 Jun 26.
158. Hyong IH, Kang JH. Activities of the vastus lateralis and vastus medialis oblique muscles during squats on different surfaces. *J Phys Ther Sci*. 2013;25(8):915-917. doi: 10.1589/jpts.25.915. Epub 2013 Sep 20.
159. Lee TK, Park SM, Yun SB, Lee AR, Lee YS, Yong MS. Analysis of vastus lateralis and vastus medialis oblique muscle activation during squat exercise with and without a variety of tools in normal adults. *J Phys Ther Sci*. 2016;28:1071-1073. doi: 10.1589/jpts.28.1071. Epub 2016 Mar 31.
160. Bolgla LA, Boling MC. An update for the conservative management of patellofemoral pain syndrome: a systematic review of the literature from 2000 to 2010. *Int J Sports Phys Ther*. 2011;6(2):112-125.
161. Kooiker L, Van De Port IG, Weir A, Moen MH. Effects of physical therapist-guided quadriceps-strengthening exercises for the treatment of patellofemoral pain syndrome: a systematic review. *J Orthop Sports Phys Ther*. 2014;44(6):391-B1. doi: 10.2519/jospt.2014.4127. Epub 2014 Apr 25.
162. Chiu JK, Wong YM, Yung PS, Ng GY. The effects of quadriceps strengthening on pain, function, and patellofemoral joint contact area in persons with patellofemoral pain. *Am J Phys Med Rehabil*. 2012;91(2):98-106. doi: 10.1097/PHM.0b013e318228c505.
163. Powers CM, Ho KY, Chen YJ, Souza RB, Farrokhi S. Patellofemoral joint stress during weight-bearing and non-weight-bearing quadriceps exercises. *J Orthop Sports Phys Ther*. 2014;44(5):320-327.
164. Willy RW, Meira EP. Current concepts in biomechanical interventions for patellofemoral pain. *Int J Sports Phys Ther*. 2016;11(6):877-890.
165. Barton CJ, Lack S, Hemmings S, Tufail S, Morrissey D. The 'Best Practice Guide to Conservative Management of Patellofemoral Pain': incorporating level 1 evidence with expert clinical reasoning. *Br J Sports Med*. 2015;49(14):923-934. doi: 10.1136/bjsports-2014-093637. Epub 2015 Feb 25.
166. Callaghan MJ, Selfe J. Patellar taping for patellofemoral pain syndrome in adults. *Cochrane Database Syst Rev*. 2012;(4):CD006717. doi: 10.1002/14651858.CD006717.pub2.
167. Barton C, Balachandar V, Lack S, Morrissey D. Patellar taping for patellofemoral pain: a systematic review and meta-analysis to evaluate clinical outcomes and biomechanical mechanisms. *Br J Sports Med*. 2014;48(6):417-424. doi: 10.1136/bjsports-2013-092437. Epub 2013 Dec 5.
168. Chang WD, Chen FC, Lee CL, Lin HY, Lai PT. Effects of Kinesio taping versus McConnell taping for patellofemoral pain syndrome: a systematic review and meta-analysis. *Evid Based Complement Alternat Med*.



- 2015;2015:471208. doi: 10.1155/2015/471208. Epub 2015 Jun 21.
169. Eckenrode BJ, Kietrys DM, Parrott JS. Effectiveness of manual therapy for pain and self-reported function in individuals with patellofemoral pain: systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2018;48(5):358-371. doi: 10.2519/jospt.2018.7243. Epub 2018 Jan 6.
  170. Manske RC, Lehecka BJ, Reiman MP, Loudon JK. *Orthopedic Joint Mobilization and Manipulation: An Evidence-Based Approach.* Champaign, IL: Human Kinetics; 2019.
  171. Cyriax JH. *Textbook of Orthopaedic Medicine, Vol. 1: Diagnosis of Soft Tissue Lesions.* London, UK: Baillière Tindall; 1984.
  172. McAlindon TE, Snow S, Cooper C, Dieppe PA. Radiographic patterns of osteoarthritis of the knee joint in the community: the importance of the patellofemoral joint. *Ann Rheum Dis.* 1992;51(7):844-849.
  173. Brouwer GM, van Tol AW, Bergink AP, et al. Association between valgus and varus alignment and the development and progression of radiographic osteoarthritis of the knee. *Arthritis Rheum.* 2007;56(4):1204-1211.
  174. Laxafoss E, Jacobsen S, Gosvig KK, Sonne-Holm S. The alignment of the knee joint in relationship to age and osteoarthritis: the Copenhagen Osteoarthritis Study. *Skeletal Radiol.* 2013;42(4):531-540. doi: 10.1007/s00256-012-1509-z. Epub 2012 Sep 11.
  175. Felson DT, Niu J, Gross KD, et al. Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: findings from the Multicenter Osteoarthritis Study and the Osteoarthritis Initiative. *Arthritis Rheum.* 2013;65(2):355-362. doi: 10.1002/art.37726.
  176. Nonaka H, Mita K, Watakabe M, et al. Age-related changes in the interactive mobility of the hip and knee joints: a geometrical analysis. *Gait Posture.* 2002;15(3):236-243.
  177. Alnahdi AH, Zeni JA, Snyder-Mackler L. Muscle impairments in patients with knee osteoarthritis. *Sports Health.* 2012;4(4):284-292.
  178. Stefanik JJ, Guermazi A, Zhu Y, et al. Quadriceps weakness, patella alta, and structural features of patellofemoral osteoarthritis. *Arthritis Care Res (Hoboken).* 2011;63(10):1391-1397. doi: 10.1002/acr.20528.
  179. Oiestad BE, Juhl CB, Eitzen I, Thorlund JB. Knee extensor muscle weakness is a risk factor for development of knee osteoarthritis. A systematic review and meta-analysis. *Osteoarthritis Cartilage.* 2015;23(2):171-177. doi: 10.1016/j.joca.2014.10.008. Epub 2014 Nov 1.
  180. Baert IA, Jonkers I, Staes F, Luyten FP, Truijien S, Verschuere SM. Gait characteristics and lower limb muscle strength in women with early and established knee osteoarthritis. *Clin Biomech (Bristol, Avon).* 2013;28(1):40-47. doi: 10.1016/j.clinbiomech.2012.10.007. Epub 2012 Nov 16.
  181. Minor MA. Exercise in the treatment of osteoarthritis. *Rheum Dis Clin North Am.* 1999;25(2):397-415, viii.
  182. Deasy M, Leahy E, Semciw AI. Hip strength deficits in people with symptomatic knee osteoarthritis: a systematic review with meta-analysis. *J Orthop Sports Phys Ther.* 2016;46(8):629-639. doi: 10.2519/jospt.2016.6618. Epub 2016 Jul 3.
  183. Kuroyanagi Y, Nagura T, Kiriyama Y, et al. A quantitative assessment of varus thrust in patients with medial knee osteoarthritis. *Knee.* 2012;19(2):130-134. doi: 10.1016/j.knee.2010.12.007. Epub 2011 Feb 5.
  184. Lo GH, Harvey WF, McAlindon TE. Associations of varus thrust and alignment with pain in knee osteoarthritis. *Arthritis Rheum.* 2012;64(7):2252-2259. doi: 10.1002/art.34422.
  185. Chang A, Hayes K, Dunlop D, et al. Thrust during ambulation and the progression of knee osteoarthritis. *Arthritis Rheum.* 2004;50(12):3897-3903.
  186. Robbins SM, Maly MR. The effect of gait speed on the knee adduction moment depends on waveform summary measures. *Gait Posture.* 2009;30(4):543-546. doi: 10.1016/j.gaitpost.2009.08.236. Epub 2009 Sep 11.
  187. Hunt MA, Bennell KL. Predicting dynamic knee joint load with clinical measures in people with medial knee osteoarthritis. *Knee.* 2011;18(4):231-234. doi: 10.1016/j.knee.2010.05.014. Epub 2010 Aug 30.
  188. Chang A, Hochberg M, Song J, et al. Frequency of varus and valgus thrust and factors associated with thrust presence in persons with or at higher risk of developing knee osteoarthritis. *Arthritis Rheum.* 2010;62(5):1403-1411. doi: 10.1002/art.27377.
  189. Jones A, Silva PG, Silva AC, et al. Impact of cane use on pain, function, general health and energy expenditure during gait in patients with knee osteoarthritis: a randomised controlled trial. *Ann Rheum Dis.* 2012;71(2):172-179. doi: 10.1136/ard.2010.140178. Epub 2011 Nov 29.
  190. Kemp G, Crossley KM, Wrigley TV, Metcalf BR, Hinman RS. Reducing joint loading in medial knee osteoarthritis: shoes and canes. *Arthritis Rheum.* 2008;59(5):609-614. doi: 10.1002/art.23578.
  191. Chan GN, Smith AW, Kirtley C, Tsang WW. Changes in knee moments with contralateral versus ipsilateral cane usage in females with knee osteoarthritis. *Clin Biomech (Bristol, Avon).* 2005;20(4):396-404.
  192. Simic M, Hinman RS, Wrigley TV, Bennell KL, Hunt MA. Gait modification strategies for altering medial

- knee joint load: a systematic review. *Arthritis Care Res (Hoboken)*. 2011;63(3):405-426. doi: 10.1002/acr.20380. Epub 2010 Oct 27.
193. van der Esch M, Holla JF, van der Leeden M, et al. Decrease of muscle strength is associated with increase of activity limitations in early knee osteoarthritis: 3-year results from the cohort hip and cohort knee study. *Arch Phys Med Rehabil*. 2014;95(10):1962-1968. doi: 10.1016/j.apmr.2014.06.007. Epub 2014 Jun 28.
  194. Pisters MF, Veenhof C, van Dijk GM, Dekker J, CARPA Study Group. Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. *Osteoarthritis Cartilage*. 2014;22(2):171-177. doi: 10.1016/j.joca.2013.12.007. Epub 2013 Dec 12.
  195. Minor MA, Hewett JE, Webel RR, Anderson SK, Kay DR. Efficacy of physical conditioning exercise in patients with rheumatoid arthritis and osteoarthritis. *Arthritis Rheum*. 1989;32(11):1396-1405.
  196. Atukorala I, Makovey J, Lawler L, Messier SP, Bennell K, Hunter DJ. Is there a dose-response relationship between weight loss and symptom improvement in persons with knee osteoarthritis? *Arthritis Care Res (Hoboken)*. 2016;68(8):1106-1114. doi: 10.1002/acr.22805.
  197. Bartels EM, Juhl CB, Christensen R, et al. Aquatic exercise for the treatment of knee and hip osteoarthritis. *Cochrane Database Syst Rev*. 2016;3:CD005523. doi: 10.1002/14651858.CD005523.pub3.
  198. Steultjens MP, Dekker J, van Baar ME, Oostendorp RA, Bijlsma JW. Range of joint motion and disability in patients with osteoarthritis of the knee or hip. *Rheumatology (Oxford)*. 2000;39(9):955-961.
  199. McClure PW, Blackburn LG, Dusold C. The use of splints in the treatment of joint stiffness: biologic rationale and an algorithm for making clinical decisions. *Phys Ther*. 1994;74(12):1101-1107.
  200. Light KE, Nuzik S, Personius W, Barstrom A. Low-load prolonged stretch vs. high-load brief stretch in treating knee contractures. *Phys Ther*. 1984;64(3):330-333.
  201. Jansen MJ, Viechtbauer W, Lenssen AF, Hendriks EJ, de Bie RA. Strength training alone, exercise therapy alone, and exercise therapy with passive manual mobilisation each reduce pain and disability in people with knee osteoarthritis: a systematic review. *J Physiother*. 2011;57(1):11-20. doi: 10.1016/S1836-9553(11)70002-9.
  202. Deyle GD, Henderson NE, Matekel RL, Ryder MG, Garber MB, Allison SC. Effectiveness of manual physical therapy and exercise in osteoarthritis of the knee. A randomized, controlled trial. *Ann Intern Med*. 2000;132(3):173-181.
  203. Deyle GD, Allison SC, Matekel RL, et al. Physical therapy treatment effectiveness for osteoarthritis of the knee: a randomized comparison of supervised clinical exercise and manual therapy procedures versus a home exercise program. *Phys Ther*. 2005;85(12):1301-1317.
  204. Courtney CA, Steffen AD, Fernandez-de-Las-Penas C, Kim J, Chmell SJ. Joint mobilization enhances mechanisms of conditioned pain modulation in individuals with osteoarthritis of the knee. *J Orthop Sports Phys Ther*. 2016;46(3):168-176. doi: 10.2519/jospt.2016.6259. Epub 2016 Jan 1.
  205. Moss P, Sluka K, Wright A. The initial effects of knee joint mobilization on osteoarthritic hyperalgesia. *Man Ther*. 2007;12(2):109-118.
  206. Maher S, Creighton D, Kondratek M, Krauss J, Qu X. The effect of tibio-femoral traction mobilization on passive knee flexion motion impairment and pain: a case series. *J Man Manip Ther*. 2010;18(1):29-36. doi: 10.1179/106698110X12595770849560.
  207. Knapik DM, Harris JD, Pangrazzi G, et al. The basic science of continuous passive motion in promoting knee health: a systematic review of studies in a rabbit model. *Arthroscopy*. 2013;29(10):1722-1731. doi: 10.1016/j.arthro.2013.05.028. Epub 2013 Jul 26.
  208. Howard JS, Mattacola CG, Romine SE, Lattermann C. Continuous passive motion, early weight bearing, and active motion following knee articular cartilage repair: evidence for clinical practice. *Cartilage*. 2010;1(4):276-286. doi: 10.1177/1947603510368055.
  209. Messier SP, Loeser RF, Hoover JL, Semble EL, Wise CM. Osteoarthritis of the knee: effects on gait, strength, and flexibility. *Arch Phys Med Rehabil*. 1992;73(1):29-36.
  210. Page P. Current concepts in muscle stretching for exercise and rehabilitation. *Int J Sports Phys Ther*. 2012;7(1):109-119.
  211. Feland JB, Myrer JW, Schulthies SS, Fellingham GW, Measom GW. The effect of duration of stretching of the hamstring muscle group for increasing range of motion in people aged 65 years or older. *Phys Ther*. 2001;81(5):1110-1117.
  212. Glass NA, Torner JC, Frey Law LA, et al. The relationship between quadriceps muscle weakness and worsening of knee pain in the MOST cohort: a 5-year longitudinal study. *Osteoarthritis Cartilage*. 2013;21(9):1154-1159. doi: 10.1016/j.joca.2013.05.016.
  213. Sharma L, Song J, Felson DT, Cahue S, Shamiyeh E, Dunlop DD. The role of knee alignment in disease progression and functional decline in knee osteoarthritis. *JAMA*. 2001;286(2):188-195.
  214. van der Esch M, Steultjens M, Harlaar J, Knol D, Lems W, Dekker J. Joint proprioception, muscle strength, and

- functional ability in patients with osteoarthritis of the knee. *Arthritis Rheum.* 2007;57(5):787-793.
215. Childs JD, Sparto PJ, Fitzgerald GK, Bizzini M, Irrgang JJ. Alterations in lower extremity movement and muscle activation patterns in individuals with knee osteoarthritis. *Clin Biomech (Bristol, Avon).* 2004;19(1):44-49.
  216. Gustafson JA, Robinson ME, Fitzgerald GK, Tashman S, Farrokhi S. Knee motion variability in patients with knee osteoarthritis: The effect of self-reported instability. *Clin Biomech (Bristol, Avon).* 2015;30(5):475-480. doi: 10.1016/j.clinbiomech.2015.03.007. Epub 2015 Mar 10.
  217. Smith TO, King JJ, Hing CB. The effectiveness of proprioceptive-based exercise for osteoarthritis of the knee: a systematic review and meta-analysis. *Rheumatol Int.* 2012;32(11):3339-3351. doi: 10.1007/s00296-012-2480-7. Epub 2012 Jul 22.
  218. Fitzgerald GK, Piva SR, Gil AB, Wisniewski SR, Oddis CV, Irrgang JJ. Agility and perturbation training techniques in exercise therapy for reducing pain and improving function in people with knee osteoarthritis: a randomized clinical trial. *Phys Ther.* 2011;91(4):452-469. doi: 10.2522/ptj.20100188. Epub 2011 Feb 17.
  219. Matsuno H, Kadowaki KM, Tsuji H. Generation II knee bracing for severe medial compartment osteoarthritis of the knee. *Arch Phys Med Rehabil.* 1997;78(7):745-749.
  220. Komistek RD, Dennis DA, Northcut EJ, Wood A, Parker AW, Traina SM. An in vivo analysis of the effectiveness of the osteoarthritic knee brace during heel-strike of gait. *J Arthroplasty.* 1999;14(6):738-742.
  221. Kirkley A, Webster-Bogaert S, Litchfield R, et al. The effect of bracing on varus gonarthrosis. *J Bone Joint Surg Am.* 1999;81(4):539-548.
  222. Richards JD, Sanchez-Ballester J, Jones RK, Darke N, Livingstone BN. A comparison of knee braces during walking for the treatment of osteoarthritis of the medial compartment of the knee. *J Bone Joint Surg Br.* 2005;87(7):937-939.
  223. Axe MJ, Snyder-Mackler L, Shovestul Grieder A, et al.. Knee. In: Academy of Orthopaedic Physical Therapy. *Postoperative Management of Orthopaedic Surgeries.* La Crosse, WI: Academy of Orthopaedic Physical Therapy; 2017:1-58.
  224. Logerstedt DS, Scalzitti D, Risberg MA, et al. Knee stability and movement coordination impairments: knee ligament sprain revision 2017. *J Orthop Sports Phys Ther.* 2017;47(11):A1-A47. doi: 10.2519/jospt.2017.0303.
  225. Logerstedt DS, Scalzitti DA, Bennell KL, et al. knee pain and mobility impairments: meniscal and articular cartilage lesions revision 2018. *J Orthop Sports Phys Ther.* 2018;48(2):A1-A50. doi: 10.2519/jospt.2018.0301.