



Movement Systems Approach to Classification and Treatment of the Foot and Ankle

Independent Study
Course 29.1.5

Judy Gelber, PT, DPT, OCS
Forward Movement Analysis & Rehabilitation
Omaha, NE

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY** 

 **APTA**
American Physical Therapy Association

REFERENCES

1. Sahrman S. The human movement system: our professional identity. *Phys Ther.* 2014;94(7):1034-1042. doi: 10.2522/ptj.20130319. Epub 2014 Mar 13.
2. Perkins G. Pes planus or instability of the longitudinal arch. *Proc R Soc Med.* 1948;41(1):31-40.
3. Root ML, Orien WP, Weed JH, Hughes RJ. *Biomechanical Examination of the Foot*, Vol 1. Los Angeles, CA: Clinical Biomechanics Corp; 1971.
4. Root ML, Orien WP, Weed JH. *Normal and Abnormal Function of the Foot*, Vol 2. Los Angeles, CA: Clinical Biomechanics Corp; 1977.
5. McPoil TG, Hunt GC. Evaluation and management of foot and ankle disorders: present problems and future directions. *J Orthop Sports Phys Ther.* 1995;21(6):381-388.
6. Harradine P, Gates L, Bowen C. If it doesn't work, why do we still do it? The continuing use of subtalar joint neutral theory in the face of overpowering critical research. *J Orthop Sports Phys Ther.* 2018;48(3):130-132. doi: 10.2519/jospt.2018.0604.
7. Buchanan KR, Davis I. The relationship between forefoot, midfoot, and rearfoot static alignment in pain-free individuals. *J Orthop Sport Phys Ther.* 2005;35(9):559-566.
8. Cashmere T, Smith R, Hunt A. Medial longitudinal arch of the foot: stationary versus walking measures. *Foot Ankle Int.* 1999;20(2):112-118.
9. Hunt AE, Smith RM. Mechanics and control of the flat versus normal foot during the stance phase of walking. *Clin Biomech (Bristol, Avon).* 2004;19(4):391-397.
10. Kaufman KR, Brodine SK, Shaffer RA, Johnson CW, Cullison TR. The effect of foot structure and range of motion on musculoskeletal overuse injuries. *Am J Sports Med.* 1999;27(5):585-593.
11. Williams DS 3rd, McClay IS, Hamill J. Arch structure and injury patterns in runners. *Clin Biomech (Bristol, Avon).* 2001;16(4):341-347.
12. Cowan DN, Jones BJ, Robinson JR. Foot morphologic characteristics and risk of exercise-related injury. *Arch Fam Med.* 1993;2(7):773-777.
13. Dowling GJ, Murley GS, Munteanu SE, et al. Dynamic foot function as a risk factor for lower limb overuse injury: a systematic review. *J Foot Ankle Res.* 2014;7(1):53. doi: 10.1186/s13047-014-0053-6. eCollection 2014.
14. Esterman A, Pilotto L. Foot shape and its effect on functioning in Royal Australian Air Force recruits. Part 1: prospective cohort study. *Mil Med.* 2005;170(7):623-628.
15. Khamis S, Yizhar Z. Effect of feet hyperpronation on pelvic alignment in a standing position. *Gait Posture.* 2007;25(1):127-134.
16. Gribble PA, Hertel J, Denegar CR. Chronic ankle instability and fatigue create proximal joint alterations during performance of the star excursion balance test. *Int J Sports Med.* 2007;28(3):236-242.
17. Reischl SF, Powers CM, Rao S, Perry J. Relationship between foot pronation and rotation of the tibia and femur during walking. *Foot Ankle Int.* 1999;20(8):513-520.
18. Powers CM, Maffucci R, Hampton S. Rearfoot posture in subjects with patellofemoral pain. *J Orthop Sports Phys Ther.* 1995;22(4):155-160.
19. Creaby MW, Honeywill C, Franettovich Smith MM, Schache AG, Crossley KM. Hip biomechanics are altered in male runners with achilles tendinopathy. *Med Sci Sports Exerc.* 2017;49(3):549-554. doi: 10.1249/MSS.0000000000001126.
20. Franettovich Smith MM, Honeywill C, Wyndow N, Crossley KM, Creaby MW. Neuromotor control of gluteal muscles in runners with achilles tendinopathy. *Med Sci Sports Exerc.* 2014;46(3):594-599. doi: 10.1249/MSS.0000000000000133.
21. Habets B, Smits HW, Backx FJG, van Cingel REH, Huisstede BMA. Hip muscle strength is decreased in middle-aged recreational male athletes with midportion Achilles tendinopathy: a cross-sectional study. *Phys Ther Sport.* 2017;25:55-61. doi: 10.1016/j.pts.2016.09.008. Epub 2016 Sep 13.
22. Whitman on radical cure of confirmed flatfoot. *Ann Surg.* 1892;15(6):462-466.
23. Harker GA. The treatment of flat and pronated feet. *Cal State J Med.* 1909;7(12):433-434.
24. Esterman A, Pilotto L. Foot shape and its effect on functioning in Royal Australian Air Force recruits. Part 2: Pilot, randomized, controlled trial of orthotics in recruits with flat feet. *Mil Med.* 2005;170(7):629-633.
25. Evans AM, Rome K. A Cochrane review of the evidence for non-surgical interventions for flexible pediatric flat feet. *Eur J Phys Rehabil Med.* 2011;47(1):69-89.
26. Scott LA, Munteanu SE, Menz HB. Effectiveness of orthotic devices in the treatment of Achilles tendinopathy: a systemic review. *Sports Med.* 2015;45(1):95-110. doi: 10.1007/s40279-014-0237-z.
27. Bonanno DR, Landorf KB, Munteanu SE, Murley GS, Menz HB. Effectiveness of foot orthoses and shock-absorbing insoles for the prevention of injury: a systemic review and meta-analysis. *Br J Sports Med.* 2017;51(2):86-96. doi: 10.1136/bjsports-2016-096671. Epub 2016 Dec 5.
28. Mueller MJ, Maluf KS. Tissue adaptations to physical stress: a proposed "Physical Stress Theory" to guide physical therapist practice, education, and research. *Phys Ther.* 2002;82(4):383-403.
29. Meakins A, May S, Littlewood C. Reliability of the shoulder symptom modification procedure and asso-

- ciation of within-session and between-session changes with functional outcomes. *BMJ Open Sport Exerc Med.* 2018;4(1):e000342. doi: 10.1136/bmjsem-2018-000342. eCollection 2018.
30. Lewis JS, McCreesh K, Barratt E, Hegedus E, Sim J. Inter-rater reliability of the shoulder symptom modification procedure in people with shoulder pain. *BMJ Open Sport Exerc Med.* 2016;2(1):e000181. eCollection 2016.
 31. Lees A, Lake M, Klenerman L. Shock absorption during forefoot running and its relationship to medial longitudinal arch height. *Foot Ankle Int.* 2005;26(12):1081-1088.
 32. Manoli A 2nd, Graham B. The subtle cavus foot, “the underpronator.” *Foot Ankle Int.* 2005;26(3):256-263.
 33. Cobb, SC, Joshi MN, Pomeroy RL. Reliability of a seven-segment foot model with medial and lateral midfoot and forefoot segments during walking gait. *J Appl Biomech.* 2016;32(8):608-613.
 34. Glasoe WM, Yack HJ, Saltzman CL. Anatomy and biomechanics of the first ray. *Phys Ther.* 1999;79(9):854-859.
 35. Lundberg A, Svensson OK, Nemeth G, Selvik G. The axis of rotation at the ankle joint. *J Bone Joint Surg Br.* 1989;71(1):94-99.
 36. Hicks JH. The mechanics of the foot. I. The joints. *J Anat.* 1953;87(4):345-357.
 37. Tochigi Y, Rudert MJ, Saltzman CL, Amendola A, Brown TD. Contribution of articular surface geometry to ankle stabilization. *J Bone Joint Surg Am.* 2006;88(12):2704-2713.
 38. Bozkurt M, Tonuk E, Elhan A, Tekdemir I, Doral MN. Axial rotation and mediolateral translation of the fibula during passive plantarflexion. *Foot Ankle Int.* 2008;29(5):502-507. doi: 10.3113/FAI.2008.0502.
 39. Piazza SJ. Mechanics of the subtalar joint and its function during walking. *Foot Ankle Clin.* 2005;10(3):425-442.
 40. Beumer A, van Hemert WL, Swierstra BA, Jasper LE, Belkoff SM. A biomechanical evaluation of the tibiofibular and tibiotalar ligaments of the ankle. *Foot Ankle Int.* 2003;24(5):426-429.
 41. Lundberg A, Svensson OK, Bylund C, Goldie I, Selvik G. Kinematics of the ankle/foot complex-part 2: pronation and supination. *Foot Ankle.* 1989;9(5):248-253.
 42. Blackwood CB, Yuen TJ, Sangeorzan BL, Ledoux WR. The midtarsal joint locking mechanism. *Foot Ankle Int.* 2005;26(12):1074-1080.
 43. Lundberg A. Kinematics of the ankle and foot. In vivo roentgen stereophotogrammetry. *Acta Orthop Scand Suppl.* 1989;233:1-24.
 44. Basmajian JV, Stecko G. The role of muscles in arch support of the foot. *J Bone Joint Surg Am.* 1963;45:1184-1190.
 45. Thordarson DB, Schmotzer H, Chon J, Peters J. Dynamic support of the human longitudinal arch. A biomechanical evaluation. *Clin Orthop Relat Res.* 1995;(316):165-172.
 46. Huang CK, Kitaoka HB, An KN, Chao EY. Biomechanical evaluation of longitudinal arch stability. *Foot Ankle.* 1993;14(6):353-357
 47. Redmond AC, Crane YZ, Menz HB. Normative values for the Foot Posture Index. *J Foot Ankle Res.* 2008;1(1):6. doi: 10.1186/1757-1146-1-6.
 48. Tome J, Nawoczenski DA, Flemister A, Houck J. Comparison of foot kinematics between subjects with posterior tibialis tendon dysfunction and healthy controls. *J Orthop Sports Phys Ther.* 2006;36(9):635-644.
 49. Chimenti RL, Tome J, Hillin CD, Flemister AS, Houck J. Adult-acquired flatfoot deformity and age-related differences in foot and ankle kinematics during the single-limb heel rise test. *J Orthop Sports Phys Ther.* 2014;44(4):283-290. doi: 10.2519/jospt.2014.4939. Epub 2014 Feb 25.
 50. Souza RB. An evidence-based videotaped running biomechanics analysis. *Phys Med Rehabil Clin N Am.* 2016;27(1):217-236. doi: 10.1016/j.pmr.2015.08.006. Epub 2015 Oct 20. Review.
 51. Neumann DA. *Kinesiology of the Musculoskeletal System: Foundations for Physical Rehabilitation.* St. Louis, MO: Mosby; 2002.
 52. Seber S, Hazer B, Köse N, Göktürk E, Günel I, Turgut A. Rotational profile of the lower extremity and foot progression angle: computerized tomographic examination of 50 male adults. *Arch Orthop Trauma Surg.* 2000;120(5-6):255-258.
 53. Seigler S, Chen J, Schneck CD. The three-dimensional kinematics and flexibility characteristics of the human ankle and subtalar joints – Part I: kinematics. *J Biomech Eng.* 1988;110(4):364-373.
 54. Franceschi F, Papalia R, Paciotti M, et al. Obesity as a risk factor for tendinopathy: a systematic review. *Int J Endocrinol.* 2014;2014:670262. doi: 10.1155/2014/670262. Epub 2014 Aug 19.
 55. Butterworth PA, Landorf KB, Gilleard W, Urquhart DM, Menz HB. The association between body composition and foot structure and function: a systematic review. *Obes Rev.* 2014;15(4):348-357. doi: 10.1111/obr.12130. Epub 2013 Oct 25.
 56. Mickle KJ, Steele JR. Obese older adults suffer foot pain and foot-related functional limitation. *Gait Posture.* 2015;42(4):442-447. doi: 10.1016/j.gaitpost.2015.07.013. Epub 2015 Jul 29.
 57. Brund RBK, Rasmussen S, Nielsen RO, Kersting UG, Laessoe U, Voigt M. Medial shoe-ground pressure and specific running injuries: a 1-year prospective cohort study. *J Sci Med Sport.* 2017;20(9):830-834. doi: 10.1016/j.jsams.2017.04.001.
 58. Erdemir A, Hamel AJ, Fauth AR, Piazza SJ, Sharkey NA. Dynamic loading of the plantar aponeurosis in walking. *J Bone Joint Surg Am.* 2004;86-A(3):546-552.
 59. Hicks JH. The mechanics of the foot. II. The plantar aponeurosis and the arch. *J Anat.* 1954;88(1):25-30.

60. Neville C, Flemister A, Tome J, Houck J. Comparison of changes in posterior tibialis muscle length between subjects with posterior tibial tendon dysfunction and healthy controls during walking. *J Orthop Sports Phys Ther.* 2007;37(11):661-669.
61. Deland JT. Adult-acquired flatfoot deformity. *J Am Acad Orthop Surg.* 2008;16(7):399-406.
62. Johnson KA, Strom DE. Tibialis posterior tendon dysfunction. *Clin Orthop Relat Res.* 1989;(239):196-206.
63. Rabbito M, Pohl MB, Humble N, Ferber R. Biomechanical and clinical factors related to state I posterior tibial tendon dysfunction. *J Orthop Sports Phys Ther.* 2011;41(10):776-784. doi: 10.2519/jospt.2011.3545. Epub 2011 Jul 12.
64. Hogan KK, Powden CJ, Hoch MC. The influence of foot posture on dorsiflexion range of motion and postural control in those with chronic ankle instability. *Clin Biomech (Bristol, Avon).* 2016;38:63-67. doi: 10.1016/j.clinbiomech.2016.08.010. Epub 2016 Aug 23.
65. Hiller CE, Nightingale EJ, Lin CW, Coughlan GF, Caulfield B, Delahunt E. Characteristics of people with recurrent ankle sprains: a systematic review with meta-analysis. *Br J Sports Med.* 2011;45(8):660-672. doi: 10.1136/bjsm.2010.077404. Epub 2011 Jan 21.
66. Van Deun S, Staes FF, Stappaerts KH, Janssens L, Levin O, Peers KK. Relationship of chronic ankle instability to muscle activation patterns during the transition from double-leg to single-leg stance. *Am J Sports Med.* 2007;35(2):274-281.
67. Geideman WM, Johnson JE. Posterior tibial tendon dysfunction. *J Orthop Sports Phys Ther.* 2000;30(2):68-77.
68. Franettovich M, Chapman A, Blanch P, Vicenzino B. A physiological and psychological basis for anti-pronation taping from a critical review of the literature. *Sports Med.* 2008;38(8):617-631.
69. Van Dillen LR, Norton BJ, Sahrman SA, et al. Efficacy of classification-specific treatment and adherence on outcomes in people with chronic low back pain. A one-year follow-up, prospective, randomized, controlled clinical trial. *Man Ther.* 2016;24:52-64. doi: 10.1016/j.math.2016.04.003. Epub 2016 Apr 19.
70. Alvarez RG, Marini A, Schmitt C, Saltzman CL. Stage I and II posterior tibial tendon dysfunction treated by a structured nonoperative management protocol: an orthosis and exercise program. *Foot Ankle Int.* 2006;27(1):2-8.
71. Kulig K, Reischl SF, Pomrantz AB, et al. Nonsurgical management of posterior tibial tendon dysfunction with orthoses and resistive exercise: a randomized controlled trial. *Phys Ther.* 2009;89(1):26-37. doi: 10.2522/ptj.20070242. Epub 2008 Nov 20.
72. Chao W, Wapner KL, Lee TH, Adams J, Hecht PJ. Non-operative management of posterior tibial tendon dysfunction. *Foot Ankle Int.* 1996;17(12):736-741.
73. Myerson MS. Adult acquired flatfoot deformity: treatment of dysfunction of the posterior tibial tendon. *Instr Course Lect.* 1997;46:393-405.
74. Mulligan EP, Cook PG. Effect of plantar intrinsic muscle training on medial longitudinal arch morphology and dynamic function. *Man Ther.* 2013;18(5):425-430. doi: 10.1016/j.math.2013.02.007. Epub 2013 Apr 28.
75. Huffer D, Hing W, Newton R, Clair M. Strength training for plantar fasciitis and the intrinsic foot musculature: a systematic review. *Phys Ther Sport.* 2017;24:44-52. doi: 10.1016/j.ptsp.2016.08.008. Epub 2016 Aug 18.
76. Mahadevan D, Venkatesan M, Bhatt R, Bhatia M. Diagnostic accuracy of clinical tests for Morton's neuroma compared with ultrasonography. *J Foot Ankle Surg.* 2015;54(4):549-553.
77. Younger AS, Hansen ST. Adult cavovarus foot. *J Am Acad Orthop Surg.* 2005;13(5):302-15.
78. Cornwall MW, McPoil TG. Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking. *J Am Podiatr Med Assoc.* 2002;92(2):67-76.
79. Cornwall MW, McPoil TG. Three-dimensional movement of the foot during the stance phase of walking. *J Am Podiatr Med Assoc.* 1999;89(2):56-66.
80. Leardini A, Benedetti MG, Berti L, Bettinelli D, Nativio R, Giannini S. Rear-foot, mid-foot and fore-foot motion during the stance phase of gait. *Gait Posture.* 2007;25(3):453-462.
81. Lundgren P, Nester C, Liu A, et al. Invasive in vivo measurement of rear-, mid- and forefoot motion during walking. *Gait Posture.* 2008;28(1):93-100.
82. Scott SH, Winter DA. Biomechanical model of the human foot: kinematics and kinetics during the stance phase of walking. *J Biomech.* 1993;26(9):1091-1104.
83. Redmond AC, Crosbie J, Ouvrier RA. Development and validation of a novel rating system for scoring standing foot posture: the Foot Posture Index. *Clin Biomech (Bristol, Avon).* 2006;21(1):89-98.
84. McPoil TG, Cornwall MW. Use of the longitudinal arch angle to predict dynamic foot posture in walking. *J Am Podiatr Med Assoc.* 2005;95(2):114-120.
85. Mueller MJ, Host JV, Norton BJ. Navicular drop as a composite measure of excessive pronation. *J Am Podiatr Med Assoc.* 1993;83(4):198-202.
86. Myerson MS. Adult acquired flat foot deformity. *J Bone Joint Surg.* 1996;78A:780-792.
87. Jonckheer P, Willems T, De Ridder R, et al. Evaluating fracture risk in acute ankle sprains: Any news since the Ottawa Ankle Rules? A systematic review. *Eur J Gen Pract.* 2016;22(1):31-41. doi: 10.3109/13814788.2015.1102881. Epub 2015 Dec 22.
88. Knapik JJ, Pope R, Orr R, Grier T. Injuries and footwear (Part 1): athletic shoe history and injuries in relation to foot arch height and training in boots. *J Spec Oper Med.* 2015;15(4):102-108.

89. Self BP, Harris S, Greenwald RM. Ankle biomechanics during impact landings on uneven surfaces. *Foot Ankle Int.* 2000;21:138-144.
90. Boone DC, Azen SP. Normal range of motion of joints in male subjects. *J Bone Joint Surg Am.* 1979;61(5):756-759.
91. Eickler R, Pomeranz SJ. Achilles tendinitis. *J Surg Orthop Adv.* 2015;24(3):198-202.
92. Habets B, van Cingel RE. Eccentric exercise training in chronic mid-portion Achilles tendinopathy: a systematic review on different protocols. *Scand J Med Sci Sports.* 2015;25(1):3-15. doi: 10.1111/sms.12208. Epub 2014 Mar 20.
93. Alfredson H, Cook J. A treatment algorithm for managing Achilles tendinopathy: new treatment options. *Br J Sports Med.* 2007;41(4):211-216.
94. Beyer R, Kongsgaard M, Hougs Kjaer B, Øhlenschläger T, Kjaer M, Magnusson SP. Heavy slow resistance versus eccentric training as treatment for Achilles tendinopathy: a randomized controlled trial. *Am J Sports Med.* 2015;43(7):1704-1711. doi: 10.1177/0363546515584760. Epub 2015 May 27.
95. Vicenzino B, Branjerdporn M, Teys P, Jordan K. Initial changes in posterior talar glide and dorsiflexion of the ankle after mobilization with movement in individuals with recurrent ankle sprain. *J Orthop Sports Phys Ther.* 2006;36(7):464-471.
96. Martin RL, Chimenti R, Cuddeford T, et al. Achilles pain, stiffness, and muscle power deficits: midportion achilles tendinopathy revision 2018. *J Orthop Sports Phys Ther.* 2018;48(5):A1-A38. doi:10.2519/jospt.2018.0302
97. Carcia CR, Martin RL, Houck J, Wukich DK, Orthopaedic Section of the American Physical Therapy Association. Achilles pain, stiffness, and muscle power deficits: Achilles tendinitis. *J Orthop Sports Phys Ther.* 2010;40(9):A1-A26. doi: 10.2519/jospt.2010.0305.
98. Cimenti RL, Bucklin M, Kelly M et al. Insertional Achilles tendinopathy associated with altered transverse compressive and axial tensile strain during ankle dorsiflexion. *J Orthop Res.* 2017;35(4):910-915. doi: 10.1002/jor.23338. Epub 2016 Jun 23.