



Screening the Lower Extremity

**Independent Study
Course 29.3.3**

John Heick, PT, DPT, PhD, OCS, NCS, SCS
Northern Arizona University
Flagstaff, AZ

Seth Peterson, PT, DPT, OCS, FAAOMPT
The Motive Physical Therapy Specialists
Tucson, AZ

Tarang Jain, PT, DPT, PhD
Northern Arizona University
Flagstaff, AZ

Jessup Institute

REFERENCES

1. Hootman JM, Dick R, Agel J. Epidemiology of collegiate injuries for 15 sports: summary and recommendations for injury prevention initiatives. *J Athletic Training*. 2007;42(2):311-319.
2. van Gent RN, Siem D, van Middelkoop M, van Os AG, Bierma-Zeinstra SM, Koes BW. Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. *Br J Sports Med*. 2007;41(8):469-480; discussion 480. doi://10.1136/bjsm.2006.033548.
3. Murphy L, Schwartz TA, Helmick CG, et al. Lifetime risk of symptomatic knee osteoarthritis. *Arthritis Rheum*. 2008;59(9):1207-1213. 10.1002/art.24021
4. Fugljaer S, Dissing KB, Hstbaek L. Prevalence and incidence of musculoskeletal extremity complaints in children and adolescents. A systematic review. *BMC Musculoskelet Disord*. 2017;18(1):418. doi://10.1186/s12891-017-1771-2.
5. Rifat SF, Gilvydis RP. Blunt abdominal trauma in sports. *Curr Sports Med Rep*. 2003;2(2):93-97.
6. Atkins JM, Taylor JC, Kane SF. Acute and overuse injuries of the abdomen and groin in athletes. *Curr Sports Med Rep*. 2010;9(2):115-120. doi://10.1249/JSR.0b013e3181d40080.
7. Karkenny AJ, Tauberg BM, Otsuka NY. Pediatric hip disorders: slipped capital femoral epiphysis and Legg-Calvè Perthes disease. *Pediatr Rev*. 2018;39(9):454-463. doi://10.1542/pir.2017-0197.
8. Hailer YD, Hailer NP. Is Legg-Calvè Perthes disease a local manifestation of a systemic condition? *Clin Orthop Relat Res*. 2018;476(5):1055-1064. doi://10.1007/s11999-000000000000214.
9. Koop S, Quanbeck D. Three common causes of childhood hip pain. *Pediatr Clin North Am*. 1996;43(5):1053-1066.
10. Della-Giustina K, Della-Giustina DA. Emergency department evaluation and treatment of pediatric orthopedic injuries. *Emerg Med Clin North Am*. 1999;17(4):895-922, vii.
11. Weinstein SL. Natural history and treatment outcomes of childhood hip disorders. *Clin Orthop Relat Res*. 1997(344):227-242.
12. Matava MJ, Patton CM, Luhmann S, Gordon JE, Schoenecker PL. Knee pain as the initial symptom of slipped capital femoral epiphysis: an analysis of initial presentation and treatment. *J Pediatr Orthop*. 1999;19(4):455-460.
13. Katz DA. Slipped capital femoral epiphysis: the importance of early diagnosis. *Pediatr Ann*. 2006;35(2):102-111.
14. Peck DM, Voss LM, Voss TT. Slipped capital femoral epiphysis: diagnosis and management. *Am Fam Physician*. 2017;95(12):779-784.
15. Ogdie A, Harter L, Shin D, et al. The risk of fracture among patients with psoriatic arthritis and psoriasis: a population-based study. *Ann Rheum Dis*. 2017;76(5):882-885. doi://10.1136/annrheumdis-2016-210441.
16. Gladman DD, Schentag CT, Tom BD, et al. Development and initial validation of a screening questionnaire for psoriatic arthritis: the Toronto Psoriatic Arthritis Screen (ToPAS). *Ann Rheum Dis*. 2009;68(4):497-501. doi://10.1136/ard.2008.089441.
17. Tom BD, Chandran V, Farewell VT, Rosen CF, Gladman DD. Validation of the Toronto Psoriatic Arthritis Screen Version 2 (ToPAS 2). *J Rheumatol*. 2015;42(5):841-846. doi://10.3899/jrheum.140857.
18. Wright V, Moll JM. Psoriatic arthritis. *Bull Rheum Dis*. 1971;21(5):627-632.
19. Cantini F, Salvarani C, Olivieri I, et al. Distal extremity swelling with pitting edema in psoriatic arthritis: a case-control study. *Clin Exp Rheumatol*. 2001;19(3):291-296.
20. Whyte MP. Clinical practice. Paget's disease of bone. *N Engl J Med*. 2006;355(6):593-600. doi://10.1056/NEJMcp060278.
21. Hanna SA, Dawson-Bowling S, Millington S, Bhumbra R, Achan P. Total hip arthroplasty in patients with Paget's disease of bone: A systematic review. *World J Orthop*. 2017;8(4):357-363. doi://10.5312/wjo.v8.i4.357.
22. Guyer PB, Chamberlain AT, Ackery DM, Rolfe EB. The anatomic distribution of osteitis deformans. *Clin Orthop Relat Res*. 1981(156):141-144.
23. Rajani R. Paget's Disease of Bone - Symptoms and Treatment - OrthoInfo - AAOS. 2018; <https://www.orthoinfo.org/en/diseases--conditions/pagets-disease-of-bone/>. Accessed October 6, 2018.
24. Cibulka MT, Bloom NJ, Enseki KR, Macdonald CW, Woehrle J, McDonough CM. Hip pain and mobility deficits-hip osteoarthritis: Revision 2017. *J Orthop Sports Phys Ther*. 2017;47(6):A1-A37.10.2519/jospt.2017.0301
25. Cyriax J. *Textbook of Orthopaedic Medicine. Volume 1: Diagnosis of Soft Tissue Lesions*. London: Baillière Tindall; 1980.
26. Acute low back problems in adults: assessment and treatment. Agency for Health Care Policy and Research. *Clin Pract Guidel Quick Ref Guide Clin*. 1994;(14):iii-iv, 1-25.
27. Deyo RA, Rainville J, Kent DL. What can the history and physical examination tell us about low back pain? *JAMA*. 1992;268(6):760-765.

28. Estridge MN, Rouhe SA, Johnson NG. The femoral stretching test. A valuable sign in diagnosing upper lumbar disc herniations. *J Neurosurg.* 1982;57(6):813-817. doi://10.3171/jns.1982.57.6.0813.
29. Bird PA, Oakley SP, Shnier R, Kirkham BW. Prospective evaluation of magnetic resonance imaging and physical examination findings in patients with greater trochanteric pain syndrome. *Arthritis Rheum.* 2001;44(9):2138-2145. doi://10.1002/1529-0131(200109)44:9<2138::AID-ART367>3.0.CO;2-M.
30. Fearon AM, Scarvell JM, Neeman T, Cook JL, Cormick W, Smith PN. Greater trochanteric pain syndrome: defining the clinical syndrome. *Br J Sports Med.* 2013;47(10):649-653. doi://10.1136/bjsports-2012-091565.
31. Prather H, Cheng A, Steger-May K, Maheshwari V, Van Dillen L. Hip and lumbar spine physical examination findings in people presenting with low back pain, with or without lower extremity pain. *J Orthop Sports Phys Ther.* 2017;47(3):163-172. doi://10.2519/jospt.2017.6567.
32. Shbbee MI, Matteson EL. Trochanteric bursitis (greater trochanter pain syndrome). *Mayo Clin Proc.* 1996;71(6):565-569. doi://10.1016/S0025-6196(11)64113-X.
33. Segal NA, Felson DT, Torner JC, et al. Greater trochanteric pain syndrome: epidemiology and associated factors. *Arch Phys Med Rehabil.* 2007;88(8):988-992. doi://10.1016/j.apmr.2007.04.014.
34. Lequesne M, Mathieu P, Vuillemin-Bodaghi V, Bard H, Djian P. Gluteal tendinopathy in refractory greater trochanter pain syndrome: diagnostic value of two clinical tests. *Arthritis Rheum.* 2008;59(2):241-246. doi://10.1002/art.23354.
35. Johnston CA, Wiley JP, Lindsay DM, Wiseman DA. Iliopsoas bursitis and tendinitis. A review. *Sports Med.* 1998;25(4):271-283.
36. Ekiz T, Bicici V, Hatioglu C, Yalcin S, Cingoz K. Ischial pain and sitting disability due to ischiogluteal bursitis: visual vignette. *Pain Physician.* 2015;18(4):E657-658.
37. Crawford K, Philippon MJ, Sekiya JK, Rodkey WG, Steadman JR. Microfracture of the hip in athletes. *Clin Sports Med.* 2006;25(2):327-335, x. doi://10.1016/j.csm.2005.12.004
38. Philippon MJ, Schenker ML, Briggs KK, Maxwell RB. Can microfracture produce repair tissue in acetabular chondral defects? *Arthroscopy.* 2008;24(1):46-50. doi://10.1016/j.arthro.2007.07.027
39. Krebs VE. The role of hip arthroscopy in the treatment of synovial disorders and loose bodies. *Clin Orthop Relat Res.* 2003;(406):48-59. doi://10.1097/01.blo.0000043043.84315.5e.
40. Mullis BH, Dahmers LE. Hip arthroscopy to remove loose bodies after traumatic dislocation. *J Orthop Trauma.* 2006;20(1):22-26.
41. Neckers AC, Polster JM, Winalski CS, Krebs VE, Sundaram M. Comparison of MR arthrography with arthroscopy of the hip for the assessment of intra-articular loose bodies. *Skeletal Radiol.* 2007;36(10):963-967. doi://10.1007/s00256-007-0331-5.
42. Johnson AW, Weiss CB Jr, Wheeler DL. Stress fractures of the femoral shaft in athletes--more common than expected. A new clinical test. *Am J Sports Med.* 1994;22(2):248-256. doi://10.1177/036354659402200216.
43. Ivkovic A, Bojanic I, Pecina M. Stress fractures of the femoral shaft in athletes: a new treatment algorithm. *Br J Sports Med.* 2006;40(6):518-520; discussion 520. doi://10.1136/bjsm.2005.023655.
44. Lombardo SJ, Benson DW. Stress fractures of the femur in runners. *Am J Sports Med.* 1982;10(4):219-227. doi://10.1177/036354658201000406.
45. Wright AA, Hegedus EJ, Lenchik L, Kuhn KJ, Santiago L, Smoliga JM. Diagnostic accuracy of various imaging modalities for suspected lower extremity stress fractures: a systematic review with evidence-based recommendations for clinical practice. *Am J Sports Med.* 2016;44(1):255-263. doi://10.1177/0363546515574066.
46. Schmidt-Brudvig TJ. Distal femoral stress fracture in military basic trainees: a report of three cases*. *J Orthop Sports Phys Ther.* 1985;7(1):20-22.
47. Finestone A, Shlamkovich N, Eldad A, et al. Risk factors for stress fractures among Israeli infantry recruits. *Mil Med.* 1991;156(10):528-530.
48. McBryde AM, Jr. Stress fractures in runners. *Clin Sports Med.* 1985;4(4):737-752.
49. Milgrom C, Finestone A, Shlamkovich N, et al. The clinical assessment of femoral stress fractures: a comparison of two methods. *Mil Med.* 1993;158(3):190-192.
50. Smeets SJM, Vening W, Winkes MB, Kuijt GP, Slooter GD, van Eerten PV. The patellar pubic percussion test: a simple bedside tool for suspected occult hip fractures. *Int Orthop.* 2018;42(11):2521-2524. doi://10.1007/s00264-018-4036-2.
51. Segat M, Casonato O, Margelli M, Pillon S. Is the Patellar Pubic Percussion Test useful to diagnose only femur fractures or something else? Two case reports. *Man Ther.* 2016;21:292-296. doi://10.1016/j.math.2015.08.010.
52. Adams SL, Yarnold PR. Clinical use of the patellar-pubic percussion sign in hip trauma. *Am J Emerg Med.* 1997;15(2):173-175.
53. Byrd JW. Hip arthroscopy: surgical indications. *Arthroscopy.* 2006;22(12):1260-1262.
54. Freehill MT, Safran MR. The labrum of the hip: diagnosis and rationale for surgical correction. *Clin Sports Med.* 2011;30(2):293-315. doi://10.1016/j.csm.2010.12.002.

55. Guanche CA, Sikka RS. Acetabular labral tears with underlying chondromalacia: a possible association with high-level running. *Arthroscopy*. 2005;21(5):580-585. doi://10.1016/j.arthro.2005.02.016.
56. Wenger DE, Kendell KR, Miner MR, Trousdale RT. Acetabular labral tears rarely occur in the absence of bony abnormalities. *Clin Orthop Relat Res*. 2004;(426):145-150.
57. Burnett RS, Della Rocca GJ, Prather H, Curry M, Maloney WJ, Clohisy JC. Clinical presentation of patients with tears of the acetabular labrum. *J Bone Joint Surg Am*. 2006;88(7):1448-1457. doi://10.2106/JBJS.D.02806.
58. Lewis CL, Sahrman SA. Acetabular labral tears. *Phys Ther*. 2006;86(1):110-121.
59. Toomayan GA, Holman WR, Major NM, Kozlowicz SM, Vail TP. Sensitivity of MR arthrography in the evaluation of acetabular labral tears. *AJR Am J Roentgenol*. 2006;186(2):449-453. doi://10.2214/AJR.04.1809.
60. Murphy KP, Ross AE, Javernick MA, Lehman RA, Jr. Repair of the adult acetabular labrum. *Arthroscopy*. 2006;22(5):567. e1-3. doi://10.1016/j.arthro.2005.07.033.
61. Enseki K, Harris-Hayes M, White DM, et al. Nonarthritic hip joint pain. *J Orthop Sports Phys Ther*. 2014;44(6):A1-32. doi://10.2519/jospt.2014.0302.
62. Rajpura A, Wright AC, Board TN. Medical management of osteonecrosis of the hip: a review. *Hip Int*. 2011;21(4):385-392. doi://10.5301/HIP.2011.8538.
63. Mont MA, Hungerford DS. Non-traumatic avascular necrosis of the femoral head. *J Bone Joint Surg Am*. 1995;77(3):459-474.
64. Guerra JJ, Steinberg ME. Distinguishing transient osteoporosis from avascular necrosis of the hip. *J Bone Joint Surg Am*. 1995;77(4):616-624.
65. Goldenberg DL. Septic arthritis. *Lancet*. 1998;351 (9097):197-202. doi://10.1016/S0140-6736(97)09522-6.
66. Ivey M, Clark R. Arthroscopic debridement of the knee for septic arthritis. *Clin Orthop Relat Res*. 1985;(199):201-206.
67. Vincent GM, Amirault JD. Septic arthritis in the elderly. *Clin Orthop Relat Res*. 1990;(251):241-245.
68. Kocher MS, Zurakowski D, Kasser JR. Differentiating between septic arthritis and transient synovitis of the hip in children: an evidence-based clinical prediction algorithm. *J Bone Joint Surg Am*. 1999;81(12):1662-1670.
69. Uzoigwe CE. Another look: is there a flaw to current hip septic arthritis diagnostic algorithms? *Clin Orthop Relat Res*. 2014;472(5):1645-1651. doi://10.1007/s11999-013-3142-0.
70. Lee YK, Park KS, Ha YC, Koo KH. Arthroscopic treatment for acute septic arthritis of the hip joint in adults. *Knee Surg Sports Traumatol Arthrosc*. 2014;22(4):942-945. doi://10.1007/s00167-012-2283-0.
71. Pauli S, Willemse P, Declerck K, Chappel R, Vanderveken M. Osteomyelitis pubis versus osteitis pubis: a case presentation and review of the literature. *Br J Sports Med*. 2002;36(1):71-73.
72. Johnson R. Osteitis pubis. *Curr Sports Med Rep*. 2003;2(2):98-102.
73. Middleton RG, Carlile RG. The spectrum of osteitis pubis. *Compr Ther*. 1993;19(3):99-102.
74. Pham DV, Scott KG. Presentation of osteitis and osteomyelitis pubis as acute abdominal pain. *Perm J*. 2007;11(2):65-68.
75. Rodriguez C, Miguel A, Lima H, Heinrichs K. Osteitis Pubis Syndrome in the professional soccer athlete: a case report. *J Athletic Training*. 2001;36(4):437-440.
76. Grace JN, Sim FH, Shives TC, Coventry MB. Wedge resection of the symphysis pubis for the treatment of osteitis pubis. *J Bone Joint Surg Am*. 1989;71(3):358-364.
77. Swan KG, Jr., Wolcott M. The athletic hernia: a systematic review. *Clin Orthop Relat Res*. 2007;455:78-87. doi://10.1097/BLO.0b013e31802eb3ea.
78. Caudill P, Nyland J, Smith C, Yerasimides J, Lach J. Sports hernias: a systematic literature review. *Br J Sports Med*. 2008;42(12):954-964. doi://10.1136/bjsm.2008.047373.
79. Ross JR, Stone RM, Larson CM. Core muscle injury/sports hernia/athletic pubalgia, and femoroacetabular impingement. *Sports Med Arthrosc Rev*. 2015;23(4):213-220. doi://10.1097/JSA.0000000000000083.
80. Nam A, Brody F. Management and therapy for sports hernia. *J Am Coll Surg*. 2008;206(1):154-164. doi://10.1016/j.jamcollsurg.2007.07.037.
81. Kachingwe AF, Grech S. Proposed algorithm for the management of athletes with athletic pubalgia (sports hernia): a case series. *J Orthop Sports Phys Ther*. 2008;38(12):768-781. doi://10.2519/jospt.2008.2846.
82. Holzheimer RG. Inguinal Hernia: classification, diagnosis and treatment--classic, traumatic and Sportsman's hernia. *Eur J Med Res*. 2005;10(3):121-134.
83. Rutkow IM, Robbins AW. Demographic, classificatory, and socioeconomic aspects of hernia repair in the United States. *Surg Clin North Am*. 1993;73(3):413-426.
84. Dabbas N, Adams K, Pearson K, Royle G. Frequency of abdominal wall hernias: is classical teaching out of date? *JRSM Short Rep*. 2011;2(1):5. doi://10.1258/shorts.2010.010071.
85. de Goede B, Timmermans L, van Kempen BJ, et al. Risk factors for inguinal hernia in middle-aged

- and elderly men: results from the Rotterdam Study. *Surgery*. 2015;157(3):540-546. doi://10.1016/j.surg.2014.09.029.
86. van den Berg JC, de Valois JC, Go PM, Rosenbusch G. Detection of groin hernia with physical examination, ultrasound, and MRI compared with laparoscopic findings. *Invest Radiol*. 1999;34(12):739-743.
87. Hunter DJ, Neogi T, Hochberg MC. Quality of osteoarthritis management and the need for reform in the US. *Arthritis Care Res (Hoboken)*. 2011;63(1):31-38. doi://10.1002/acr.20278.
88. Firestein GS. Etiology and pathogenesis of rheumatoid arthritis. In: Firestein GS, Budd R, Gabriel SE, McInnes IB, O'Dell JR. *Kelley's Textbook of Rheumatology Ebook*. 9th ed. Philadelphia, PA: Saunders/Elsevier Health Sciences; 2012:1059-1108.
89. van Vollenhoven RF. Sex differences in rheumatoid arthritis: more than meets the eye. *BMC Med*. 2009;7:12. doi://10.1186/1741-7015-7-12.
90. Weiss JE. Pediatric systemic lupus erythematosus: more than a positive antinuclear antibody. *Pediatr Rev*. 2012;33(2):62-73; quiz 74. doi://10.1542/pir.33-2-62.
91. Lim SS, Bayakly AR, Helmick CG, Gordon C, Easley KA, Drenkard C. The incidence and prevalence of systemic lupus erythematosus, 2002-2004: The Georgia Lupus Registry. *Arthritis Rheumatol*. 2014;66(2):357-368. 10.1002/art.38239.
92. Crosslin KL, Wiginton KL. The impact of race and ethnicity on disease severity in systemic lupus erythematosus. *Ethn Dis*. 2009;19(3):301-307.
93. Sturgill LP, Snyder-Mackler L, Manal TJ, Axe MJ. Interrater reliability of a clinical scale to assess knee joint effusion. *J Orthop Sports Phys Ther*. 2009;39(12):845-849. doi://10.2519/jospt.2009.3143.
94. Tektonidou MG, Wang Z, Dasgupta A, Ward MM. Burden of serious infections in adults with systemic lupus erythematosus: a national population-based study, 1996-2011. *Arthritis Care Res (Hoboken)*. 2015;67(8):1078-1085. doi://10.1002/acr.22575.
95. U.S. Cancer Statistics Working Group. *United States Cancer Statistics: 2004 Incidence and Mortality*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute; 2007.
96. Ottaviani G, Jaffe N. The epidemiology of osteosarcoma. *Cancer Treat Res*. 2009;152:3-13. doi://10.1007/978-1-4419-0284-9_1.
97. Burningham Z, Hashibe M, Spector L, Schiffman JD. The epidemiology of sarcoma. *Clin Sarcoma Res*. 2012;2(1):14. doi://10.1186/2045-3329-2-14.
98. Henschke N, Maher CG, Refshauge KM. A systematic review identifies five “red flags” to screen for vertebral fracture in patients with low back pain. *J Clin Epidemiol*. 2008;61(2):110-118. doi://10.1016/j.jclinepi.2007.04.013.
99. Premkumar A, Godfrey W, Gottschalk MB, Boden SD. Red flags for low back pain are not always really red: a prospective evaluation of the clinical utility of commonly used screening questions for low back pain. *J Bone Joint Surg Am*. 2018;100(5):368-374. doi://10.2106/JBJS.17.00134.
100. Cook CE, George SZ, Reiman MP. Red flag screening for low back pain: nothing to see here, move along: a narrative review. *Br J Sports Med*. 2018;52(8):493-496. doi://10.1136/bjsports-2017-098352.
101. Gosling LC, Rushton AB. Identification of adult knee primary bone tumour symptom presentation: A qualitative study. *Man Ther*. 2016;26:54-61. doi: 10.1016/j.math.2016.07.003. Epub 2016 Jul 17
102. Sergi C, Zworschke W. Osteogenic sarcoma (osteosarcoma) in the elderly: tumor delineation and predisposing conditions. *Exp Gerontol*. 2008;43(12):1039-1043. doi://10.1016/j.exger.2008.09.009.
103. Peterson S, Denninger T, Porter S. Physical therapist clinical reasoning and action for individuals with undiagnosed lower extremity tumors: a report of 3 cases. *J Orthop Sports Phys Ther*. 2017;47(5):359-366. doi://10.2519/jospt.2017.7037.
104. Henry NE, Carow SD, Kocher BL. Osteochondroma fracture at the distal medial femur. *J Orthop Sports Phys Ther*. 2014;44(6):457. doi://10.2519/jospt.2014.0407.
105. Rhon DI, Deyle GD, Gill NW. Clinical reasoning and advanced practice privileges enable physical therapist point-of-care decisions in the military health care system: 3 clinical cases. *Phys Ther*. 2013;93(9):1234-1243. doi://10.2522/pjt.20120148.
106. Sperier AD, Hammel NC, Rosenthal MD. Chondrosarcoma of the hip. *J Orthop Sports Phys Ther*. 2015;45(10):814. doi://10.2519/jospt.2015.0410.
107. Colman MW, Lozano-Calderon S, Raskin KA, Hornicek FJ, Gebhardt M. Non-neoplastic soft tissue masses that mimic sarcoma. *Orthop Clin North Am*. 2014;45(2):245-255. doi://10.1016/j.jocn.2013.12.006.
108. Albert TJ, Balderston RA, Heller JG, et al. Upper lumbar disc herniations. *J Spinal Disord*. 1993;6(4):351-359.
109. Sanchis-Alfonso V, Rosello-Sastre E. Anterior knee pain in the young patient--what causes the pain? “Neural model”. *Acta Orthop Scand*. 2003;74(6):697-703. doi://10.1080/00016470310018225.
110. Kreitz BG, Cote P, Yong-Hing K. Crossed femoral stretching test. A case report. *Spine (Phila Pa 1976)*. 1996;21(13):1584-1586.
111. Poppert E, Kulig K. Hip degenerative joint disease in a patient with medial knee pain. *J Orthop Sports Phys Ther*. 2011;41(1):33. doi://10.2519/jospt.2011.0402.

112. Georgoulis AD, Papageorgiou CD, Moebius UG, Rossis J, Papadonikolakis A, Soucacos PN. The diagnostic dilemma created by osteoid osteoma that presents as knee pain. *Arthroscopy*. 2002;18(1):32-37.
113. Brookler MI, Mongan ES. Anserina bursitis. A treatable cause of knee pain in patients with degenerative arthritis. *Calif Med*. 1973;119(1):8-10.
114. Alvarez-Nemegyei J. Risk factors for pes anserinus tendinitis/bursitis syndrome: a case control study. *J Clin Rheumatol*. 2007;13(2):63-65. doi://10.1097/01.rhu.0000262082.84624.37.
115. Naredo E, Cabero F, Palop MJ, Collado P, Cruz A, Crespo M. Ultrasonographic findings in knee osteoarthritis: a comparative study with clinical and radiographic assessment. *Osteoarthritis Cartilage*. 2005;13(7):568-574. doi://10.1016/j.joca.2005.02.008.
116. Clayton RA, Court-Brown CM. The epidemiology of musculoskeletal tendinous and ligamentous injuries. *Injury*. 2008;39(12):1338-1344. doi://10.1016/j.injury.2008.06.021.
117. Laprade RF, Wijdicks CA. The management of injuries to the medial side of the knee. *J Orthop Sports Phys Ther*. 2012;42(3):221-233. doi://10.2519/jospt.2012.3624.
118. Ballas ER, Stillman CA. Anterior cruciate ligament injury and bucket handle tear of the medial meniscus. *J Orthop Sports Phys Ther*. 2009;39(10):766. doi://10.2519/jospt.2009.0412.
119. Glenesk K, Fogarty BT, Westrick RB. Isolated posterior cruciate ligament injury. *J Orthop Sports Phys Ther*. 2013;43(10):759. doi://10.2519/jospt.2013.0418.
120. Wind WM, Jr., Bergfeld JA, Parker RD. Evaluation and treatment of posterior cruciate ligament injuries: revisited. *Am J Sports Med*. 2004;32(7):1765-1775. doi://10.1177/0363546504270481.
121. Covey DC. Injuries of the posterolateral corner of the knee. *J Bone Joint Surg Am*. 2001;83-A(1):106-118.
122. Ranawat A, Baker CL, 3rd, Henry S, Harner CD. Posterolateral corner injury of the knee: evaluation and management. *J Am Acad Orthop Surg*. 2008;16(9):506-518.
123. Ferretti A, Monaco E, Ponzo A, et al. The unhappy triad of the knee re-revisited. *Int Orthop*. 2018;43(1):223-228. doi: 10.1007/s00264-018-4181-7. Epub 2018 Oct 1.
124. Perfitt JS, Petrie MJ, Blundell CM, Davies MB. Acute quadriceps tendon rupture: a pragmatic approach to diagnostic imaging. *Eur J Orthop Surg Traumatol*. 2014;24(7):1237-1241. doi://10.1007/s00590-013-1307-x.
125. Snyder RA, Koester MC, Dunn WR. Epidemiology of stress fractures. *Clin Sports Med*. 2006;25(1):37-52, viii. doi://10.1016/j.csm.2005.08.005.
126. Iwamoto J, Takeda T. Stress fractures in athletes: review of 196 cases. *J Orthop Sci*. 2003;8(3):273-278. doi://10.1007/s10776-002-0632-5.
127. Crossley K, Bennell KL, Wrigley T, Oakes BW. Ground reaction forces, bone characteristics, and tibial stress fracture in male runners. *Med Sci Sports Exerc*. 1999;31(8):1088-1093.
128. Franklyn M, Oakes B, Field B, Wells P, Morgan D. Section modulus is the optimum geometric predictor for stress fractures and medial tibial stress syndrome in both male and female athletes. *Am J Sports Med*. 2008;36(6):1179-1189. doi://10.1177/0363546508314408.
129. Popp KL, Hughes JM, Smock AJ, et al. Bone geometry, strength, and muscle size in runners with a history of stress fracture. *Med Sci Sports Exerc*. 2009;41(12):2145-2150. doi://10.1249/MSS.0b013e3181a9e772.
130. Schnackenburg KE, Macdonald HM, Ferber R, Wiley JP, Boyd SK. Bone quality and muscle strength in female athletes with lower limb stress fractures. *Med Sci Sports Exerc*. 2011;43(11):2110-2119. doi://10.1249/MSS.0b013e31821f8634.
131. Hixon AL, Gibbs LM. Osteochondritis dissecans: a diagnosis not to miss. *Am Fam Physician*. 2000;61(1):151-156, 158.
132. De Smet AA, Ilahi OA, Graf BK. Reassessment of the MR criteria for stability of osteochondritis dissecans in the knee and ankle. *Skeletal Radiol*. 1996;25(2):159-163.
133. McKay S, Chen C, Rosenfeld S. Orthopedic perspective on selected pediatric and adolescent knee conditions. *Pediatr Radiol*. 2013;43 Suppl 1:S99-106. doi://10.1007/s00247-012-2587-8.
134. Birk GT, DeLee JC. Osteochondral injuries. Clinical findings. *Clin Sports Med*. 2001;20(2):279-286.
135. Steinberg N, Dar G, Dunlop M, Gaida JE. The relationship of hip muscle performance to leg, ankle and foot injuries: a systematic review. *Phys Sportsmed*. 2017;45(1):49-63. doi://10.1080/00913847.2017.1280370.
136. Phelps KR. Edema. In: Walker HK, Hall WD, Hurst JW, eds. *Clinical Methods: The History, Physical, and Laboratory Examinations*. Boston, MA: Butterworth Publications; 1990.
137. Brodovicz KG, McNaughton K, Uemura N, Meininger G, Girman CJ, Yale SH. Reliability and feasibility of methods to quantitatively assess peripheral edema. *Clin Med Res*. 2009;7(1-2):21-31. doi://10.3121/cmr.2009.819.
138. Hirsch AT, Haskal ZJ, Hertzler NR, et al. ACC/AHA 2005 Practice Guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional

- Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease): endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation; National Heart, Lung, and Blood Institute; Society for Vascular Nursing; TransAtlantic Inter-Society Consensus; and Vascular Disease Foundation. *Circulation*. 2006;113(11):e463-654. doi://10.1161/CIRCULATIONAHA.106.174526.
139. McDermott MM, Greenland P, Liu K, et al. Leg symptoms in peripheral arterial disease: associated clinical characteristics and functional impairment. *JAMA*. 2001;286(13):1599-1606.
140. Khan TH, Farooqui FA, Niazi K. Critical review of the ankle brachial index. *Curr Cardiol Rev*. 2008;4(2):101-106. doi://10.2174/157340308784245810.
141. Hiatt WR. Medical treatment of peripheral arterial disease and claudication. *N Engl J Med*. 2001;344(21):1608-1621. doi://10.1056/NEJM200105243442108.
142. Martyn CN, Hughes RA. Epidemiology of peripheral neuropathy. *J Neurol Neurosurg Psychiatry*. 1997;62(4):310-318.
143. Partanen J, Niskanen L, Lehtinen J, Mervaala E, Saitonen O, Uusitupa M. Natural history of peripheral neuropathy in patients with non-insulin-dependent diabetes mellitus. *N Engl J Med*. 1995;333(2):89-94. doi://10.1056/NEJM199507133330203.
144. Dyck PJ, Kratz KM, Karnes JL, et al. The prevalence by staged severity of various types of diabetic neuropathy, retinopathy, and nephropathy in a population-based cohort: the Rochester Diabetic Neuropathy Study. *Neurology*. 1993;43(4):817-824.
145. Al-Geffari M. Comparison of different screening tests for diagnosis of diabetic peripheral neuropathy in Primary Health Care setting. *Int J Health Sci (Qassim)*. 2012;6(2):127-134.
146. Boulton AJ, Vinik AI, Arezzo JC, et al. Diabetic neuropathies: a statement by the American Diabetes Association. *Diabetes Care*. 2005;28(4):956-962.
147. Hainer BL, Matheson E, Wilkes RT. Diagnosis, treatment, and prevention of gout. *Am Fam Physician*. 2014;90(12):831-836.
148. Neogi T, Jansen TL, Dalbeth N, et al. 2015 Gout Classification Criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. *Arthritis Rheumatol*. 2015;67(10):2557-2568. doi://10.1002/art.39254.
149. Kannus P, Palvanen M, Niemi S, Parkkari J, Jarvinen M. Increasing number and incidence of low-trauma ankle fractures in elderly people: Finnish statistics during 1970-2000 and projections for the future. *Bone*. 2002;31(3):430-433.
150. Shibuya N, Davis ML, Jupiter DC. Epidemiology of foot and ankle fractures in the United States: an analysis of the National Trauma Data Bank (2007 to 2011). *J Foot Ankle Surg*. 2014;53(5):606-608. doi://10.1053/j.jfas.2014.03.011.
151. Bachmann LM, Kolb E, Koller MT, Steurer J, ter Riet G. Accuracy of Ottawa ankle rules to exclude fractures of the ankle and mid-foot: systematic review. *BMJ*. 2003;326(7386):417. doi://10.1136/bmj.326.7386.417.
152. Eggli S, Sclabas GM, Eggli S, Zimmermann H, Exadaktylos AK. The Bernese ankle rules: a fast, reliable test after low-energy, supination-type malleolar and midfoot trauma. *J Trauma*. 2005;59(5):1268-1271.
153. Fong DT, Hong Y, Chan LK, Yung PS, Chan KM. A systematic review on ankle injury and ankle sprain in sports. *Sports Med*. 2007;37(1):73-94.
154. Doherty C, Delahunt E, Caulfield B, Hertel J, Ryan J, Bleakley C. The incidence and prevalence of ankle sprain injury: a systematic review and meta-analysis of prospective epidemiological studies. *Sports Med*. 2014;44(1):123-140. doi://10.1007/s40279-013-0102-5.
155. Butler AM, Walsh WR. Mechanical response of ankle ligaments at low loads. *Foot Ankle Int*. 2004;25(1):8-12. doi://10.1177/107110070402500103.
156. Attarian DE, McCrackin HJ, DeVito DP, McElhaney JH, Garrett WE, Jr. Biomechanical characteristics of human ankle ligaments. *Foot Ankle*. 1985;6(2):54-58.
157. Williams GN, Jones MH, Amendola A. Syndesmotic ankle sprains in athletes. *Am J Sports Med*. 2007;35(7):1197-1207. doi://10.1177/0363546507302545.
158. Malliaropoulos N, Papacostas E, Papalada A, Maffulli N. Acute lateral ankle sprains in track and field athletes: an expanded classification. *Foot Ankle Clin*. 2006;11(3):497-507. doi://10.1016/j.facl.2006.05.004.
159. Konradsen L, Bech L, Ehrenbjerg M, Nickelsen T. Seven years follow-up after ankle inversion trauma. *Scand J Med Sci Sports*. 2002;12(3):129-135.
160. Hiller CE, Refshauge KM, Bundy AC, Herbert RD, Kilbreath SL. The Cumberland ankle instability tool: a report of validity and reliability testing. *Arch Phys Med Rehabil*. 2006;87(9):1235-1241. doi://10.1016/j.apmr.2006.05.022.
161. Docherty CL, Gansneder BM, Arnold BL, Hurwitz SR. Development and reliability of the ankle instability instrument. *J Athletic Training*. 2006;41(2):154-158.
162. Roos EM, Brandsson S, Karlsson J. Validation of the foot and ankle outcome score for ankle ligament reconstruction. *Foot Ankle Int*. 2001;22(10):788-794.
163. Martin RL, Davenport TE, Paulseth S, Wukich DK, Godges JJ, Orthopaedic Section American Physical Therapy A. Ankle stability and movement coordination impairments: ankle ligament sprains. *J Orthop*

- Sports Phys Ther.* 2013;43(9):A1-40. doi://10.2519/jospt.2013.0305.
164. Talusan PG, Toy J, Perez JL, Milewski MD, Reach JS, Jr. Anterior ankle impingement: diagnosis and treatment. *J Am Acad Orthop Surg.* 2014;22(5):333-339. doi://10.5435/JAAOS-22-05-333.
165. Weatherall JM, Mroczek K, McLaurin T, Ding B, Tejwani N. Post-traumatic ankle arthritis. *Bull Hosp Jt Dis (2013).* 2013;71(1):104-112.
166. Roster B, Michelier P, Giza E. Peroneal tendon disorders. *Clin Sports Med.* 2015;34(4):625-641. doi://10.1016/j.csm.2015.06.003.
167. Morrissey D. Guidelines and pathways for clinical practice in tendinopathy: their role and development. *J Orthop Sports Phys Ther.* 2015;45(11):819-822. doi://10.2519/jospt.2015.0111.
168. Bailie DS, Kelikian AS. Tarsal tunnel syndrome: diagnosis, surgical technique, and functional outcome. *Foot Ankle Int.* 1998;19(2):65-72. doi://10.1177/107110070502601113.
169. Angst F, Aeschlimann A, Michel BA, Stucki G. Minimal clinically important rehabilitation effects in patients with osteoarthritis of the lower extremities. *J Rheumatol.* 2002;29(1):131-138.
170. Roos EM, Roos HP, Lohmander LS, Ekdahl C, Beynnon BD. Knee Injury and Osteoarthritis Outcome Score (KOOS)--development of a self-administered outcome measure. *J Orthop Sports Phys Ther.* 1998;28(2):88-96. doi://10.2519/jospt.1998.28.2.88.
171. Roos EM, Toksvig-Larsen S. Knee injury and Osteoarthritis Outcome Score (KOOS) - validation and comparison to the WOMAC in total knee replacement. *Health Qual Life Outcomes.* 2003;1:17. doi://10.1186/1477-7525-1-17.
172. Roos EM, Roos HP, Lohmander LS. WOMAC Osteoarthritis Index--additional dimensions for use in subjects with post-traumatic osteoarthritis of the knee. Western Ontario and MacMaster Universities. *Osteoarthritis Cartilage.* 1999;7(2):216-221. doi://10.1053/joca.1998.0153.
173. Bekkers JE, de Windt TS, Raijmakers NJ, Dhert WJ, Saris DB. Validation of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for the treatment of focal cartilage lesions. *Osteoarthritis Cartilage.* 2009;17(11):1434-1439. doi://10.1016/j.joca.2009.04.019.
174. Collins NJ, Misra D, Felson DT, Crossley KM, Roos EM. Measures of knee function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOS-PS), Knee Outcome Survey Activities of Daily Living Scale (KOS-ADL), Lysholm Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS). *Arthritis Care Res (Hoboken).* 2011;63 Suppl 11:S208-228. doi://10.1002/acr.20632.
175. Martin RL, Irrgang JJ, Burdett RG, Conti SF, Van Swearingen JM. Evidence of validity for the Foot and Ankle Ability Measure (FAAM). *Foot Ankle Int.* 2005;26(11):968-983. doi://10.1177/107110070502601113.