



# Running Footwear: Matching Structure and Function

Independent Study  
Course 30.1.2

**Dana Webb, PT, DPT, OCS, CSCS<sup>1</sup>**  
**Angela Stagliano, PT, DPT, OCS, CSCS<sup>1</sup>**  
**Henry Clay Holton, PT, DPT, CSCS<sup>2</sup>**

<sup>1</sup>University of South Florida, Tampa, FL

<sup>2</sup>Delta Healthcare Providers, Augusta, GA

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF  
**ORTHOPAEDIC  
PHYSICAL THERAPY** 

 **APTA**  
American Physical Therapy Association

## REFERENCES

1. Theisen D, Malisoux L, Gette P, Nührenbörger C, Urhausen A. Footwear and running-related injuries – running on faith? *Sports Orthop Traumatol*. 2016;32:169-176.
2. Werd MB, Knight EL, Langer PR, eds. *Athletic Footwear and Orthoses in Sports Medicine*. 2nd ed. New York, NY: Springer; 2010.
3. Branthwaite H, Chockalingam N, Greenhalgh A. The effect of shoe toe box shape and volume on forefoot interdigital and plantar pressures in healthy females. *J Foot Ankle Res*. 2013;6(1):1-9.
4. 10 points of proper shoe fit. American Orthopaedic Foot & Ankle Society. <https://www.footcaremd.org/resources/how-to-help/10-points-of-proper-shoe-fit>. Accessed January 11, 2019.
5. Cochrum RG, Connors RT, Coons JM, Fuller DK, Morgan DW, Caputo JL. Comparison of running economy values while wearing no shoes, minimal shoes, and normal running shoes. *J Strength Cond Res*. 2017;31(3):595-601. doi: 10.1519/JSC.0000000000000892.
6. Promjun S, Sahachaisaeree N. Factors determining athletic footwear design: a case of product appearance and functionality. *Soc Behav Sci*. 2012;36:520-528. doi: 10.1016/j.sbspro.2012.03.057.
7. Chan ZYS, Au IPH, Lau FOY, Ching ECK, Zhang JH, Cheung RTH. Does maximalist footwear lower impact loading during level ground and downhill running? *Eur J Sport Sci*. 2018;18(8):1083-1089. doi: 10.1080/17461391.2018.1472298. Epub 2018 May 24.
8. Logan S, Hunter I, Hopkins JT, Feland JB, Parcell AC. Ground reaction force differences between running shoes, racing flats, and distance spikes in runners. *J Sports Sci Med*. 2010;9(1):147-153. eCollection 2010.
9. Theisen, D, Malisoux L, Genin J, Delattre N, Seil R, Urhausen A. Influence of midsole hardness of standard cushioned shoes on running-related injury risk. *Br J Sports Med*. 2014;48(5): 371-376. doi: 10.1136/bjsports-2013-092613. Epub 2013 Sep 16.
10. Nielsen RO, Buist I, Parner ET, et al. Foot pronation is not associated with increased injury risk in novice runners wearing a neutral shoe: a 1-year prospective cohort study. *Br J Sports Med*. 2014;48:440–447. doi: 10.1136/bjsports-2013-092202. Epub 2013 Jun 13.
11. Knapik JJ, Brosch LC, Venuto M, et al. effect on injuries of assigning shoes based on foot shape in Air Force basic training. *Am J Prev Med*. 2010;38(1):197-211.
12. Malisoux L, Chambon N, Delattre N, Gueguen N, Urhausen A, Theisen D. Injury risk in runners using standard or motion control shoes: a randomised controlled trial with participant and assessor blinding. *Br J Sports Med*. 2016;50:481-487. doi: 10.1136/bjsports-2015-095031. Epub 2016 Jan 8.
13. Knapik JJ, Trone DW, Swedler DI, et al. Injury reduction effectiveness of assigning running shoes based on plantar shape in Marine Corps basic training. *Am J Sports Med*. 2010;38(9):1759-1767. doi: 10.1177/0363546510369548. Epub 2010 Jun 24.
14. Malisoux L, Chambon N, Urhausen A, Theisen D. Influence of the heel-to-toe drop of standard cushioned running shoes on injury risk in leisure-time runners: a randomized controlled trial with 6-month follow-up. *Am J Sports Med*. 2016;44(11):2933-2940. Epub 016 Aug 8.
15. Hong Y, Wang L, Li JX, Zhou JH. Changes in running mechanics using conventional shoelace versus elastic shoe cover. *J Sports Sci*. 2011;29:373-379. doi: 10.1080/02640414.2010.534805.
16. Hagen, M, Hömme AK, Umlauf T, Hennig EM. Effects of different shoe-lacing patterns on dorsal pressure distribution during running and perceived comfort. *Res Sports Med*. 2010;18(3):176-187.
17. Hagen M, Hennig EM. Effects of different shoe-lacing patterns on the biomechanics of running shoes. *J Sports Sci*. 2009;27(3):267-275. doi: 10.1080/02640410802482425.
18. Davis IS, Rice HM, Wearing SC. Why forefoot striking in minimal shoes might positively change the course of running injuries. *J Sport Health Sci*. 2017;6(2):154-161. doi: 10.1016/j.jshs.2017.03.013. Epub 2017 Mar 31.
19. Jenkins DW. Barefoot, minimalist, maximalist, and performance. In: *Athletic Footwear and Orthoses in Sports Med*. 2nd ed. New York, NY: Springer; 2017:181-221.
20. Roth J, Neumann J, Tao M. Orthopaedic perspective on barefoot and minimalist running. *J Am Acad Orthop Surg*. 2016;24(3):180-187.
21. Bond KL. The effect of minimalistic running on running related injuries in habitually shod individuals: a review (Doctoral dissertation, Appalachian State University). 2017.
22. Warne, JP, Gruber AH. Transitioning to minimal footwear: a systematic review of methods and future clinical recommendations. *Sports Med Open*. 2017;3(1):33.
23. Esculier JF, Dubois B, Dionne CE, Leblond J, Roy JS. A consensus definition and rating scale for minimalist shoes. *J Foot Ankle Res*. 2015;8(1):42-48.
24. Walton PD, French DP. What do people think about running barefoot/with minimalist footwear? A thematic analysis. *Brit J Health Psych*. 2016;21(2):451-468.
25. Barcellona MG, Buckley L, Palmer LJ, et al. The effect of minimalist footwear and instruction on running: an observational study. *BMJ Open Sport Exerc Med*. 2017;3(1):1-8.

26. Squadrone R, Rodano R, Hamill J, Preatoni E. Acute effect of different minimalist shoes on foot strike pattern and kinematics in rearfoot strikers during running. *J Sports Sci.* 2015;33(11):1196-1204. doi: 10.1080/02640414.2014.989534. Epub 2014 Dec 20.
27. Sinclair J, Hobbs SJ, Currigan G, Taylor PJ. A comparison of several barefoot inspired footwear models in relation to barefoot and conventional running footwear. *Comp Exerc Physiol.* 2013;9(1):13-21.
28. Hollander K, Argubi-Wollesen A, Reer R, Zech A. Comparison of minimalist footwear strategies for simulating barefoot running: a randomized crossover study. *PLoS One.* 2015;10(5):1-11.
29. Sinclair J, Richards J, Selfe J, Fau-Goodwin J, Shore H. The influence of minimalist and maximalist footwear on patellofemoral kinetics during running. *J Appl Biomech.* 2016;32(4):359-364. doi: 10.1123/jab.2015-0249. Epub 2016 Mar 8.
30. Hryvniak D, Dicharry J, Wilder R. Barefoot running survey: evidence from the field. *J Sport Health Sci.* 2014;3:131-136.
31. Squadrone R, Gallozzi C. Biomechanical and physiological comparison of barefoot and two shod conditions in experienced barefoot runners. *J Sports Med Phys Fitness.* 2009;49(1):6-13.
32. Fuller JT, Buckley JD, Tsiros MD, Brown NAT, Thewlis D. Redistribution of mechanical work at the knee and ankle joints during fast running in minimalist shoes. *J Athl Train.* 2016;51(10):806-812. doi: 10.4085/1062-6050-51.12.05. Epub 2016 Nov 11.
33. Fuller JT, Thewlis D, Tsiros MD, Brown NAT, Buckley JD. Effects of a minimalist shoe on running economy and 5-km running performance. *J Sports Sci.* 2016;34(18):1740-1745. doi: 10.1080/02640414.2015.1136071. Epub 2016 Jan 11.
34. Fuller JT, Thewlis D, Tsiros MD, Brown NAT, Buckley JD. Six-week transition to minimalist shoes improves running economy and time-trial performance. *J Sci Med Sport.* 2017;20(12):1117-1122. doi: 10.1016/j.jsams.2017.04.013. Epub 2017 Apr 21.
35. Fuller JT, Thewlis D, Buckley JD, Brown NAT, Hamill J, Tsiros MD. Body mass and weekly training distance influence the pain and injuries experienced by runners using minimalist shoes: a randomized controlled trial. *Am J Sports Med.* 2017;45(5):1162-1170. doi: 10.1177/0363546516682497. Epub 2017 Jan 27.
36. Kahle A, Brown GA, Shaw I, Shaw BS. Mechanical and physiological analysis of minimalist versus traditionally-shod running. *J Sports Med Phys Fitness.* 2016;56(9):974-979.
37. Zhang JH, McPhail AJ, An WW, et al. A new footwear technology to promote non-heelstrike landing and enhance running performance: fact or fad? *J Sports Sci.* 2017;35(15):1533-1537. doi: 10.1080/02640414.2016.1224915. Epub 2016 Sep 8.
38. Tam N, Darragh IAJ, Divekar NV, Lamberts RP. Habitual minimalist shod running biomechanics and the acute response to running barefoot. *Inter J Sports Med.* 2017;38(10):770-775.
39. Warne JP, Kilduff SM, Gregan BC, Nevill AM, Moran KA, Warrington GD. A 4-week instructed minimalist running transition and gait-retraining changes plantar pressure and force. *Scan J Med Sci Sports.* 2014;24(6):964-973.
40. Chambon N, Delattre N, Guéguen N, Berton E, Rao G. Is midsole thickness a key parameter for the running pattern? *Gait Posture.* 2014;40(1):58-63.
41. Jandová S, Sparks M, Oleśniewicz P, Charousek J, Chrástková M, Markiewicz J. Changes in the foot strike pattern and pressure distribution when running in minimalist and traditional sport shoes. *Medicina dello Sport.* 2018;71(2):257-267.
42. Cheung RT, Wong RY, Chung TK, Choi RT, Leung WW, Shek DH. Relationship between foot strike pattern, running speed, and footwear condition in recreational distance runners. *Sports Biomech.* 2017;16(2):238-247. doi: 10.1080/14763141.2016.1226381. Epub 2016 Sep 4.
43. Lieberman DE, Venkadesan M, Werbel WA, et al. Foot strike patterns and collision forces in habitually barefoot versus shod runners. *Nature.* 2010;463:531-535.
44. Kasmer ME, Liu XC, Roberts KG, Valadao JM. The relationship of foot strike pattern, shoe type, and performance in a 50-km trail race. *J Strength Cond Res.* 2016;30(6):1633-1637. doi: 10.1519/JSC.0b013e-3182a20ed4.
45. Vercruyssen F, Tartaruga M, Horvais N, Brisswalter J. Effects of footwear and fatigue on running economy and biomechanics in trail runners. *Med Sci Sports Exerc.* 2016;48(10):1976-1984. doi: 10.1249/MSS.0000000000000981.
46. Bergstra SA, Kluitenberg B, Dekker R, et al. Running with a minimalist shoe increases plantar pressure in the forefoot region of healthy female runners. *J Sci Med Sport.* 2015;18(4):463-468. doi: 10.1016/j.jsams.2014.06.007. Epub 2014 Jun 21.
47. Esculier JF, Dubois B, Bouyer LJ, McFadyen BJ, Roy JS. Footwear characteristics are related to running mechanics in runners with patellofemoral pain. *Gait Posture.* 2017;54:144-147. doi: 10.1016/j.gaitpost.2017.03.010. Epub 2017 Mar 6.
48. Fuller JT, Thewlis D, Tsiros MD, Brown NAT, Hamill J, Buckley JD. Longer-term effects of minimalist shoes on running performance, strength and bone density: a 20-week follow-up study. *Eur J Sport Sci.* 2019;19(3):402-412. doi: 10.1080/17461391.2018.1505958. Epub 2018 Aug 13.



49. Bonacci J, Saunders PU, Hicks A, Rantalainen T, Vincenzino BT, Spratford W. Running in a minimalist and lightweight shoe is not the same as running barefoot: a biomechanical study. *Br J Sports Med.* 2013;47(6):387-392. doi: 10.1136/bjsports-2012-091837. Epub 2013 Jan 11.
50. Agresta C, Kessler S, Southern E, Goulet GC, Zernicke R, Zender JD. Immediate and short-term adaptations to maximalist and minimalist running shoes. *Footwear Sci.* 2018;10(2):95-107.
51. Willson JD, Bjorhus JS, Williams DS, Butler RJ, Porcari JP, Kernozek TW. Short-term changes in running mechanics and foot strike pattern after introduction to minimalistic footwear. *PM R.* 2014;6(1):34-43; quiz 43. doi: 10.1016/j.pmrj.2013.08.602. Epub 2013 Aug 30.
52. Malisoux L, Gette P, Chambon N, Urhausen A, Theisen D. Adaptation of running pattern to the drop of standard cushioned shoes: a randomized controlled trial with a 6-month follow-up. *J Sci Med Sport.* 2017;20(8):734-739. doi: 10.1016/j.jsams.2017.01.238. Epub 2017 Mar 18.
53. Mann R, Malisoux L, Urhausen A, Statham A, Meijer K, Theisen D. The effect of shoe type and fatigue on strike index and spatiotemporal parameters of running. *Gait Posture.* 2015;42(1):91-95. doi: 10.1016/j.gaitpost.2015.04.013. Epub 2015 Apr 27.
54. McCallion C, Donne B, Fleming N, Blanksby B. Acute differences in foot strike and spatiotemporal variables for shod, barefoot or minimalist male runners. *J Sci Med Sport.* 2014;13(2): 280.
55. Lindlein K, Zech A, Zoch A, Braumann KM, Hollander K. Improving running economy by transitioning to minimalist footwear: a randomised controlled trial. *J Sci Med Sport.* 2018;21(12):1298-1303. doi: 10.1016/j.jsams.2018.05.012. Epub 2018 May 26.
56. Sinclair J, Shore H, Dillon S. The effect of minimalist, maximalist and energy return footwear of equal mass on running economy and substrate utilization. *Comp Exerc Physiol.* 2016;12(1):49-54.
57. Chen TLW, Sze LK, Davis IS, Cheung RT. Effects of training in minimalist shoes on the intrinsic and extrinsic foot muscle volume. *Clin Biomech.* 2016;36:8-13. doi: 10.1016/j.clinbiomech.2016.05.010. Epub 2016 May 10.
58. Holowka NB, Wallace IJ, Lieberman DE. Foot strength and stiffness are related to footwear use in a comparison of minimally-vs. conventionally-shod populations. *Sci Rep.* 2018;8(1):3679-3690. doi: 10.1038/s41598-018-21916-7.
59. Campitelli NA, Spencer SA, Bernhard K, Heard K, Kidon A. Effect of Vibram FiveFingers minimalist shoes on the abductor hallucis muscle. *J Am Podiatric Med Assoc.* 2016;106(5):344-351.
60. Zhang X, Delabastita T, Lissens J, De Beenhouwer F, Vanwanseele B. The morphology of foot soft tissues is associated with running shoe type in healthy recreational runners. *J Sci Med Sport.* 2018;21(7): 686-690. doi: 10.1016/j.jsams.2017.11.008. Epub 2017 Nov 22.
61. Johnson AW, Myrer JW, Mitchell UH, Hunter I, Ridge ST. The effects of a transition to minimalist shoe running on intrinsic foot muscle size. *Intern J Sports Med.* 2016;95(02):154-158. doi: 10.1055/s-0035-1559685. Epub 2015 Oct 28.
62. Miller EE, Whitcome KK, Lieberman DE, Norton HL, Dyer RE. The effect of minimal shoes on arch structure and intrinsic foot muscle strength. *J Sport Heal Sci.* 2014;3:74-85.
63. Joseph, MF, Histén K, Arntsen J, et al. Achilles tendon adaptation during transition to a minimalist running style. *J Sport Rehabil.* 2017;26(2):165-170. doi: 10.1123/jsr.2016-0007. Epub 2016 Sep 6.
64. Xiang L, Mei Q, Fernandez J, Gu Y. Minimalist shoes running intervention can alter the plantar loading distribution and deformation of hallux valgus: A Pilot Study. *Gait Posture.* 2018;65:65-71. doi: 10.1016/j.gaitpost.2018.07.002. Epub 2018 Jul 5.
65. Sinclair J, Taylor PJ, Sant B. Influence of Cross-Fit footwear on patellofemoral kinetics during running activities. *Comp Exerc Phys.* 2017;13(2):105-111.
66. Sinclair J. Effects of barefoot and barefoot inspired footwear on knee and ankle loading during running. *Clin Biomech.* 2014;29(4): 395-399. doi: 10.1016/j.clinbiomech.2014.02.004. Epub 2014 Feb 23.
67. Sinclair J. Minimalist footwear does not affect tibiofemoral stress loading during the stance phase in rearfoot strikers who use conventional footwear. *Comp Exerc Phys.* 2016;12(2):99-103.
68. Bonacci J, Hall M, Fox A, Saunders N, Shippides T, Vincenzino B. The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain. *J Sci Med Sport.* 2018;21(6):574-578. doi: 10.1016/j.jsams.2017.09.593. Epub 2017 Oct 6.
69. Rice HM, Jamison ST, Davis IS. Footwear matters: influence of footwear and foot strike on load rates during running. *Med Sci Sports Exerc.* 2016;48(12):2462-2468.
70. Sinclair J, Greenhalgh A, Brooks D, Edmundson C, Hobbs SJ. The influence of barefoot and barefoot-inspired footwear on the kinetics and kinematics of running in comparison to conventional running shoes. *Footwear Sci.* 2013;5(1):45-53.
71. Sinclair J, Atkins S, Taylor PJ. The effects of barefoot and shod running on limb and joint stiffness characteristics in recreational runners. *J Mot Behav.* 2016;48(1):79-85. doi: 10.1080/00222895.2015.1044493. Epub 2015 May 15.

72. Sinclair J, Fau-Goodwin J, Richards J, Shore H. The influence of minimalist and maximalist footwear on the kinetics and kinematics of running. *Footwear Sci.* 2016;8(1):33-39.
73. Bowser BJ, Rose WC, McGrath R, Salerno J, Wallace J, Davis IS. Effect of footwear on dynamic stability during single-leg jump landings. *Intern J Sports Med.* 2017;38(6):481-486.
74. Sinclair J. The influence of minimalist, maximalist and conventional footwear on impact shock attenuation during running. *Movement Sport Sci-Science & Motricité.* 2017;95(1):59-64.
75. Da Silva Azevedo AP, Mezêncio B, Valvassori R, Mochizuki L, Amadio AC, Serrão JC. Does “transition shoe” promote an intermediate biomechanical condition compared to running in conventional shoe and in reduced protection condition? *Gait Posture.* 2016;46:142-146. doi: 10.1016/j.gaitpost.2016.03.008. Epub 2016 Mar 21.
76. Azevedo APDS, Nóbrega C, Amadio AC, Serrão JC. Adherence to six months of instructed minimalist and barefoot running training. *Revista Brasileira de Medicina do Esporte.* 2016;22(3):182-185.
77. Payne C. Barefoot and minimalist running: the current understanding of the evidence. *Revista Española de Podología.* 2016;27(1):e1-e3.
78. Johnson AW, Myrer JW, Mitchell UH, Hunter I, Ridge ST. Response to the letter to the editor for article: the effects of a transition to minimalist shoe running on intrinsic foot muscle size. *Int J Sports Med.* 2016;37(11):917. doi: 10.1055/s-0036-1585483. Epub 2016 Sep 29.
79. Sinclair J, Sant B. The effects of CrossFit and minimalist footwear on Achilles tendon kinetics during running. *J Foot Ankle.* 2016;9(4):2.
80. Dubois B, Esculier JF, Frémont P, Moore L, Richards C. Effects of minimalist and traditional running shoes on injury rates: a pilot randomised controlled trial. *Footwear Sci.* 2015;7(3):159-164.
81. Hashish R, Samarawickrame SD, Powers CM, Salem GJ. Lower limb dynamics vary in shod runners who acutely transition to barefoot running. *J Biomech.* 2016;49(2):284-288. doi: 10.1016/j.jbiomech.2015.12.002. Epub 2015 Dec 11.
82. Hannigan JJ, Pollard CD. A 6-week transition to maximal running shoes does not change running biomechanics. *Am J Sports Med.* 2019;47(4):968-973. doi: 10.1177/0363546519826086.
83. Firminger CR, Fung A, Loundagin LL, Edwards WB. Effects of footwear and stride length on metatarsal strains and failure in running. *Clin Biomech.* 2017;49:8-15. doi: 10.1016/j.clinbiomech.2017.08.006. Epub 2017 Aug 16.
84. Nigg BM, Baltich J, Maurer C, Federolf P. Shoe midsole hardness, sex and age effects on lower extremity kinematics during running. *J Biomech.* 2012;45(9):1692-1697. doi: 10.1016/j.jbiomech.2012.03.027. Epub 2012 Apr 14.
85. Videbæk S, Bueno AM, Nielsen RO, Rasmussen S. Incidence of running-related injuries per 1000 h of running in different types of runners: a systematic review and meta-analysis. *Sports Med.* 2015;45(7):1017-1026. doi: 10.1007/s40279-015-0333-8.
86. Dinato RC, Ribeiro AP, Butugan MK, Pereira IL, Onodera AN, Sacco IC. Biomechanical variables and perception of comfort in running shoes with different cushioning technologies. *J Sci Med Sport.* 2015;18(1):93-97. doi: 10.1016/j.jsams.2013.12.003. Epub 2014 Jan 1.
87. Malisoux L, Nielsen RO, Urhausen A, Theisen D. A step towards understanding the mechanisms of running-related injuries. *J Sci Med Sport.* 2015;18(5):523-528. doi: 10.1016/j.jsams.2014.07.014. Epub 2014 Aug 12.
88. Nigg BM, Baltich J, Hoerzer S, Enders H. Running shoes and running injuries: mythbusting and a proposal for two new paradigms: ‘preferred movement path’ and ‘comfort filter’. *Br J Sports Med.* 2015;49(20):1290-1294. doi: 10.1136/bjsports-2015-095054. Epub 2015 Jul 28.
89. Kluitenberg B, Van Middelkoop M, Smits DW, et al. The NL Start2run Study: incidence and risk factors of running-related injuries in novice runners. *Scan J Med Sci Sports.* 2015;25(5):515-523.
90. Luo G, Stergiou P, Worobets J, Nigg B, Stefanyshyn D. Improved footwear comfort reduces oxygen consumption during running. *Footwear Sci.* 2009;1(1):25-29.
91. Bertelsen ML, Hulme, A, Petersen J, et al. A framework for the etiology of running-related injuries. *Scan J Med Sci Sports.* 2017;27(11):1170-1180.
92. Van der Worp MP, De Wijer A, Van Cingel R, Verbeek AL, Nijhuis-van der Sanden MW, Staal JB. The 5-or 10-km Marikenloop run: a prospective study of the etiology of running-related injuries in women. *J Orthop Sports Phys Ther.* 2016;46(6):462-470. doi: 10.2519/jospt.2016.6402. Epub 2016 Apr 26.
93. Malisoux L, Chambon N, Delattre, N, Gueguen N, Urhausen A, Theisen D. The effectiveness of motion control systems in preventing running-related injuries. *Footwear Sci.* 2015;7(1):86-87.
94. Van der Worp MP. *Injury-Free Running-A Utopia? Risk Factors of Running-Related Injuries in Men And Women.* 2016. <https://pdfs.semanticscholar.org/6869/79e-81286c851af48af22635a5dc65095453c.pdf>. Accessed December 4, 2019.
95. Sinclair J, McGrath R, Brook O, Taylor PJ, Dillon S. Influence of footwear designed to boost energy return on running economy in comparison to a conventional

- running shoe. *J Sports Sci.* 2016;34(11):1094-1098. doi: 10.1080/02640414.2015.1088961. Epub 2015 Sep 14.
96. Slade SJ, Greenya JG, Kliethermes CL, Senchina DS. Somatosensory perception of running shoe mass. *Ergonomics.* 2014;57(6):912-920. doi: 10.1080/00140139.2014.904009. Epub 2014 Mar 31.
  97. Chuter V, Sadler S, Searle A. Footwear related pain and running related injuries. *J Sci Med Sport.* 2015;19:e45.
  98. Ostermann K, Ridpath L, Hanna JB. Self-reported minimalist running injury incidence and severity: a pilot study. *J Am Osteopath Assoc.* 2016;116(8):512-520. doi: 10.7556/jaoa.2016.104.
  99. Grier T, Canham-Chervak M, Bushman T, Anderson M, North W, Jones BH. Minimalist running shoes and injury risk among United States Army soldiers. *Am J Sports Med.* 2016;44(6):1439-1446. doi: 10.1177/0363546516630926. Epub 2016 Mar 7.
  100. Salzler MJ, Kirwan HJ, Scarborough DM, Walker JT, Guarino AJ, Berkson EM. Injuries observed in a prospective transition from traditional to minimalist footwear: correlation of high impact transient forces and lower injury severity. *Phys Sportsmed.* 2016;44(4):373-379.
  101. Kong PW, Candelaria NG, Smith DR. Running in new and worn shoes: a comparison of three types of cushioning footwear. *Br J Sports Med.* 2009;43(10):745-749.
  102. Fuller JT, Bellenger CR, Thewlis D, Tsiros MD, Buckley JD. The effect of footwear on running performance and running economy in distance runners. *Sports Med.* 2015;45(3):411-422. doi: 10.1007/s40279-014-0283-6.
  103. Hohmann E, Reaburn P, Imhoff A. Runner's knowledge of their foot type: do they really know? *Foot (Edinb).* 2012;22(3):205-210. doi: 10.1016/j.foot.2012.04.008. Epub 2012 May 18.
  104. Worobets J, Wannop JW, Tomaras E, Stefanyshyn D. Softer and more resilient running shoe cushioning properties enhance running economy. *Footwear Sci.* 2014;6(3):147-153.
  105. Barnes KR, Kilding AE. Running economy: measurement, norms, and determining factors. *Sports Med Open.* 2015;1:8. Epub 2015 Mar 27.
  106. Stefanyshyn DJ, Wannop JW. The influence of forefoot bending stiffness of footwear on athletic injury and performance. *Footwear Sci.* 2016;8:51-63.
  107. Roy JPR, Stefanyshyn, DJ. Shoe midsole longitudinal bending stiffness and running economy, joint energy, and EMG. *Med Sci Sport Exerc.* 2006;38(3):562-569.
  108. Histen K, Arntsen J, L'Hereux L, et al. Achilles tendon properties of minimalist and traditionally shod runners. *J Sport Rehabil.* 2017;26(2):159-164. doi: 10.1123/jsr.2016-0006. Epub 2016 Aug 24.

## NOTES