



Care Considerations for Runners of Different Levels

Independent Study
Course 30.1.3

Colin Gundling, PT, DPT, MTC, OCS
Alliance Physical Therapy
Murrysville, PA

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY** 

 **APTA**
American Physical Therapy Association

REFERENCES

1. Smith F. How personalized medicine is transforming your health care. *National Geographic Magazine*. January 2019.
2. Alrwaily M, Timko M, Schneider M, et al. Treatment-based classification system for low back pain: revision and update. *Phys Ther*. 2016;96(7):1057-1066. doi: 10.2522/ptj.20150345. Epub 2015 Dec 4.
3. van Dyck D, Cardon G, de Bourdeaudhuij I, de Ridder L, Willem A. Who participates in running events? Socio-demographic characteristics, psychosocial factors and barriers as correlates of non-participation—a pilot study in Belgium. *Int J Environ Res Public Health*. 2017;14(11). pii: E1315. doi: 10.3390/ijerph14111315.
4. Wilson C. New York City marathon runners are slowing down. Here's why. *Time*. <http://time.com/5007486/new-york-city-marathon-runners-slow/>. Accessed March 9, 2019.
5. 1970 NYC Marathon. New York road runners race results. <https://results.nyrr.org/event/700913/finishers>. Accessed January 17, 2019.
6. 2007 NYC Marathon. New York road runners race results. <https://results.nyrr.org/event/700913/finishers>. Accessed January 17, 2019.
7. Linton L, Valentin S. Running with injury: a study of UK novice and recreational runners and factors associated with running related injury. *J Sci Med Sport*. 2018;21(12):1221-1225. doi: 10.1016/j.jsams.2018.05.021. Epub 2018 May 24.
8. Videbæk S, Bueno AM, Nielsen RO, Rasmussen S. Incidence of running-related injuries per 1000 h of running in different types of runners: a systematic review and meta-analysis. *Sports Med*. 2015;45(7):1017-1026. doi: 10.1007/s40279-015-0333-8.
9. van der Worp MP, ten Haaf DSM, van Cingel R, de Wijer A, Nijhuis-van der Sanden MW, Staal JB. Injuries in runners: a systematic review on risk factors and sex differences. *PLoS One*. 2015;10(2):e0114937. doi: 10.1371/journal.pone.0114937. eCollection 2015.
10. Hulme A, Nielsen R, Timpka T, Verhagen E, Finch C. Risk and protective factors for middle- and long-distance running-related injury. *Sports Med*. 2017;47(5):869-886. doi: 10.1007/s40279-016-0636-4.
11. Kluitenberg B, van Middelkoop M, Diercks R, van der Worp H. What are the differences in injury proportions between different populations of runners? A systematic review and meta-analysis. *Sports Med*. 2015;45(8):1143-1161. doi: 10.1007/s40279-015-0331-x.
12. Kemler E, Blokland D, Backx F, Huisstede B. Differences in injury risk and characteristics of injuries between novice and experienced runners over a 4-year

- period. *Phys Sportsmed*. 2018;46(4):485-491. doi: 10.1080/00913847.2018.1507410. Epub 2018 Aug 21.
13. Pérez-Morcillo A, Gómez-Bernal A, Gil-Guillen VF, et al. Association between the Foot Posture Index and running related injuries: a case-control study. *Clin Biomech (Bristol, Avon)*. 2019;61:217-221. doi: 10.1016/j.clinbiomech.2018.12.019. Epub 2018 Dec 22.
 14. Meeuwisse WH, Tyreman H, Hagel B, Emery C. A dynamic model of etiology in sport injury: the recursive nature of risk and causation. *Clin J Sport Med*. 2007;17(3):215-219.
 15. Windt J, Gabbett TJ. How do training and competition workloads relate to injury? The workload-injury aetiology model. *Br J Sports Med*. 2017;51(5):428-435. doi: 10.1136/bjsports-2016-096040. Epub 2016 Jul 14.
 16. Meeuwisse WH. Assessing causation in sport injury: a multifactorial model. *Clin J Sport Med*. 1994;4(3):166.
 17. Bertelsen ML, Hulme A, Petersen J, et al. A framework for the etiology of running-related injuries. *Scand J Med Sci Sports*. 2017;27(11):1170-1180. doi: 10.1111/sms.12883. Epub 2017 Apr 20.
 18. Fokkema T, Hartgens F, Kluitenberg B, et al. Reasons and predictors of discontinuation of running after a running program for novice runners. *J Sci Med Sport*. 2019;22(1):106-111. doi: 10.1016/j.jsams.2018.06.003. Epub 2018 Jun 18.
 19. Leppe J, Besomi M. Recent versus old previous injury and its association with running-related injuries during competition by SeRUN® running profiles: a cross-sectional study. *Sports Med Open*. 2018;4(1):49. doi: 10.1186/s40798-018-0164-x.
 20. Buist I, Bredeweg SW, Lemmink KAPM, van Mechelen W, Diercks RL. Predictors of running-related injuries in novice runners enrolled in a systematic training program: a prospective cohort study. *Am J Sports Med*. 2010;38(2):273-280.
 21. Buist I, Bredeweg SW, van Mechelen W, Lemmink KAPM, Pepping G-J, Diercks RL. No effect of a graded training program on the number of running-related injuries in novice runners: a randomized controlled trial. *Am J Sports Med*. 2008;36(1):33-39.
 22. Bredeweg SW, Zijlstra S, Bessem B, Buist I. The effectiveness of a preconditioning programme on preventing running-related injuries in novice runners: a randomised controlled trial. *Br J Sports Med*. 2012;46(12):865-870. doi: 10.1136/bjsports-2012-091397. Epub 2012 Jul 28.
 23. van der Worp MP, de Wijer A, van Cingel R, Verbeek ALM, Nijhuis-van der Sanden MWG, Staal JB. The 5- or 10-km Marikenloop run: a prospective study of the etiology of running-related injuries in women. *J Orthop Sports Phys Ther*. 2016;46(6):462-470. doi: 10.2519/jospt.2016.6402. Epub 2016 Apr 26.
 24. Messier SP, Martin DF, Mihalko SL, et al. A 2-year prospective cohort study of overuse running injuries: the runners and injury longitudinal study (trials). *Am J Sports Med*. 2018;46(9):2211-2221. doi: 10.1177/0363546518773755. Epub 2018 May 23.
 25. Wright AA, Taylor JB, Ford KR, Siska L, Smoliga JM. Risk factors associated with lower extremity stress fractures in runners: a systematic review with meta-analysis. *Br J Sports Med*. 2015;49(23):1517-1523. doi: 10.1136/bjsports-2015-094828. Epub 2015 Jul 17.
 26. Sawai A, Mathis BJ, Natsui H, et al. Risk of female athlete triad development in Japanese collegiate athletes is related to sport type and competitive level. *Int J Womens Health*. 2018;10:671-687. doi: 10.2147/IJWH.S175446. eCollection 2018.
 27. Warden SJ, Davis IS, Fredericson M. Management and prevention of bone stress injuries in long-distance runners. *J Orthop Sports Phys Ther*. 2014;44(10):749-765. doi: 10.2519/jospt.2014.5334. Epub 2014 Aug 7.
 28. Tawa N, Louw Q. Biomechanical factors associated with running economy and performance of elite Kenyan distance runners: a systematic review. *J Bodyw Mov Ther*. 2018;22(1):1-10. doi: 10.1016/j.jbmt.2017.11.004. Epub 2017 Nov 16.
 29. Knapik JJ, Trone DW, Tchandja J, Jones BH. Injury-reduction effectiveness of prescribing running shoes on the basis of foot arch height: summary of military investigations. *J Orthop Sports Phys Ther*. 2014;44(10):805-812. doi: 10.2519/jospt.2014.5342. Epub 2014 Aug 25.
 30. Wardle SL, Greeves JP. Mitigating the risk of musculoskeletal injury: a systematic review of the most effective injury prevention strategies for military personnel. *J Sci Med Sport*. 2017;20 Suppl 4:S3-S10. doi: 10.1016/j.jsams.2017.09.014. Epub 2017 Sep 23.
 31. Molloy JM. Factors influencing running-related musculoskeletal injury risk among U.S. military recruits. *Mil Med*. 2016;181(6):512-523. doi: 10.7205/MILMED-D-15-00143.
 32. Johansen KK, Hulme A, Damsted C, Ramskov D, Nielsen RO. Running injury development: the attitudes of middle- and long-distance runners and their coaches. *Int J Sports Phys Ther*. 2017;12(4):634-641.
 33. Le Meur Y, Hauswirth C, Natta F, Couturier A, Bignet F, Vidal PP. A multidisciplinary approach to overreaching detection in endurance trained athletes. *J Appl Physiol*. 2013;114(3):411-420. doi: 10.1152/jappphysiol.01254.2012. Epub 2012 Nov 29.
 34. Kreher JB. Diagnosis and prevention of overtraining syndrome: an opinion on education strategies. *Open Access J Sports Med*. 2016;7:115-122. doi: 10.2147/OAJSM.S91657. eCollection 2016.
 35. Buchheit M. Monitoring training status with HR measures: do all roads lead to Rome? *Front Physiol*.

- 2014;5:73. doi: 10.3389/fphys.2014.00073. eCollection 2014.
36. Alentorn-Geli E, Samuelsson K, Musahl V, Green CL, Bhandari M, Karlsson J. The association of recreational and competitive running with hip and knee osteoarthritis: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2017;47(6):373-390. doi: 10.2519/jospt.2017.7137. Epub 2017 May 13.
 37. Macera CA, Pate RR, Powell KE, Jackson KL, Kendrick JS, Craven TE. Predicting lower-extremity injuries among habitual runners. *Arch Intern Med.* 1989;149(11):2565-2568.
 38. Ristolainen L, Kettunen JA, Waller B, Heinonen A, Kujala UM. Training-related risk factors in the etiology of overuse injuries in endurance sports. *J Sports Med Phys Fitness.* 2014;54(1):78-87.
 39. Junior LCH, Costa LOP, Lopes AD. Previous injuries and some training characteristics predict running-related injuries in recreational runners: a prospective cohort study. *J Physiother.* 2013;59(4):263-269. doi: 10.1016/S1836-9553(13)70203-0.
 40. Gabbett TJ. The training—injury prevention paradox: should athletes be training smarter and harder? *Br J Sports Med.* 2016;50(5):273-280. doi: 10.1136/bjsports-2015-095788. Epub 2016 Jan 12.
 41. Damsted C, Glad S, Nielsen RO, Sørensen H, Malisoux L. Is there evidence for an association between changes in training load and running-related injuries? A systematic review. *Int J Sports Phys Ther.* 2018;13(6):931-942.
 42. Nielsen RO, Rønnow L, Rasmussen S, Lind M. A prospective study on time to recovery in 254 injured novice runners. *PLoS One.* 2014;9(6):e99877. doi: 10.1371/journal.pone.0099877. eCollection 2014.
 43. Stöggl T, Sperlich B. Polarized training has greater impact on key endurance variables than threshold, high intensity, or high volume training. *Front Physiol.* 2014;5:33. doi: 10.3389/fphys.2014.00033. eCollection 2014.
 44. Esteve-Lanao J, Foster C, Seiler S, Lucia A. Impact of training intensity distribution on performance in endurance athletes. *J Strength Cond Res.* 2007;21(3):943-949.
 45. Stöggl TL, Sperlich B. The training intensity distribution among well-trained and elite endurance athletes. *Front Physiol.* 2015;6:295. doi: 10.3389/fphys.2015.00295. eCollection 2015.
 46. Yun J. User identification using gait patterns on Ubi-FloorII. *Sensors (Basel).* 2011;11(3):2611-2639. doi: 10.3390/s110302611. Epub 2011 Mar 1.
 47. Agresta CE, Peacock J, Housner J, Zernicke RF, Zendler JD. Experience does not influence injury-related joint kinematics and kinetics in distance runners. *Gait Posture.* 2018;61:13-18. doi: 10.1016/j.gaitpost.2017.12.020. Epub 2017 Dec 20.
 48. Hoenig T, Hamacher D, Braumann K-M, Zech A, Hollander K. Analysis of running stability during 5000 m running. *Eur J Sport Sci.* 2018:1-9.
 49. Larson P, Higgins E, Kaminski J, et al. Foot strike patterns of recreational and sub-elite runners in a long-distance road race. *J Sports Sci.* 2011;29(15):1665-1673. doi: 10.1080/02640414.2011.610347. Epub 2011 Nov 18.
 50. Winter S, Gordon S, Watt K. Effects of fatigue on kinematics and kinetics during overground running: a systematic review. *J Sports Med Phys Fitness.* 2017;57(6):887-899. doi: 10.23736/S0022-4707.16.06339-8. Epub 2016 Apr 13.
 51. Schmitz A, Russo K, Edwards L, Noehren B. Do novice runners have weak hips and bad running form? *Gait Posture.* 2014;40(1):82-86. doi: 10.1016/j.gaitpost.2014.02.014. Epub 2014 Mar 4.
 52. Frank NS, Prentice SD, Callaghan JP. Local dynamic stability of the lower extremity in novice and trained runners while running in traditional and minimal footwear. *Gait Posture.* 2019;68:50-54. doi: 10.1016/j.gaitpost.2018.10.034. Epub 2018 Nov 5.
 53. Tam N, Santos-Concejero J, Coetzee DR, Noakes TD, Tucker R. Muscle co-activation and its influence on running performance and risk of injury in elite Kenyan runners. *J Sports Sci.* 2017;35(2):175-181. Epub 2016 Mar 16.
 54. Tam N, Tucker R, Santos-Concejero J, Prins D, Lamberts RP. Running economy: neuromuscular and joint-stiffness contributions in trained runners. *Int J Sports Physiol Perform.* 2019;14(1):16-22.
 55. Schubert AG, Kempf J, Heiderscheit BC. Influence of stride frequency and length on running mechanics. *Sports Health.* 2014;6(3):210-217. doi: 10.1177/1941738113508544.
 56. Reinking MF, Dugan L, Ripple N, et al. Reliability of two-dimensional video-based running gait analysis. *Int J Sports Phys Ther.* 2018;13(3):453-461.
 57. Willy RW, Scholz JP, Davis IS. Mirror gait retraining for the treatment of patellofemoral pain in female runners. *Clin Biomech (Bristol, Avon).* 2012;27(10):1045-1051. doi: 10.1016/j.clinbiomech.2012.07.011. Epub 2012 Aug 20.
 58. Nielsen RO, Buist I, Parner ET, et al. Foot pronation is not associated with increased injury risk in novice runners wearing a neutral shoe: a 1-year prospective cohort study. *Br J Sports Med.* 2014;48(6):440-447. doi: 10.1136/bjsports-2013-092202. Epub 2013 Jun 13.
 59. Hasegawa H, Yamauchi T, Kraemer WJ. Foot strike patterns of runners at the 15-km point during an elite-level half marathon. *J Strength Cond Res.* 2007;21(3):888-893.
 60. Bertelsen ML, Hansen M, Rasmussen S, Nielsen RO. The start-to-run distance and running-related injury

- among obese novice runners: a randomized trial. *Int J Sports Phys Ther.* 2018;13(6):943-955.
61. Hoogkamer W, Kram R, Arellano CJ. How biomechanical improvements in running economy could break the 2-hour marathon barrier. *Sports Med.* 2017;47(9):1739-1750. doi: 10.1007/s40279-017-0708-0.
 62. Rice SM, Purcell R, De Silva S, Mawren D, McGorry PD, Parker AG. The mental health of elite athletes: a narrative systematic review. *Sports Med.* 2016;46(9):1333-1353. doi: 10.1007/s40279-016-0492-2.
 63. Silva WA, de Lira CAB, Vancini RL, Andrade MS. Hip muscular strength balance is associated with running economy in recreationally-trained endurance runners. *Peer J.* 2018 July 24;6:e5219. doi: 10.7717/peerj.5219. eCollection 2018.
 64. Sundby OH, Gorelick MLS. Relationship between functional hamstring: quadriceps ratios and running economy in highly trained and recreational female runners. *J Strength Cond Res.* 2014;28(8):2214-2227. doi: 10.1519/JSC.0000000000000376.
 65. Yamamoto LM, Lopez RM, Klau JF, Casa DJ, Kraemer WJ, Maresh CM. The effects of resistance training on endurance distance running performance among highly trained runners: a systematic review. *J Strength Cond Res.* 2008;22(6):2036-2044. doi: 10.1519/JSC.0b013e318185f2f0.
 66. Balsalobre-Fernández C, Santos-Concejero J, Grivas GV. Effects of strength training on running economy in highly trained runners: a systematic review with meta-analysis of controlled trials. *J Strength Cond Res.* 2016;30(8):2361-2368. doi: 10.1519/JSC.0000000000001316.
 67. Weyand PG, Sandell RF, Prime DNL, Bundle MW. The biological limits to running speed are imposed from the ground up. *J Appl Physiol.* 2010;108(4):950-961.
 68. Ford KR, Taylor-Haas JA, Genthe K, Hugentobler J. Relationship between hip strength and trunk motion in college cross-country runners. *Med Sci Sports Exerc.* 2013;45(6):1125-1130. doi: 10.1249/MSS.0b013e3182825aca.
 69. Wen DY, Puffer JC, Schmalzried TP. Lower extremity alignment and risk of overuse injuries in runners. *Med Sci Sports Exerc.* 1997;29(10):1291-1298.
 70. Clinghan R, Arnold GP, Drew TS, Cochrane LA, Abboud RJ. Do you get value for money when you buy an expensive pair of running shoes? *Br J Sports Med.* 2008;42(3):189-193. Epub 2007 Oct 11.
 71. Malisoux L, Chambon N, Delattre N, Gueguen N, Urhausen A, Theisen D. Injury risk in runners using standard or motion control shoes: a randomised controlled trial with participant and assessor blinding. *Br J Sports Med.* 2016;50(8):481-487. doi: 10.1136/bjsports-2015-095031. Epub 2016 Jan 8.
 72. Theisen D, Malisoux L, Genin J, Delattre N, Seil R, Urhausen A. Influence of midsole hardness of standard cushioned shoes on running-related injury risk. *Br J Sports Med.* 2014;48(5):371-376. doi: 10.1136/bjsports-2013-092613. Epub 2013 Sep 16.
 73. Ryan MB, Valiant GA, McDonald K, Taunton JE. The effect of three different levels of footwear stability on pain outcomes in women runners: a randomised control trial. *Br J Sports Med.* 2011;45(9):715-721. doi: 10.1136/bjism.2009.069849. Epub 2010 Jun 27.
 74. Metzler B. Why you should have a quiver of running shoes. *Competitor Running.* https://running.pocketoutdoormedia.com/sole-man-quiver-running-shoes_107583. Accessed February 25, 2019.
 75. Wen DY, Puffer JC, Schmalzried TP. Injuries in runners: a prospective study of alignment. *Clin J Sport Med.* 1998;8(3):187-194.
 76. Besomi M, Leppe J, Di Silvestre MC, Setchell J. SeRUN® study: development of running profiles using a mixed methods analysis. *PLoS One.* 2018;13(7):e0200389. doi: 10.1371/journal.pone.0200389. eCollection 2018.
 77. Janssen M, Scheerder J, Thibaut E, Brombacher A, Vos S. Who uses running apps and sports watches? Determinants and consumer profiles of event runners' usage of running-related smartphone applications and sports watches. *PLoS One.* 2017;12(7):e0181167. doi: 10.1371/journal.pone.0181167. eCollection 2017.
 78. Kemler E, Romeijn K, Vriend I, Huisstede B. The relationship between the use of running applications and running-related injuries. *Phys Sportsmed.* 2018;46(1):73-77. doi: 10.1080/00913847.2018.1412812. Epub 2017 Dec 11.
 79. Middelweerd A, Mollee JS, van der Wal CN, Brug J, te Velde SJ. Apps to promote physical activity among adults: a review and content analysis. *Int J Behav Nutr Phys Act.* 2014 July 25;11(1):97. doi: 10.1186/s12966-014-0097-9.
 80. May S, Greasley A, Reeve S, Withers S. Expert therapists use specific clinical reasoning processes in the assessment and management of patients with shoulder pain: a qualitative study. *Aust J Physiother.* 2008;54(4):261-266.
 81. Vlahek P, Matijević V. Lower extremity injuries in novice runners: incidence, types, time patterns, sociodemographic and motivational risk factors in a prospective cohort study. *Acta Clinica Croatica.* 2018;57(1):31-38. doi: 10.20471/acc.2018.57.01.04.
 82. Lopes AD, Hespanhol Júnior LC, Yeung SS, Costa LOP. What are the main running-related musculoskeletal injuries? A systematic review. *Sports Med.* 2012;42(10):891-905. doi: 10.2165/11631170-000000000-00000.
 83. Jelvegård S, Timpka T, Bargarora V, Gauffin H, Jacobsson J. Perception of health problems among competitive runners. *Orthop J Sports*

- Med.* 2016;4(12):2325967116673972. doi: 10.1177/2325967116673972. eCollection 2016 Dec..
84. Khan KM, Scott A. Mechanotherapy: how physical therapists' prescription of exercise promotes tissue repair. *Br J Sports Med.* 2009;43(4):247-252. doi: 10.1136/bjism.2008.054239. Epub 2009 Feb 24.
 85. Morris ZS, Wooding S, Grant J. The answer is 17 years, what is the question: understanding time lags in translational research. *J R Soc Med.* 2011;104(12):510-520. doi: 10.1258/jrsm.2011.110180.
 86. Saragiotto BT, Yamato TP, Lopes AD. What do recreational runners think about risk factors for running injuries? A descriptive study of their beliefs and opinions. *J Orthop Sports Phys Ther.* 2014;44(10):733-738. doi: 10.2519/jospt.2014.5710. Epub 2014 Aug 25.
 87. van Mechelen W, Hlobil H, Kemper HC, Voorn WJ, de Jongh HR. Prevention of running injuries by warm-up, cool-down, and stretching exercises. *Am J Sports Med.* 1993;21(5):711-719.
 88. Davis Hammonds AL, Laudner KG, McCaw S, McLoda TA. Acute lower extremity running kinematics after a hamstring stretch. *J Athl Train.* 2012;47(1):5-14.
 89. Scholz J. Mechanisms of chronic pain. *Mol Pain.* 2014;10(Suppl 1):O15.
 90. Yang J, Tibbetts AS, Covassin T, Cheng G, Nayar S, Heiden E. Epidemiology of overuse and acute injuries among competitive collegiate athletes. *J Athl Train.* 2012;47(2):198-204.
 91. Hainline B, Derman W, Vernec A, et al. International Olympic Committee consensus statement on pain management in elite athletes. *Br J Sports Med.* 2017;51(17):1245-1258. doi: 10.1136/bjsports-2017-097884.
 92. Meier ML, Stämpfli P, Vrana A, Humphreys BK, Seifritz E, Hotz-Boendermaker S. Neural correlates of fear of movement in patients with chronic low back pain vs. pain-free individuals. *Front Hum Neurosci.* 2016 Jul 26;10:386. doi: 10.3389/fnhum.2016.00386. eCollection 2016.
 93. Andrews NE, Strong J, Meredith PJ, Gordon K, Bagraith KS. "It's very hard to change yourself": an exploration of overactivity in people with chronic pain using interpretative phenomenological analysis. *Pain.* 2015;156(7):1215-1231. doi: 10.1097/j.pain.000000000000161.
 94. Ivarsson A, Johnson U, Andersen MB, Tranaeus U, Stenling A, Lindwall M. Psychosocial factors and sport injuries: meta-analyses for prediction and prevention. *Sports Med.* 2017;47(2):353-365. doi: 10.1007/s40279-016-0578-x.
 95. de Jonge J, van Iperen L, Gevers J, Vos S. "Take a mental break!" study: role of mental aspects in running-related injuries using a randomised controlled trial. *BMJ Open Sport Exerc Med.* 2018 Aug 30;4(1):e000427. doi: 10.1136/bmjsem-2018-000427. eCollection 2018.
 96. Mitchell I, Evans L, Rees T, Hardy L. Stressors, social support, and tests of the buffering hypothesis: effects on psychological responses of injured athletes. *Br J Health Psychol.* 2014;19(3):486-508. doi: 10.1111/bjhp.12046. Epub 2013 Apr 27.
 97. Daniels J. *Daniels Running Formula.* 3rd ed [Kindle version]. Retrieved from Amazon.com. 2013.
 98. Maitland G, Hengeveld E, Banks K, English K. *Maitland's Vertebral Manipulation.* 6th ed. Boston, MA: Butterworth-Heinemann; 2001.
 99. Whyte G. *The Physiology of Training: Advances in Sport and Exercise Science Series.* New York, NY: Elsevier Health Sciences; 2006.
 100. Barnes KR, Janecke JN. Physiological and biomechanical responses of highly trained distance runners to lower-body positive pressure treadmill running. *Sports Med Open.* 2017 Nov 21;3(1):41. doi: 10.1186/s40798-017-0108-x.
 101. McNeill DKP, Kline JR, de Heer HD, Coast JR. Oxygen consumption of elite distance runners on an anti-gravity treadmill®. *J Sports Sci Med.* 2015;14(2):333-339. eCollection 2015 Jun.
 102. Benjaminse A, Welling W, Otten B, Gokeler A. Novel methods of instruction in ACL injury prevention programs, a systematic review. *Phys Ther Sport.* 2015;16(2):176-186. doi: 10.1016/j.ptsp.2014.06.003. Epub 2014 Jun 19.
 103. Noehren B, Scholz J, Davis I. The effect of real-time gait retraining on hip kinematics, pain and function in subjects with patellofemoral pain syndrome. *Br J Sports Med.* 2011;45(9):691-696. doi: 10.1136/bjism.2009.069112. Epub 2010 Jun 28.
 104. Silbernagel KG, Thomeé R, Eriksson BI, Karlsson J. Continued sports activity, using a pain-monitoring model, during rehabilitation in patients with Achilles tendinopathy: a randomized controlled study. *Am J Sports Med.* August 2017.
 105. Habets B, van den Broek AG, Huisstede BMA, Backx FJG, van Cingel REH. Return to sport in athletes with midportion Achilles tendinopathy: a qualitative systematic review regarding definitions and criteria. *Sports Med.* 2018;48(3):705-723. doi: 10.1007/s40279-017-0833-9.
 106. Williams DS. Is your patient ready to run? Blaise Williams shares his 5 minute clinic assessment to help you #319. *Br J Sports Med.* <https://soundcloud.com/bmjpodcasts/is-your-patient-ready-to-run-blaise-williams-shares-his-5-minute-clinic-assessment-to-help-you-319>. Accessed December 31, 2018.
 107. Bertelsen ML, Hansen M, Rasmussen S, Nielsen RO. The start-to-run distance and running-related injury among obese novice runners: a randomized trial. *Int J Sports Phys Ther.* 2018;13(6):943-955.

108. Peterson AR, Smoot MK, Erickson JL, Mathiasen RE, Kregel KC, Hall M. Basic recovery aids: what's the evidence? *Curr Sports Med Rep.* 2015;14(3):227-234.
109. Waterhouse J, Atkinson G, Edwards B, Reilly T. The role of a short post-lunch nap in improving cognitive, motor, and sprint performance in participants with partial sleep deprivation. *J Sports Sci.* 2007;25(14):1557-1566.
110. Souissi N, Sesboüé B, Gauthier A, Larue J, Davenne D. Effects of one night's sleep deprivation on anaerobic performance the following day. *Eur J Appl Physiol.* 2003;89(3-4):359-366.
111. Huang Y, Xia H, Chen G, Cheng S, Cheung RTH, Shull PB. Foot strike pattern, step rate, and trunk posture combined gait modifications to reduce impact loading during running. *J Biomech.* 2019; Mar 27;86:102-109. doi: 10.1016/j.jbiomech.2019.01.058. Epub 2019 Feb 12.
112. Couppé C, Svensson RB, Silbernagel KG, Langberg H, Magnusson SP. Eccentric or concentric exercises for the treatment of tendinopathies? *J Orthop Sports Phys Ther.* 2015;45(11):853-863. doi: 10.2519/jospt.2015.5910. Epub 2015 Oct 15.
113. Bah I, Kwak S, Chimenti RL, Richards MS, Ketz J, Flemister AS, Buckley MR. Mechanical changes in the Achilles tendon due to insertional Achilles tendinopathy. *J Mech Behav Biomed Mater.* 2016;53:320-328. doi:10.1016/j.jmbbm.2015.08.022. Epub 2015 Aug 19.
114. Smith MF, Honeywill C, Wyndow N, Crossley K, Creaby M. Neuromotor control of gluteal muscles in runners with Achilles tendinopathy. *Med Sci Sports Exerc.* 2014;46(3):594-599. doi:10.1249/MSS.0000000000000133.
115. Stephen JM, Marsland D, Masci L, Calder JDF, Daou HE. Differential motion and compression between the plantaris and Achilles tendons: a contributing factor to midportion Achilles tendinopathy? *Am J Sports Med.* 2018;46(4):955-960. doi:10.1177/0363546517745291.

NOTES