



Running Biomechanics and Energetics

Independent Study
Course 30.1.6

Janice K. Loudon, PT, PhD, SCS, ATC, CSCS
Creighton University
Omaha, NE

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY** 

 **APTA**
American Physical Therapy Association

REFERENCES

1. Brown JP, Josse RG. Scientific Advisory Council of the Osteoporosis Society of Canada. 2002 clinical practice guidelines for the diagnosis and management of osteoporosis in Canada. *CMAJ Can Med Assoc J J Assoc Medicales Can.* 2002;167(10 Suppl):S1-34.
2. Lee D-C, Pate RR, Lavie CJ, Sui X, Church TS, Blair SN. Leisure-time running reduces all-cause and cardiovascular mortality risk. *J Am Coll Cardiol.* 2014;64(5):472-481. doi: 10.1016/j.jacc.2014.04.058.
3. Williams PT, Thompson PD. Walking versus running for hypertension, cholesterol, and diabetes mellitus risk reduction. *Arterioscler Thromb Vasc Biol.* 2013;33(5):1085-1091. doi: 10.1161/ATVBAHA.112.300878. Epub 2013 Apr 4.
4. Warburton DER, Nicol CW, Bredin SSD. Health benefits of physical activity: the evidence. *CMAJ.* 2006;174(6):801-809.
5. Morris M, Salmon P. Qualitative and quantitative effects of running on mood. *J Sports Med Phys Fitness.* 1994;34(3):284-291.
6. Craft LL, Perna FM. The benefits of exercise for the clinically depressed. *Prim Care Companion J Clin Psychiatry.* 2004;6(3):104-111.
7. van Gent RN, Siem D, van Middelkoop M, van Os AG, Bierma-Zeinstra SMA, Koes BW. Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. *Br J Sports Med.* 2007;41(8):469-480; discussion 480.

- a preliminary study. *J Orthop Sports Phys Ther.* 2003;33(11):677-685.
35. Souza RB, Hatamiya N, Martin C, et al. Medial and lateral heel whips: prevalence and characteristics in recreational runners. *PM R.* 2015;7(8):823-830. doi: 10.1016/j.pmrj.2015.02.016. Epub 2015 Mar 7.
 36. Arellano CJ, Kram R. The effects of step width and arm swing on energetic cost and lateral balance during running. *J Biomech.* 2011;44(7):1291-1295. doi: 10.1016/j.jbiomech.2011.01.002. Epub 2011 Feb 12.
 37. Arellano CJ, Kram R. The metabolic cost of human running: is swinging the arms worth it? *J Exp Biol.* 2014;217(Pt 14):2456-2461. doi: 10.1242/jeb.100420.
 38. Miller RH, Caldwell GE, Van Emmerik REA, Umberger BR, Hamill J. Ground reaction forces and lower extremity kinematics when running with suppressed arm swing. *J Biomech Eng.* 2009;131(12):124502.
 39. Becker J, James S, Wayner R, Osternig L, Chou L-S. Biomechanical factors associated with Achilles tendinopathy and medial tibial stress syndrome in runners. *Am J Sports Med.* 2017;45(11):2614-2621. doi: 10.1177/0363546517708193. Epub 2017 Jun 5.
 40. Loudon JK, Reiman MP. Lower extremity kinematics in running athletes with and without a history of medial shin pain. *Int J Sports Phys Ther.* 2012;7(4):356-364.
 41. Willy RW, Manal KT, Witvrouw EE, Davis IS. Are mechanics different between male and female runners with patellofemoral pain? *Med Sci Sports Exerc.* 2012;44(11):2165-2171. doi: 10.1249/MSS.0b013e3182629215.
 42. Noehren B, Pohl MB, Sanchez Z, Cunningham T, Lattermann C. Proximal and distal kinematics in female runners with patellofemoral pain. *Clin Biomech (Bristol, Avon).* 2012;27(4):366-371. doi: 10.1016/j.clinbiomech.2011.10.005. Epub 2011 Nov 8.
 43. Ryan M, Grau S, Krauss I, Maiwald C, Taunton J, Horstmann T. Kinematic analysis of runners with achilles mid-portion tendinopathy. *Foot Ankle Int.* 2009;30(12):1190-1195. doi: 10.3113/FAI.2009.1190.
 44. Bramah C, Preece SJ, Gill N, Herrington L. Is there a pathological gait associated with common soft tissue running injuries? *Am J Sports Med.* 2018;46(12):3023-3031. doi: 10.1177/0363546518793657. Epub 2018 Sep 7.
 45. Ker RF, Bennett MB, Bibby SR, Kester RC, Alexander RM. The spring in the arch of the human foot. *Nature.* 1987;325(7000):147-149.
 46. Elliott BC, Blanksby BA. The synchronization of muscle activity and body segment movements during a running cycle. *Med Sci Sports.* 1979;11(4):322-327.
 47. Yeow CH. Hamstrings and quadriceps muscle contributions to energy generation and dissipation at the knee joint during stance, swing and flight phases of level running. *The Knee.* 2013;20(2):100-105. doi: 10.1016/j.knee.2012.09.006. Epub 2012 Sep 27.
 48. Lohman EB, Balan Sackiriyas KS, Swen RW. A comparison of the spatiotemporal parameters, kinematics, and biomechanics between shod, unshod, and minimally supported running as compared to walking. *Phys Ther Sport.* 2011;12(4):151-163. doi: 10.1016/j.ptsp.2011.09.004. Epub 2011 Oct 17.
 49. Hennig EM, Milani TL, Lafortune MA. Use of ground reaction force parameters in predicting peak tibial accelerations in running. *J Appl Biomech.* 1993;9(4):306-314.
 50. Milner CE, Ferber R, Pollard CD, Hamill J, Davis IS. Biomechanical factors associated with tibial stress fracture in female runners. *Med Sci Sports Exerc.* 2006;38(2):323-328.
 51. Cheung RTH, Davis IS. Landing pattern modification to improve patellofemoral pain in runners: a case series. *J Orthop Sports Phys Ther.* 2011;41(12):914-919.
 52. Pohl MB, Mullineaux DR, Milner CE, Hamill J, Davis IS. Biomechanical predictors of retrospective tibial stress fractures in runners. *J Biomech.* 2008;41(6):1160-1165.
 53. Wille CM, Lenhart RL, Wang S, Thelen DG, Heiderscheit BC. Ability of sagittal kinematic variables to estimate ground reaction forces and joint kinetics in running. *J Orthop Sports Phys Ther.* 2014;44(10):825-830. doi: 10.2519/jospt.2011.3771. Epub 2011 Oct 25.
 54. Napier C, MacLean CL, Maurer J, Taunton JE, Hunt MA. Kinetic risk factors of running-related injuries in female recreational runners. *Scand J Med Sci Sports.* 2018;28(10):2164-2172. doi: 10.1111/sms.13228. Epub 2018 Jun 28.
 55. Turner CH, Wang T, Burr DB. Shear strength and fatigue properties of human cortical bone determined from pure shear tests. *Calcif Tissue Int.* 2001;69(6):373-378.
 56. Nordin AD, Dufek JS, Mercer JA. Three-dimensional impact kinetics with foot-strike manipulations during running. *J Sport Health Sci.* 2017;6(4):489-497. doi: 10.1016/j.jshs.2015.11.003. Epub 2015 Nov 11.
 57. Lorimer AV, Hume PA. Stiffness as a risk factor for Achilles tendon injury in running athletes. *Sports Med.* 2016;46(12):1921-1938. doi: 10.1007/s40279-016-0526-9.
 58. Boyer ER, Rooney BD, Derrick TR. Rearfoot and midfoot or forefoot impacts in habitually shod runners. *Med Sci Sports Exerc.* 2014;46(7):1384-1391. doi: 10.1249/MSS.0000000000000234.
 59. Petraglia F, Scarcella L, Pedrazzi G, Brancato L, Puers R, Costantino C. Inertial sensors versus standard systems in gait analysis: a systematic review and meta-analysis. *Eur J Phys Rehabil Med.* 2019;55(20):265-280. doi: 10.23736/S1973-9087.18.05306-6. Epub 2018 Oct 10.

60. Hreljac A. Impact and overuse injuries in runners. *Med Sci Sports Exerc.* 2004;36(5):845-849.
61. Reinking MF, Austin TM, Richter RR, Krieger MM. Medial tibial stress syndrome in active individuals: a systematic review and meta-analysis of risk factors. *Sports Health.* 2017;9(3):252-261. doi: 10.1177/1941738116673299. Epub 2016 Oct 1.
62. Becker J, Nakajima M, Wu WFW. Factors contributing to medial tibial stress syndrome in runners: a prospective study. *Med Sci Sports Exerc.* 2018;50(10):2092-2100. doi: 10.1249/MSS.0000000000001674.
63. Phan X, Grisbrook TL, Wernli K, Stearne SM, Davey P, Ng L. Running quietly reduces ground reaction force and vertical loading rate and alters foot strike technique. *J Sports Sci.* 2017;35(16):1636-1642. doi: 10.1080/02640414.2016.1227466. Epub 2016 Sep 3.
64. Davis IS, Bowser BJ, Mullineaux DR. Greater vertical impact loading in female runners with medically diagnosed injuries: a prospective investigation. *Br J Sports Med.* 2016;50(14):887-892. doi: 10.1136/bjsports-2015-094579. Epub 2015 Dec 7.
65. Milner CE, Ferber R, Pollard CD, Hamill J, Davis IS. Biomechanical factors associated with tibial stress fracture in female runners. *Med Sci Sports Exerc.* 2006;38(2):323-328.
66. Crowell HP, Davis IS. Gait retraining to reduce lower extremity loading in runners. *Clin Biomech (Bristol, Avon).* 2011;26(1):78-83.
67. Goss DL, Gross MT. A comparison of negative joint work and vertical ground reaction force loading rates in Chi runners and rearfoot-striking runners. *J Orthop Sports Phys Ther.* 2013;43(10):685-692. doi: 10.2519/jospt.2013.4542. Epub 2013 Sep 9.
68. Addison BJ, Lieberman DE. Tradeoffs between impact loading rate, vertical impulse and effective mass for walkers and heel strike runners wearing footwear of varying stiffness. *J Biomech.* 2015;48(7):1318-1324. doi: 10.1016/j.jbiomech.2015.01.029. Epub 2015 Feb 16.
69. Shih Y, Lin K-L, Shiang T-Y. Is the foot striking pattern more important than barefoot or shod conditions in running? *Gait Posture.* 2013;38(3):490-494. doi: 10.1016/j.gaitpost.2013.01.030. Epub 2013 Mar 16.
70. Perl DP, Daoud AI, Lieberman DE. Effects of footwear and strike type on running economy. *Med Sci Sports Exerc.* 2012;44(7):1335-1343. doi: 10.1249/MSS.0b013e318247989e.
71. Braunstein B, Arampatzis A, Eysel P, Brüggemann G-P. Footwear affects the gearing at the ankle and knee joints during running. *J Biomech.* 2010;43(11):2120-2125. doi: 10.1016/j.jbiomech.2010.04.001. Epub 2010 May 11.
72. Rooney BD, Derrick TR. Joint contact loading in forefoot and rearfoot strike patterns during running. *J Biomech.* 2013;46(13):2201-2206. doi: 10.1016/j.jbiomech.2013.06.022. Epub 2013 Jul 30.
73. Adams D, Pozzi F, Willy RW, Carrol A, Zeni J. Altering cadence or vertical oscillation during running: effects on running related injury factors. *Int J Sports Phys Ther.* 2018;13(4):633-642.
74. Napier C, MacLean CL, Maurer J, Taunton JE, Hunt MA. Real-time biofeedback of performance to reduce braking forces associated with running-related injury: an exploratory study. *J Orthop Sports Phys Ther.* 2019;49(3):136-144. doi: 10.2519/jospt.2019.8587. Epub 2018 Dec 7.
75. Schubert AG, Kempf J, Heiderscheit BC. Influence of stride frequency and length on running mechanics: a systematic review. *Sports Health.* 2014;6(3):210-217. doi: 10.1177/1941738113508544.
76. Roper JL, Harding EM, Doerfler D, et al. The effects of gait retraining in runners with patellofemoral pain: a randomized trial. *Clin Biomech (Bristol, Avon).* 2016;35:14-22. doi: 10.1016/j.clinbiomech.2016.03.010. Epub 2016 Apr 7.
77. Luedke LE, Heiderscheit BC, Williams DSB, Rauh MJ. Influence of step rate on shin injury and anterior knee pain in high school runners. *Med Sci Sports Exerc.* 2016;48(7):1244-1250. doi: 10.1249/MSS.0000000000000890.
78. Breen DT, Foster J, Falvey E, Franklyn-Miller A. Gait retraining to alleviate the symptoms of anterior exertional lower leg pain: a case series. *Int J Sports Phys Ther.* 2015;10(1):85-94.
79. Willy RW, Buchenic L, Rogacki K, Ackerman J, Schmidt A, Willson JD. In-field gait retraining and mobile monitoring to address running biomechanics associated with tibial stress fracture. *Scand J Med Sci Sports.* 2016;26(2):197-205. doi: 10.1111/sms.12413. Epub 2015 Feb 4.
80. Gordon KE, Ferris DP, Kuo AD. Metabolic and mechanical energy costs of reducing vertical center of mass movement during gait. *Arch Phys Med Rehabil.* 2009;90(1):136-144.
81. Cavanagh PR, Williams KR. The effect of stride length variation on oxygen uptake during distance running. *Med Sci Sports Exerc.* 1982;14(1):30-35.
82. Farris DJ, Sawicki GS. The mechanics and energetics of human walking and running: a joint level perspective. *J R Soc Interface.* 2012;9(66):110-118. doi: 10.1098/rsif.2011.0182. Epub 2011 May 25.
83. Farley CT, McMahon TA. Energetics of walking and running: insights from simulated reduced-gravity experiments. *J Appl Physiol.* 1992;73(6):2709-2712.
84. Daniels JT. A physiologist's view of running economy. *Med Sci Sports Exerc.* 1985;17(3):332-338.
85. Flynn TW, Connery SM, Smutok MA, Zeballos RJ, Weisman IM. Comparison of cardiopulmonary

- responses to forward and backward walking and running. *Med Sci Sports Exerc.* 1994;26(1):89-94.
86. Saunders PU, Pyne DB, Telford RD, Hawley JA. Factors affecting running economy in trained distance runners. *Sports Med.* 2004;34(7):465-485.
 87. Foster C, Lucia A. Running economy: the forgotten factor in elite performance. *Sports Med.* 2007;37(4-5):316-319.
 88. Lacour J-R, Bourdin M. Factors affecting the energy cost of level running at submaximal speed. *Eur J Appl Physiol.* 2015;115(4):651-673. doi: 10.1007/s00421-015-3115-y. Epub 2015 Feb 14.
 89. Morgan DW, Craib M. Physiological aspects of running economy. *Med Sci Sports Exerc.* 1992;24(4):456-461.
 90. Morgan DW, Martin PE, Krahenbuhl GS, Baldini FD. Variability in running economy and mechanics among trained male runners. *Med Sci Sports Exerc.* 1991;23(3):378-383.
 91. Williams KR, Cavanagh PR. Relationship between distance running mechanics, running economy, and performance. *J Appl Physiol.* 1987;63(3):1236-1245.
 92. de Ruyter CJ, Verdijk PWL, Werker W, Zuidema MJ, de Haan A. Stride frequency in relation to oxygen consumption in experienced and novice runners. *Eur J Sport Sci.* 2014;14(3):251-258. doi: 10.1080/17461391.2013.783627. Epub 2013 Apr 14.
 93. Tseh W, Caputo JL, Morgan DW. Influence of gait manipulation on running economy in female distance runners. *J Sports Sci Med.* 2008;7(1):91-95. eCollection 2008.
 94. Teunissen LPJ, Grabowski A, Kram R. Effects of independently altering body weight and body mass on the metabolic cost of running. *J Exp Biol.* 2007;210(Pt 24):4418-4427.
 95. Heise GD, Martin PE. Are variations in running economy in humans associated with ground reaction force characteristics? *Eur J Appl Physiol.* 2001;84(5):438-442.
 96. Kyröläinen H, Belli A, Komi PV. Biomechanical factors affecting running economy. *Med Sci Sports Exerc.* 2001;33(8):1330-1337.
 97. Støren Ø, Helgerud J, Hoff J. Running stride peak forces inversely determine running economy in elite runners. *J Strength Cond Res.* 2011;25(1):117-123. doi: 10.1519/JSC.0b013e3181b62c8a.
 98. Nummela A, Keränen T, Mikkelsen LO. Factors related to top running speed and economy. *Int J Sports Med.* 2007;28(8):655-661.
 99. Tam N, Tucker R, Santos-Concejero J, Prins D, Lamberts RP. Running economy: neuromuscular and joint stiffness contributions in trained runners. *Int J Sports Physiol Perform.* May 2018:1-22. doi: 10.1123/ijssp.2018-0151. [Epub ahead of print]
 100. Hausswirth C, Bigard AX, Guezennec CY. Relationships between running mechanics and energy cost of running at the end of a triathlon and a marathon. *Int J Sports Med.* 1997;18(5):330-339.
 101. Williams KR, Cavanagh PR, Ziff JL. Biomechanical studies of elite female distance runners. *Int J Sports Med.* 1987;8 Suppl 2:107-118.
 102. Moore IS, Jones AM, Dixon SJ. Mechanisms for improved running economy in beginner runners. *Med Sci Sports Exerc.* 2012;44(9):1756-1763. doi: 10.1249/MSS.0b013e318255a727.
 103. Jenkins DW, Cauthon DJ. Barefoot running claims and controversies: a review of the literature. *J Am Podiatr Med Assoc.* 2011;101(3):231-246.
 104. Gruber AH, Umberger BR, Braun B, Hamill J. Economy and rate of carbohydrate oxidation during running with rearfoot and forefoot strike patterns. *J Appl Physiol (1985).* 2013;115(2):194-201. doi: 10.1152/jappphysiol.01437.2012. Epub 2013 May 16.
 105. Di Michele R, Merni F. The concurrent effects of strike pattern and ground-contact time on running economy. *J Sci Med Sport.* 2014;17(4):414-418. doi: 10.1016/j.jsams.2013.05.012. Epub 2013 Jun 25.
 106. Ogueta-Alday A, Rodríguez-Marroyo JA, García-López J. Rearfoot striking runners are more economical than midfoot strikers. *Med Sci Sports Exerc.* 2014;46(3):580-585. doi: 10.1249/MSS.000000000000139.
 107. Thomas D, Fernhall B, Blanpied P, Stillwell K. Changes in running economy and mechanics during a 5 km run. *J Strength Cond Res.* 1995;9(3):170-175.
 108. Morin J-B, Samozino P, Millet GY. Changes in running kinematics, kinetics, and spring-mass behavior over a 24-h run. *Med Sci Sports Exerc.* 2011;43(5):829-836. doi: 10.1249/MSS.0b013e3181fec518.
 109. Wright S, Weyand PG. The application of ground force explains the energetic cost of running backward and forward. *J Exp Biol.* 2001;204(Pt 10):1805-1815.
 110. Moore IS, Jones AM, Dixon SJ. Reduced oxygen cost of running is related to alignment of the resultant GRF and leg axis vector: A pilot study. *Scand J Med Sci Sports.* 2016;26(7):809-815.
 111. Winter DA. Moments of force and mechanical power in jogging. *J Biomech.* 1983;16(1):91-97.
 112. Ito A, Komi PV, Sjödin B, Bosco C, Karlsson J. Mechanical efficiency of positive work in running at different speeds. *Med Sci Sports Exerc.* 1983;15(4):299-308.
 113. Martin PE, Morgan DW. Biomechanical considerations for economical walking and running. *Med Sci Sports Exerc.* 1992;24(4):467-474.
 114. Arampatzis A, De Monte G, Karamanidis K, Morey-Klapsing G, Stafilidis S, Brüggemann G-P. Influence of the muscle-tendon unit's mechanical and morphological

- properties on running economy. *J Exp Biol.* 2006;209(Pt 17):3345-3357.
115. Arampatzis A, Karamanidis K, Morey-Klapsing G, De Monte G, Staflidis S. Mechanical properties of the triceps surae tendon and aponeurosis in relation to intensity of sport activity. *J Biomech.* 2007;40(9):1946-1952.
 116. Fletcher JR, Pfister TR, Macintosh BR. Energy cost of running and Achilles tendon stiffness in man and woman trained runners. *Physiol Rep.* 2013;1(7):e00178. doi: 10.1002/phy2.178. eCollection 2013 Dec 1.
 117. Ferris DP, Louie M, Farley CT. Running in the real world: adjusting leg stiffness for different surfaces. *Proc Biol Sci.* 1998;265(1400):989-994.
 118. Lussiana T, Fabre N, Hébert-Losier K, Mourot L. Effect of slope and footwear on running economy and kinematics. *Scand J Med Sci Sports.* 2013;23(4):e246-253. doi: 10.1111/sms.12057. Epub 2013 Feb 26.
 119. Franz JR, Paylo KW, Dicharry J, Riley PO, Kerrigan DC. Changes in the coordination of hip and pelvis kinematics with mode of locomotion. *Gait Posture.* 2009;29(3):494-498. doi: 10.1016/j.gaitpost.2008.11.011. Epub 2009 Jan 4.
 120. Bach DK, Green DS, Jensen GM, Savinar-Nogue E. A comparison of muscular tightness in runners and nonrunners and the relation of muscular tightness to low back pain in runners. *J Orthop Sports Phys Ther.* 1985;6(6):315-323.
 121. Gleim GW, Stachenfeld NS, Nicholas JA. The influence of flexibility on the economy of walking and jogging. *J Orthop Res.* 1990;8(6):814-823.
 122. Balsalobre-Fernández C, Santos-Concejero J, Grivas GV. Effects of strength training on running economy in highly trained runners: a systematic review with meta-analysis of controlled trials. *J Strength Cond Res.* 2016;30(8):2361-2368. doi: 10.1519/JSC.0000000000001316.
 123. Pate RR, Macera CA, Bailey SP, Bartoli WP, Powell KE. Physiological, anthropometric, and training correlates of running economy. *Med Sci Sports Exerc.* 1992;24(10):1128-1133.
 124. Bulbulian R, Wilcox AR, Darabos BL. Anaerobic contribution to distance running performance of trained cross-country athletes. *Med Sci Sports Exerc.* 1986;18(1):107-113.
 125. Spurrs RW, Murphy AJ, Watsford ML. The effect of plyometric training on distance running performance. *Eur J Appl Physiol.* 2003;89(1):1-7.
 126. Paavolainen L, Häkkinen K, Hämmäläinen I, Nummela A, Rusko H. Explosive-strength training improves 5-km running time by improving running economy and muscle power. *J Appl Physiol (1985).* 1999;86(5):1527-1533.
 127. Häkkinen K, Alen M, Kraemer WJ, et al. Neuromuscular adaptations during concurrent strength and endurance training versus strength training. *Eur J Appl Physiol.* 2003;89(1):42-52.
 128. Wright VJ, Perricelli BC. Age-related rates of decline in performance among elite senior athletes. *Am J Sports Med.* 2008;36(3):443-450. Epub 2007 Nov 30.
 129. Tanaka H, Seals DR. Endurance exercise performance in masters athletes: age-associated changes and underlying physiological mechanisms. *J Physiol.* 2008;586(1):55-63. Epub 2007 Aug 23.
 130. Lazarus NR, Harridge SDR. Declining performance of master athletes: silhouettes of the trajectory of healthy human ageing? *J Physiol.* 2017;595(9):2941-2948. doi: 10.1113/JP272443. Epub 2017 Jan 18.
 131. Thompson LV. Age-related muscle dysfunction. *Exp Gerontol.* 2009;44(1-2):106-111.
 132. Stenroth L, Peltonen J, Cronin NJ, Sipilä S, Finni T. Age-related differences in Achilles tendon properties and triceps surae muscle architecture in vivo. *J Appl Physiol (1985).* 2012;113(10):1537-1544. doi: 10.1152/jappphysiol.00782.2012. Epub 2012 Oct 4.
 133. Karamanidis K, Arampatzis A. Mechanical and morphological properties of different muscle-tendon units in the lower extremity and running mechanics: effect of aging and physical activity. *J Exp Biol.* 2005;208(Pt 20):3907-3923.
 134. Devita P, Fellin RE, Seay JF, Ip E, Stavro N, Messier SP. The relationships between age and running biomechanics. *Med Sci Sports Exerc.* 2016;48(1):98-106. doi: 10.1249/MSS.0000000000000744.
 135. Orr R, de Vos NJ, Singh NA, Ross DA, Stavrinou TM, Fiatarone-Singh MA. Power training improves balance in healthy older adults. *J Gerontol A Biol Sci Med Sci.* 2006;61(1):78-85.
 136. Wroblewski AP, Amati F, Smiley MA, Goodpaster B, Wright V. Chronic exercise preserves lean muscle mass in masters athletes. *Phys Sportsmed.* 2011;39(3):172-178. doi: 10.3810/psm.2011.09.1933.
 137. Bus SA. Ground reaction forces and kinematics in distance running in older-aged men. *Med Sci Sports Exerc.* 2003;35(7):1167-1175.
 138. Fukuchi RK, Duarte M. Comparison of three-dimensional lower extremity running kinematics of young adult and elderly runners. *J Sports Sci.* 2008;26(13):1447-1454.
 139. Karamanidis K, Arampatzis A, Brüggemann G-P. Adaptational phenomena and mechanical responses during running: effect of surface, aging and task experience. *Eur J Appl Physiol.* 2006;98(3):284-298.
 140. Taunton JE, Ryan MB, Clement DB, McKenzie DC, Lloyd-Smith DR, Zumbo BD. A retrospective case-control analysis of 2002 running injuries. *Br J Sports Med.* 2002;36(2):95-101.

141. Magnusson SP, Langberg H, Kjaer M. The pathogenesis of tendinopathy: balancing the response to loading. *Nat Rev Rheumatol*. 2010;6(5):262-268.
142. Kubo K, Tabata T, Ikebukuro T, Igarashi K, Yata H, Tsunoda N. Effects of mechanical properties of muscle and tendon on performance in long distance runners. *Eur J Appl Physiol*. 2010;110(3):507-514.
143. Tayrose GA, Beutel BG, Cardone DA, Sherman OH. The masters athlete: a review of current exercise and treatment recommendations. *Sports Health*. 2015;7(3):270-276. doi: 10.1177/1941738114548999.
144. Daniels J, Daniels N. Running economy of elite male and elite female runners. *Med Sci Sports Exerc*. 1992;24(4):483-489.
145. Ransdell L, Vener J, Huberty J. Master athletes: an analysis of running, swimming and cycling performance by age and gender. *J Exerc Sci Fit*. 2009;(7):61-73.
146. Chapman RF, Laymon AS, Wilhite DP, McKenzie JM, Tanner DA, Stager JM. Ground contact time as an indicator of metabolic cost in elite distance runners. *Med Sci Sports Exerc*. 2012;44(5):917-925. doi: 10.1249/MSS.0b013e3182400520.
147. Helgerud J, Støren O, Hoff J. Are there differences in running economy at different velocities for well-trained distance runners? *Eur J Appl Physiol*. 2010;108(6):1099-1105. doi: 10.1007/s00421-009-1218-z. Epub 2009 Dec 19.
148. Horton MG, Hall TL. Quadriceps femoris muscle angle: normal values and relationships with gender and selected skeletal measures. *Phys Ther*. 1989;69(11):897-901.
149. Malinzak RA, Colby SM, Kirkendall DT, Yu B, Garrett WE. A comparison of knee joint motion patterns between men and women in selected athletic tasks. *Clin Biomech (Bristol, Avon)*. 2001;16(5):438-445.
150. Ferber R, Davis IM, Williams DS. Gender differences in lower extremity mechanics during running. *Clin Biomech (Bristol, Avon)*. 2003;18(4):350-357.
151. Burr DB, Milgrom C, Boyd RD, Higgins WL, Robin G, Radin EL. Experimental stress fractures of the tibia. biological and mechanical aetiology in rabbits. *J Bone Joint Surg Br*. 1990;72(3):370-375.
152. Milner CE, Ferber R, Pollard CD, Hamill J, Davis IS. Biomechanical factors associated with tibial stress fracture in female runners. *Med Sci Sports Exerc*. 2006;38(2):323-328.
153. van Mechelen W. Running injuries. A review of the epidemiological literature. *Sports Med*. 1992;14(5):320-335.
154. Moore IS. Is there an economical running technique? A review of modifiable biomechanical factors affecting running economy. *Sports Med*. 2016;46(6):793-807. doi: 10.1007/s40279-016-0474-4.
155. Kluitenberg B, van Middelkoop M, Smits DW, et al. The NLstart2run study: incidence and risk factors of running-related injuries in novice runners. *Scand J Med Sci Sports*. 2015;25(5):e515-523. doi: 10.1111/sms.12346. Epub 2014 Dec 1.
156. Morgan DW, Martin PE, Baldini FD, Krahenbuhl GS. Effects of a prolonged maximal run on running economy and running mechanics. *Med Sci Sports Exerc*. 1990;22(6):834-840.
157. Collins MH, Pearsall DJ, Zavorsky GS, Bateni H, Turcotte RA, Montgomery DL. Acute effects of intense interval training on running mechanics. *J Sports Sci*. 2000;18(2):83-90.
158. Kyröläinen H, Pullinen T, Candau R, Avela J, Huttunen P, Komi PV. Effects of marathon running on running economy and kinematics. *Eur J Appl Physiol*. 2000;82(4):297-304.
159. Abt JP, Sell TC, Chu Y, Lovalekar M, Burdett RG, Lephart SM. Running kinematics and shock absorption do not change after brief exhaustive running. *J Strength Cond Res*. 2011;25(6):1479-1485.
160. Dierks TA, Davis IS, Hamill J. The effects of running in an exerted state on lower extremity kinematics and joint timing. *J Biomech*. 2010;43(15):2993-2998. doi: 10.1016/j.jbiomech.2010.07.001.
161. Clansey AC, Hanlon M, Wallace ES, Lake MJ. Effects of fatigue on running mechanics associated with tibial stress fracture risk. *Med Sci Sports Exerc*. 2012;44(10):1917-1923. doi: 10.1249/MSS.0b013e318259480d.
162. Koblbauer IE, van Schooten KS, Verhagen EA, van Dieën JH. Kinematic changes during running-induced fatigue and relations with core endurance in novice runners. *J Sci Med Sport*. 2014;17(4):419-424. doi: 10.1016/j.jsams.2013.05.013. Epub 2013 Jun 19.
163. Willson JD, Loss JR, Willy RW, Meardon SA. Sex differences in running mechanics and patellofemoral joint kinetics following an exhaustive run. *J Biomech*. 2015;48(15):4155-4159. doi: 10.1016/j.jbiomech.2015.10.021. Epub 2015 Oct 25.
164. Hayes PR, Caplan N. Leg stiffness decreases during a run to exhaustion at the speed at VO₂max. *Eur J Sport Sci*. 2014;14(6):556-562.
165. Willy RW, Davis IS. Varied response to mirror gait retraining of gluteus medius control, hip kinematics, pain, and function in 2 female runners with patellofemoral pain. *J Orthop Sports Phys Ther*. 2013;43(12):864-874. doi: 10.2519/jospt.2013.4516. Epub 2013 Oct 30.
166. McCormack JR, Underwood FB, Slaven EJ, Cappaert TA. Eccentric exercise versus eccentric exercise and soft tissue treatment (Astym) in the management of insertional Achilles tendinopathy: a randomized controlled trial. *Sports Health*. 2016;8(3):230-237. doi: 10.1177/1941738116631498.

167. Fahlström M, Jonsson P, Lorentzon R, Alfredson H. Chronic Achilles tendon pain treated with eccentric calf-muscle training. *Knee Surg Sports Traumatol Arthrosc.* 2003;11(5):327-333. Epub 2003 Aug 26.
168. Sussmilch-Leitch SP, Collins NJ, Bialocerkowski AE, Warden SJ, Crossley KM. Physical therapies for Achilles tendinopathy: systematic review and meta-analysis. *J Foot Ankle Res.* 2012;5(1):15. doi: 10.1186/1757-1146-5-15.
169. Faulkner JA, Davis CS, Mendias CL, Brooks SV. The aging of elite male athletes: age-related changes in performance and skeletal muscle structure and function. *Clin J Sport Med.* 2008;18(6):501-507. doi: 10.1097/JSM.0b013e3181845f1c.
170. Ramírez-Campillo R, Alvarez C, Henríquez-Olguín C, et al. Effects of plyometric training on endurance and explosive strength performance in competitive middle- and long-distance runners. *J Strength Cond Res.* 2014;28(1):97-104. doi: 10.1519/JSC.0b013e3182a1f44c.
171. Adams D, Pozzi F, Carroll A, Rombach A, Zeni J. Validity and reliability of a commercial fitness watch for measuring running dynamics. *J Orthop Sports Phys Ther.* 2016;46(6):471-476. doi: 10.2519/jospt.2016.6391. Epub 2016 Apr 26.