

Tissue Tolerances of the Muscle-Tendon Unit

Independent Study
Course 30.2.1

Dhinu J. Jayaseelan, DPT, OCS, FAAOMPT
The George Washington University
Washington, DC

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
ORTHOPAEDIC
PHYSICAL THERAPY



APTA
American Physical Therapy Association

REFERENCES

- GBD 2016 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet*. 2017;390(10100):1211-1259. doi: S0140-6736(17)32154-2 [pii].
- United States Bone and Joint Initiative. *The Burden of Musculoskeletal Diseases in the United States: Prevalence, Societal and Economic Cost*. 3rd ed. Rosemont, IL: United States Bone and Joint Initiative; 2014. Available at <http://www.boneandjointburden.org>.
- Clarys JP, Martin AD, Drinkwater DT. Gross tissue weights in the human body by cadaver dissection. *Hum Biol*. 1984;56(3):459-473.
- Frontera WR, Ochala J. Skeletal muscle: a brief review of structure and function. *Calcif Tissue Int*. 2015;96(3):183-195. doi: 10.1007/s00223-014-9915-y
- Boron WF, Boulpaep EL. *Medical Physiology: A Cellular and Molecular Approach*. Philadelphia, PA: Saunders/Elsevier; 2009.
- Kjaer M. Role of extracellular matrix in adaptation of tendon and skeletal muscle to mechanical loading. *Physiol Rev*. 2004;84(2):649-698. doi: 10.1152/physrev.00031.2003
- Nordin M, Frankel VH, eds. *Basic Biomechanics of the Musculoskeletal System*. 4th ed. Baltimore, MD: Lippincott Williams & Wilkins; 2012.
- Knudsen AB, Larsen M, Mackey AL, et al. The human myotendinous junction: an ultrastructural and 3D analysis study. *Scand J Med Sci Sports*. 2015;25(1):e116-23. doi: 10.1111/sms.12221
- Diaz-Vegas A, Eisner V, Jaimovich E. Skeletal muscle excitation-metabolism coupling. *Arch Biochem Biophys*. 2019;664:89-94. doi: S0003-9861(18)30881-6 [pii].
- Neumann DA. *Kinesiology of the Musculoskeletal System: Foundations for Physical Rehabilitation*. 3rd ed. St. Louis, MO: Elsevier; 2017.
- Enoka RM, Duchateau J. Muscle fatigue: what, why and how it influences muscle function. *J Physiol*. 2008;586(1):11-23. doi: jphysiol.2007.139477 [pii].
- Woo SL, Debski RE, Zeminski J, Abramowitch SD, Saw SS, Fenwick JA. Injury and repair of ligaments and tendons. *Annu Rev Biomed Eng*. 2000;2:83-118. doi: 10.1146/annurev.biomed.2.1.83.
- Nicol C, Avela J, Komi PV. The stretch-shortening cycle : a model to study naturally occurring neuromuscular fatigue. *Sports Med*. 2006;36(11):977-999. doi: 10.2165/00007256-200636110-00004.
- Komi PV. Stretch-shortening cycle: a powerful model to study normal and fatigued muscle. *J Biomech*. 2000;33(10):1197-1206. doi: S0021-9290(00)00064-6.
- Murphy DE, Connolly DA, Beynon BD. Risk factors for lower extremity injury: a review of the literature. *Br J Sports Med*. 2003;37(1):13-29. doi: 10.1136/bjism.37.1.13.
- Okita M, Yoshimura T, Nakano J, Motomura M, Eguchi K. Effects of reduced joint mobility on sarcomere length, collagen fibril arrangement in the endomysium, and hyaluronan in rat soleus muscle. *J Muscle Res Cell Motil*. 2004;25(2):159-166.
- Hislop HJ, Avers D, Brown M. *Daniels and Worthingham's Muscle Testing: Techniques of Manual Examination and Performance Testing*. 9th ed. St. Louis, MO: Elsevier; 2014.
- Rainville J, Jouve C, Finno M, Limke J. Comparison of four tests of quadriceps strength in L3 or L4 radiculopathies. *Spine (Phila Pa 1976)*. 2003;28(21):2466-2471. doi: 10.1097/01.BRS.0000090832.38227.98.
- Wilk KE, Romaniello WT, Soscia SM, Arrigo CA, Andrews JR. The relationship between subjective knee scores, isokinetic testing, and functional testing in the ACL-reconstructed knee. *J Orthop Sports Phys Ther*. 1994;20(2):60-73. doi: 10.2519/jospt.1994.20.2.60 [doi].
- Evans CJ, Chiou CF, Fitzgerald KA, et al. Development of a new patient-reported outcome measure in sarcopenia. *J Am Med Dir Assoc*. 2011;12(3):226-233. doi: 10.1016/j.jamda.2010.09.010.
- Angst F, Schwyzer HK, Aeschlimann A, Simmen BR, Goldhahn J. Measures of adult shoulder function: Disabilities of the Arm, Shoulder, and Hand Questionnaire (DASH) and its short version (QuickDASH), Shoulder Pain and Disability Index (SPADI), American Shoulder and Elbow Surgeons (ASES) Society standardized shoulder assessment form, Constant (Murley) Score (CS), Simple Shoulder Test (SST), Oxford Shoulder Score (OSS), Shoulder Disability Questionnaire (SDQ), and Western Ontario Shoulder Instability Index (WOSI). *Arthritis Care Res (Hoboken)*. 2011;63 Suppl 11:S174-88. doi: 10.1002/acr.20630.
- Mintken PE, Glynn P, Cleland JA. Psychometric properties of the shortened Disabilities of the Arm, Shoulder, and Hand questionnaire (QuickDASH) and Numeric Pain Rating Scale in patients with shoulder pain. *J Shoulder Elbow Surg*. 2009;18(6):920-926. doi: 10.1016/j.jse.2008.12.015.
- Michener LA, McClure PW, Sennett BJ. American Shoulder and Elbow Surgeons Standardized Shoulder

- Assessment Form, patient self-report section: reliability, validity, and responsiveness. *J Shoulder Elbow Surg.* 2002;11(6):587-594. doi: 10.1067/mse.2002.127096.
24. Binkley JM, Stratford PW, Lott SA, Riddle DL. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. North American Orthopaedic Rehabilitation Research Network. *Phys Ther.* 1999;79(4):371-383.
 25. Martin RL, Irrgang JJ. A survey of self-reported outcome instruments for the foot and ankle. *J Orthop Sports Phys Ther.* 2007;37(2):72-84. doi: 10.2519/jospt.2007.2403.
 26. Robinson JM, Cook JL, Purdam C, et al. The VISA-A questionnaire: a valid and reliable index of the clinical severity of Achilles tendinopathy. *Br J Sports Med.* 2001;35(5):335-341. doi: 10.1136/bjism.35.5.335.
 27. Visentini PJ, Khan KM, Cook JL, Kiss ZS, Harcourt PR, Wark JD. The VISA score: an index of severity of symptoms in patients with jumper's knee (patellar tendinosis). Victorian Institute of Sport Tendon Study Group. *J Sci Med Sport.* 1998;1(1):22-28. doi: S1440-2440(98)80005-4.
 28. Hernandez-Sanchez S, Hidalgo MD, Gomez A. Responsiveness of the VISA-P scale for patellar tendinopathy in athletes. *Br J Sports Med.* 2014;48(6):453-457. doi: 10.1136/bjsports-2012-091163.
 29. Fearon AM, Ganderton C, Scarvell JM, et al. Development and validation of a VISA tendinopathy questionnaire for greater trochanteric pain syndrome, the VISA-G. *Man Ther.* 2015;20(6):805-813. doi: 10.1016/j.math.2015.03.009.
 30. Cacchio A, De Paulis F, Maffulli N. Development and validation of a new visa questionnaire (VISA-H) for patients with proximal hamstring tendinopathy. *Br J Sports Med.* 2014;48(6):448-452. doi: 10.1136/bjsports-2012-091552.
 31. Vincent J, MacDermid JC. Patient-rated tennis elbow evaluation questionnaire. *J Physiother.* 2014;60(4):240. doi: 10.1016/j.jphys.2014.08.002.
 32. van der Worp H, van Ark M, Roerink S, Pepping GJ, van den Akker-Scheek I, Zwerver J. Risk factors for patellar tendinopathy: a systematic review of the literature. *Br J Sports Med.* 2011;45(5):446-452. doi: 10.1136/bjism.2011.084079.
 33. Achilles pain, stiffness, and muscle power deficits: mid-portion Achilles tendinopathy revision 2018: using the evidence to guide physical therapist practice. *J Orthop Sports Phys Ther.* 2018;48(5):425-426. doi: 10.2519/jospt.2018.0505.
 34. Gaida JE, Ashe MC, Bass SL, Cook JL. Is adiposity an under-recognized risk factor for tendinopathy? A systematic review. *Arthritis Rheum.* 2009;61(6):840-849. doi: 10.1002/art.24518.
 35. Shiri R, Viikari-Juntura E, Varonen H, Heliovaara M. Prevalence and determinants of lateral and medial epicondylitis: a population study. *Am J Epidemiol.* 2006;164(11):1065-1074. doi: 10.1093/aje/kwj325.
 36. Green B, Pizzari T. Calf muscle strain injuries in sport: a systematic review of risk factors for injury. *Br J Sports Med.* 2017;51(16):1189-1194. doi: 10.1136/bjsports-2016-097177.
 37. Hagglund M, Walden M, Ekstrand J. Risk factors for lower extremity muscle injury in professional soccer: The UEFA Injury Study. *Am J Sports Med.* 2013;41(2):327-335. doi: 10.1177/0363546512470634.
 38. Sayampanathan AA, Andrew TH. Systematic review on risk factors of rotator cuff tears. *J Orthop Surg (Hong Kong).* 2017;25(1):2309499016684318. doi: 10.1177/2309499016684318.
 39. de Jonge S, van den Berg C, de Vos RJ, et al. Incidence of midportion Achilles tendinopathy in the general population. *Br J Sports Med.* 2011;45(13):1026-1028. doi: 10.1136/bjsports-2011-090342.
 40. Lantto I, Heikkinen J, Flinkkila T, Ohtonen P, Lepilahti J. Epidemiology of Achilles tendon ruptures: increasing incidence over a 33-year period. *Scand J Med Sci Sports.* 2015;25(1):e133-8. doi: 10.1111/sms.12253.
 41. Emery CA, Meeuwisse WH, Powell JW. Groin and abdominal strain injuries in the National Hockey League. *Clin J Sport Med.* 1999;9(3):151-156.
 42. Ekstrand J, Hagglund M, Walden M. Epidemiology of muscle injuries in professional football (soccer). *Am J Sports Med.* 2011;39(6):1226-1232. doi: 10.1177/0363546510395879.
 43. Sanders TL Jr, Maradit Kremers H, Bryan AJ, Ransom JE, Smith J, Morrey BF. The epidemiology and health care burden of tennis elbow: a population-based study. *Am J Sports Med.* 2015;43(5):1066-1071. doi: 10.1177/0363546514568087.
 44. Zwerver J, Bredeweg SW, van den Akker-Scheek I. Prevalence of jumper's knee among nonelite athletes from different sports: a cross-sectional survey. *Am J Sports Med.* 2011;39(9):1984-1988. doi: 10.1177/0363546511413370.
 45. Eckard TG, Kerr ZY, Padua DA, Djoko A, Dompier TP. Epidemiology of quadriceps strains in National Collegiate Athletic Association athletes, 2009-2010 through 2014-2015. *J Athl Train.* 2017;52(5):474-481. doi: 10.4085/1062-6050-52.2.17.
 46. Aagaard KE, Abu-Zidan F, Lunsjo K. High incidence of acute full-thickness rotator cuff tears. *Acta Orthop.* 2015;86(5):558-562. doi: 10.3109/17453674.2015.1022433.
 47. Minagawa H, Yamamoto N, Abe H, et al. Prevalence of symptomatic and asymptomatic rotator cuff tears in the general population: from mass-screening in one village. *J Orthop.* 2013;10(1):8-12. doi: 10.1016/j.jor.2013.01.008.

48. Littlewood C, May S, Walters S. Epidemiology of rotator cuff tendinopathy: a systematic review. *Shoulder Elbow*. 2013;5(4):256-265.
49. Pollock N, James SL, Lee JC, Chakraverty R. British athletics muscle injury classification: a new grading system. *Br J Sports Med*. 2014;48(18):1347-1351. doi: 10.1136/bjsports-2013-093302.
50. Patel A, Chakraverty J, Pollock N, Chakraverty R, Suokas AK, James SL. British athletics muscle injury classification: a reliability study for a new grading system. *Clin Radiol*. 2015;70(12):1414-1420. doi: 10.1016/j.crad.2015.08.009.
51. Pollock N, Patel A, Chakraverty J, Suokas A, James SL, Chakraverty R. Time to return to full training is delayed and recurrence rate is higher in intratendinous ('c') acute hamstring injury in elite track and field athletes: clinical application of the British athletics muscle injury classification. *Br J Sports Med*. 2016;50(5):305-310. doi: 10.1136/bjsports-2015-094657.
52. Clancy WGJ. Tendon trauma and overuse injuries. In: Leadbetter WB, Buckwalter JA, Gordon SL, eds. *Sports-Induced Inflammation: Clinical and Basic Science Concepts*. Park Ridge, IL: American Academy of Orthopaedic Surgeons; 1990:609-618.
53. Cook JL, Purdam CR. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *Br J Sports Med*. 2009;43(6):409-416. doi: 10.1136/bjism.2008.051193.
54. Cook JL, Rio E, Purdam CR, Docking SI. Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research? *Br J Sports Med*. 2016;50(19):1187-1191. doi: 10.1136/bjsports-2015-095422.
55. Chimenti RL, Frey-Law LA, Sluka KA. A mechanism-based approach to physical therapist management of pain. *Phys Ther*. 2018;98(5):302-314. doi: 10.1093/ptj/pty030.
56. Vardeh D, Mannion RJ, Woolf CJ. Toward a mechanism-based approach to pain diagnosis. *J Pain*. 2016;17(9 Suppl):T50-69. doi: 10.1016/j.jpain.2016.03.001 [doi].
57. Noten S, Struyf F, Lluch E, D'Hoore M, Van Looveren E, Meeus M. Central pain processing in patients with shoulder pain: a review of the literature. *Pain Pract*. 2017;17(2):267-280. doi: 10.1111/papr.12502.
58. Fernandez-Carnero J, Fernandez-de-Las-Penas C, de la Llave-Rincon AI, Ge HY, Arendt-Nielsen L. Widespread mechanical pain hypersensitivity as sign of central sensitization in unilateral epicondylalgia: a blinded, controlled study. *Clin J Pain*. 2009;25(7):555-561. doi: 10.1097/AJP.0b013e3181a68a040.
59. van Wilgen CP, Konopka KH, Keizer D, Zwerver J, Dekker R. Do patients with chronic patellar tendinopathy have an altered somatosensory profile? A quantitative sensory testing (QST) study. *Scand J Med Sci Sports*. 2013;23(2):149-155. doi: 10.1111/j.1600-0838.2011.01375.x.
60. Tompra N, van Dieen JH, Coppieters MW. Central pain processing is altered in people with Achilles tendinopathy. *Br J Sports Med*. 2016;50(16):1004-1007. doi: 10.1136/bjsports-2015-095476.
61. Plinsinga ML, van Wilgen CP, Brink MS, et al. Patellar and Achilles tendinopathies are predominantly peripheral pain states: a blinded case control study of somatosensory and psychological profiles. *Br J Sports Med*. 2018;52(5):284-291. doi: 10.1136/bjsports-2016-097163.
62. Mc Auliffe S, Whiteley R, Malliaras P, O'Sullivan K. Central sensitisation in different tendinopathies: are we comparing apples and oranges? *Br J Sports Med*. 2019;53(3):142-143. doi: 10.1136/bjsports-2017-098863.
63. Rio E, Moseley L, Purdam C, et al. The pain of tendinopathy: physiological or pathophysiological? *Sports Med*. 2014;44(1):9-23. doi: 10.1007/s40279-013-0096-z.
64. Neblett R, Cohen H, Choi Y, et al. The Central Sensitization Inventory (CSI): establishing clinically significant values for identifying central sensitivity syndromes in an outpatient chronic pain sample. *J Pain*. 2013;14(5):438-445. doi: 10.1016/j.jpain.2012.11.012.
65. Reeves ND, Narici MV, Maganaris CN. Myotendinous plasticity to ageing and resistance exercise in humans. *Exp Physiol*. 2006;91(3):483-498. doi: 10.1113/exp-physiol.2005.032896.
66. Hunter SK, Thompson MW, Adams RD. Relationships among age-associated strength changes and physical activity level, limb dominance, and muscle group in women. *J Gerontol A Biol Sci Med Sci*. 2000;55(6):B264-73. doi: 10.1093/gerona/55.6.b264.
67. Hunter SK, Thompson MW, Ruell PA, et al. Human skeletal sarcoplasmic reticulum Ca²⁺ uptake and muscle function with aging and strength training. *J Appl Physiol (1985)*. 1999;86(6):1858-1865. doi: 10.1152/jap-1999.86.6.1858.
68. Svensson RB, Heinemeier KM, Couppe C, Kjaer M, Magnusson SP. Effect of aging and exercise on the tendon. *J Appl Physiol (1985)*. 2016;121(6):1237-1246. doi: 10.1152/jap-physiol.00328.2016.
69. Heinemeier KM, Schjerling P, Heinemeier J, Magnusson SP, Kjaer M. Lack of tissue renewal in human adult Achilles tendon is revealed by nuclear bomb (14)C. *FASEB J*. 2013;27(5):2074-2079. doi: 10.1096/fj.12-225599.
70. Wall BT, Dirks ML, Snijders T, Senden JM, Dolmans J, van Loon LJ. Substantial skeletal muscle loss oc-

- curs during only 5 days of disuse. *Acta Physiol (Oxf)*. 2014;210(3):600-611. doi: 10.1111/apha.12190.
71. Jokl P, Konstadt S. The effect of limb immobilization on muscle function and protein composition. *Clin Orthop Relat Res*. 1983;(174):222-229.
 72. Rudrappa SS, Wilkinson DJ, Greenhaff PL, Smith K, Idris I, Atherton PJ. Human skeletal muscle disuse atrophy: effects on muscle protein synthesis, breakdown, and insulin resistance—a qualitative review. *Front Physiol*. 2016;7:361. doi: 10.3389/fphys.2016.00361.
 73. Kannus P, Jozsa L, Natri A, Jarvinen M. Effects of training, immobilization and remobilization on tendons. *Scand J Med Sci Sports*. 1997;7(2):67-71.
 74. Palmes D, Spiegel HU, Schneider TO, et al. Achilles tendon healing: long-term biomechanical effects of postoperative mobilization and immobilization in a new mouse model. *J Orthop Res*. 2002;20(5):939-946. doi: 10.1016/S0736-0266(02)00032-3.
 75. Kannus P, Jozsa L, Kvist M, Lehto M, Jarvinen M. The effect of immobilization on myotendinous junction: an ultrastructural, histochemical and immunohistochemical study. *Acta Physiol Scand*. 1992;144(3):387-394. doi: 10.1111/j.1748-1716.1992.tb09309.x.
 76. Lui PPY. Tendinopathy in diabetes mellitus patients—epidemiology, pathogenesis, and management. *Scand J Med Sci Sports*. 2017;27(8):776-787. doi: 10.1111/sms.12824.
 77. Batista F, Nery C, Pinzur M, et al. Achilles tendinopathy in diabetes mellitus. *Foot Ankle Int*. 2008;29(5):498-501. doi: 10.3113/FAI.2008.0498.
 78. de Jonge S, Rozenberg R, Vieyra B, et al. Achilles tendons in people with type 2 diabetes show mildly compromised structure: an ultrasound tissue characterization study. *Br J Sports Med*. 2015;49(15):995-999. doi: 10.1136/bjsports-2014-093696.
 79. Siu KK, Zheng LB, Ko JY, et al. Increased interleukin 1beta levels in the subacromial fluid in diabetic patients with rotator cuff lesions compared with nondiabetic patients. *J Shoulder Elbow Surg*. 2013;22(11):1547-1551. doi: 10.1016/j.jse.2013.01.011.
 80. Moren-Hybbinette I, Moritz U, Schersten B. The clinical picture of the painful diabetic shoulder—natural history, social consequences and analysis of concomitant hand syndrome. *Acta Med Scand*. 1987;221(1):73-82.
 81. Franceschi F, Papalia R, Paciotti M, et al. Obesity as a risk factor for tendinopathy: a systematic review. *Int J Endocrinol*. 2014;2014:670262. doi: 10.1155/2014/670262
 82. Abate M. How obesity modifies tendons (implications for athletic activities). *Muscles Ligaments Tendons J*. 2014;4(3):298-302.
 83. Rodriguez-Hernandez H, Simental-Mendia LE, Rodriguez-Ramirez G, Reyes-Romero MA. Obesity and inflammation: epidemiology, risk factors, and markers of inflammation. *Int J Endocrinol*. 2013;2013:678159. doi: 10.1155/2013/678159.
 84. Scott A, Zwerver J, Grewal N, et al. Lipids, adiposity and tendinopathy: is there a mechanistic link? Critical review. *Br J Sports Med*. 2015;49(15):984-988. doi: 10.1136/bjsports-2014-093989.
 85. Kiortsis DN, Argyropoulou MI, Xydis V, Tsouli SG, Elisaf MS. Correlation of Achilles tendon thickness evaluated by ultrasonography with carotid intima-media thickness in patients with familial hypercholesterolemia. *Atherosclerosis*. 2006;186(1):228-229. doi: 10.1016/j.atherosclerosis.2006.02.002.
 86. Ozgurtas T, Yildiz C, Serdar M, Atesalp S, Kutluay T. Is high concentration of serum lipids a risk factor for Achilles tendon rupture? *Clin Chim Acta*. 2003;331(1-2):25-28. doi: 10.1016/s0009-8981(03)00075-5.
 87. Tsouli SG, Kiortsis DN, Argyropoulou MI, Mikhailidis DP, Elisaf MS. Pathogenesis, detection and treatment of Achilles tendon xanthomas. *Eur J Clin Invest*. 2005;35(4):236-244. doi: 10.1111/j.1365-2362.2005.01484.x.
 88. Ronnema T, Juva K, Kulonen E. Effect of hyperlipidemic rat serum on the synthesis of collagen by chick embryo fibroblasts. *Atherosclerosis*. 1975;21(3):315-324. doi: 10.1016/0021-9150(75)90045-3.
 89. Beason DP, Abboud JA, Kuntz AF, Bassora R, Soslosky LJ. Cumulative effects of hypercholesterolemia on tendon biomechanics in a mouse model. *J Orthop Res*. 2011;29(3):380-383. doi: 10.1002/jor.21255.
 90. Heinemeier KM, Ohlenschlaeger TF, Mikkelsen UR, et al. Effects of anti-inflammatory (NSAID) treatment on human tendinopathic tissue. *J Appl Physiol (1985)*. 2017;123(5):1397-1405. doi: 10.1152/jappphysiol.00281.2017.
 91. Bittermann A, Gao S, Rezvani S, et al. Oral ibuprofen interferes with cellular healing responses in a murine model of Achilles tendinopathy. *J Musculoskelet Disord Treat*. 2018;4(2). doi:10.23937/2572-3243.1510049. Epub 2018 May 21.
 92. Almekinders LC. Anti-inflammatory treatment of muscular injuries in sport. An update of recent studies. *Sports Med*. 1999;28(6):383-388. doi: 10.2165/00007256-199928060-00001.
 93. Dideriksen K, Boesen AP, Reitelseder S, et al. Tendon collagen synthesis declines with immobilization in elderly humans: no effect of anti-inflammatory medication. *J Appl Physiol (1985)*. 2017;122(2):273-282. doi: 10.1152/jappphysiol.00809.2015.
 94. Abate M, Salini V, Schiavone C, Andia I. Clinical benefits and drawbacks of local corticosteroids injections in tendinopathies. *Expert Opin Drug Saf*. 2017;16(3):341-349. doi: 10.1080/14740338.2017.1276561.

95. Wilton LV, Pearce GL, Mann RD. A comparison of ciprofloxacin, norfloxacin, ofloxacin, azithromycin and cefixime examined by observational cohort studies. *Br J Clin Pharmacol*. 1996;41(4):277-284. doi: 10.1046/j.1365-2125.1996.03013.x.
96. Khaliq Y, Zhanel GG. Fluoroquinolone-associated tendinopathy: a critical review of the literature. *Clin Infect Dis*. 2003;36(11):1404-1410. doi: 10.1086/375078.
97. Corps AN, Curry VA, Harrall RL, Dutt D, Hazleman BL, Riley GP. Ciprofloxacin reduces the stimulation of prostaglandin E(2) output by interleukin-1beta in human tendon-derived cells. *Rheumatology (Oxford)*. 2003;42(11):1306-1310. doi: 10.1093/rheumatology/keg372.
98. Lewis T, Cook J. Fluoroquinolones and tendinopathy: a guide for athletes and sports clinicians and a systematic review of the literature. *J Athl Train*. 2014;49(3):422-427. doi: 10.4085/1062-6050-49.2.09.
99. Marie I, Delafenetre H, Massy N, Thuillez C, Noblet C, Network of the French Pharmacovigilance Centers. Tendinous disorders attributed to statins: a study on ninety-six spontaneous reports in the period 1990-2005 and review of the literature. *Arthritis Rheum*. 2008;59(3):367-372. doi: 10.1002/art.23309.
100. Deren ME, Klinge SA, Mukand NH, Mukand JA. Tendinopathy and tendon rupture associated with statins. *JBJS Rev*. 2016;4(5):10.2106/JBJS.RVW.15.00072. doi: 10.2106/JBJS.RVW.15.00072.
101. Kuzma-Kuzniarska M, Cornell HR, Moneke MC, Carr AJ, Hulley PA. Lovastatin-mediated changes in human tendon cells. *J Cell Physiol*. 2015;230(10):2543-2551. doi: 10.1002/jcp.25010.
102. Parker L, Nazarian LN, Carrino JA, et al. Musculoskeletal imaging: Medicare use, costs, and potential for cost substitution. *J Am Coll Radiol*. 2008;5(3):182-188. doi: 10.1016/j.jacr.2007.07.016.
103. Nofsinger C, Konin JG. Diagnostic ultrasound in sports medicine: current concepts and advances. *Sports Med Arthrosc Rev*. 2009;17(1):25-30. doi: 10.1097/JSA.0b013e3181982add.
104. Milosavljevic J, Elvin A, Rahme H. Ultrasonography of the rotator cuff: a comparison with arthroscopy in one-hundred-and-ninety consecutive cases. *Acta Radiol*. 2005;46(8):858-865.
105. Warden SJ, Kiss ZS, Malara FA, Ooi AB, Cook JL, Crossley KM. Comparative accuracy of magnetic resonance imaging and ultrasonography in confirming clinically diagnosed patellar tendinopathy. *Am J Sports Med*. 2007;35(3):427-436. doi: 10.1177/0363546506294858.
106. McAuliffe S, McCreesh K, Culloty F, Purtill H, O'Sullivan K. Can ultrasound imaging predict the development of Achilles and patellar tendinopathy? A systematic review and meta-analysis. *Br J Sports Med*. 2016;50(24):1516-1523. doi: 10.1136/bjsports-2016-096288.
107. De Jonge S, Warnaars JL, De Vos RJ, et al. Relationship between neovascularization and clinical severity in Achilles tendinopathy in 556 paired measurements. *Scand J Med Sci Sports*. 2014;24(5):773-778. doi: 10.1111/sms.12072.
108. Magee T, Williams D. 3.0-T MRI of the supraspinatus tendon. *AJR Am J Roentgenol*. 2006;187(4):881-886. doi: 10.2214/AJR.05.1047.
109. Weinreb JH, Sheth C, Apostolakos J, et al. Tendon structure, disease, and imaging. *Muscles Ligaments Tendons J*. 2014;4(1):66-73.
110. Hodgson RJ, O'Connor PJ, Grainger AJ. Tendon and ligament imaging. *Br J Radiol*. 2012;85(1016):1157-1172. doi: 10.1259/bjr/34786470.
111. Khan KM, Forster BB, Robinson J, et al. Are ultrasound and magnetic resonance imaging of value in assessment of Achilles tendon disorders? A two year prospective study. *Br J Sports Med*. 2003;37(2):149-153. doi: 10.1136/bjism.37.2.149.
112. Sher JS, Uribe JW, Posada A, Murphy BJ, Zlatkin MB. Abnormal findings on magnetic resonance images of asymptomatic shoulders. *J Bone Joint Surg Am*. 1995;77(1):10-15. doi: 10.2106/00004623-199501000-00002.
113. Gurney AB, Mermier C, LaPlante M, et al. Shoulder electromyography measurements during activities of daily living and routine rehabilitation exercises. *J Orthop Sports Phys Ther*. 2016;46(5):375-383. doi: 10.2519/jospt.2016.6090.
114. Distefano LJ, Blackburn JT, Marshall SW, Padua DA. Gluteal muscle activation during common therapeutic exercises. *J Orthop Sports Phys Ther*. 2009;39(7):532-540. doi: 10.2519/jospt.2009.2796.
115. Michet CJ, Matteson EL. Polymyalgia rheumatica. *BMJ*. 2008;336(7647):765-769. doi: 10.1136/bmj.39514.653588.80.
116. Schmidt J. Current classification and management of inflammatory myopathies. *J Neuromuscul Dis*. 2018;5(2):109-129. doi: 10.3233/JND-180308.
117. Constantinides VC, Papahatzaki MM, Papadimas GK, et al. Diagnostic accuracy of muscle biopsy and electromyography in 123 patients with neuromuscular disorders. *In Vivo*. 2018;32(6):1647-1652. doi: 10.21873/in-vivo.11427.
118. Joyce NC, Oskarsson B, Jin LW. Muscle biopsy evaluation in neuromuscular disorders. *Phys Med Rehabil Clin N Am*. 2012;23(3):609-631. doi: 10.1016/j.pmr.2012.06.006.
119. Dunn SL, Olmedo ML. Mechanotransduction: relevance to physical therapist practice-understanding our

- ability to affect genetic expression through mechanical forces. *Phys Ther*. 2016;96(5):712-721. doi: 10.2522/ptj.20150073.
120. Khan KM, Scott A. Mechanotherapy: How physical therapists' prescription of exercise promotes tissue repair. *Br J Sports Med*. 2009;43(4):247-252. doi: 10.1136/bjsem.2008.054239.
 121. Jenkins J, Beazell J. Flexibility for runners. *Clin Sports Med*. 2010;29(3):365-377. doi: 10.1016/j.csm.2010.03.004.
 122. Guissard N, Duchateau J. Neural aspects of muscle stretching. *Exerc Sport Sci Rev*. 2006;34(4):154-158. doi: 10.1249/01.jes.0000240023.30373.eb.
 123. Page P. Current concepts in muscle stretching for exercise and rehabilitation. *Int J Sports Phys Ther*. 2012;7(1):109-119.
 124. Freitas SR, Mendes B, Le Sant G, Andrade RJ, Nordez A, Milanovic Z. Can chronic stretching change the muscle-tendon mechanical properties? A review. *Scand J Med Sci Sports*. 2018;28(3):794-806. doi: 10.1111/sms.12957.
 125. Konrad A, Stafilidis S, Tilp M. Effects of acute static, ballistic, and PNF stretching exercise on the muscle and tendon tissue properties. *Scand J Med Sci Sports*. 2017;27(10):1070-1080. doi: 10.1111/sms.12725.
 126. Opplert J, Babault N. Acute effects of dynamic stretching on muscle flexibility and performance: an analysis of the current literature. *Sports Med*. 2018;48(2):299-325. doi: 10.1007/s40279-017-0797-9.
 127. Chimenti RL, Bucklin M, Kelly M, et al. Insertional Achilles tendinopathy associated with altered transverse compressive and axial tensile strain during ankle dorsiflexion. *J Orthop Res*. 2017;35(4):910-915. doi: 10.1002/jor.23338.
 128. Hart JM, Pietrosimone B, Hertel J, Ingersoll CD. Quadriceps activation following knee injuries: a systematic review. *J Athl Train*. 2010;45(1):87-97. doi: 10.4085/1062-6050-45.1.87.
 129. Naugle KM, Fillingim RB, Riley JL 3rd. A meta-analytic review of the hypoalgesic effects of exercise. *J Pain*. 2012;13(12):1139-1150. doi: 10.1016/j.jpain.2012.09.006.
 130. Rio E, Kidgell D, Purdam C, et al. Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sports Med*. 2015;49(19):1277-1283. doi: 10.1136/bjsports-2014-094386.
 131. Pearson SJ, Stadler S, Menz H, et al. Immediate and short-term effects of short- and long-duration isometric contractions in patellar tendinopathy. *Clin J Sport Med*. 2018. doi: 10.1097/JSM.0000000000000625.
 132. Lim HY, Wong SH. Effects of isometric, eccentric, or heavy slow resistance exercises on pain and function in individuals with patellar tendinopathy: a systematic review. *Physiother Res Int*. 2018;23(4):e1721. doi: 10.1002/pri.1721.
 133. Rio E, van Ark M, Docking S, et al. Isometric contractions are more analgesic than isotonic contractions for patellar tendon pain: an in-season randomized clinical trial. *Clin J Sport Med*. 2017;27(3):253-259. doi: 10.1097/JSM.0000000000000364.
 134. Alfredson H, Pietila T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sports Med*. 1998;26(3):360-366. doi: 10.1177/03635465980260030301.
 135. Jayaseelan DJ, Mischke JJ, Strazzulla RL. Eccentric exercise for Achilles tendinopathy: a narrative review and clinical decision-making considerations. *J Funct Morphol Kinesiol*. 2019;4(2):34. doi: 10.3390/jfmk4020034.
 136. Ohberg L, Lorentzon R, Alfredson H. Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up. *Br J Sports Med*. 2004;38(1):8-11; discussion 11. doi: 10.1136/bjsem.2001.000284.
 137. Ohberg L, Alfredson H. Effects on neovascularisation behind the good results with eccentric training in chronic mid-portion Achilles tendinosis? *Knee Surg Sports Traumatol Arthrosc*. 2004;12(5):465-470. doi: 10.1007/s00167-004-0494-8.
 138. Drew BT, Smith TO, Littlewood C, Sturrock B. Do structural changes (eg, collagen/matrix) explain the response to therapeutic exercises in tendinopathy: a systematic review. *Br J Sports Med*. 2014;48(12):966-972. doi: 10.1136/bjsports-2012-091285.
 139. Ortega-Castillo M, Medina-Porqueres I. Effectiveness of the eccentric exercise therapy in physically active adults with symptomatic shoulder impingement or lateral epicondylar tendinopathy: a systematic review. *J Sci Med Sport*. 2016;19(6):438-453. doi: 10.1016/j.jsams.2015.06.007.
 140. Frizziero A, Vittadini F, Fusco A, Giombini A, Masiero S. Efficacy of eccentric exercise in lower limb tendinopathies in athletes. *J Sports Med Phys Fitness*. 2016;56(11):1352-1358. doi: R40Y9999N00A150196.
 141. Jonsson P, Alfredson H, Sunding K, Fahlstrom M, Cook J. New regimen for eccentric calf-muscle training in patients with chronic insertional Achilles tendinopathy: results of a pilot study. *Br J Sports Med*. 2008;42(9):746-749. doi: 10.1136/bjsem.2007.039545.
 142. Lorenz D, Reiman M. The role and implementation of eccentric training in athletic rehabilitation: tendinopathy, hamstring strains, and ACL reconstruction. *Int J Sports Phys Ther*. 2011;6(1):27-44.
 143. Heiderscheid BC, Sherry MA, Silder A, Chumanov ES, Thelen DG. Hamstring strain injuries: recommendations for diagnosis, rehabilitation, and injury prevention. *J Or-*

- thop Sports Phys Ther.* 2010;40(2):67-81. doi: 10.2519/jospt.2010.3047.
144. Kongsgaard M, Qvortrup K, Larsen J, et al. Fibril morphology and tendon mechanical properties in patellar tendinopathy: effects of heavy slow resistance training. *Am J Sports Med.* 2010;38(4):749-756. doi: 10.1177/0363546509350915.
 145. Kongsgaard M, Kovanen V, Aagaard P, et al. Corticosteroid injections, eccentric decline squat training and heavy slow resistance training in patellar tendinopathy. *Scand J Med Sci Sports.* 2009;19(6):790-802. doi: 10.1111/j.1600-0838.2009.00949.x.
 146. Beyer R, Kongsgaard M, Hougs Kjaer B, Ohlen-schlaeger T, Kjaer M, Magnusson SP. Heavy slow resistance versus eccentric training as treatment for Achilles tendinopathy: a randomized controlled trial. *Am J Sports Med.* 2015;43(7):1704-1711. doi: 10.1177/0363546515584760.
 147. Ingwersen KG, Jensen SL, Sorensen L, et al. Three months of progressive high-load versus traditional low-load strength training among patients with rotator cuff tendinopathy: primary results from the double-blind randomized controlled RoCTEx trial. *Orthop J Sports Med.* 2017;5(8):2325967117723292. doi: 10.1177/2325967117723292.
 148. Bialosky JE, Bishop MD, Price DD, Robinson ME, George SZ. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther.* 2009;14(5):531-538. doi: 10.1016/j.math.2008.09.001.
 149. Vigotsky AD, Bruhns RP. The role of descending modulation in manual therapy and its analgesic implications: a narrative review. *Pain Res Treat.* 2015;2015:292805. doi: 10.1155/2015/292805.
 150. Coronado RA, Gay CW, Bialosky JE, Carnaby GD, Bishop MD, George SZ. Changes in pain sensitivity following spinal manipulation: a systematic review and meta-analysis. *J Electromyogr Kinesiol.* 2012;22(5):752-767. doi: 10.1016/j.jelekin.2011.12.013.
 151. Courtney CA, Steffen AD, Fernandez-de-Las-Penas C, Kim J, Chmell SJ. Joint mobilization enhances mechanisms of conditioned pain modulation in individuals with osteoarthritis of the knee. *J Orthop Sports Phys Ther.* 2016;1-30. doi: 10.2519/jospt.2016.6259.
 152. Weerapong P, Hume PA, Kolt GS. The mechanisms of massage and effects on performance, muscle recovery and injury prevention. *Sports Med.* 2005;35(3):235-256. doi: 10.2165/00007256-200535030-00004.
 153. Barnes MF. The basic science of myofascial release: morphologic change in connective tissue. *J Bodywork Movement Ther.* 1997;1(4):231-238.
 154. Sharman MJ, Cresswell AG, Riek S. Proprioceptive neuromuscular facilitation stretching: mechanisms and clinical implications. *Sports Med.* 2006;36(11):929-939. doi: 10.2165/00007256-200636110-00002.
 155. Godges JJ, Mattson-Bell M, Thorpe D, Shah D. The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. *J Orthop Sports Phys Ther.* 2003;33(12):713-718. doi: 10.2519/jospt.2003.33.12.713.
 156. Maddigan ME, Peach AA, Behm DG. A comparison of assisted and unassisted proprioceptive neuromuscular facilitation techniques and static stretching. *J Strength Cond Res.* 2012;26(5):1238-1244. doi: 10.1519/JSC.0b013e3182510611.
 157. Chamberlain GJ. Cyriax's friction massage: a review. *J Orthop Sports Phys Ther.* 1982;4(1):16-22. doi: 10.2519/jospt.1982.4.1.16.
 158. Joseph MF, Taft K, Moskwa M, Denegar CR. Deep friction massage to treat tendinopathy: a systematic review of a classic treatment in the face of a new paradigm of understanding. *J Sport Rehabil.* 2012;21(4):343-353. doi: 10.1123/jsr.21.4.343.
 159. Blackwood J, Ghazi F. Can the addition of transverse friction massage to an exercise programme in treatment of infrapatellar tendinopathy reduce pain and improve function? A pilot study. *Int Musculoskelet Med.* 2012;34(3):108-114. doi: 10.1179/1753615412Y.0000000005.
 160. Stasinopoulos D, Stasinopoulos I. Comparison of effects of exercise programme, pulsed ultrasound and transverse friction in the treatment of chronic patellar tendinopathy. *Clin Rehabil.* 2004;18(4):347-352. doi: 10.1191/0269215504cr757oa.
 161. Vicenzino B, Cleland JA, Bisset L. Joint manipulation in the management of lateral epicondylalgia: a clinical commentary. *J Man Manip Ther.* 2007;15(1):50-56. doi: 10.1179/106698107791090132.
 162. Herd CR, Meserve BB. A systematic review of the effectiveness of manipulative therapy in treating lateral epicondylalgia. *J Man Manip Ther.* 2008;16(4):225-237. doi: 10.1179/106698108790818288.
 163. Desjardins-Charbonneau A, Roy JS, Dionne CE, Fremont P, MacDermid JC, Desmeules F. The efficacy of manual therapy for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2015;45(5):330-350. doi: 10.2519/jospt.2015.5455.
 164. Mischke JJ, Emerson Kavchak AJ, Courtney CA. Effect of sternoclavicular joint mobilization on pain and function in a patient with massive supraspinatus tear. *Physiother Theory Pract.* 2016;32(2):153-158. doi: 10.3109/09593985.2015.1114691.
 165. Jayaseelan DJ, Kecman M, Alcorn D, Sault JD. Manual therapy and eccentric exercise in the management of Achilles tendinopathy. *J*

- Man Manip Ther.* 2017;25(2):106-114. doi: 10.1080/10669817.2016.1183289.
166. Jayaseelan DJ, Weber MJ, Jonely H. Potential nervous system sensitization in patients with persistent lower extremity tendinopathies: 3 case reports. *J Orthop Sports Phys Ther.* 2019;49(4):272-279. doi: 10.2519/jospt.2019.8600.
 167. Jayaseelan DJ, Post AA, Mischke JJ, Sault JD. Joint mobilization in the management of persistent insertional Achilles tendinopathy: a case report. *Int J Sports Phys Ther.* 2017;12(1):133-143.
 168. Hensley CP, Kavchak AJ. Novel use of a manual therapy technique and management of a patient with peroneal tendinopathy: a case report. *Man Ther.* 2012;17(1):84-88. doi: 10.1016/j.math.2011.04.004.
 169. Kim KM, Croy T, Hertel J, Saliba S. Effects of neuromuscular electrical stimulation after anterior cruciate ligament reconstruction on quadriceps strength, function, and patient-oriented outcomes: a systematic review. *J Orthop Sports Phys Ther.* 2010;40(7):383-391. doi: 10.2519/jospt.2010.3184.
 170. Glaviano NR, Saliba S. Can the use of neuromuscular electrical stimulation be improved to optimize quadriceps strengthening? *Sports Health.* 2016;8(1):79-85. doi: 10.1177/1941738115618174.
 171. Jones S, Man WD, Gao W, Higginson IJ, Wilcock A, Maddocks M. Neuromuscular electrical stimulation for muscle weakness in adults with advanced disease. *Cochrane Database Syst Rev.* 2016;10:CD009419. doi: 10.1002/14651858.CD009419.pub3.
 172. Robertson VJ, Baker KG. A review of therapeutic ultrasound: effectiveness studies. *Phys Ther.* 2001;81(7):1339-1350. doi: 10.1093/ptj/81.7.1339.
 173. Desmeules F, Boudreault J, Roy JS, Dionne C, Fremont P, MacDermid JC. The efficacy of therapeutic ultrasound for rotator cuff tendinopathy: a systematic review and meta-analysis. *Phys Ther Sport.* 2015;16(3):276-284. doi: 10.1016/j.ptsp.2014.09.004.
 174. Wilkin LD, Merrick MA, Kirby TE, Devor ST. Influence of therapeutic ultrasound on skeletal muscle regeneration following blunt contusion. *Int J Sports Med.* 2004;25(1):73-77. doi: 10.1055/s-2003-45234.
 175. Markert CD, Merrick MA, Kirby TE, Devor ST. Nonthermal ultrasound and exercise in skeletal muscle regeneration. *Arch Phys Med Rehabil.* 2005;86(7):1304-1310. doi: 10.1016/j.apmr.2004.12.037.
 176. Tumilty S, Munn J, McDonough S, Hurley DA, Basford JR, Baxter GD. Low level laser treatment of tendinopathy: a systematic review with meta-analysis. *Photomed Laser Surg.* 2010;28(1):3-16. doi: 10.1089/pho.2008.2470.
 177. Haslerud S, Magnussen LH, Joensen J, Lopes-Martins RA, Bjordal JM. The efficacy of low-level laser therapy for shoulder tendinopathy: a systematic review and meta-analysis of randomized controlled trials. *Physiother Res Int.* 2015;20(2):108-125. doi: 10.1002/pri.1606.
 178. Martin RL, Chimenti R, Cuddeford T, et al. Achilles pain, stiffness, and muscle power deficits: midportion Achilles tendinopathy revision 2018. *J Orthop Sports Phys Ther.* 2018;48(5):A1-A38. doi: 10.2519/jospt.2018.0302.
 179. Alves AN, Fernandes KP, Deana AM, Bussadori SK, Mesquita-Ferrari RA. Effects of low-level laser therapy on skeletal muscle repair: a systematic review. *Am J Phys Med Rehabil.* 2014;93(12):1073-1085. doi: 10.1097/PHM.000000000000158.
 180. Dommerholt J. Dry needling - peripheral and central considerations. *J Man Manip Ther.* 2011;19(4):223-227. doi: 10.1179/106698111X13129729552065.
 181. Donnelly J. *Travell, Simons & Simons' Myofascial Pain and Dysfunction: The Trigger Point Manual.* Lippincott Williams & Wilkins; 2018.
 182. Gattie E, Cleland JA, Snodgrass S. The effectiveness of trigger point dry needling for musculoskeletal conditions by physical therapists: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2017;47(3):133-149. doi: 10.2519/jospt.2017.7096.
 183. Morihisa R, Eskew J, McNamara A, Young J. Dry needling in subjects with muscular trigger points in the lower quarter: a systematic review. *Int J Sports Phys Ther.* 2016;11(1):1-14.
 184. Hall ML, Mackie AC, Ribeiro DC. Effects of dry needling trigger point therapy in the shoulder region on patients with upper extremity pain and dysfunction: a systematic review with meta-analysis. *Physiotherapy.* 2018;104(2):167-177. doi: 10.1016/j.physio.2017.08.001.
 185. Perez-Palomares S, Oliván-Blázquez B, Perez-Palomares A, et al. Contribution of dry needling to individualized physical therapy treatment of shoulder pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2017;47(1):11-20. doi: 10.2519/jospt.2017.6698.
 186. Jayaseelan DJ, Moats N, Ricardo CR. Rehabilitation of proximal hamstring tendinopathy utilizing eccentric training, lumbopelvic stabilization, and trigger point dry needling: 2 case reports. *J Orthop Sports Phys Ther.* 2014;44(3):198-205. doi: 10.2519/jospt.2014.4905.
 187. Morelli KM, Brown LB, Warren GL. Effect of NSAIDs on recovery from acute skeletal muscle injury: a systematic review and meta-analysis. *Am J Sports Med.* 2018;46(1):224-233. doi: 10.1177/0363546517697957.
 188. Boudreault J, Desmeules F, Roy JS, Dionne C, Fremont P, Macdermid JC. The efficacy of oral non-steroidal anti-inflammatory drugs for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Rehabil Med.* 2014;46(4):294-306. doi: 10.2340/16501977-1800.

189. Andres BM, Murrell GA. Treatment of tendinopathy: what works, what does not, and what is on the horizon. *Clin Orthop*. 2008;466(7):1539-1554. doi: 10.1007/s11999-008-0260-1.
190. Mackey AL, Mikkelsen UR, Magnusson SP, Kjaer M. Rehabilitation of muscle after injury - the role of anti-inflammatory drugs. *Scand J Med Sci Sports*. 2012;22(4):e8-14. doi: 10.1111/j.1600-0838.2012.01463.x.
191. Coombes BK, Bisset L, Vicenzino B. Efficacy and safety of corticosteroid injections and other injections for management of tendinopathy: a systematic review of randomised controlled trials. *Lancet*. 2010;376(9754):1751-1767. doi: 10.1016/S0140-6736(10)61160-9.
192. Mellor R, Bennell K, Grimaldi A, et al. Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. *BMJ*. 2018;361:k1662. doi: 10.1136/bmj.k1662.
193. Coombes BK, Connelly L, Bisset L, Vicenzino B. Economic evaluation favours physiotherapy but not corticosteroid injection as a first-line intervention for chronic lateral epicondylalgia: evidence from a randomised clinical trial. *Br J Sports Med*. 2016;50(22):1400-1405. doi: 10.1136/bjsports-2015-094729.
194. Zhou Y, Wang JH. PRP treatment efficacy for tendinopathy: A review of basic science studies. *Biomed Res Int*. 2016;2016:9103792. doi: 10.1155/2016/9103792.
195. Hammond JW, Hinton RY, Curl LA, Muriel JM, Lovering RM. Use of autologous platelet-rich plasma to treat muscle strain injuries. *Am J Sports Med*. 2009;37(6):1135-1142. doi: 10.1177/0363546508330974.
196. Fitzpatrick J, Bulsara M, Zheng MH. The effectiveness of platelet-rich plasma in the treatment of tendinopathy: a meta-analysis of randomized controlled clinical trials. *Am J Sports Med*. 2017;45(1):226-233. doi: 10.1177/03635465166643716.
197. Miller LE, Parrish WR, Roides B, Bhattacharyya S. Efficacy of platelet-rich plasma injections for symptomatic tendinopathy: systematic review and meta-analysis of randomised injection-controlled trials. *BMJ Open Sport Exerc Med*. 2017;3(1):e000237. doi: 10.1136/bmjsem-2017-000237.
198. Grassi A, Napoli F, Romandini I, et al. Is platelet-rich plasma (PRP) effective in the treatment of acute muscle injuries? A systematic review and meta-analysis. *Sports Med*. 2018;48(4):971-989. doi: 10.1007/s40279-018-0860-1.
199. Moraes VY, Lenza M, Tamaoki MJ, Faloppa F, Beloti JC. Platelet-rich therapies for musculoskeletal soft tissue injuries. *Cochrane Database Syst Rev*. 2013;(12):CD010071. doi(12):CD010071. doi: 10.1002/14651858.CD010071.pub2.
200. Goswami A. Prolotherapy. *J Pain Palliat Care Pharmacother*. 2012;26(4):376-378. doi: 10.3109/15360288.2012.734900.
201. Reeves KD, Sit RW, Rabago DP. Dextrose prolotherapy: a narrative review of basic science, clinical research, and best treatment recommendations. *Phys Med Rehabil Clin N Am*. 2016;27(4):783-823. doi: 10.1016/j.pmr.2016.06.001.
202. Hauser RA, Lackner JB, Steilen-Matias D, Harris DK. A systematic review of dextrose prolotherapy for chronic musculoskeletal pain. *Clin Med Insights Arthritis Musculoskelet Disord*. 2016;9:139-159. doi: 10.4137/CMAMD.S39160.
203. Neph A, Onishi K, Wang JH. Myths and facts of in-office regenerative procedures for tendinopathy: literature review. *Am J Phys Med Rehabil*. 2018. doi: 10.1097/PHM.0000000000001097.
204. Tsai SW, Hsu YJ, Lee MC, Huang HE, Huang CC, Tung YT. Effects of dextrose prolotherapy on contusion-induced muscle injuries in mice. *Int J Med Sci*. 2018;15(11):1251-1259. doi: 10.7150/ijms.24170.
205. Wang CJ. Extracorporeal shockwave therapy in musculoskeletal disorders. *J Orthop Surg Res*. 2012;7:11-799X-7-11. doi: 10.1186/1749-799X-7-11.
206. Zissler A, Steinbacher P, Zimmermann R, et al. Extracorporeal shock wave therapy accelerates regeneration after acute skeletal muscle injury. *Am J Sports Med*. 2017;45(3):676-684. doi: 10.1177/0363546516668622.
207. van der Worp H, van den Akker-Scheek I, van Schie H, Zwerver J. ESWT for tendinopathy: technology and clinical implications. *Knee Surg Sports Traumatol, Arthrosc*. 2013;21(6):1451-1458. doi: 10.1007/s00167-012-2009-3.
208. Speed C. A systematic review of shockwave therapies in soft tissue conditions: focusing on the evidence. *Br J Sports Med*. 2014;48(21):1538-1542. doi: 10.1136/bjsports-2012-091961.
209. Schmitz C, Cszaszar NB, Milz S, et al. Efficacy and safety of extracorporeal shock wave therapy for orthopedic conditions: a systematic review on studies listed in the PEDro database. *Br Med Bull*. 2015;116:115-138. doi: 10.1093/bmb/ldv047.
210. Korakakis V, Whiteley R, Tzavara A, Malliaropoulos N. The effectiveness of extracorporeal shockwave therapy in common lower limb conditions: a systematic review including quantification of patient-rated pain reduction. *Br J Sports Med*. 2018;52(6):387-407. doi: 10.1136/bjsports-2016-097347.
211. Chiavaras MM, Jacobson JA. Ultrasound-guided tendon fenestration. *Semin Musculoskelet Radiol*. 2013;17(1):85-90. doi: 10.1055/s-0033-1333942.

212. Krey D, Borchers J, McCamey K. Tendon needling for treatment of tendinopathy: a systematic review. *Phys Sportsmed.* 2015;43(1):80-86. doi: 10.1080/00913847.2015.1004296.
213. Chaudhry FA. Effectiveness of dry needling and high-volume image-guided injection in the management of chronic mid-portion Achilles tendinopathy in adult population: a literature review. *Eur J Orthop Surg Traumatol.* 2017;27(4):441-448. doi: 10.1007/s00590-017-1957-1.
214. Arnason A, Andersen TE, Holme I, Engebretsen L, Bahr R. Prevention of hamstring strains in elite soccer: an intervention study. *Scand J Med Sci Sports.* 2008;18(1):40-48. doi: 10.1111/j.1600-0838.2006.00634.x
215. Brooks JH, Fuller CW, Kemp SP, Reddin DB. Incidence, risk, and prevention of hamstring muscle injuries in professional rugby union. *Am J Sports Med.* 2006;34(8):1297-1306. doi: 10.1177/0363546505286022.
216. McHugh MP, Cosgrave CH. To stretch or not to stretch: the role of stretching in injury prevention and performance. *Scand J Med Sci Sports.* 2010;20(2):169-181. doi: 10.1111/j.1600-0838.2009.01058.x.
217. Goode AP, Reiman MP, Harris L, et al. Eccentric training for prevention of hamstring injuries may depend on intervention compliance: a systematic review and meta-analysis. *Br J Sports Med.* 2015;49(6):349-356. doi: 10.1136/bjsports-2014-093466.
218. Maravelias C, Dona A, Stefanidou M, Spiliopoulou C. Adverse effects of anabolic steroids in athletes. A constant threat. *Toxicol Lett.* 2005;158(3):167-175. doi: 10.1016/j.toxlet.2005.06.005.
219. Urban RJ. Growth hormone and testosterone: anabolic effects on muscle. *Horm Res Paediatr.* 2011;76 Suppl 1:81-83. doi: 10.1159/000329184.
220. Phillips SM. Protein requirements and supplementation in strength sports. *Nutrition.* 2004;20(7-8):689-695. doi: 10.1016/j.nut.2004.04.009.
221. Kreider RB. Dietary supplements and the promotion of muscle growth with resistance exercise. *Sports Med.* 1999;27(2):97-110. doi: 10.2165/00007256-199927020-00003
222. Ciocca M. Medication and supplement use by athletes. *Clin Sports Med.* 2005;24(3):719-38, x-xi. doi: 10.1016/j.csm.2005.03.005.
223. Lanhers C, Pereira B, Naughton G, Trousselard M, Lesage FX, Dutheil F. Creatine supplementation and upper limb strength performance: a systematic review and meta-analysis. *Sports Med.* 2017;47(1):163-173. doi: 10.1007/s40279-016-0571-4.
224. Lanhers C, Pereira B, Naughton G, Trousselard M, Lesage FX, Dutheil F. Creatine supplementation and lower limb strength performance: a systematic review and meta-analyses. *Sports Med.* 2015;45(9):1285-1294. doi: 10.1007/s40279-015-0337-4.
225. Chilibeck PD, Kaviani M, Candow DG, Zello GA. Effect of creatine supplementation during resistance training on lean tissue mass and muscular strength in older adults: a meta-analysis. *Open Access J Sports Med.* 2017;8:213-226. doi: 10.2147/OAJSM.S123529.
226. Bouchard R, Weber AR, Geiger JD. Informed decision-making on sympathomimetic use in sport and health. *Clin J Sport Med.* 2002;12(4):209-224.
227. Hsu CJ, Meierbachtol A, George SZ, Chmielewski TL. Fear of reinjury in athletes. *Sports Health.* 2017;9(2):162-167. doi: 10.1177/1941738116666813.