

Current Trends in Nutrition and Supplementation with Relevance to the Physical Therapist

Independent Study
Course 30.3.1

Leslie Bonci, MPH, RD, CSSD, LDN
Active Eating Advice by Leslie Bonci, LLC
Pittsburgh, PA

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
ORTHOPAEDIC
PHYSICAL THERAPY



APTA
American Physical Therapy Association

REFERENCES

1. Ihie R, Loucks AB. Dose-response relationship between energy availability and bone turnover in young exercising women. *J Bone Min Res*. 2004;19(8):1231-1240. doi:10.1359/JBMR.040410.
2. Lieberman JL, DeSouza MJ, Wagstaff DA, Williams NI. Menstrual disruption with exercise is not linked to an energy availability threshold. *Med Sci Sport Exerc*. 2018;50(3):551-561. doi: 10.1249/MSS.0000000000001451.
3. Burke LM, Hawley JA, Wong SHS, Jeukendrup AE. Carbohydrates for training and competition. *J Sports Sci*. 201;29 Suppl 1:S17-S27. doi: 10.1080/02640414.2011.585473.
4. Phillips SM, van Loon LJC. Dietary protein for athletes: from requirements to optimum adaptation. *J Sports Sci*. 2011;29 Suppl 1:S29-38. doi: 10.1080/02640414.2011.
5. Rodriguez NR, Miller SL. Effective translation of current dietary guidance: understanding and communicating the concepts of minimal and optimal levels of dietary protein. *Am J Clin Nutr*. 2015;101(6):1353S-1358S.
6. USDA National Nutrition Database for Standard Reference, Release 28, September 2015, USDA, ARS.
7. Mamerow MM, Mettier JA, English KL, et al. Dietary protein distribution positively influences 24-h muscle protein synthesis in healthy adults. *J Nutr*. 2014;144(6):876-880. doi: 10.3945/jn.113.185280.

8. Loenneke JP, Loperinzi PD, Murphy CH, Phillips SM. Per meal dose and frequency of protein consumption is associated with lean mass and muscle performance. *Clin Nutr.* 2016;35(6):1506-1511. doi: 10.1016/j.clnu.2016.04.002.
9. Areta JL, Burke LM, Ross ML, et al. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol.* 2013;591(9):2319-2331. doi: 10.1113/jphysiol.2012.244897.
10. Trommelen J, van Loon LJ. Pre sleep protein ingestion to improve the skeletal muscle adaptive response to exercise training. *Nutrients.* 2016 Nov 28;8(12). doi: 10.3390/nu8120763.
11. Stokes T, Hector AJ, Morton RW, McGlory C, Phillips SM. Recent perspectives regarding the role of dietary protein for the promotion of muscle hypertrophy with resistance exercise training. *Nutrients.* 2018;10(2):180. doi: 10.3390/nu10020180.
12. Fernández-Real, Bulló M, Moreno-Navarrete JM, et al. A Mediterranean diet enriched with olive oil is associated with higher serum total osteocalcin levels in elderly men at high cardiovascular risk. *J Clin Endocrinol Metab.* 2012;97(10):3792-3798. doi: 10.1210/jc.2012-2221.
13. Higgins JP, Babu K, Deuster P, Shearer J. Energy drinks: a contemporary issues paper. *Curr Sports Med Rep.* 2018;17(2):65-72. doi: 10.1249/JSR.0000000000000454.
14. Heaton LE, Davis JK, Rawson ES et al. Selected in-season nutritional strategies to enhance recovery for team sport athletes: a practical overview. *Sports Med.* 2017;47(11):2201-2218. doi: 10.1007/s40279-017-0759-2.
15. Cox PJ, Kirk T, Ashmore T, et al. Nutritional ketosis alters fuel preference and thereby endurance performance in athletes. *Cell Metab.* 2016;24(2):1-13. doi: 10.1016/j.cmet.2016.07.010.
16. Zinn C, Wood M, Williden M, Chatterton S, Maunder E. Ketogenic diet benefits body composition and well-being but not performance in a pilot case study of New Zealand endurance athletes. *J Int Soc Sports Nutr.* 2017;14:22. doi: 10.1186/s12970-017-0180-0.
17. McSwiney FT, Wardrop B, Hyde PN, Lafountain RA, Volek JS, Doyle L. Keto-adaptation enhances exercise performance and body composition responses to training in endurance athletes. *Metabolism.* 2018;81:25-34. doi: 10.1016/j.metabol.2017.10.010.
18. Burke LM, Ross ML, Garvican-Lewis LA, et al. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol.* 2017;595(9):2785-2807. doi: 10.1113/JP273230.
19. Van Proeyen K, Szlufcik K, Nielens H, Ramaekers M, Hespel P. Beneficial metabolic adaptations due to endurance training in the fasted state. *J Appl Physiol.* 2011;110(1):236-45. doi: 10.1152/jappphysiol.00907.2010.
20. Van Proeyen K, Szlufcik K, Nielens H, et al. Training in the fasted state improves glucose tolerance during fat-rich diet. *J Physiol.* 2010;588 (Pt 21):4289-4302. doi: 10.1113/jphysiol.2010.196493.
21. Gillen JB, Percival ME, Ludzki A, Tarnopolsky M, Gibala MJ. Interval training in the fed or fasted state improves body composition and muscle oxidative capacity in overweight women. *Obesity.* 2013;21(11):2249-2255. doi: 10.1002/oby.20379.
22. Schoenfeld BJ, Aragon AA, Wilborn CD, Krieger JW, Sonmez GT. Body composition changes associated with fasted versus non-fasted aerobic exercise. *J Int Soc Sports Nutr.* 2014;11:54. doi: 10.1186/s12970-014-0054-7.
23. Levy E, Chu T. Intermittent fasting and its effect on athletic performance: a review. *Curr Sports Med Rep.* 2019;18(7):266-269. doi: 10.1249/JSR.0000000000000614.
24. Rogerson D. Vegan diets: practical advice for athletes and exercisers. *J Int Soc Sports Nutr.* 2017;14:36 doi: 10.1186/s12970-017-0192-9.
25. Lebwohl B, Cao Y, Zong G et al. Long-term gluten consumption in adults without celiac disease and risk of coronary heart disease: prospective cohort study. *BMJ.* 2017;357:j1892. doi: 10.1136/bmj.j1892.
26. Clarke G, Stilling RM, Kennedy PJ, Stanton C, Cryan JF, Dinan TG. Minireview: gut microbiota: the neglected endocrine organ. *Mol Endocrinol.* 2014;28(8):1221-1238. doi: 10.1210/me.2014-1108.
27. Bonder MJ, Tigchelaar EF, Cai X, et al. The influence of a short term gluten-free diet on the human gut microbiome. *Genome Med.* 2016;8:45. doi: 10.1186/s13073-016-0295-y.
28. DePalma G, Nadal I, Collado MC, Sanz Y. Effects of a gluten-free diet on gut microbiota and immune function in healthy adult human subjects. *Br J Nutr.* 2009;102(8):1154-1160. doi: 10.1017/S0007114509371767.
29. Lis DM, Stellingwerff T, Shing CM, Ahuja KDK, Fell JW. Exploring the popularity experiences and beliefs surrounding gluten-free diets in nonceliac athletes. *Int J Sport Nutr Exerc Metab.* 2015;25(1):37-45. doi: 10.1123/ijsnem.2013-0247.
30. Lis DM, Fell JW, Ahuja KDK, Kitic CM, Stellingwerff T. Commercial hype versus reality: our current scientific understanding of gluten and athletic performance. *Curr Sport Med Rep.* 2016;15(4):262-268. doi: 10.1249/JSR.0000000000000282.
31. deOliveira Otto MC, Mozaffarian D, Kromhout D, et al. Dietary intake of saturated fat by food source and incident cardiovascular disease: The Multi-Ethnic Study of

- Atherosclerosis. *Am J Clin Nutr.* 2012;96(2):397-404. doi: 10.3945/ajcn.112.037770.
32. Chiu S, Bergeron N, William PT, Bray GA, Sutherland B, Krauss RM. Comparison of the DASH (Dietary Approaches to Stop Hypertension) diet and a higher-fat DASH diet on blood pressure and lipids and lipoproteins: a randomized controlled trial. *Am J Clin Nutr.* 2016;103(2):341-347. doi: 10.3945/ajcn.115.123281.
 33. Ericson U, Hellstrand S, Brunkwall L, et al. Food sources of fat may clarify the inconsistent role of dietary fat intake for incidence of type 2 diabetes. *Am J Clin Nutr.* 2015;101(5):1065-1080. doi: 10.3945/ajcn.
 34. Lis DM, Ahuja KDK, Stellingwerff T, Kitic CM, Fell JW. Food avoidance in athletes: FODMAP foods on the list. *Appl Physiol Nutr Metab.* 2016;41(9):1002-1004.
 35. Lis DM, Stellingwerff T, Kitic CM, Fell JW, Ahuja KDK. Low FODMAP: A preliminary strategy to reduce gastrointestinal distress in athletes. *Med Sci Sports Exerc.* 2018;50(1):116-123. doi: 10.1249/MSS.0000000000001419.
 36. Tipton KD. Nutritional support for exercise-induced injuries. *Sports Med.* 2015;45:93-104. doi: 10.1007/s40279-015-0398-4.
 37. Paddon-Jones D, Sheffield-Moore M, Urban RJ, et al. Essential amino acid and carbohydrate supplementation ameliorates muscle protein loss in humans during 28 days bedrest. *J Clin Endocrin Metab.* 2004;89(9):4351-4358. doi: 10.1210/jc.2003-032159.
 38. Smith GI, Atherton P, Reeds DN, et al. Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperinsulinaemia-hyperaminoacidaemia in healthy young and middle-aged men and women. *Clin Sci.* 2011;121(6):267-278. doi: 10.1042/CS20100597.
 39. Nieves JW. Osteoporosis: the role of micronutrients. *Am J Clin Nutr.* 2005;81(5):1232S-1239S. doi: 10.1093/ajcn/81.5.1232.
 40. Bell PG, Walshe IH, Davison GW, Stevenson EJ, Howatson G. Recovery facilitation with Montmorency cherries following high-intensity, metabolically challenging exercise. *Appl Physiol Nutr Metab.* 2015;40(4):414-423. doi: 10.1139/apnm-2014-0244.
 41. Clifford T, Bell O, West DJ, Howatson G, Stevenson EJ. The effects of beetroot juice supplementation on indices of muscle damage following eccentric exercise. *Eur J Appl Physiol.* 2016;116(2):352-353. doi: 10.1007/s00421-015-3290-x.
 42. Trombold JR, Reinfeld AS, Casler JR, Coyle EF. The effect of pomegranate juice supplementation on strength and soreness after eccentric exercise. *J Strength Cond Res.* 2011;25(7):1782-1788. doi: 10.1519/JSC.0b013e318220d992.
 43. Davis JM, Murphy EA, Carmichael MD, et al. Curcumin effects on inflammation and performance recovery following eccentric exercise-induced muscle damage. *Am J Physiol Regul Integr Comp Physiol.* 2007;292(6):R2168-2173. doi: 10.1152/ajpregu.00858.2006.
 44. Black CD, O'Connor PJ. Acute effects of dietary ginger on muscle pain induced by eccentric exercise. *Physiother Res.* 2010;24(11):1620-1626. doi: 10.1002/ptr.3148.
 45. Meamarbashi A, Rajabi A. Preventive effects of 10-day supplementation with saffron and indomethacin on the delayed-onset muscle soreness. *Clin J Sports Med.* 2015;25(2):105-112. doi: 10.1097/JSM.000000000000113.
 46. Ochi E, Tsuchiya Y. Eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) in muscle damage and function. *Nutrients.* 2018;10(5):552. doi: 10.3390/nu10050552.
 47. Ra SG, Miyazaki T, Ishikura K, et al. Combined effects of branched chain amino acids and taurine supplementation on delayed onset muscle soreness and muscle damage in high-intensity eccentric exercise. *J Int Soc Sports Nutr.* 2013;10(1):51-61. doi: 10.1186/1550-2783-10-51.
 48. Dzedzej A, Ignatiuk W, Jaworska J, et al. The effect of the competitive season in professional basketball on inflammation and iron metabolism. *Biol Sport.* 2016;33(3):223-239. doi: 10.5604/20831862.1201811.
 49. Maughan RJ, Burke LM, Dvorak J, et al. IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med.* 2018;52(7):439-455. doi: 10.1136/bjsports-2018-099027.
 50. Garthe I, Maughan RJ. Athletes and supplements: prevalence and perspectives. *Int J Sport Nutr Exerc Metab.* 2018;28(2):126-138. doi: 10.1123/ijsnem.2017-0429.
 51. Judkins C, Prock P. Supplements and inadvertent doping - how big is the risk to athletes. *Med Sport Sci.* 2012;59:143-152. doi: 10.1159/000341970.
 52. Häussinger D, Roth E, Lang F, Gerok W. Cellular hydration state: an important determinant of protein catabolism in health and disease. *Lancet.* 1993;341(8856):1330-1332. doi: 10.1016/0140-6736(93)90828-5.
 53. McLellan TM, Caldwell JA, Lieberman HR. A review of caffeine's effects on cognitive, physical and occupational performance. *Neurosci Biobehav Rev.* 2016;71:294-312. doi: 10.1016/j.neubiorev.2016.09.001.
 54. Goldstein ER, Ziegenfuss T, Kalman D, et al. International society of sports nutrition position stand: caffeine and performance. *J Int Soc Sports Nutr.* 2010;7(1):5. doi: 10.1186/1550-2783-7-5.
 55. Van der Avoort CMT, Van Loon LJC, Hopman MTE, Verdijk LB. Increasing vegetable intake to obtain the health promoting and ergogenic effects of dietary nitrate. *Eur J Clin Nutr.* 2018;72(11):1485-1489. doi: 10.1038/s41430-018-0140-z.
 56. Philpott JD, Witard OC, Galloway SDR. Applications of omega-3 polyunsaturated fatty acid supplementation for

sport performance. *Res Sports Med.* 2019;27(2):219-237. doi: 10.1080/15438627.2018.1550401.

57. Bazzucchi I, Patrizio F, Ceci R, et al. The effect of quercetin supplementation on eccentric exercise-induced muscle damage. *Nutrients.* 2019;11(1):205. doi: 10.3390/nu11010205.
58. Overvest E, Wouters JA, Wolfs KHM, van Leeuwen JJM, Possemiers S. Citrus flavonoid supplementation improves exercise performance in trained athletes. *J Sports Sci Med.* 2018;17(1):24-30.