

Training Methodologies for Runners

Independent Study
Course 30.3.6

Jerry-Thomas Monaco, PT, DPT, OCS

Seton Hall University
Department of Physical Therapy
School of Health and Medical Sciences
Nutley, NJ

Richard G. Hubler, Jr., PT, DPT, OCS, FAAOMPT

Seton Hall University
Department of Physical Therapy
School of Health and Medical Sciences
Nutley, NJ

CONTINUING PHYSICAL THERAPY EDUCATION

ACADEMY OF
**ORTHOPAEDIC
PHYSICAL THERAPY**



APTA
American Physical Therapy Association

REFERENCES

1. Dawson A. How do your runs measure up to the 240 million others logged in Strava last year? *Runner's World*. <https://www.runnersworld.com/news/g25333911/strava-annual-report-running-statistics>. November 29, 2018.
2. USA Running. 2017 National Runner's Report. 2017; RunningUSA_NRS_2017.pdf. Accessed March 3, 2019.
3. Saunders PU, Pyne DB, Telford RD, Hawley JA. Factors affecting running economy in trained distance runners. *Sports Med*. 2004;34(7):465-485. doi: 10.2165/00007256-200434070-00005.
4. Barnes KR, Kilding AE. Running economy: measurement, norms, and determining factors. *Sports Med Open*. 2015;1(1):8. doi: 10.1186/s40798-015-0007-y.
5. Loprinzi PD, Brodowicz GR. Physiological adaptations and analysis of training content in high school cross-country runners. *Res Sports Med*. 2008;16(3):189-202. doi: 10.1080/15438620802104054.
6. Jarstad E, Mamen A. The performance and aerobic endurance effects of high-intensity versus moderate-intensity continuous running. *Appl Physiol Nutr Metabol*. 2019;44(9):990-996. doi: 10.1139/apnm-2018-0575.
7. Denadai BS, de Aguiar RA, de Lima LC, Greco CC, Caputo F. Explosive training and heavy weight training are effective for improving running economy in endurance athletes: a systematic review and meta-analysis. *Sports Med*. 2017;47(3):545-554. doi: 10.1007/s40279-016-0604-z.
8. Blagrove RC, Howatson G, Hayes PR. Effects of strength training on the physiological determinants of middle- and long-distance running performance: a systematic review. *Sports Med*. 2018;48(5):1117-1149. doi: 10.1007/s40279-017-0835-7.
9. Kenneally M, Casado A, Santos-Concejero J. The effect of periodization and training intensity distribution

- on middle- and long-distance running performance: a systematic review. *Int J Sports Physiol Perform.* 2018;13(9):1114-1121. doi: 10.1123/ijsp.2017-0327.
10. Yamamoto LM, Lopez RM, Klau JF, Casa DJ, Kraemer WJ, Maresh CM. The effects of resistance training on endurance distance running performance among highly trained runners: a systematic review. *J Strength Cond Res.* 2008;22(6):2036-2044. doi: 10.1519/JSC.0b013e318185f2f0.
 11. Slysz J, Stultz J, Burr JF. The efficacy of blood flow restricted exercise: A systematic review & meta-analysis. *J Sci Med Sport.* 2016;19(8):669-675. doi: 10.1016/j.jsams.2015.09.005.
 12. Takada S, Okita K, Suga T, et al. Blood flow restriction exercise in sprinters and endurance runners. *Med Sci Sports Exerc.* 2012;44(3):413-419. doi: 10.1249/MSS.0b013e31822f39b3.
 13. Rivera CE. Core and lumbopelvic stabilization in runners. *Phys Med Rehabil Clin N Am.* 2016;27(1):319-337. doi: 10.1016/j.pmr.2015.09.003.
 14. Baxter C, Mc Naughton LR, Sparks A, Norton L, Bentley D. Impact of stretching on the performance and injury risk of long-distance runners. *Res Sports Med.* 2017;25(1):78-90. doi: 10.1080/15438627.2016.1258640.
 15. Craib MW, Mitchell VA, Fields KB, Cooper TR, Hopewell R, Morgan DW. The association between flexibility and running economy in sub-elite male distance runners. *Med Sci Sports Exerc.* 1996;28(6):737-743. doi: 10.1097/00005768-199606000-00012.
 16. Flynn MG, Carroll KK, Hall HL, Bushman BA, Brolinson PG, Weideman CA. Cross training: indices of training stress and performance. *Med Sci Sports Exerc.* 1998;30(2):294-300. doi: 10.1097/00005768-199802000-00019.
 17. Morra EA, Zaniqueli D, Rodrigues SL, et al. Long-term intense resistance training in men is associated with preserved cardiac structure/function, decreased aortic stiffness, and lower central augmentation pressure. *J Hypertension.* 2014;32(2):286-293. doi: 10.1097/HJH.000000000000035.
 18. Bonacci J, Chapman A, Blanch P, Vicenzino B. Neuromuscular adaptations to training, injury and passive interventions: implications for running economy. *Sports Med.* 2009;39(11):903-921. doi: 10.2165/11317850-000000000-00000.
 19. Taipale RS, Mikkola J, Vesterinen V, Nummela A, Hakkinen K. Neuromuscular adaptations during combined strength and endurance training in endurance runners: maximal versus explosive strength training or a mix of both. *Eur J Appl Physiol.* 2013;113(2):325-335. doi: 10.1007/s00421-012-2440-7.
 20. Mikkola J, Vesterinen V, Taipale R, Capostagno B, Hakkinen K, Nummela A. Effect of resistance training regimens on treadmill running and neuromuscular performance in recreational endurance runners. *J Sports Sci.* 2011;29(13):1359-1371. doi: 10.1080/02640414.2011.589467.
 21. Young SN. How to increase serotonin in the human brain without drugs. *J Psychiatry Neurosci.* 2007;32(6):394-399.
 22. Nezlek JB, Cyprianska M, Cyprianski P, et al. Within-person relationships between recreational running and psychological well-being. *J Sport Exerc Psychol.* 2018;40(3):146-152. doi: 10.1123/jsep.2017-0244.
 23. Szabo A, Abraham J. The psychological benefits of recreational running: a field study. *Psychol Health Med.* 2013;18(3):251-261. doi: 10.1080/13548506.2012.701755.
 24. Tremblay MS, Copeland JL, Van Helder W. Influence of exercise duration on post-exercise steroid hormone responses in trained males. *Eur J Appl Physiol.* 2005;94(5-6):505-513. doi: 10.1007/s00421-005-1380-x.
 25. Duplanty AA, Levitt DE, Hill DW, McFarlin BK, DiMarco NM, Vingren JL. Resistance training is associated with higher bone mineral density among young adult male distance runners independent of physiological factors. *J Strength Cond Res.* 2018;32(6):1594-1600. doi: 10.1519/JSC.0000000000002504.
 26. Shaw AJ, Ingham SA, Atkinson G, Folland JP. The correlation between running economy and maximal oxygen uptake: cross-sectional and longitudinal relationships in highly trained distance runners. *PLoS One.* 2015;10(4):e0123101. doi: 10.1371/journal.pone.0123101.
 27. Hopker J, Coleman D, Jobson SA, Passfield L. Inverse relationship between VO₂max and gross efficiency. *Int J Sports Med.* 2012;33(10):789-794. doi: 10.1055/s-0032-1304640.
 28. Gaudreault N, Fuentes A, Mezghani N, Gauthier VO, Turcot K. Relationship between knee walking kinematics and muscle flexibility in runners. *J Sport Rehabil.* 2013;22(4):279-287. doi: 10.1123/jsr.22.4.279.
 29. Dumke CL, Pfaffenroth CM, McBride JM, McCauley GO. Relationship between muscle strength, power and stiffness and running economy in trained male runners. *Int J Sports Physiol Perform.* 2010;5(2):249-261. doi: 10.1123/ijsp.5.2.249.
 30. Hunter GR, Katsoulis K, McCarthy JP, et al. Tendon length and joint flexibility are related to running economy. *Med Sci Sports Exerc.* 2011;43(8):1492-1499. doi: 10.1249/MSS.0b013e318210464a.
 31. Jenkins J, Beazell J. Flexibility for runners. *Clin Sports Med.* 2010;29(3):365-377. doi: 10.1016/j.csm.2010.03.004.

32. Trehearn TL, Buresh RJ. Sit-and-reach flexibility and running economy of men and women collegiate distance runners. *J Strength Cond Res.* 2009;23(1):158-162. doi: 10.1519/JSC.0b013e31818eaf49.
33. Jones AM. Running economy is negatively related to sit-and-reach test performance in international-standard distance runners. *Int J Sports Med.* 2002;23(1):40-43. doi: 10.1055/s-2002-19271.
34. Venhorst A, Micklewright DP, Noakes TD. The psychophysiological regulation of pacing behaviour and performance fatigability during long-distance running with locomotor muscle fatigue and exercise-induced muscle damage in highly trained runners. *Sports Med Open.* 2018;4(1):29. doi: 10.1186/s40798-018-0143-2.
35. Marcora SM, Bosio A. Effect of exercise-induced muscle damage on endurance running performance in humans. *Scand J Med Sci Sports.* 2007;17(6):662-671. doi: 10.1111/j.1600-0838.2006.00627.x.
36. Enoka RM, Duchateau J. Translating fatigue to human performance. *Med Sci Sports Exerc.* 2016;48(11):2228-2238. doi: 10.1249/MSS.0000000000000929.
37. Messier SP, Martin DF, Mihalko SL, et al. A 2-year prospective cohort study of overuse running injuries: the runners and injury longitudinal study (TRAILS). *Am J Sports Med.* 2018;46(9):2211-2221. doi: 10.1177/0363546518773755.
38. Kaleta AM, Lewicka E, Dabrowska-Kugacka A, et al. Electrocardiographic abnormalities in amateur male marathon runners. *Adv Clin Exp Med.* 2018;27(8):1091-1098. doi: 10.17219/acem/73700.
39. Minns AB, McFarland C, Strachan M, et al. Electrocardiogram and echocardiogram findings in runners completing a half marathon. *Am J Emerg Med.* 2011;29(9):1182-1187. doi: 10.1016/j.ajem.2010.06.035.
40. Barnes KR, Kilding AE. Strategies to improve running economy. *Sports Med.* 2015;45(1):37-56. doi: 10.1007/s40279-014-0246-y.
41. Paquette MR, Peel SA, Smith RE, Temme M, Dwyer JN. The impact of different cross-training modalities on performance and injury-related variables in high school cross country runners. *J Strength Cond Res.* 2018;32(6):1745-1753. doi: 10.1519/JSC.0000000000002042.
42. Lorenz D, Morrison S. Current concepts in periodization of strength and conditioning for the sports physical therapist. *Int J Sports Phys Ther.* 2015;10(6):734-747. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4637911/>.
43. Baechle TR, Earle RW, eds.eds. *Essentials of Strength Training and Conditioning: National Strength and Conditioning Association.* 3rd ed. Champaign, IL: Human Kinetics; 2008.
44. Billat LV. Interval training for performance: a scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: aerobic interval training. *Sports Med.* 2001;31(1):13-31. doi: 10.2165/00007256-200131010-00002.
45. Billat LV. Interval training for performance: a scientific and empirical practice. Special recommendations for middle- and long-distance running. Part II: anaerobic interval training. *Sports Med.* 2001;31(2):75-90. doi: 10.2165/00007256-200131020-00001.
46. Denadai BS, Ortiz MJ, Greco CC, de Mello MT. Interval training at 95% and 100% of the velocity at VO2 max: effects on aerobic physiological indexes and running performance. *Appl Physiol Nutr Metab.* 2006;31(6):737-743. doi: 10.1139/h06-080.
47. Jung AP. The impact of resistance training on distance running performance. *Sports Med.* 2003;33(7):539-552. doi: 10.2165/00007256-200333070-00005.
48. Balsalobre-Fernandez C, Santos-Concejero J, Grivas GV. Effects of strength training on running economy in highly trained runners: a systematic review with meta-analysis of controlled trials. *J Strength Cond Res.* 2016;30(8):2361-2368. doi: 10.1519/JSC.0000000000001316.
49. Ramirez-Campillo R, Alvarez C, Henriquez-Olguin C, et al. Effects of plyometric training on endurance and explosive strength performance in competitive middle- and long-distance runners. *J Strength Cond Res.* 2014;28(1):97-104. doi: 10.1519/JSC.0b013e3182a1f44c.
50. Barnes KR, Hopkins WG, McGuigan MR, Northuis ME, Kilding AE. Effects of resistance training on running economy and cross-country performance. *Med Sci Sports Exerc.* 2013;45(12):2322-2331. doi: 10.1249/MSS.0b013e31829af603.
51. Turner AN, Jeffreys I. The stretch-shortening cycle: proposed mechanisms and methods for enhancement. *Strength Cond J.* 2010;32(4):87-99. doi: 10.1519/SSC.0b013e3181e928f9.
52. Verkhoshansky YV. Quickness and velocity in sports movements. *New Studies in Athletics.* 1996;11:29-38.
53. Dalleau G, Belli A, Bourdin M, Lacour J-R. The spring-mass model and the energy cost of treadmill running. *Eur J Appl Physiol Occup Physiol.* 1998;77(3):257-263. doi: 10.1007/s004210050330.
54. Koral J, Oranchuk DJ, Herrera R, Millet GY. Six sessions of sprint interval training improves running performance in trained athletes. *J Strength Cond Res.* 2018;32(3):617-623. doi: 10.1519/JSC.0000000000002286.
55. Denham J, Feros S, O'Brien B. Four weeks of sprint interval training improves 5-km run performance. *J Strength Cond Res.* 2015;29(8):2137-2141. doi: 10.1519/JSC.0000000000000862.

56. García-Pinillos F, Párraga-Montilla JA, Soto-Hermoso VM, Latorre-Román PA. Changes in balance ability, power output, and stretch-shortening cycle utilisation after two high-intensity intermittent training protocols in endurance runners. *J Sport Health Sci.* 2016;5(4):430-436. doi: 10.1016/j.jshs.2015.09.003.
57. Yamaguchi T, Takizawa K, Shibata K. Acute effect of dynamic stretching on endurance running performance in well-trained male runners. *J Strength Cond Res.* 2015;29(11):3045-3052. doi: 10.1519/JSC.0000000000000969.
58. Yamaguchi T, Takizawa K, Shibata K, Tomabechi N, Samukawa M, Yamanaka M. Effect of general warm-up plus dynamic stretching on endurance running performance in well-trained male runners. *Res Q Exerc Sport.* 2019;1-7. doi: 10.1080/02701367.2019.1630700.
59. Wilson JM, Hornbuckle LM, Kim JS, et al. Effects of static stretching on energy cost and running endurance performance. *J Strength Cond Res.* 2010;24(9):2274-2279. doi: 10.1519/JSC.0b013e3181b22ad6.
60. Allison SJ, Bailey DM, Folland JP. Prolonged static stretching does not influence running economy despite changes in neuromuscular function. *J Sports Sci.* 2008;26(14):1489-1495. doi: 10.1080/02640410802392715.
61. Zourdos MC, Wilson JM, Sommer BA, et al. Effects of dynamic stretching on energy cost and running endurance performance in trained male runners. *J Strength Cond Res.* 2012;26(2):335-341. doi: 10.1519/JSC.0b013e318225bbae.
62. Opplert J, Babault N. Acute effects of dynamic stretching on muscle flexibility and performance: an analysis of the current literature. *Sports Med.* 2018;48(2):299-325. doi: 10.1007/s40279-017-0797-9.
63. Kilding AE, Scott MA, Mullineaux DR. A kinematic comparison of deep water running and overground running in endurance runners. *J Strength Cond Res.* 2007;21(2):476-480. doi: 10.1519/R-17975.1.
64. Lepers R, Stapley PJ. Master athletes are extending the limits of human endurance. *Front Physiol.* 2016;7:613. doi: 10.3389/fphys.2016.00613.
65. Reaburn P, Dascombe B. Endurance performance in masters athletes. *Eur Rev Aging Phys Act.* 2008;5(1):31. DOI: 10.1007/s11556-008-0029-2.
66. Boyer KA, Silvernail JF, Hamill J. Age and sex influences on running mechanics and coordination variability. *J Sports Sci.* 2017;35(22):2225-2231. doi: 10.1080/02640414.2016.1265139.
67. Trappe S. Marathon runners: how do they age? *Sports Med.* 2007;37(4-5):302-305. doi: 10.2165/00007256-200737040-00008.
68. Tarpinning KM, Hamilton-Wessler M, Wiswell RA, Hawkins SA. Endurance training delays age of decline in leg strength and muscle morphology. *Med Sci Sports Exerc.* 2004;36(1):74-78. doi: 10.1249/01.MSS.0000106179.73735.A6.
69. Silvernail JF, Boyer K, Rohr E, Bruggemann GP, Hamill J. Running mechanics and variability with aging. *Med Sci Sports Exerc.* 2015;47(10):2175-2180. doi: 10.1249/01.MSS.0000000000000633.
70. Devita P, Fellin RE, Seay JF, Ip E, Stavro N, Messier SP. The relationships between age and running biomechanics. *Med Sci Sports Exerc.* 2016;48(1):98-106. doi: 10.1249/01.MSS.0000000000000744.
71. Quinn TJ, Manley MJ, Aziz J, Padham JL, MacKenzie AM. Aging and factors related to running economy. *J Strength Cond Res.* 2011;25(11):2971-2979. doi: 10.1519/JSC.0b013e318212dd0e.
72. Leyk D, Erley O, Gorges W, et al. Performance, training and lifestyle parameters of marathon runners aged 20-80 years: results of the PACE-study. *Int J Sports Med.* 2009;30(5):360-365. doi: 10.1055/s-0028-1105935.
73. Young BW, Medic N, Weir PL, Starkes JL. Explaining performance in elite middle-aged runners: contributions from age and from ongoing and past training factors. *J Sport Exerc Psychol.* 2008;30(6):737-754. doi: 10.1123/jsep.30.6.737.
74. Morgan J, Kwon YU, Williams DSB III. Influence of aging on lower extremity sagittal plane variability during 5 essential subphases of stance in male recreational runners. *J Orthop Sports Phys Ther.* 2019;49(3):171-179. doi: 10.2519/jospt.2019.8419.
75. Fukuchi RK, Stefanyshyn DJ, Stirling L, Duarte M, Ferber R. Flexibility, muscle strength and running biomechanical adaptations in older runners. *Clin Biomech (Bristol, Avon).* 2014;29(3):304-310. doi: 10.1016/j.clinbiomech.2013.12.007.
76. Paquette MR, Devita P, Williams DSB, 3rd. Biomechanical Implications of training volume and intensity in aging runners. *Med Sci Sports Exerc.* 2018;50(3):510-515. doi: 10.1249/01.MSS.0000000000001452.
77. Bus SA. Ground reaction forces and kinematics in distance running in older-aged men. *Med Sci Sports Exerc.* 2003;35(7):1167-1175. doi: 10.1249/01.MSS.0000074441.55707.D1.
78. Korhonen MT, Mero AA, Alen M, et al. Biomechanical and skeletal muscle determinants of maximum running speed with aging. *Med Sci Sports Exerc.* 2009;41(4):844-856. doi: 10.1249/01.MSS.0b013e3181998366.
79. Fukuchi RK, Duarte M. Comparison of three-dimensional lower extremity running kinematics of young adult and elderly runners. *J Sports Sci.* 2008; 26(13):1447-1454. doi: 10.1080/02640410802209018.
80. Lara B, Salinero JJ, Del Coso J. The relationship between age and running time in elite marathoners is U-shaped. *Age (Dordr).* 2014;36(2):1003-1008. doi: 10.1007/s11357-013-9614-z.

81. Tanaka H, Seals DR. Endurance exercise performance in masters athletes: age-associated changes and underlying physiological mechanisms. *J Physiol.* 2008;586(1):55-63. doi: 10.1113/jphysiol.2007.141879.
82. Dubé JJ, Broskey NT, Despines AA, et al. Muscle Characteristics and substrate energetics in lifelong endurance athletes. *Med Sci Sports Exerc.* 2016;48(3):472-480. doi: 10.1249/MSS.0000000000000789.
83. Banach T, Zoladz JA, Kolasinska-Kloch W, Szygula Z, Thor PJ. [The effect of aging on the activity of the autonomic nervous system in long distance runners]. [Article in Polish]. *Folia Medica Cracoviensia.* 2000;41(3-4):113-120.
84. Kusy K, Zielinski J. Aerobic capacity in speed-power athletes aged 20-90 years vs endurance runners and untrained participants. *Scand J Med Sci Sports.* 2014;24(1):68-79. doi: 10.1111/j.1600-0838.2012.01496.x.
85. Nielsen RO, Buist I, Parner ET, et al. Predictors of running-related injuries among 930 novice runners: A 1-year prospective follow-up study. *Orthop J Sports Med.* 2013;1(1):2325967113487316. doi: 10.1177/2325967113487316.
86. Ackermans TM, Epro G, McCrum C, et al. Aging and the effects of a half marathon on Achilles tendon force-elongation relationship. *Eur J Appl Physiol.* 2016;116(11-12):2281-2292. doi: 10.1007/s00421-016-3482-z.
87. Power GA, Dalton BH, Behm DG, Doherty TJ, Vandervoort AA, Rice CL. Motor unit survival in lifelong runners is muscle dependent. *Med Sci Sports Exerc.* 2012;44(7):1235-1242. doi: 10.1249/MSS.0b013e318249953c.
88. Piasecki M, Ireland A, Coulson J, et al. Motor unit number estimates and neuromuscular transmission in the tibialis anterior of master athletes: evidence that athletic older people are not spared from age-related motor unit remodeling. *Physiol Rep.* 2016;4(19). doi: 10.14814/phy2.12987.
89. Alentorn-Geli E, Samuelsson K, Musahl V, Green CL, Bhandari M, Karlsson J. The association of recreational and competitive running with hip and knee osteoarthritis: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2017;47(6):373-390. doi: 10.2519/jospt.2017.7137.
90. Maas E, De Bie J, Vanfleteren R, Hoogkamer W, Vanwanseele B. Novice runners show greater changes in kinematics with fatigue compared with competitive runners. *Sports Biomech.* 2018;17(3):350-360. doi: 10.1080/14763141.2017.1347193.
91. Schmitz A, Russo K, Edwards L, Noehren B. Do novice runners have weak hips and bad running form? *Gait Posture.* 2014;40(1):82-86. doi: 10.1016/j.gaitpost.2014.02.014.
92. Silva WA, de Lira CAB, Vancini RL, Andrade MS. Hip muscular strength balance is associated with running economy in recreationally-trained endurance runners. *Peer J.* 2018;6:e5219. doi: 10.7717/peerj.5219.
93. Semciw A, Neate R, Pizzari T. Running related gluteus medius function in health and injury: A systematic review with meta-analysis. *J Electromyogr Kinesiol.* 2016;30:98-110. doi: 10.1016/j.jelekin.2016.06.005.
94. Ceyskens L, Vanelderen R, Barton C, Malliaras P, Dingenen B. Biomechanical risk factors associated with running-related injuries: a systematic review. *Sports Med.* 2019;49(7):1095-1115. doi: 10.1007/s40279-019-01110-z.
95. Tonoli C, Cumps E, Aerts I, Verhagen E, Meeusen R. Running related injuries in long-distance running: incidence, risk factors and prevention. *Sport en Geneeskunde.* 2010;43(5):12.
96. Voight AM, Roberts WO, Lunos S, Chow LS. Pre- and postmarathon training habits of nonelite runners. *Open Access J Sports Med.* 2011;2:13-18. doi: 10.2147/OAJSM.S16665.
97. Fields KB, Sykes JC, Walker KM, Jackson JC. Prevention of running injuries. *Curr Sports Med Rep.* 2010;9(3):176-182. doi: 10.1249/JSR.0b013e3181de7ec5.
98. Hreljac A. Etiology, prevention, and early intervention of overuse injuries in runners: a biomechanical perspective. *Phys Med Rehabil Clin.* 2005;16(3):651-667. doi: 10.1016/j.pmr.2005.02.002.
99. Johnston C, Taunton J, Lloyd-Smith D, McKenzie D. Preventing running injuries. Practical approach for family doctors. *Can Fam Physician.* 2003;49(9):1101-1109.
100. Buist I, Bredeweg SW, Van Mechelen W, Lemmink KA, Pepping G-J, Diercks RL. No effect of a graded training program on the number of running-related injuries in novice runners: a randomized controlled trial. *Am J Sports Med.* 2008;36(1):33-39. doi: 10.1177/0363546507307505.
101. Harries SK, Lubans DR, Callister R. Systematic review and meta-analysis of linear and undulating periodized resistance training programs on muscular strength. *J Strength Cond Res.* 2015;29(4):1113-1125. doi: 10.1519/JSC.0000000000000712.
102. Alcaraz-Ibanez M, Rodriguez-Perez M. Effects of resistance training on performance in previously trained endurance runners: a systematic review. *J Sports Sci.* 2018;36(6):613-629. doi: 10.1080/02640414.2017.1326618.
103. NCAA. Estimated probability of competing in college athletics. 2019; <http://www.ncaa.org/about/resources/research/estimated-probability-competing-college-athletics>. Accessed August 21, 2019.
104. NCAA. NCAA recruiting facts. 2018; <https://www.ncaa.org/sites/default/files/Recruiting%20Fact%20Sheet%20WEB.pdf>. Accessed August 21, 2019.

105. Wiewelhove T, Schneider C, Döweling A, et al. Effects of different recovery strategies following a half-marathon on fatigue markers in recreational runners. *PLoS One*. 2018;13(11):e0207313-e0207313. doi: 10.1371/journal.pone.0207313.
106. Kuzma C. 9 recovery methods to use after your run. 2015; <https://www.runnersworld.com/uk/health/mental-health/a774264/9-recovery-methods-to-use-after-your-run/>. Accessed August 30, 2019.
107. Areces F, Salinero JJ, Abian-Vicen J, et al. The use of compression stockings during a marathon competition to reduce exercise-induced muscle damage: are they really useful? *J Orthop Sports Phys Ther*. 2015;45(6):462-470. doi: 10.2519/jospt.2015.5863.
108. Ehrström S, Gruet M, Giandolini M, Chapuis S, Morin J-B, Vercruyssen F. Acute and delayed neuromuscular alterations induced by downhill running in trained trail runners: beneficial effects of high-pressure compression garments. *Front Physiol*. 2018;9:1627-1627. doi: 10.3389/fphys.2018.01627.
109. Armstrong SA, Till ES, Maloney SR, Harris GA. Compression socks and functional recovery following marathon running: a randomized controlled trial. *J Strength Cond Res*. 2015;29(2):528-533. doi: 10.1519/JSC.0000000000000649.
110. Engel FA, Holmberg HC, Sperlich B. Is There evidence that runners can benefit from wearing compression clothing? *Sports Med*. 2016;46(12):1939-1952. doi: 10.1007/s40279-016-0546-5.
111. Dupuy O, Douzi W, Theurot D, Bosquet L, Dugue B. An Evidence-based approach for choosing post-exercise recovery techniques to reduce markers of muscle damage, soreness, fatigue, and inflammation: a systematic review with meta-analysis. *Front Physiol*. 2018;9:403. doi: 10.3389/fphys.2018.00403.
112. Dupuy O, Douzi W, Theurot D, Bosquet L, Dugué B. An evidence-based approach for choosing post-exercise recovery techniques to reduce markers of muscle damage, soreness, fatigue, and inflammation: a systematic review with meta-analysis. *Front Physiol*. 2018;9:403-403. doi: 10.3389/fphys.2018.00403.
113. Higgins TR, Greene DA, Baker MK. Effects of cold water immersion and contrast water therapy for recovery from team sport: a systematic review and meta-analysis. *J Strength Cond Res*. 2017;31(5):1443-1460. doi: 10.1519/JSC.0000000000001559.
114. Wilson LJ, Cockburn E, Paice K, et al. Recovery following a marathon: a comparison of cold water immersion, whole body cryotherapy and a placebo control. *Eur J Appl Physiol*. 2018;118(1):153-163. doi: 10.1007/s00421-017-3757-z.
115. Stenson MC, Stenson MR, Matthews TD, Paolone VJ. 5000 Meter run performance is not enhanced 24 hrs after an intense exercise bout and cold water immersion. *J Sports Sci Med*. 2017;16(2):272-279. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5465990/>.
116. Glasgow PD, Ferris R, Bleakley CM. Cold water immersion in the management of delayed-onset muscle soreness: is dose important? A randomised controlled trial. *Phys Ther Sport*. 2014;15(4):228-233. doi: 10.1016/j.ptsp.2014.01.002.
117. Machado AF, Almeida AC, Micheletti JK, et al. Dosages of cold-water immersion post exercise on functional and clinical responses: a randomized controlled trial. *Scand J Med Sci Sports*. 2017;27(11):1356-1363. doi: 10.1111/sms.12734.
118. Butterfield TA, Best TM, Merrick MA. The dual roles of neutrophils and macrophages in inflammation: a critical balance between tissue damage and repair. *J Athl Train*. 2006;41(4):457-465. doi: 10.1111/sms.12734.
119. Van Hooren B, Peake JM. Do we need a cool-down after exercise? A narrative review of the psychophysiological effects and the effects on performance, injuries and the long-term adaptive response. *Sports Med*. 2018;48(7):1575-1595. doi: 10.1007/s40279-018-0916-2.
120. Van Hooren B, Peake JM. Do we need a cool-down after exercise? A narrative review of the psychophysiological effects and the effects on performance, injuries and the long-term adaptive response. *Sports Med*. 2018;48(7):1575-1595. doi: 10.1007/s40279-018-0916-2.
121. Cheatham SW, Kolber MJ, Cain M, Lee M. The effects of self-myofascial release using a foam roll or roller massager on joint range of motion, muscle recovery, and performance: a systematic review. *Int J Sports Phys Ther*. 2015;10(6):827-838. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4637917/>.
122. Bender PU, Luz CMD, Feldkircher JM, Nunes GS. Massage therapy slightly decreased pain intensity after habitual running, but had no effect on fatigue, mood or physical performance: a randomised trial. *J Physiother*. 2019;65(2):75-80. doi: 10.1016/j.jphys.2019.02.006.
123. Dawson KA, Dawson L, Thomas A, Tiidus PM. Effectiveness of regular proactive massage therapy for novice recreational runners. *Phys Ther Sport*. 2011;12(4):182-187. doi: 10.1016/j.ptsp.2011.02.007.
124. Hoffman MD, Badowski N, Chin J, Stuempfle KJ. A randomized controlled trial of massage and pneumatic compression for ultramarathon recovery. *J Orthop Sports Phys Ther*. 2016;46(5):320-326. doi: 10.2519/jospt.2016.6455.
125. Wiewelhove T, Döweling A, Schneider C, et al. A meta-analysis of the effects of foam rolling on performance and recovery. *Front Physiol*. 2019;10:376-376. doi: 10.3389/fphys.2019.00376.

126. D'Amico A, Paolone V. The effect of foam rolling on recovery between two eight hundred metre runs. *J Hum Kinet.* 2017;57:97-105. doi: 10.1515/hukin-2017-0051.
127. Pearcey GEP, Bradbury-Squires DJ, Kawamoto J-E, Drinkwater EJ, Behm DG, Button DC. Foam rolling for delayed-onset muscle soreness and recovery of dynamic performance measures. *J Athl Train.* 2015;50(1):5-13. doi: 10.4085/1062-6050-50.1.01.
128. Herbert RD, de Noronha M, Kamper SJ. Stretching to prevent or reduce muscle soreness after exercise. *Cochrane Database Syst Rev.* 2011(7):Cd004577. doi: 10.1002/14651858.CD004577.pub3.
129. Smith LL, Brunetz MH, Chenier TC, et al. The effects of static and ballistic stretching on delayed onset muscle soreness and creatine kinase. *Res Q Exerc Sport.* 1993;64(1):103-107. doi: 10.1080/02701367.1993.10608784.
130. Robertson EY, Saunders PU, Pyne DB, Aughey RJ, Anson JM, Gore CJ. Reproducibility of performance changes to simulated live high/train low altitude. *Med Sci Sports Exerc.* 2010;42(2):394-401. doi: 10.1249/MSS.0b013e3181b34b57.
131. Saunders PU, Telford RD, Pyne DD, Gore CJ, Hahn AG. Improved race performance in elite middle-distance runners after cumulative altitude exposure. *Int J Sports Physiol Perform.* 2009;4(1):134-138. doi: 10.1123/ijspp.4.1.134.
132. NCAA. NCAA Championships. 2019; <https://www.ncaa.com/history/cross-country-women/d1>. Accessed September 8, 2019.
133. Bonetti DL, Hopkins WG. Sea-level exercise performance following adaptation to hypoxia: a meta-analysis. *Sports Med.* 2009;39(2):107-127. doi: 10.2165/00007256-200939020-00002.
134. Park H-Y, Park W, Lim K. Living high-training low for 21 days enhances exercise economy, hemodynamic function, and exercise performance of competitive runners. *J Sports Sci Med.* 2019;18(3):427-437. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6683611/>.
135. Saltin B, Larsen H, Terrados N, et al. Aerobic exercise capacity at sea level and at altitude in Kenyan boys, junior and senior runners compared with Scandinavian runners. *Scand J Med Sci Sports.* 1995;5(4):209-221. doi: 10.1111/j.1600-0838.1995.tb00037.x.
136. Weston AR, Karamizrak O, Smith A, Noakes TD, Myburgh KH. African runners exhibit greater fatigue resistance, lower lactate accumulation, and higher oxidative enzyme activity. *J Appl Physiol.* 1999;86(3):915-923. doi: 10.1152/jappl.1999.86.3.915.
137. Brothers MD, Doan BK, Zupan MF, Wile AL, Wilber RL, Byrnes WC. Hematological and physiological adaptations following 46 weeks of moderate altitude residence. *High Alt Med Biol.* 2010;11(3):199-208. doi: 10.1089/ham.2009.1090.
138. Lundby C, Calbet JA, Sander M, et al. Exercise economy does not change after acclimatization to moderate to very high altitude. *Scand J Med Sci Sports.* 2007;17(3):281-291. doi: 10.1111/j.1600-0838.2006.00530.x.
139. Farina KA, Wright AA, Ford KR, Wirfel LA, Smoliga JM. Physiological and biomechanical responses to running on lower body positive pressure treadmills in healthy populations. *Sports Med.* 2017;47(2):261-275. doi: 10.1007/s40279-016-0581-2.
140. Riley PO, Dicharry J, Franz J, Della Croce U, Wilder RP, Kerrigan DC. A kinematics and kinetic comparison of overground and treadmill running. *Med Sci Sports Exerc.* 2008;40(6):1093-1100. doi: 10.1249/MSS.0b013e3181677530.
141. Neal M, Fleming N, Eberman L, Games K, Vaughan J. Effect of body-weight-support running on lower-limb biomechanics. *J Orthop Sports Phys Ther.* 2016;46(9):784-793. doi: 10.2519/jospt.2016.6503.
142. Barnes KR, Janecke JN. Physiological and biomechanical responses of highly trained distance runners to lower-body positive pressure treadmill running. *Sports Med.* 2017;3(1):41-41. doi: 10.1186/s40798-017-0108-x.
143. McNeill DKP, Kline JR, de Heer HD, Coast JR. Oxygen consumption of elite distance runners on an anti-gravity treadmill. *J Sports Sci Med.* 2015;14(2):333-339. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4424462/>.
144. Liang J, Lang S, Zheng Y, et al. The effect of anti-gravity treadmill training for knee osteoarthritis rehabilitation on joint pain, gait, and EMG: Case report. *Medicine (Baltimore).* 2019;98(18):e15386-e15386. doi: 10.1097/MD.00000000000015386.
145. Struhár I, Kumstát M, Králová DM. Effect of compression garments on physiological responses after uphill running. *J Human Kinet.* 2018;61:119-129. doi: 10.1515/hukin-2017-0136.
146. Kemmler W, von Stengel S, Kockritz C, Mayhew J, Wassermann A, Zapf J. Effect of compression stockings on running performance in men runners. *J Strength Cond Res.* 2009;23(1):101-105. doi: 10.1519/JSC.0b013e31818eae3f.
147. Ali A, Creasy RH, Edge JA. Physiological effects of wearing graduated compression stockings during running. *Eur J Appl Physiol.* 2010;109(6):1017-1025. doi: 10.1007/s00421-010-1447-1.
148. Venckunas T, Trinkunas E, Kamandulis S, Poderys J, Grunovas A, Brazaitis M. Effect of lower body compression garments on hemodynamics in response to running session. *Sci World J.* 2014;2014:353040. doi: 10.1155/2014/353040.
149. Wilson JM, Marin PJ, Rhea MR, Wilson SM, Loenneke JP, Anderson JC. Concurrent training: a meta-analysis examining interference of aerobic and resistance exercises. *J Strength Cond Res.* 2012;26(8):2293-2307. doi: 10.1519/JSC.0b013e31823a3e2d.

150. Ferrauti A, Bergermann M, Fernandez-Fernandez J. Effects of a concurrent strength and endurance training on running performance and running economy in recreational marathon runners. *J Strength Cond Res*. 2010;24(10):2770-2778. doi: 10.1519/JSC.0b013e3181d64e9c.
151. Butcher SJ, Craven BR, Chilibeck PD, Spink KS, Grona SL, Sprigings EJ. The effect of trunk stability training on vertical takeoff velocity. *J Orthop Sports Phys Ther*. 2007;37(5):223-231. doi: 10.2519/jospt.2007.2331.
152. Berryman N, Mujika I, Arvisais D, Roubex M, Binet C, Bosquet L. Strength training for middle- and long-distance performance: a meta-analysis. *Int J Sports Physiol Perform*. 2018;13(1):57-63. doi: 10.1123/ijssp.2017-0032.
153. Aagaard P, Andersen JL. Effects of strength training on endurance capacity in top-level endurance athletes. *Scand J Med Sci Sports*. 2010;20 Suppl 2:39-47. doi: 10.1123/ijssp.2017-0032.
154. Doma K, Deakin GB. The effects of strength training and endurance training order on running economy and performance. *Appl Physiol Nutr Metab*. 2013;38(6):651-656. doi: 10.1139/apnm-2012-0362.
155. Tong TK, Wu S, Nie J, Baker JS, Lin H. The occurrence of core muscle fatigue during high-intensity running exercise and its limitation to performance: the role of respiratory work. *J Sports Sci Med*. 2014;13(2):244-251. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3990875/>.
156. Sato K, Mokha M. Does core strength training influence running kinetics, lower-extremity stability, and 5000-M performance in runners? *J Strength Cond Res*. 2009;23(1):133-140. doi: 10.1519/JSC.0b013e3181818eb0c5.
157. Dutton M. *Dutton's Orthopaedic Examination, Evaluation and Intervention*. 4th ed. McGraw-Hill Education; 2016.
158. Hayes PR, Bowen SJ, Davies EJ. The relationships between local muscular endurance and kinematic changes during a run to exhaustion at vVO₂max. *J Strength Cond Res*. 2004;18(4):898-903. doi: 10.1519/r-13503.1.
159. Leetun DT, Ireland ML, Willson JD, Ballantyne BT, Davis IM. Core stability measures as risk factors for lower extremity injury in athletes. *Med Sci Sports Exerc*. 2004;36(6):926-934. doi: 10.1249/01.mss.0000128145.75199.c3.
160. Koblbauer IF, van Schooten KS, Verhagen EA, van Dieen JH. Kinematic changes during running-induced fatigue and relations with core endurance in novice runners. *J Sci Med Sport*. 2014;17(4):419-424. doi: 10.1016/j.jsams.2013.05.013.
161. Chen YT, Hsieh YY, Ho JY, Lin JC. Effects of running exercise combined with blood flow restriction on strength and sprint performance. *J Strength Cond Res*. 2019. doi: 10.1519/JSC.0000000000003313.
162. James EG, Karabulut M. Vascular restriction decreases EMG regularity during walking. *Human Move Sci*. 2013;32(3):389-399. doi: 10.1016/j.humov.2013.01.007.
163. de Oliveira MF, Caputo F, Corvino RB, Denadai BS. Short-term low-intensity blood flow restricted interval training improves both aerobic fitness and muscle strength. *Scand J Med Sci Sports*. 2016;26(9):1017-1025. doi: 10.1111/sms.12540.